

Lin Ni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/535311/publications.pdf>

Version: 2024-02-01

38
papers

385
citations

840776

11
h-index

839539

18
g-index

40
all docs

40
docs citations

40
times ranked

542
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-inflammation effect of methyl salicylate 2-O- β -D-lactoside on adjuvant induced-arthritis rats and lipopolysaccharide (LPS)-treated murine macrophages RAW264.7 cells. <i>International Immunopharmacology</i> , 2015, 25, 88-95.	3.8	43
2	Selection and evaluation of reference genes for qRT-PCR analysis in <i>Euscaphis konishii</i> Hayata based on transcriptome data. <i>Plant Methods</i> , 2018, 14, 42.	4.3	42
3	Anti-inflammatory alkaloid glycoside and quinoline alkaloid derivatives from the stems of <i>Clausena lansium</i> . <i>RSC Advances</i> , 2015, 5, 80553-80560.	3.6	30
4	Novel rearranged and highly oxygenated abietane diterpenoids from the leaves of <i>Tripterygium wilfordii</i> . <i>Tetrahedron Letters</i> , 2015, 56, 1239-1243.	1.4	29
5	Comparative transcriptome among <i>Euscaphis konishii</i> Hayata tissues and analysis of genes involved in flavonoid biosynthesis and accumulation. <i>BMC Genomics</i> , 2019, 20, 24.	2.8	29
6	Chemical Constituents and Biological Activity Profiles on <i>Pleione</i> (Orchidaceae). <i>Molecules</i> , 2019, 24, 3195.	3.8	22
7	Terpenoids and Their Biological Activities from <i>Cinnamomum</i> : A Review. <i>Journal of Chemistry</i> , 2020, 2020, 1-14.	1.9	20
8	LB β 1 Exerts Antitumor Activity in Pancreatic Cancer by Inhibiting HIF α and Stat3 Signaling. <i>Journal of Cellular Physiology</i> , 2015, 230, 2212-2223.	4.1	18
9	Clinical Characteristics, Prognosis, and Gender Disparities in Young Patients With Acute Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 720378.	2.4	16
10	Diterpenoids and lignans from the leaves of <i>Tripterygium wilfordii</i> . <i>F\ddot{a}-totera\ddot{p}</i> , 2018, 129, 133-137.	2.2	15
11	Qualitative and quantitative analysis of phenolic compounds by UPLC-MS/MS and biological activities of <i>Pholidota chinensis</i> Lindl.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 187, 113350.	2.8	14
12	Total phenolic extract of <i>Euscaphis konishii</i> hayata Pericarp attenuates carbon tetrachloride (CCl $_4$)-induced liver fibrosis in mice. <i>Biomedicine and Pharmacotherapy</i> , 2020, 125, 109932.	5.6	11
13	Wilfordonols A–D: four new norsesquiterpenes from the leaves of <i>Tripterygium wilfordii</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 615-624.	1.4	9
14	Triptergosidols A-D, nerolidol-type sesquiterpene glucosides from the leaves of <i>Tripterygium wilfordii</i> . <i>F\ddot{a}-totera\ddot{p}</i> , 2018, 128, 187-191.	2.2	8
15	Chemical Constituents of the Roots of <i>Ormosia hosiei</i> . <i>Chemistry of Natural Compounds</i> , 2019, 55, 972-974.	0.8	8
16	The isolation, absolute configuration and activities of 18(4 β - α ' β -3)-abeo-abietane lactones from <i>Tripterygium wilfordii</i> . <i>Bioorganic Chemistry</i> , 2019, 82, 68-73.	4.1	8
17	Chemical constituents from the bark of <i>bauhinia purpurea</i> and their NO inhibitory activities. <i>Natural Product Research</i> , 2020, 34, 2424-2429.	1.8	8
18	The <i>Euscaphis japonica</i> genome and the evolution of malvids. <i>Plant Journal</i> , 2021, 108, 1382-1399.	5.7	6

#	ARTICLE	IF	CITATIONS
19	Flavonoid and chromone-rich extract from <i>Euscaphis Konishii</i> Hayata leaf attenuated alcoholic liver injury in mice. <i>Journal of Ethnopharmacology</i> , 2022, 295, 115455.	4.1	6
20	Hositisines A and B, new alkaloids from the stems of <i>Ormosia hosiei</i> Hemsl. et Wils. <i>Natural Product Research</i> , 2021, 35, 2184-2189.	1.8	5
21	The Clinical Impact of Proton Pump Inhibitors When Co-Administered With Dual Antiplatelet Therapy in Patients Having Acute Myocardial Infarction With Low Risk of Gastrointestinal Bleeding: Insights From the China Acute Myocardial Infarction Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 685072.	2.4	5
22	Chemical Constituents of <i>Euscaphis konishii</i> and Their Inhibitory Activities. <i>Chemistry of Natural Compounds</i> , 2019, 55, 832-834.	0.8	4
23	Protective Effect of the Total Triterpenes of <i>Euscaphis konishii</i> Hayata Pericarp on <i>Bacillus Calmette-Guérin</i> Plus Lipopolysaccharide-Induced Liver Injury. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-15.	1.2	4
24	Impact of proton pump inhibitors on clinical outcomes in patients after acute myocardial infarction: a propensity score analysis from China Acute Myocardial Infarction (CAMI) registry. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 659-665.	0.2	4
25	Megastigmane Glycosides from the Leaves of <i>Tripterygium wilfordii</i> . <i>Natural Product Communications</i> , 2015, 10, 2023-6.	0.5	4
26	Megastigmane Glycosides from the Leaves of <i>Tripterygium wilfordii</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501001.	0.5	3
27	Appropriateness of gastrointestinal prophylaxis use during hospitalization in patients with acute myocardial infarction: Analysis from the China Acute Myocardial Infarction Registry. <i>Clinical Cardiology</i> , 2021, 44, 43-50.	1.8	3
28	Pogonatherumol, a Novel Highly Oxygenated Norsesquiterpene with Flavone C-Glycosides from <i>Pogonatherum crinitum</i> . <i>Journal of Chemistry</i> , 2018, 2018, 1-3.	1.9	2
29	New 18(4 β)-Abeo-Abietanoids from <i>Tripterygium wilfordii</i> . <i>Molecules</i> , 2018, 23, 2467.	3.8	1
30	Chemical Constituents and Their Activities From the Twigs of <i>Euscaphis konishii</i> Hayata. <i>Natural Product Communications</i> , 2020, 15, 1934578X2093493.	0.5	1
31	Adsorption mechanism of triterpenoid saponins in reversed-phase liquid chromatography and hydrophilic interaction liquid chromatography: Mogroside V as test substance. <i>Journal of Chromatography A</i> , 2020, 1620, 461010.	3.7	1
32	Evaluation of a risk index for predicting short-term and long-term outcomes in patients with ST-segment elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 542-549.	1.7	1
33	Discovery of glucosyloxybenzyl 2-hydroxy-2-isobutylsuccinates with anti-inflammatory activities from <i>Pleione grandiflora</i> . <i>FITOTERAPIA</i> , 2021, 155, 105062.	2.2	1
34	Chemical Constituents from <i>Nicotiana tabacum</i> L. and Their Antifungal Activity. <i>Natural Product Communications</i> , 2021, 16, 1934578X2110595.	0.5	1
35	Cytisine-like alkaloids from the seeds of <i>Ormosia hosiei</i> Hemsl. et Wils. <i>Natural Product Research</i> , 2023, 37, 1321-1327.	1.8	1
36	Chemical Constituents and Their Activities From the Seeds of <i>Ormosia hosiei</i> . <i>Natural Product Communications</i> , 2019, 14, 1934578X1985997.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Two new bibenzyls from <i>Pleione grandiflora</i> (Rolfe) Rolfe and their antioxidant activity. <i>Natural Product Research</i> , 2022, , 1-7.	1.8	0
38	A New Flavonoid From Leaves of <i>Ormosia xylocarpa</i> . <i>Natural Product Communications</i> , 2022, 17, 1934578X2211020.	0.5	0