
Geoffrey C Gurtner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/535333/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Wound repair and regeneration. Nature, 2008, 453, 314-321. | 27.8 | 4,690 |
| 2 | Progenitor cell trafficking is regulated by hypoxic gradients through HIF-1 induction of SDF-1. Nature Medicine, 2004, 10, 858-864. | 30.7 | 2,385 |
| 3 | Human skin wounds: A major and snowballing threat to public health and the economy. Wound Repair and Regeneration, 2009, 17, 763-771. | 3.0 | 2,277 |
| 4 | Wound Healing: A Cellular Perspective. Physiological Reviews, 2019, 99, 665-706. | 28.8 | 1,303 |
| 5 | Quantitative and reproducible murine model of excisional wound healing. Wound Repair and Regeneration, 2004, 12, 485-492. | 3.0 | 592 |
| 6 | Identification and isolation of a dermal lineage with intrinsic fibrogenic potential. Science, 2015, 348, aaa2151. | 12.6 | 520 |
| 7 | Mechanical load initiates hypertrophic scar formation through decreased cellular apoptosis. FASEB Journal, 2007, 21, 3250-3261. | 0.5 | 422 |
| 8 | Adult vasculogenesis occurs through in situ recruitment, proliferation, and tubulization of circulating bone marrow–derived cells. Blood, 2005, 105, 1068-1077. | 1.4 | 402 |
| 9 | Focal adhesion kinase links mechanical force to skin fibrosis via inflammatory signaling. Nature Medicine, 2012, 18, 148-152. | 30.7 | 391 |
| 10 | Enhancement of mesenchymal stem cell angiogenic capacity and stemness by a biomimetic hydrogel scaffold. Biomaterials, 2012, 33, 80-90. | 11.4 | 340 |
| 11 | Preventing <i>Engrailed-1</i> activation in fibroblasts yields wound regeneration without scarring. Science, 2021, 372, . | 12.6 | 269 |
| 12 | Surgical Approaches to Create Murine Models of Human Wound Healing. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-8. | 3.0 | 263 |
| 13 | The Role of Hypoxia-Inducible Factor in Wound Healing. Advances in Wound Care, 2014, 3, 390-399. | 5.1 | 257 |
| 14 | Hypertrophic Scar Formation Following Burns and Trauma: New Approaches to Treatment. PLoS Medicine, 2007, 4, e234. | 8.4 | 252 |
| 15 | Topological supramolecular network enabled high-conductivity, stretchable organic bioelectronics. Science, 2022, 375, 1411-1417. | 12.6 | 230 |
| 16 | Injectable and Tunable Gelatin Hydrogels Enhance Stem Cell Retention and Improve Cutaneous Wound Healing. Advanced Functional Materials, 2017, 27, 1606619. | 14.9 | 226 |
| 17 | Improving Cutaneous Scar Formation by Controlling the Mechanical Environment. Annals of Surgery, 2011, 254, 217-225. | 4.2 | 218 |
| 18 | Decreasing Intracellular Superoxide Corrects Defective Ischemia-induced New Vessel Formation in Diabetic Mice. Journal of Biological Chemistry, 2008, 283, 10930-10938. | 3.4 | 207 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Age Decreases Endothelial Progenitor Cell Recruitment Through Decreases in Hypoxia-Inducible Factor 1α Stabilization During Ischemia. Circulation, 2007, 116, 2818-2829. | 1.6 | 193 |
| 20 | <i>db/db</i> mice exhibit severe woundâ€healing impairments compared with other murine diabetic strains in a siliconeâ€splinted excisional wound model. Wound Repair and Regeneration, 2007, 15, 665-670. | 3.0 | 191 |
| 21 | Mesenchymal Stem Cells Home to Sites of Injury and Inflammation. Advances in Wound Care, 2012, 1, 147-152. | 5.1 | 176 |
| 22 | Pushing Back: Wound Mechanotransduction in Repair and Regeneration. Journal of Investigative Dermatology, 2011, 131, 2186-2196. | 0.7 | 175 |
| 23 | Transdermal deferoxamine prevents pressure-induced diabetic ulcers. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 94-99. | 7.1 | 160 |
| 24 | Mechanotransduction and fibrosis. Journal of Biomechanics, 2014, 47, 1997-2005. | 2.1 | 157 |
| 25 | Diabetes impairs the angiogenic potential of adipose-derived stem cells by selectively depleting cellular subpopulations. Stem Cell Research and Therapy, 2014, 5, 79. | 5.5 | 153 |
| 26 | Mechanical Forces in Cutaneous Wound Healing: Emerging Therapies to Minimize Scar Formation. Advances in Wound Care, 2018, 7, 47-56. | 5.1 | 150 |
| 27 | CD105 Protein Depletion Enhances Human Adipose-derived Stromal Cell Osteogenesis through Reduction of Transforming Growth Factor β1 (TGF-β1) Signaling. Journal of Biological Chemistry, 2011, 286, 39497-39509. | 3.4 | 144 |
| 28 | Progress and Potential for Regenerative Medicine. Annual Review of Medicine, 2007, 58, 299-312. | 12.2 | 143 |
| 29 | Engineered Pullulan–Collagen Composite Dermal Hydrogels Improve Early Cutaneous Wound Healing. Tissue Engineering - Part A, 2011, 17, 631-644. | 3.1 | 142 |
| 30 | Angiogenic properties of dehydrated human amnion/chorion allografts: therapeutic potential for soft tissue repair and regeneration. Vascular Cell, 2014, 6, 10. | 0.2 | 141 |
| 31 | Aging disrupts cell subpopulation dynamics and diminishes the function of mesenchymal stem cells. Scientific Reports, 2014, 4, 7144. | 3.3 | 140 |
| 32 | The Foreign Body Response. Plastic and Reconstructive Surgery, 2015, 135, 1489-1498. | 1.4 | 135 |
| 33 | Successful Translation of Fluorescence Navigation During Oncologic Surgery: A Consensus Report. Journal of Nuclear Medicine, 2016, 57, 144-150. | 5.0 | 125 |
| 34 | Scarless Wound Healing. Plastic and Reconstructive Surgery, 2015, 135, 907-917. | 1.4 | 116 |
| 35 | Stem cell therapies for wound healing. Expert Opinion on Biological Therapy, 2019, 19, 575-585. | 3.1 | 116 |
| 36 | Soft tissue mechanotransduction in wound healing and fibrosis. Seminars in Cell and Developmental Biology, 2012, 23, 981-986. | 5.0 | 102 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Capillary Force Seeding of Hydrogels for Adipose-Derived Stem Cell Delivery in Wounds. Stem Cells Translational Medicine, 2014, 3, 1079-1089. | 3.3 | 100 |
| 38 | Challenges and Opportunities in Drug Delivery for Wound Healing. Advances in Wound Care, 2016, 5, 79-88. | 5.1 | 100 |
| 39 | Stem Cell Niches for Skin Regeneration. International Journal of Biomaterials, 2012, 2012, 1-8. | 2.4 | 98 |
| 40 | Conformable hyaluronic acid hydrogel delivers adipose-derived stem cells and promotes regeneration of burn injury. Acta Biomaterialia, 2020, 108, 56-66. | 8.3 | 95 |
| 41 | Tracking the Elusive Fibrocyte: Identification and Characterization of Collagenâ€Producing Hematopoietic Lineage Cells During Murine Wound Healing. Stem Cells, 2014, 32, 1347-1360. | 3.2 | 93 |
| 42 | Aging and Diabetes Impair the Neovascular Potential of Adipose-Derived Stromal Cells. Plastic and Reconstructive Surgery, 2009, 123, 475-485. | 1.4 | 91 |
| 43 | Laser Treatment of Traumatic Scars and Contractures: 2020 International Consensus Recommendations. Lasers in Surgery and Medicine, 2020, 52, 96-116. | 2.1 | 89 |
| 44 | Pullulan Hydrogels Improve Mesenchymal Stem Cell Delivery into Highâ€Oxidativeâ€Stress Wounds. Macromolecular Bioscience, 2011, 11, 1458-1466. | 4.1 | 88 |
| 45 | A Randomized Controlled Trial of the embrace Advanced Scar Therapy Device to Reduce Incisional Scar Formation. Plastic and Reconstructive Surgery, 2014, 134, 536-546. | 1.4 | 87 |
| 46 | Therapeutic potential of bone marrow-derived mesenchymal stem cells for cutaneous wound healing. Frontiers in Immunology, 2012, 3, 192. | 4.8 | 84 |
| 47 | Chronic wounds: Treatment consensus. Wound Repair and Regeneration, 2022, 30, 156-171. | 3.0 | 83 |
| 48 | Pressure Injury. Annals of Surgery, 2020, 271, 671-679. | 4.2 | 82 |
| 49 | Pharmacological rescue of diabetic skeletal stem cell niches. Science Translational Medicine, 2017, 9, . | 12.4 | 80 |
| 50 | The embrace Device Significantly Decreases Scarring following Scar Revision Surgery in a Randomized Controlled Trial. Plastic and Reconstructive Surgery, 2014, 133, 398-405. | 1.4 | 78 |
| 51 | Integrated spatial multiomics reveals fibroblast fate during tissue repair. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 7.1 | 76 |
| 52 | Cell-Assisted Lipotransfer Improves Volume Retention in Irradiated Recipient Sites and Rescues Radiation-Induced Skin Changes. Stem Cells, 2016, 34, 668-673. | 3.2 | 71 |
| 53 | Mechanotransduction in Wound Healing and Fibrosis. Journal of Clinical Medicine, 2020, 9, 1423. | 2.4 | 71 |
| 54 | Hydrogel Scaffolds to Deliver Cell Therapies for Wound Healing. Frontiers in Bioengineering and Biotechnology, 2021, 9, 660145. | 4.1 | 69 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Multi-omic analysis reveals divergent molecular events in scarring and regenerative wound healing. Cell Stem Cell, 2022, 29, 315-327.e6. | 11.1 | 69 |
| 56 | Wound Healing: A Paradigm for Regeneration. Mayo Clinic Proceedings, 2013, 88, 1022-1031. | 3.0 | 67 |
| 57 | Cell recruitment by amnion chorion grafts promotes neovascularization. Journal of Surgical Research, 2015, 193, 953-962. | 1.6 | 65 |
| 58 | Rapid identification of slow healing wounds. Wound Repair and Regeneration, 2016, 24, 181-188. | 3.0 | 64 |
| 59 | Consensus Conference Statement on the General Use of Near-infrared Fluorescence Imaging and Indocyanine Green Guided Surgery. Annals of Surgery, 2022, 275, 685-691. | 4.2 | 63 |
| 60 | Synthetic and Bone tissue engineering graft substitutes: What is the future?. Injury, 2021, 52, S72-S77. | 1.7 | 62 |
| 61 | Mesenchymal Stem Cells Can Participate in Ischemic Neovascularization. Plastic and Reconstructive Surgery, 2009, 123, 45S-55S. | 1.4 | 61 |
| 62 | An Information Theoretic, Microfluidic-Based Single Cell Analysis Permits Identification of Subpopulations among Putatively Homogeneous Stem Cells. PLoS ONE, 2011, 6, e21211. | 2.5 | 61 |
| 63 | Regenerative Medicine: Charting a New Course in Wound Healing. Advances in Wound Care, 2016, 5, 314-328. | 5.1 | 60 |
| 64 | Diabetes Irreversibly Depletes Bone Marrow–Derived Mesenchymal Progenitor Cell Subpopulations. Diabetes, 2014, 63, 3047-3056. | 0.6 | 58 |
| 65 | Adipose-Derived Stem Cell-Seeded Hydrogels Increase Endogenous Progenitor Cell Recruitment and Neovascularization in Wounds. Tissue Engineering - Part A, 2016, 22, 295-305. | 3.1 | 57 |
| 66 | Acceleration of Diabetic Wound Regeneration using an In Situ–Formed Stem ellâ€Based Skin Substitute. Advanced Healthcare Materials, 2018, 7, e1800432. | 7.6 | 56 |
| 67 | Elucidating the fundamental fibrotic processes driving abdominal adhesion formation. Nature Communications, 2020, 11, 4061. | 12.8 | 52 |
| 68 | Cas9-AAV6-engineered human mesenchymal stromal cells improved cutaneous wound healing in diabetic mice. Nature Communications, 2020, 11, 2470. | 12.8 | 52 |
| 69 | Comparison of the Hydroxylase Inhibitor Dimethyloxalylglycine and the Iron Chelator Deferoxamine in Diabetic and Aged Wound Healing. Plastic and Reconstructive Surgery, 2017, 139, 695e-706e. | 1.4 | 50 |
| 70 | A rapid crosslinking injectable hydrogel for stem cell delivery, from multifunctional hyperbranched polymers via RAFT homopolymerization of PEGDA. Polymer Chemistry, 2015, 6, 6182-6192. | 3.9 | 46 |
| 71 | Microfluidic single-cell transcriptional analysis rationally identifies novel surface marker profiles to enhance cell-based therapies. Nature Communications, 2016, 7, 11945. | 12.8 | 46 |
| 72 | Single-Cell Transcriptomics of Human Mesenchymal Stem Cells Reveal Age-Related Cellular Subpopulation Depletion and Impaired Regenerative Function. Stem Cells, 2019, 37, 240-246. | 3.2 | 46 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Controlled Delivery of a Focal Adhesion Kinase Inhibitor Results in Accelerated Wound Closure with Decreased ScarÂFormation. Journal of Investigative Dermatology, 2018, 138, 2452-2460. | 0.7 | 45 |
| 74 | Prrx1 Fibroblasts Represent a Pro-fibrotic Lineage in the Mouse Ventral Dermis. Cell Reports, 2020, 33, 108356. | 6.4 | 44 |
| 75 | Disrupting biological sensors of force promotes tissue regeneration in large organisms. Nature Communications, 2021, 12, 5256. | 12.8 | 43 |
| 76 | A Mechanomodulatory Device to Minimize Incisional Scar Formation. Advances in Wound Care, 2013, 2, 185-194. | 5.1 | 41 |
| 77 | Ultrasound-Assisted Liposuction Does Not Compromise the Regenerative Potential of Adipose-Derived Stem Cells. Stem Cells Translational Medicine, 2016, 5, 248-257. | 3.3 | 40 |
| 78 | The Interplay of Mechanical Stress, Strain, and Stiffness at the Keloid Periphery Correlates with Increased Caveolin-1/ROCK Signaling and Scar Progression. Plastic and Reconstructive Surgery, 2019, 144, 58e-67e. | 1.4 | 39 |
| 79 | High-Throughput Screening of Surface Marker Expression on Undifferentiated and Differentiated Human Adipose-Derived Stromal Cells. Tissue Engineering - Part A, 2015, 21, 2281-2291. | 3.1 | 38 |
| 80 | A Matched-Pair Analysis of Prepectoral with Subpectoral Breast Reconstruction: Is There a Difference in Postoperative Complication Rate?. Plastic and Reconstructive Surgery, 2019, 144, 801-807. | 1.4 | 38 |
| 81 | Mechanical offloading of incisional wounds is associated with transcriptional downregulation of inflammatory pathways in a large animal model. Organogenesis, 2014, 10, 186-193. | 1.2 | 36 |
| 82 | Progenitor Cell Dysfunctions Underlie Some Diabetic Complications. American Journal of Pathology, 2015, 185, 2607-2618. | 3.8 | 36 |
| 83 | Ageâ€associated intracellular superoxide dismutase deficiency potentiates dermal fibroblast dysfunction during wound healing. Experimental Dermatology, 2019, 28, 485-492. | 2.9 | 35 |
| 84 | Isolation of CD248â€expressing stromal vascular fraction for targeted improvement of wound healing. Wound Repair and Regeneration, 2017, 25, 414-422. | 3.0 | 34 |
| 85 | Characterization of Diabetic and Non-Diabetic Foot Ulcers Using Single-Cell RNA-Sequencing. Micromachines, 2020, 11, 815. | 2.9 | 34 |
| 86 | Extracellular superoxide dismutase deficiency impairs wound healing in advanced age by reducing neovascularization and fibroblast function. Experimental Dermatology, 2016, 25, 206-211. | 2.9 | 33 |
| 87 | Protecting Nipple Perfusion by Devascularization and Surgical Delay in Patients at Risk for Ischemic Complications During Nipple-Sparing Mastectomies. Annals of Surgical Oncology, 2016, 23, 2665-2672. | 1.5 | 33 |
| 88 | Ultrasound-assisted liposuction provides a source for functional adipose-derived stromal cells. Cytotherapy, 2017, 19, 1491-1500. | 0.7 | 33 |
| 89 | Suction assisted liposuction does not impair the regenerative potential of adipose derived stem cells. Journal of Translational Medicine, 2016, 14, 126. | 4.4 | 32 |
| 90 | JUN promotes hypertrophic skin scarring via CD36 in preclinical in vitro and in vivo models. Science Translational Medicine, 2021, 13, eabb3312. | 12.4 | 32 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Optimization of transdermal deferoxamine leads to enhanced efficacy in healing skin wounds. Journal of Controlled Release, 2019, 308, 232-239. | 9.9 | 31 |
| 92 | Adipose-Derived Stromal Cells Seeded in Pullulan-Collagen Hydrogels Improve Healing in Murine Burns. Tissue Engineering - Part A, 2021, 27, 844-856. | 3.1 | 31 |
| 93 | Disrupting mechanotransduction decreases fibrosis and contracture in split-thickness skin grafting. Science Translational Medicine, 2022, 14, eabj9152. | 12.4 | 31 |
| 94 | Regenerative Medicine. Current Problems in Surgery, 2011, 48, 148-212. | 1.1 | 30 |
| 95 | A histological and mechanical analysis of the cardiac lead–tissue interface: implications for lead extraction. Acta Biomaterialia, 2014, 10, 2200-2208. | 8.3 | 28 |
| 96 | Acceleration of Diabetic Wound Healing with PHD2- and miR-210-Targeting Oligonucleotides. Tissue Engineering - Part A, 2019, 25, 44-54. | 3.1 | 28 |
| 97 | Cellular Response to a Novel Fetal Acellular Collagen Matrix: Implications for Tissue Regeneration. International Journal of Biomaterials, 2013, 2013, 1-9. | 2.4 | 27 |
| 98 | <i>In Vivo</i> Models for the Study of Fibrosis. Advances in Wound Care, 2019, 8, 645-654. | 5.1 | 27 |
| 99 | <scp>Pullulanâ€Collagen</scp> hydrogel wound dressing promotes dermal remodelling and wound healing compared to commercially available collagen dressings. Wound Repair and Regeneration, 2022, 30, 397-408. | 3.0 | 27 |
| 100 | Hyperbaric Oxygen Therapy: Descriptive Review of the Technology and Current Application in Chronic Wounds. Plastic and Reconstructive Surgery - Global Open, 2020, 8, e3136. | 0.6 | 26 |
| 101 | Xenogeneic skin transplantation promotes angiogenesis and tissue regeneration through activated Trem2 ⁺ macrophages. Science Advances, 2021, 7, eabi4528. | 10.3 | 26 |
| 102 | Epidermal or Dermal Specific Knockout of PHD-2 Enhances Wound Healing and Minimizes Ischemic Injury. PLoS ONE, 2014, 9, e93373. | 2.5 | 24 |
| 103 | Enrichment of Adipose-Derived Stromal Cells for BMPR1A Facilitates Enhanced Adipogenesis. Tissue Engineering - Part A, 2016, 22, 214-221. | 3.1 | 23 |
| 104 | A Novel Mouse Model for Frostbite Injury. Wilderness and Environmental Medicine, 2013, 24, 94-104. | 0.9 | 22 |
| 105 | Gene expression in fetal murine keratinocytes and fibroblasts. Journal of Surgical Research, 2014, 190, 344-357. | 1.6 | 21 |
| 106 | Modulating Cellular Responses to Mechanical Forces to Promote Wound Regeneration. Advances in Wound Care, 2022, 11, 479-495. | 5.1 | 21 |
| 107 | Small molecule inhibition of dipeptidyl peptidase-4 enhances bone marrow progenitor cell function and angiogenesis in diabetic wounds. Translational Research, 2019, 205, 51-63. | 5.0 | 20 |
| 108 | Wound Center Without Walls: The New Model of Providing Care During the COVID-19 Pandemic. Wounds, 2020, 32, 178-185. | 0.5 | 20 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | The Abnormal Architecture of Healed Diabetic Ulcers Is the Result of FAK Degradation by Calpain 1. Journal of Investigative Dermatology, 2017, 137, 1155-1165. | 0.7 | 19 |
| 110 | Deferoxamine can prevent pressure ulcers and accelerate healing in aged mice. Wound Repair and Regeneration, 2018, 26, 300-305. | 3.0 | 19 |
| 111 | From Bedside to Bench and Back Again: Technology Innovation in Plastic Surgery. Plastic and Reconstructive Surgery, 2009, 124, 1355-1356. | 1.4 | 17 |
| 112 | High-Throughput Single-Cell Analysis for Wound Healing Applications. Advances in Wound Care, 2013, 2, 457-469. | 5.1 | 17 |
| 113 | Multiple Subsets of Brain Tumor Initiating Cells Coexist in Glioblastoma. Stem Cells, 2016, 34, 1702-1707. | 3.2 | 17 |
| 114 | Beneath the Surface: A Review of Laser Remodeling of Hypertrophic Scars and Burns. Advances in Wound Care, 2019, 8, 168-176. | 5.1 | 17 |
| 115 | Prophylactic treatment with transdermal deferoxamine mitigates radiation-induced skin fibrosis. Scientific Reports, 2020, 10, 12346. | 3.3 | 17 |
| 116 | Mechanical Strain Drives Myeloid Cell Differentiation Toward Proinflammatory Subpopulations. Advances in Wound Care, 2022, 11, 466-478. | 5.1 | 17 |
| 117 | Optimizing Outcomes of Postmastectomy Breast Reconstruction With Acellular Dermal Matrix: A Review of Recent Clinical Data. Eplasty, 2017, 17, e18. | 0.4 | 17 |
| 118 | Murine Dermal Fibroblast Isolation by FACS. Journal of Visualized Experiments, 2016, , . | 0.3 | 16 |
| 119 | Wound healing outcomes: Using big data and a modified intentâ€ŧoâ€ŧreat method as a metric for reporting healing rates. Wound Repair and Regeneration, 2017, 25, 665-672. | 3.0 | 16 |
| 120 | Short Hairpin RNA Silencing of PHD-2 Improves Neovascularization and Functional Outcomes in Diabetic Wounds and Ischemic Limbs. PLoS ONE, 2016, 11, e0150927. | 2.5 | 16 |
| 121 | Poly-l-Arginine Topical Lotion Tested in a Mouse Model for Frostbite Injury. Wilderness and Environmental Medicine, 2014, 25, 160-165. | 0.9 | 15 |
| 122 | Is early inflammation good or bad? Linking early immune changes to hypertrophic scarring. Experimental Dermatology, 2017, 26, 133-134. | 2.9 | 15 |
| 123 | Macrophage Subpopulation Dynamics Shift following Intravenous Infusion of Mesenchymal Stromal Cells. Molecular Therapy, 2020, 28, 2007-2022. | 8.2 | 15 |
| 124 | A bioactive compliant vascular graft modulates macrophage polarization and maintains patency with robust vascular remodeling. Bioactive Materials, 2023, 19, 167-178. | 15.6 | 15 |
| 125 | An Improved Humanized Mouse Model for Excisional Wound Healing Using Double Transgenic Mice. Advances in Wound Care, 2018, 7, 11-17. | 5.1 | 14 |
| 126 | Impaired Neovascularization in Aging. Advances in Wound Care, 2020, 9, 111-126. | 5.1 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Black, White, and Gray: Macrophages in Skin Repair and Disease. Current Pathobiology Reports, 2017, 5, 333-342. | 3.4 | 13 |
| 128 | Using intraoperative laser angiography to safeguard nipple perfusion in nipple-sparing mastectomies. Gland Surgery, 2015, 4, 497-505. | 1.1 | 13 |
| 129 | High-Resolution Microfluidic Single-Cell Transcriptional Profiling Reveals Clinically Relevant Subtypes among Human Stem Cell Populations Commonly Utilized in Cell-Based Therapies. Frontiers in Neurology, 2016, 7, 41. | 2.4 | 12 |
| 130 | Nipple Reconstruction with the Biodesign Nipple Reconstruction Cylinder: A Prospective Clinical Study. Plastic and Reconstructive Surgery - Global Open, 2016, 4, e832. | 0.6 | 12 |
| 131 | Topical Deferoxamine Alleviates Skin Injury and Normalizes Atomic Force Microscopy Patterns Following Radiation in a Murine Breast Reconstruction Model. Annals of Plastic Surgery, 2018, 81, 604-608. | 0.9 | 12 |
| 132 | Hyperbaric Oxygen Therapy in Management of Diabetic Foot Ulcers: Indocyanine Green Angiography May Be Used as a Biomarker to Analyze Perfusion and Predict Response to Treatment. Plastic and Reconstructive Surgery, 2021, 147, 209-214. | 1.4 | 12 |
| 133 | Iron Chelation with Transdermal Deferoxamine Accelerates Healing of Murine Sickle Cell Ulcers. Advances in Wound Care, 2018, 7, 323-332. | 5.1 | 11 |
| 134 | Surveillance of Stem Cell Fate and Function: A System for Assessing Cell Survival and Collagen Expression <i>In Situ</i> . Tissue Engineering - Part A, 2016, 22, 31-40. | 3.1 | 10 |
| 135 | Er:YAG laser vs. sharp debridement in management of chronic wounds: Effects on pain and bacterial load. Wound Repair and Regeneration, 2020, 28, 118-125. | 3.0 | 10 |
| 136 | Cryopreserved human skin allografts promote angiogenesis and dermal regeneration in a murine model. International Wound Journal, 2020, 17, 925-936. | 2.9 | 10 |
| 137 | A comparative analysis of deferoxamine treatment modalities for dermal radiationâ€induced fibrosis. Journal of Cellular and Molecular Medicine, 2021, 25, 10028-10038. | 3.6 | 10 |
| 138 | Adult Stem Cells in Small Animal Wound Healing Models. Methods in Molecular Biology, 2013, 1037, 81-98. | 0.9 | 9 |
| 139 | Enhanced Electrochemical Sensing with Carbon Nanotubes Modified with Bismuth and Magnetic Nanoparticles in a Labâ€onâ€aâ€Chip. ChemNanoMat, 2016, 2, 904-910. | 2.8 | 9 |
| 140 | Identifying risk factors for postoperative major complications in staged implantâ€based breast reconstruction with AlloDerm. Breast Journal, 2019, 25, 597-603. | 1.0 | 9 |
| 141 | Current and Emerging Topical Scar Mitigation Therapies for Craniofacial Burn Wound Healing. Frontiers in Physiology, 2020, 11, 916. | 2.8 | 9 |
| 142 | Tissue Engineering of Axially Vascularized Soft-Tissue Flaps with a Poly-(É›-Caprolactone) Nanofiber-Hydrogel Composite. Advances in Wound Care, 2020, 9, 365-377. | 5.1 | 8 |
| 143 | Standardizing Dimensionless Cutometer Parameters to Determine <i>In Vivo</i> Elasticity of Human Skin. Advances in Wound Care, 2022, 11, 297-310. | 5.1 | 8 |
| 144 | Mechanobiology of skin diseases and wound healing. , 2018, , 415-448. | | 6 |

Mechanobiology of skin diseases and wound healing. , 2018, , 415-448. 144

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Wounds Inhibit Tumor Growth In Vivo. Annals of Surgery, 2021, 273, 173-180. | 4.2 | 6 |
| 146 | Neovascularization in diabetes. Expert Review of Endocrinology and Metabolism, 2010, 5, 99-111. | 2.4 | 5 |
| 147 | Filamin A Mediates Wound Closure by Promoting Elastic Deformation and Maintenance of Tension in the Collagen Matrix. Journal of Investigative Dermatology, 2015, 135, 2569-2571. | 0.7 | 5 |
| 148 | Finding a needle in a "needlestackâ€: Cell Cycle, 2016, 15, 3331-3332. | 2.6 | 5 |
| 149 | A multivariable miRNA signature delineates the systemic hemodynamic impact of arteriovenous shunt placement in a pilot study. Scientific Reports, 2020, 10, 21809. | 3.3 | 5 |
| 150 | Inhibiting Fibroblast Mechanotransduction Modulates Severity of Idiopathic Pulmonary Fibrosis. Advances in Wound Care, 2022, 11, 511-523. | 5.1 | 5 |
| 151 | IQGAP1â€mediated mechanical signaling promotes the foreign body response to biomedical implants. FASEB Journal, 2022, 36, e22007. | 0.5 | 5 |
| 152 | Surgical Therapies and Tissue Engineering: At the Intersection Between Innovation and Regulation. Tissue Engineering - Part A, 2016, 22, 397-400. | 3.1 | 4 |
| 153 | Pathway Analysis of Gene Expression of E14 Versus E18 Fetal Fibroblasts. Advances in Wound Care, 2018, 7, 1-10. | 5.1 | 4 |
| 154 | Enrichment of Nanofiber Hydrogel Composite with Fractionated Fat Promotes Regenerative Macrophage Polarization and Vascularization for Soft-Tissue Engineering. Plastic and Reconstructive Surgery, 2022, 149, 433e-444e. | 1.4 | 4 |
| 155 | Reinforced Biologic Mesh Reduces Postoperative Complications Compared to Biologic Mesh after Ventral Hernia Repair. Plastic and Reconstructive Surgery - Global Open, 2022, 10, e4083. | 0.6 | 4 |
| 156 | Pathway Analysis of Gene Expression in Murine Fetal and Adult Wounds <i>This abstract has been presented at the 8th Annual Academic Surgical Congress on February 5–7, 2013 in New Orleans, Louisiana and the 26th Annual Meeting of the Wound Healing Society on April 23–27, 2014 in Orlando, Florida.</i> . Advances in Wound Care, 2018, 7, 262-275. | 5.1 | 3 |
| 157 | Matchedâ€cohort study comparing bioactive human splitâ€thickness skin allograft plus standard of care to standard of care alone in the treatment of diabetic ulcers: A retrospective analysis across 470 institutions. Wound Repair and Regeneration, 2020, 28, 81-89. | 3.0 | 3 |
| 158 | The Plane of Mesh Placement Does Not Impact Abdominal Donor Site Complications in Microsurgical Breast Reconstruction. Annals of Plastic Surgery, 2021, 87, 542-546. | 0.9 | 3 |
| 159 | Foot Burns in Persons With Diabetes: Outcomes From the National Trauma Data Bank. Journal of Burn Care and Research, 2022, 43, 541-547. | 0.4 | 3 |
| 160 | Holy grail of tissue regeneration: Size. BioEssays, 2022, 44, . | 2.5 | 3 |
| 161 | Preoperative βâ€lactam antibiotic prophylaxis is superior to bacteriostatic alternatives in immediate expanderâ€based breast reconstruction. Journal of Surgical Oncology, 2021, 124, 722-730. | 1.7 | 2 |
| 162 | Partial Tendon Injury at the Tendon-to-Bone Enthesis Activates Skeletal Stem Cells. Stem Cells Translational Medicine, 2022, 11, 715-726. | 3.3 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Topical Lineage-Negative Progenitor-Cell Therapy for Diabetic Wounds (Invited Discussion). Plastic and Reconstructive Surgery, 2009, 123, 421-423. | 1.4 | 1 |
| 164 | Reply. Plastic and Reconstructive Surgery, 2014, 134, 664e-666e. | 1.4 | 1 |
| 165 | Clinical Management of Wound Healing and Hypertrophic Scarring. , 2016, , 61-81. | | 1 |
| 166 | Discussion: Recipient-Site Preconditioning with Deferoxamine Increases Fat-Graft Survival by Inducing VEGF and Neovascularization in a Rat Model. Plastic and Reconstructive Surgery, 2019, 144, 630e-631e. | 1.4 | 1 |
| 167 | Therapeutic Breast Reconstruction Using Gene Therapy–Delivered IFNγ Immunotherapy. Molecular Cancer Therapeutics, 2020, 19, 697-705. | 4.1 | 1 |
| 168 | A rare case of Wohlfahrtiimonas chitiniclastica infection in California. JAAD Case Reports, 2021, 17, 55-57. | 0.8 | 1 |
| 169 | Epidermal-Derived Hedgehog Signaling Drives Mesenchymal Proliferation during Digit Tip Regeneration. Journal of Clinical Medicine, 2021, 10, 4261. | 2.4 | 1 |
| 170 | Proceed with Caution: Mouse Deep Digit Flexor Tendon Injury Model. Plastic and Reconstructive Surgery - Global Open, 2021, 9, e3359. | 0.6 | 1 |
| 171 | Bench to Bedside: Navigating Industry, the FDA and Venture Capital. , 2010, , 253-268. | | 1 |
| 172 | Healing Rates in a Multicenter Assessment of a Sterile, Room Temperature, Acellular Dermal Matrix Versus Conventional Care Wound Management and an Active Comparator in the Treatment of Full-Thickness Diabetic Foot Ulcers. Eplasty, 2016, 16, e27. | 0.4 | 1 |
| 173 | Selective Microvascular Tissue Transfection Using Minicircle DNA for Systemic Delivery of Human Coagulation Factor IX in a Rat Model Using a Therapeutic Flap. Plastic and Reconstructive Surgery, 2021, Publish Ahead of Print, . | 1.4 | 1 |
| 174 | The evolving role of avotermin in scar prevention. Expert Review of Dermatology, 2011, 6, 149-152. | 0.3 | 0 |
| 175 | In Reply. Stem Cells, 2019, 37, E2-E2. | 3.2 | Ο |
| 176 | Therapeutic Interventions to Reduce Radiation Induced Dermal Injury in a Murine Model of Tissue Expander Based Breast Reconstruction. Annals of Plastic Surgery, 2020, 85, 546-552. | 0.9 | 0 |
| 177 | ASO Visual Abstract: Two-Stage Versus One-Stage Nipple-Sparing Mastectomy: Timing of Surgery Prevents Nipple Loss. Annals of Surgical Oncology, 2021, 28, 653-654. | 1.5 | Ο |
| 178 | Publishing in Plastic Surgery. , 2010, , 259-276. | | 0 |
| 179 | Discussion: Overcoming the Patent Gap: A Guide to Patenting for Plastic Surgeons. Plastic and Reconstructive Surgery, 2021, 148, 918-919. | 1.4 | 0 |
| 180 | Wound care research sponsored by the Department of Defense. Wound Repair and Regeneration, 2022, , . | 3.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Combining Breast and Ovarian Operations Increases Complications. Plastic and Reconstructive Surgery, 2022, 149, 1050-1059. | 1.4 | Ο |