mohammad Irani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5353816/publications.pdf

Version: 2024-02-01

87723 95083 4,798 69 38 68 citations h-index g-index papers 5107 71 71 71 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Adsorption and sustained release of doxorubicin from N-carboxymethyl chitosan/polyvinyl alcohol/poly(ε-caprolactone) composite and core-shell nanofibers. Journal of Drug Delivery Science and Technology, 2022, 67, 102937.	1.4	18
2	Adsorption, and controlled release of doxorubicin from cellulose acetate/polyurethane/multi-walled carbon nanotubes composite nanofibers. Nanotechnology, 2022, 33, 155102.	1.3	16
3	Preparation of colloidal nanoparticles PVA-PHEMA from hydrolysis of copolymers of PVAc-PHEMA as anticancer drug carriers. Nanotechnology, 2022, 33, 275603.	1.3	15
4	Biosensors and nanotechnology for cancer diagnosis (lung and bronchus, breast, prostate, and) Tj ETQq0 0 0 rg	BT /Overlo	ck <u>10</u> Tf 50 62
5	PVA/ΰ-carrageenan/Au/camptothecin/pegylated-polyurethane/paclitaxel nanofibers against lung cancer treatment. RSC Advances, 2022, 12, 16310-16318.	1.7	7
6	Simultaneous linear release of folic acid and doxorubicin from ethyl cellulose/chitosan/ <scp>g ₃N₄</scp> / <scp>MoS₂</scp> coreâ€shell nanofibers and its anticancer properties. Journal of Biomedical Materials Research - Part A, 2021, 109, 903-914.	2.1	34
7	Magnetic bioactive glasses/Cisplatin loaded-chitosan (CS)-grafted- poly (Îμ-caprolactone) nanofibers against bone cancer treatment. Carbohydrate Polymers, 2021, 258, 117680.	5.1	30
8	A review on the applications of electrospun chitosan nanofibers for the cancer treatment. International Journal of Biological Macromolecules, 2021, 183, 790-810.	3.6	39
9	Electrospun gold nanorods/graphene oxide loaded-core-shell nanofibers for local delivery of paclitaxel against lung cancer during photo-chemotherapy method. European Journal of Pharmaceutical Sciences, 2021, 164, 105914.	1.9	34
10	Polymer incorporated magnetic nanoparticles: Applications for magnetoresponsive targeted drug delivery. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 272, 115358.	1.7	51
11	Synthesis of magnetic gold coated poly (ε-caprolactonediol) based polyurethane/poly(N-isopropylacrylamide)-grafted-chitosan core-shell nanofibers for controlled release of paclitaxel and 5-FU. International Journal of Biological Macromolecules, 2020, 150, 1130-1140.	3.6	43
12	Fabrication of poly(acrylic acid) grafted-chitosan/polyurethane/magnetic MIL-53 metal organic framework composite core-shell nanofibers for co-delivery of temozolomide and paclitaxel against glioblastoma cancer cells. International Journal of Pharmaceutics, 2020, 587, 119674.	2.6	66
13	Synthesis of PLGA/chitosan/zeolites and PLGA/chitosan/metal organic frameworks nanofibers for targeted delivery of Paclitaxel toward prostate cancer cells death. International Journal of Biological Macromolecules, 2020, 164, 1461-1474.	3.6	94
14	Metal organic framework nanoparticles loaded-PVDF/chitosan nanofibrous ultrafiltration membranes for the removal of BSA protein and Cr(VI) ions. Journal of Molecular Liquids, 2020, 317, 113934.	2.3	59
15	Incorporation of Hydroxyapatite/Doxorubicin into the Chitosan/Polyvinyl Alcohol/Polyurethane Nanofibers for Controlled Release of Doxurubicin and Its Anticancer Property. Fibers and Polymers, 2020, 21, 1634-1642.	1.1	12
16	Electrospun polyacrylonitrile/cellulose acetate/MIL-125/TiO2 composite nanofibers as an efficient photocatalyst and anticancer drug delivery system. Cellulose, 2020, 27, 10029-10045.	2.4	21
17	Far-reaching advances in the role of carbon nanotubes in cancer therapy. Life Sciences, 2020, 257, 118059.	2.0	26
18	UiO-66 metal organic framework nanoparticles loaded carboxymethyl chitosan/poly ethylene oxide/polyurethane core-shell nanofibers for controlled release of doxorubicin and folic acid. International Journal of Biological Macromolecules, 2020, 150, 178-188.	3.6	97

#	Article	IF	Citations
19	Magnetic CoFe2O4 nanoparticles doped with metal ions: A review. Ceramics International, 2020, 46, 18391-18412.	2.3	155
20	Fabrication of novel chitosan-g-PNVCL/ZIF-8 composite nanofibers for adsorption of Cr(VI), As(V) and phenol in a single and ternary systems. Carbohydrate Polymers, 2019, 224, 115148.	5.1	99
21	Sol–gel derived SnO ₂ /Ag ₂ O ceramic nanocomposite for H ₂ gas sensing applications. Materials Research Express, 2019, 6, 1150g2.	0.8	25
22	Synthesis of cellulose acetate/chitosan/SWCNT/Fe3O4/TiO2 composite nanofibers for the removal of Cr(VI), As(V), Methylene blue and Congo red from aqueous solutions. International Journal of Biological Macromolecules, 2019, 140, 1296-1304.	3.6	103
23	Synthesis of ethyl cellulose/aluminosilicate zeolite nanofibrous membranes for oil–water separation and oil absorption. Cellulose, 2019, 26, 9787-9801.	2.4	17
24	Synthesis and Characterization of Natural Nano-hydroxyapatite Derived from Turkey Femur-Bone Waste. Applied Biochemistry and Biotechnology, 2019, 189, 919-932.	1.4	76
25	Simultaneous controlled release of 5-FU, DOX and PTX from chitosan/PLA/5-FU/g-C3N4-DOX/g-C3N4-PTX triaxial nanofibers for breast cancer treatment in vitro. Colloids and Surfaces B: Biointerfaces, 2019, 179, 495-504.	2.5	80
26	Incorporation of UiO-66-NH2 MOF into the PAN/chitosan nanofibers for adsorption and membrane filtration of Pb(II), Cd(II) and Cr(VI) ions from aqueous solutions. Journal of Hazardous Materials, 2019, 368, 10-20.	6.5	381
27	Incorporation of magnetic NaX zeolite/DOX into the PLA/chitosan nanofibers for sustained release of doxorubicin against carcinoma cells death in vitro. International Journal of Biological Macromolecules, 2019, 121, 398-406.	3.6	72
28	Doxorubicin hydrochloride - Loaded electrospun chitosan/cobalt ferrite/titanium oxide nanofibers for hyperthermic tumor cell treatment and controlled drug release. International Journal of Biological Macromolecules, 2018, 116, 378-384.	3.6	101
29	Electrospun biocompatible poly (ε-caprolactonediol)-based polyurethane core/shell nanofibrous scaffold for controlled release of temozolomide. International Journal of Polymeric Materials and Polymeric Biomaterials, 2018, 67, 361-366.	1.8	33
30	Aminated-Fe3O4 nanoparticles filled chitosan/PVA/PES dual layers nanofibrous membrane for the removal of $Cr(VI)$ and $Pb(II)$ ions from aqueous solutions in adsorption and membrane processes. Chemical Engineering Journal, 2018, 337, 169-182.	6.6	168
31	Fabrication of chitosan/poly(lactic acid)/graphene oxide/TiO2 composite nanofibrous scaffolds for sustained delivery of doxorubicin and treatment of lung cancer. International Journal of Biological Macromolecules, 2018, 110, 416-424.	3.6	72
32	A novel biocompatible drug delivery system of chitosan/temozolomide nanoparticles loaded PCL-PU nanofibers for sustained delivery of temozolomide. International Journal of Biological Macromolecules, 2017, 97, 744-751.	3.6	72
33	Gold coated poly (Îμ-caprolactonediol) based polyurethane nanofibers for controlled release of temozolomide. Biomedicine and Pharmacotherapy, 2017, 88, 667-676.	2.5	28
34	The sustained delivery of temozolomide from electrospun PCL-Diol-b-PU/gold nanocompsite nanofibers to treat glioblastoma tumors. Materials Science and Engineering C, 2017, 75, 165-174.	3.8	59
35	Effect of graphene oxide nanosheets on the geotechnical properties of cemented silty soil. Archives of Civil and Mechanical Engineering, 2016, 16, 695-701.	1.9	41
36	Simultaneous degradation of phenol and paracetamol using carbon/MWCNT/Fe3O4 composite nanofibers during photo-like-Fenton process. Journal of the Taiwan Institute of Chemical Engineers, 2016, 63, 327-335.	2.7	17

#	Article	IF	Citations
37	Fabrication of chitosan/silica nanofibrous adsorbent functionalized with amine groups for the removal of Ni(<scp>ii</scp>), Cu(<scp>ii</scp>) and Pb(<scp>ii</scp>) from aqueous solutions: batch and column studies. RSC Advances, 2016, 6, 40354-40365.	1.7	43
38	Removal of MTBE from aqueous solution using natural nanoclays of Iran. Desalination and Water Treatment, 2016, 57, 27259-27268.	1.0	7
39	Fabrication of PET/PAN/GO/Fe 3 O 4 nanofibrous membrane for the removal of Pb(II) and Cr(VI) ions. Chemical Engineering Journal, 2016, 301, 42-50.	6.6	97
40	Fabrication of PLA/MWCNT/Fe ₃ O ₄ composite nanofibers for leukemia cancer cells. International Journal of Polymeric Materials and Polymeric Biomaterials, 2016, 65, 176-182.	1.8	48
41	Preparation of Pd-based membranes on Pd/TiO 2 modified NaX/PSS substrate for hydrogen separation: Design and optimization. Microporous and Mesoporous Materials, 2016, 226, 369-377.	2.2	16
42	Removal of lead(II) ions from aqueous solutions using diatomite nanoparticles. Desalination and Water Treatment, 2016, 57, $18799-18805$.	1.0	13
43	Removal of Cr (VI) from aqueous solutions using chitosan/MWCNT/Fe 3 O 4 composite nanofibers-batch and column studies. Chemical Engineering Journal, 2016, 284, 557-564.	6.6	181
44	Chitosan nanofibers functionalized by TiO 2 nanoparticles for the removal of heavy metal ions. Journal of the Taiwan Institute of Chemical Engineers, 2016, 58, 333-343.	2.7	210
45	Removal of Cu ²⁺ , Pb ²⁺ and Cr ⁶⁺ from aqueous solutions using a chitosan/graphene oxide composite nanofibrous adsorbent. RSC Advances, 2015, 5, 16532-16539.	1.7	178
46	Adsorptive removal of acetaminophen and diclofenac using NaX nanozeolites synthesized by microwave method. Korean Journal of Chemical Engineering, 2015, 32, 1606-1612.	1.2	21
47	Fabrication of PEO/chitosan/PCL/olive oil nanofibrous scaffolds for wound dressing applications. Fibers and Polymers, 2015, 16, 1201-1212.	1.1	50
48	Synthesis of Nano-NaX Zeolite by Microwave Heating Method for Removal of Lead, Copper, and Cobalt lons from Aqueous Solution. Journal of Environmental Engineering, ASCE, 2015, 141, .	0.7	13
49	Optimization of the combined adsorption/photo-Fenton method for the simultaneous removal of phenol and paracetamol in a binary system. Microporous and Mesoporous Materials, 2015, 206, 1-7.	2.2	40
50	Controlled release of doxorubicin from electrospun PEO/chitosan/graphene oxide nanocomposite nanofibrous scaffolds. Materials Science and Engineering C, 2015, 48, 384-390.	3.8	157
51	Simultaneous degradation of phenol and paracetamol during photo-Fenton process: Design and optimization. Journal of the Taiwan Institute of Chemical Engineers, 2015, 47, 190-196.	2.7	23
52	Fabrication of PLA/PEG/MWCNT electrospun nanofibrous scaffolds for anticancer drug delivery. Journal of Applied Polymer Science, 2015, 132, .	1.3	38
53	Design and evaluation of chitosan/hydroxyapatite composite nanofiber membrane for the removal of heavy metal ions from aqueous solution. Journal of the Taiwan Institute of Chemical Engineers, 2014, 45, 518-526.	2.7	173
54	Size-dependent studies of Fischer–Tropsch synthesis on iron based catalyst: New kinetic model. Fuel, 2014, 116, 787-793.	3.4	34

#	Article	IF	Citations
55	Interaction, Controlled Release, and Antitumor Activity of Doxorubicin Hydrochloride From pH-Sensitive P(NIPAAm-MAA-VP) Nanofibrous Scaffolds Prepared by Green Electrospinning. International Journal of Polymeric Materials and Polymeric Biomaterials, 2014, 63, 609-619.	1.8	53
56	Removal of Ni2+ and Cd2+ ions from aqueous solutions using electrospun PVA/zeolite nanofibrous adsorbent. Chemical Engineering Journal, 2014, 256, 119-127.	6.6	144
57	Hydrocarbon production rates in Fischer-Tropsch synthesis over a Fe/Cu/La/Si catalyst. Journal of Energy Chemistry, 2013, 22, 119-129.	7.1	12
58	Electrospun nanofiber membrane of PEO/Chitosan for the adsorption of nickel, cadmium, lead and copper ions from aqueous solution. Chemical Engineering Journal, 2013, 220, 237-243.	6.6	330
59	Removal of uranium (VI) from aqueous solutions by adsorption using a novel electrospun PVA/TEOS/APTES hybrid nanofiber membrane: comparison with casting PVA/TEOS/APTES hybrid membrane. Journal of Radioanalytical and Nuclear Chemistry, 2013, 295, 563-571.	0.7	64
60	Stimuli-responsive nanofibers prepared from poly(N-isopropylacrylamide-acrylamide-vinylpyrrolidone) by electrospinning as an anticancer drug delivery. Designed Monomers and Polymers, 2013, 16, 515-527.	0.7	66
61	Comparative study on PVA/silica membrane functionalized with mercapto and amine groups for adsorption of Cu(II) from aqueous solutions. Journal of the Taiwan Institute of Chemical Engineers, 2013, 44, 279-286.	2.7	44
62	Removal of cadmium from aqueous solution using mesoporous PVA/TEOS/APTES composite nanofiber prepared by sol–gel/electrospinning. Chemical Engineering Journal, 2012, 200-202, 192-201.	6.6	87
63	Preparation of poly(vinyl alcohol)/tetraethyl orthosilicate hybrid membranes modified with TMPTMS by sol-gel method for removal of lead from aqueous solutions. Korean Journal of Chemical Engineering, 2012, 29, 1459-1465.	1.2	17
64	Kinetics study of CO hydrogenation on a precipitated iron catalyst. Journal of Industrial and Engineering Chemistry, 2012, 18, 597-603.	2.9	38
65	Removal of Cd(II) and Ni(II) from aqueous solution by PVA/TEOS/TMPTMS hybrid membrane. Chemical Engineering Journal, 2011, 175, 251-259.	6.6	77
66	Comparative study of lead sorption onto natural perlite, dolomite and diatomite. Chemical Engineering Journal, 2011, 178, 317-323.	6.6	128
67	Fischer-Tropsch synthesis over ruthenium-promoted Co/Al2O3 catalyst with different reduction procedures. Journal of Natural Gas Chemistry, 2010, 19, 503-508.	1.8	24
68	Deactivation studies of bifunctional Fe-HZSM5 catalyst in Fischer-Tropsch process. Journal of Natural Gas Chemistry, 2008, 17, 242-248.	1.8	70
69	Comparison study of phenol degradation using cobalt ferrite nanoparticles synthesized by hydrothermal and microwave methods. Desalination and Water Treatment, 0, , 1-10.	1.0	3