

Weihua Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5358680/publications.pdf>

Version: 2024-02-01

490
papers

18,729
citations

10986

71
h-index

23533

111
g-index

497
all docs

497
docs citations

497
times ranked

11375
citing authors

#	ARTICLE	IF	CITATIONS
1	Fundamentals and applications of inertial microfluidics: a review. Lab on A Chip, 2016, 16, 10-34.	6.0	737
2	A state-of-the-art review on magnetorheological elastomer devices. Smart Materials and Structures, 2014, 23, 123001.	3.5	438
3	MR damper and its application for semi-active control of vehicle suspension system. Mechatronics, 2002, 12, 963-973.	3.3	376
4	Design and Experimental Evaluation of a Magnetorheological Brake. International Journal of Advanced Manufacturing Technology, 2003, 21, 508-515.	3.0	309
5	Lab on a chip for continuous-flow magnetic cell separation. Lab on A Chip, 2015, 15, 959-970.	6.0	299
6	Shear thickening fluids in protective applications: A review. Progress in Polymer Science, 2017, 75, 48-72.	24.7	272
7	Liquid metal-filled magnetorheological elastomer with positive piezoconductivity. Nature Communications, 2019, 10, 1300.	12.8	267
8	Investigation on magnetorheological elastomers based on natural rubber. Journal of Materials Science, 2007, 42, 5483-5489.	3.7	263
9	Active droplet sorting in microfluidics: a review. Lab on A Chip, 2017, 17, 751-771.	6.0	250
10	Viscoelastic properties of MR elastomers under harmonic loading. Rheologica Acta, 2010, 49, 733-740.	2.4	247
11	A Review of Localization Systems for Robotic Endoscopic Capsules. IEEE Transactions on Biomedical Engineering, 2012, 59, 2387-2399.	4.2	219
12	Microstructures and viscoelastic properties of anisotropic magnetorheological elastomers. Smart Materials and Structures, 2007, 16, 2645-2650.	3.5	205
13	A review on performance enhancement techniques for ambient vibration energy harvesters. Renewable and Sustainable Energy Reviews, 2017, 71, 435-449.	16.4	188
14	Recent progress of particle migration in viscoelastic fluids. Lab on A Chip, 2018, 18, 551-567.	6.0	186
15	A review of microfabrication techniques and dielectrophoretic microdevices for particle manipulation and separation. Journal Physics D: Applied Physics, 2014, 47, 063001.	2.8	174
16	Effect of carbon black on the mechanical performances of magnetorheological elastomers. Polymer Testing, 2008, 27, 340-345.	4.8	166
17	The rheology of shear thickening fluid (STF) and the dynamic performance of an STF-filled damper. Smart Materials and Structures, 2008, 17, 035027.	3.5	161
18	Testing and steady state modeling of a linear MR damper under sinusoidal loading. Smart Materials and Structures, 2000, 9, 95-102.	3.5	157

#	ARTICLE	IF	CITATIONS
19	Development of an MR-brake-based haptic device. Smart Materials and Structures, 2006, 15, 1960-1966.	3.5	157
20	Study on the damping properties of magnetorheological elastomers based on cis-polybutadiene rubber. Polymer Testing, 2008, 27, 520-526.	4.8	157
21	A hybrid deep-learning model for fault diagnosis of rolling bearings. Measurement: Journal of the International Measurement Confederation, 2021, 169, 108502.	5.0	155
22	Development and characterization of a magnetorheological elastomer based adaptive seismic isolator. Smart Materials and Structures, 2013, 22, 035005.	3.5	153
23	Inertial particle separation by differential equilibrium positions in a symmetrical serpentine micro-channel. Scientific Reports, 2014, 4, 4527.	3.3	152
24	Semi-active variable stiffness vibration control of vehicle seat suspension using an MR elastomer isolator. Smart Materials and Structures, 2011, 20, 105003.	3.5	142
25	Hybrid microfluidics combined with active and passive approaches for continuous cell separation. Electrophoresis, 2017, 38, 238-249.	2.4	138
26	Multiplexing slanted spiral microchannels for ultra-fast blood plasma separation. Lab on A Chip, 2016, 16, 2791-2802.	6.0	135
27	A highly adjustable magnetorheological elastomer base isolator for applications of real-time adaptive control. Smart Materials and Structures, 2013, 22, 095020.	3.5	127
28	The rheology of shear thickening fluids with various ceramic particle additives. Materials and Design, 2016, 104, 312-319.	7.0	126
29	Microfluidic Mass Production of Stabilized and Stealthy Liquid Metal Nanoparticles. Small, 2018, 14, e1800118.	10.0	117
30	Particle inertial focusing and its mechanism in a serpentine microchannel. Microfluidics and Nanofluidics, 2014, 17, 305-316.	2.2	114
31	A review of drug delivery systems for capsule endoscopy. Advanced Drug Delivery Reviews, 2014, 71, 77-85.	13.7	112
32	Experimental study and modeling of a novel magnetorheological elastomer isolator. Smart Materials and Structures, 2013, 22, 117001.	3.5	111
33	Design and Fabrication of Magnetically Functionalized Core/Shell Microspheres for Smart Drug Delivery. Advanced Functional Materials, 2009, 19, 292-297.	14.9	110
34	Phase Separation in Liquid Metal Nanoparticles. Matter, 2019, 1, 192-204.	10.0	110
35	A Wheeled Robot Driven by a Liquid-Metal Droplet. Advanced Materials, 2018, 30, e1805039.	21.0	109
36	Viscoelastic properties of MR fluids. Smart Materials and Structures, 1999, 8, 460-468.	3.5	108

#	ARTICLE	IF	CITATIONS
37	Integrated Seat and Suspension Control for a Quarter Car With Driver Model. IEEE Transactions on Vehicular Technology, 2012, 61, 3893-3908.	6.3	108
38	Development and simulation evaluation of a magnetorheological elastomer isolator for seat vibration control. Journal of Intelligent Material Systems and Structures, 2012, 23, 1041-1048.	2.5	107
39	Takagi-Sugeno Fuzzy Control for Semi-Active Vehicle Suspension With a Magnetorheological Damper and Experimental Validation. IEEE/ASME Transactions on Mechatronics, 2017, 22, 291-300.	5.8	107
40	A Liquid-Metal-Based Magnetoactive Slurry for Stimulus-Responsive Mechanically Adaptive Electrodes. Advanced Materials, 2018, 30, e1802595.	21.0	106
41	A Novel Observer Design for Simultaneous Estimation of Vehicle Steering Angle and Sideslip Angle. IEEE Transactions on Industrial Electronics, 2016, 63, 4357-4366.	7.9	105
42	A mini review of recent progress on vortex-induced vibrations of marine risers. Ocean Engineering, 2020, 195, 106704.	4.3	104
43	State of the art of control schemes for smart systems featuring magneto-rheological materials. Smart Materials and Structures, 2016, 25, 043001.	3.5	103
44	Tunable particle separation in a hybrid dielectrophoresis (DEP)- inertial microfluidic device. Sensors and Actuators B: Chemical, 2018, 267, 14-25.	7.8	99
45	Sonication-enabled rapid production of stable liquid metal nanoparticles grafted with poly(1-octadecene- <i>i>alt</i> -maleic anhydride) in aqueous solutions. Nanoscale, 2018, 10, 19871-19878.	5.6	98
46	MRE Properties under Shear and Squeeze Modes and Applications. Journal of Intelligent Material Systems and Structures, 2010, 21, 1471-1477.	2.5	96
47	Microstructure and magnetorheology of graphite-based MR elastomers. Rheologica Acta, 2011, 50, 825-836.	2.4	96
48	Development of a novel multi-layer MRE isolator for suppression of building vibrations under seismic events. Mechanical Systems and Signal Processing, 2016, 70-71, 811-820.	8.0	96
49	Design and Implementation of a Soft Robotic Arm Driven by SMA Coils. IEEE Transactions on Industrial Electronics, 2019, 66, 6108-6116.	7.9	95
50	Study on magnetorheological shear thickening fluid. Smart Materials and Structures, 2008, 17, 015051.	3.5	94
51	Disturbance observer based Takagi-Sugeno fuzzy control for an active seat suspension. Mechanical Systems and Signal Processing, 2017, 93, 515-530.	8.0	94
52	Finite Element Analysis and Simulation Evaluation of a Magnetorheological Valve. International Journal of Advanced Manufacturing Technology, 2003, 21, 438-445.	3.0	92
53	Co3O4 nanorods decorated reduced graphene oxide composite for oxygen reduction reaction in alkaline electrolyte. Electrochemistry Communications, 2013, 34, 299-303.	4.7	90
54	High throughput extraction of plasma using a secondary flow-aided inertial microfluidic device. RSC Advances, 2014, 4, 33149.	3.6	88

#	ARTICLE	IF	CITATIONS
55	A novel magnetorheological elastomer isolator with negative changing stiffness for vibration reduction. <i>Smart Materials and Structures</i> , 2014, 23, 105023.	3.5	88
56	Recent progress of magnetorheological elastomers: a review. <i>Smart Materials and Structures</i> , 2020, 29, 123002.	3.5	84
57	A seat suspension with a rotary magnetorheological damper for heavy duty vehicles. <i>Smart Materials and Structures</i> , 2016, 25, 105032.	3.5	83
58	A 2-DOF MR actuator joystick for virtual reality applications. <i>Sensors and Actuators A: Physical</i> , 2007, 137, 308-320.	4.1	82
59	The effect of carbide particle additives on rheology of shear thickening fluids. <i>Korea Australia Rheology Journal</i> , 2016, 28, 121-128.	1.7	82
60	Mode coupling chatter suppression for robotic machining using semi-active magnetorheological elastomers absorber. <i>Mechanical Systems and Signal Processing</i> , 2019, 117, 221-237.	8.0	82
61	A Liquid Metal Artificial Muscle. <i>Advanced Materials</i> , 2021, 33, e2103062.	21.0	82
62	Active control of an innovative seat suspension system with acceleration measurement based friction estimation. <i>Journal of Sound and Vibration</i> , 2016, 384, 28-44.	3.9	81
63	Fabrication and characterization of PDMS based magnetorheological elastomers. <i>Smart Materials and Structures</i> , 2013, 22, 055035.	3.5	80
64	Hybrid Filler Stretchable Conductive Composites: From Fabrication to Application. <i>Small Science</i> , 2021, 1, 2000080.	9.9	80
65	Functional Liquid Metal Nanoparticles Produced by Liquid Based Nebulization. <i>Advanced Materials Technologies</i> , 2019, 4, 1800420.	5.8	78
66	A Compact Variable Stiffness and Damping Shock Absorber for Vehicle Suspension. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015, 20, 2621-2629.	5.8	77
67	Focusing of sub-micrometer particles in microfluidic devices. <i>Lab on A Chip</i> , 2020, 20, 35-53.	6.0	77
68	Liquid Metal Composites with Anisotropic and Unconventional Piezoconductivity. <i>Matter</i> , 2020, 3, 824-841.	10.0	77
69	A study of the magnetorheological effect of bimodal particle based magnetorheological elastomers. <i>Smart Materials and Structures</i> , 2010, 19, 035002.	3.5	76
70	An active seat suspension design for vibration control of heavy-duty vehicles. <i>Journal of Low Frequency Noise Vibration and Active Control</i> , 2016, 35, 264-278.	2.9	75
71	On a CPG-Based Hexapod Robot: AmphiHex-II With Variable Stiffness Legs. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018, 23, 542-551.	5.8	75
72	A Review of Secondary Flow in Inertial Microfluidics. <i>Micromachines</i> , 2020, 11, 461.	2.9	75

#	ARTICLE	IF	CITATIONS
73	Sensing capabilities of graphite based MR elastomers. Smart Materials and Structures, 2011, 20, 025022.	3.5	74
74	A Review on Chatter in Robotic Machining Process Regarding Both Regenerative and Mode Coupling Mechanism. IEEE/ASME Transactions on Mechatronics, 2018, 23, 2240-2251.	5.8	74
75	Analysis and fabrication of patterned magnetorheological elastomers. Smart Materials and Structures, 2008, 17, 045001.	3.5	73
76	Isolating plasma from blood using a dielectrophoresis-active hydrophoretic device. Lab on A Chip, 2014, 14, 2993.	6.0	73
77	A novel viscoelastic-based ferrofluid for continuous sheathless microfluidic separation of nonmagnetic microparticles. Lab on A Chip, 2016, 16, 3947-3956.	6.0	73
78	Fault-tolerant control of electric vehicles with in-wheel motors using actuator-grouping sliding mode controllers. Mechanical Systems and Signal Processing, 2016, 72-73, 462-485.	8.0	73
79	Versatile Microfluidic Platforms Enabled by Novel Magnetorheological Elastomer Microactuators. Advanced Functional Materials, 2018, 28, 1705484.	14.9	71
80	A Potential Field Approach-Based Trajectory Control for Autonomous Electric Vehicles With In-Wheel Motors. IEEE Transactions on Intelligent Transportation Systems, 2017, 18, 2044-2055.	8.0	70
81	A Structural Optimisation Method for a Soft Pneumatic Actuator. Robotics, 2018, 7, 24.	3.5	65
82	The development of an adaptive tuned magnetorheological elastomer absorber working in squeeze mode. Smart Materials and Structures, 2014, 23, 075009.	3.5	64
83	An adaptive tuned vibration absorber based on multilayered MR elastomers. Smart Materials and Structures, 2015, 24, 045045.	3.5	64
84	Damping of Magnetorheological Elastomers. Chinese Journal of Chemical Physics, 2008, 21, 581-585.	1.3	63
85	Design and fabrication of microfluidic mixer from carbonyl ironâ€“PDMS composite membrane. Microfluidics and Nanofluidics, 2011, 10, 919-925.	2.2	63
86	Magnetorheological Elastomers and Their Applications. Advanced Structured Materials, 2013, , 357-374.	0.5	63
87	An Energy Saving Variable Damping Seat Suspension System With Regeneration Capability. IEEE Transactions on Industrial Electronics, 2018, 65, 8080-8091.	7.9	63
88	Real-time control of inertial focusing in microfluidics using dielectrophoresis (DEP). RSC Advances, 2014, 4, 62076-62085.	3.6	62
89	Vibration control of an energy regenerative seat suspension with variable external resistance. Mechanical Systems and Signal Processing, 2018, 106, 94-113.	8.0	62
90	Reduced graphene oxideâ€“cuprous oxide composite via facial deposition for photocatalytic dye-degradation. Journal of Alloys and Compounds, 2013, 568, 26-35.	5.5	61

#	ARTICLE	IF	CITATIONS
91	Research and Applications of MR Elastomers. Recent Patents on Mechanical Engineering, 2008, 1, 161-166.	0.3	61
92	Bioparticle separation and manipulation using dielectrophoresis. Sensors and Actuators A: Physical, 2007, 133, 329-334.	4.1	60
93	Experimental investigation of the vibration characteristics of a magnetorheological elastomer sandwich beam under non-homogeneous small magnetic fields. Smart Materials and Structures, 2011, 20, 127001.	3.5	60
94	A variable resonance magnetorheological-fluid-based pendulum tuned mass damper for seismic vibration suppression. Mechanical Systems and Signal Processing, 2019, 116, 530-544.	8.0	60
95	Magnetically and Electrically Controllable Functional Liquid Metal Droplets. Advanced Materials Technologies, 2019, 4, 1800694.	5.8	60
96	Experimental investigation of creep and recovery behaviors of magnetorheological fluids. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 333, 368-376.	5.6	59
97	An effective permeability model to predict field-dependent modulus of magnetorheological elastomers. Communications in Nonlinear Science and Numerical Simulation, 2008, 13, 1910-1916.	3.3	59
98	Development of an isolator working with magnetorheological elastomers and fluids. Mechanical Systems and Signal Processing, 2017, 83, 371-384.	8.0	59
99	Microstructure and magnetorheological properties of the thermoplastic magnetorheological elastomer composites containing modified carbonyl iron particles and poly(styrene-b-ethylene-ethylenepropylene-b-styrene) matrix. Smart Materials and Structures, 2012, 21, 115028.	3.5	58
100	Inertial focusing in a straight channel with asymmetrical expansion contraction cavity arrays using two secondary flows. Journal of Micromechanics and Microengineering, 2013, 23, 085023.	2.6	57
101	Direct voltage control of magnetorheological damper for vehicle suspensions. Smart Materials and Structures, 2013, 22, 105016.	3.5	57
102	Liquid metal droplet robot. Applied Materials Today, 2020, 19, 100597.	4.3	57
103	A 3D paired microelectrode array for accumulation and separation of microparticles. Journal of Micromechanics and Microengineering, 2006, 16, 1162-1169.	2.6	56
104	Thixotropy of MR shear-thickening fluids. Smart Materials and Structures, 2010, 19, 125012.	3.5	56
105	Smart Multifunctional Fluids for Lithium Ion Batteries: Enhanced Rate Performance and Intrinsic Mechanical Protection. Scientific Reports, 2013, 3, 2485.	3.3	54
106	Integrating photovoltaic thermal collectors and thermal energy storage systems using phase change materials with rotary desiccant cooling systems. Sustainable Cities and Society, 2018, 36, 131-143.	10.4	54
107	Unconventional locomotion of liquid metal droplets driven by magnetic fields. Soft Matter, 2018, 14, 7113-7118.	2.7	54
108	Dynamic behavior of MR suspensions at moderate flux densities. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 371, 9-15.	5.6	53

#	ARTICLE	IF	CITATIONS
109	Development of a novel variable stiffness and damping magnetorheological fluid damper. Smart Materials and Structures, 2015, 24, 085021.	3.5	53
110	Modeling and Experimental Characterization of Propulsion of a Spiral-Type Microrobot for Medical Use in Gastrointestinal Tract. IEEE Transactions on Biomedical Engineering, 2013, 60, 1751-1759.	4.2	52
111	Horizontal vibration reduction of a seat suspension using negative changing stiffness magnetorheological elastomer isolators. International Journal of Vehicle Design, 2015, 68, 104.	0.3	51
112	Fundamentals of Differential Particle Inertial Focusing in Symmetric Sinusoidal Microchannels. Analytical Chemistry, 2019, 91, 4077-4084.	6.5	51
113	Continuous plasma extraction under viscoelastic fluid in a straight channel with asymmetrical expansion–contraction cavity arrays. Lab on A Chip, 2016, 16, 3919-3928.	6.0	50
114	Dean-flow-coupled elasto-inertial three-dimensional particle focusing under viscoelastic flow in a straight channel with asymmetrical expansion–contraction cavity arrays. Biomicrofluidics, 2015, 9, 044108.	2.4	49
115	An electromagnetic variable inertance device for seat suspension vibration control. Mechanical Systems and Signal Processing, 2019, 133, 106259.	8.0	49
116	Development and evaluation of a versatile semi-active suspension system for high-speed railway vehicles. Mechanical Systems and Signal Processing, 2020, 135, 106338.	8.0	49
117	Modelling and identifying the parameters of a magneto-rheological damper with a force-lag phenomenon. Applied Mathematical Modelling, 2014, 38, 3763-3773.	4.2	48
118	Negative Pressure Induced Droplet Generation in a Microfluidic Flow-Focusing Device. Analytical Chemistry, 2017, 89, 4387-4391.	6.5	48
119	A simple and cost-effective method for fabrication of integrated electronic-microfluidic devices using a laser-patterned PDMS layer. Microfluidics and Nanofluidics, 2012, 12, 751-760.	2.2	47
120	Development of a torsional dynamic absorber using a magnetorheological elastomer for vibration reduction of a powertrain test rig. Journal of Intelligent Material Systems and Structures, 2013, 24, 2036-2044.	2.5	47
121	A novel method to construct 3D electrodes at the sidewall of microfluidic channel. Microfluidics and Nanofluidics, 2013, 14, 499-508.	2.2	47
122	High-Throughput Separation of White Blood Cells From Whole Blood Using Inertial Microfluidics. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 1422-1430.	4.0	47
123	The effect of graphene on the yarn pull-out force and ballistic performance of Kevlar fabrics impregnated with shear thickening fluids. Smart Materials and Structures, 2018, 27, 075048.	3.5	47
124	A New Generation of Magnetorheological Vehicle Suspension System With Tunable Stiffness and Damping Characteristics. IEEE Transactions on Industrial Informatics, 2019, 15, 4696-4708.	11.3	47
125	On-chip high-throughput manipulation of particles in a dielectrophoresis-active hydrophoretic focuser. Scientific Reports, 2014, 4, 5060.	3.3	46
126	Experimental and modelling study of the effect of temperature on shear thickening fluids. Korea Australia Rheology Journal, 2015, 27, 17-24.	1.7	45

#	ARTICLE	IF	CITATIONS
127	Rapid, one-step preparation of SERS substrate in microfluidic channel for detection of molecules and heavy metal ions. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 220, 117113.	3.9	44
128	Programmable Digital Liquid Metal Droplets in Reconfigurable Magnetic Fields. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 37670-37679.	8.0	44
129	Microdroplet-based universal logic gates by electrorheological fluid. <i>Soft Matter</i> , 2011, 7, 7493.	2.7	42
130	Vibration reduction of seat suspension using observer based terminal sliding mode control with acceleration data fusion. <i>Mechatronics</i> , 2017, 44, 71-83.	3.3	42
131	Sheathless separation of microalgae from bacteria using a simple straight channel based on viscoelastic microfluidics. <i>Lab on A Chip</i> , 2019, 19, 2811-2821.	6.0	42
132	Development of a force sensor working with MR elastomers. , 2009, , .		41
133	Improved concentration and separation of particles in a 3D dielectrophoretic chip integrating focusing, aligning and trapping. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 527-539.	2.2	41
134	Analysis of a compact annular-radial-orifice flow magnetorheological valve and evaluation of its performance. <i>Journal of Intelligent Material Systems and Structures</i> , 2017, 28, 1322-1333.	2.5	41
135	Effect of temperature on the transmission characteristics of high-torque magnetorheological brakes. <i>Smart Materials and Structures</i> , 2019, 28, 057002.	3.5	41
136	Continuous manipulation and separation of particles using combined obstacleâ€and curvatureâ€induced direct current dielectrophoresis. <i>Electrophoresis</i> , 2013, 34, 952-960.	2.4	40
137	Performance evaluation and comparison of magnetorheological elastomer absorbers working in shear and squeeze modes. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 1757-1763.	2.5	40
138	Comparison of rheological behaviors with fumed silica-based shear thickening fluids. <i>Korea Australia Rheology Journal</i> , 2016, 28, 197-205.	1.7	40
139	Microscopic characteristics of magnetorheological fluids subjected to magnetic fields. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 501, 166443.	2.3	40
140	Study of shear-stiffened elastomers. <i>Smart Materials and Structures</i> , 2012, 21, 125009.	3.5	39
141	Continuous particle focusing in a waved microchannel using negative dc dielectrophoresis. <i>Journal of Micromechanics and Microengineering</i> , 2012, 22, 095001.	2.6	39
142	Investigation of humping phenomenon for the multi-directional robotic wire and arc additive manufacturing. <i>Robotics and Computer-Integrated Manufacturing</i> , 2020, 63, 101916.	9.9	39
143	A Magnetorheological Fluid-Filled Soft Crawling Robot With Magnetic Actuation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020, 25, 2700-2710.	5.8	39
144	Dynamic response of symmetrical and asymmetrical sandwich plates with shear thickening fluid core subjected to penetration loading. <i>Materials and Design</i> , 2016, 94, 105-110.	7.0	38

#	ARTICLE	IF	CITATIONS
145	Analysis of Magnetic Interaction in Remotely Controlled Magnetic Devices and its Application to a Capsule Robot for Drug Delivery. IEEE/ASME Transactions on Mechatronics, 2018, 23, 298-310.	5.8	38
146	Application of Multidirectional Robotic Wire Arc Additive Manufacturing Process for the Fabrication of Complex Metallic Parts. IEEE Transactions on Industrial Informatics, 2020, 16, 454-464.	11.3	38
147	Dynamic Temperature Control System for the Optimized Production of Liquid Metal Nanoparticles. ACS Applied Nano Materials, 2020, 3, 6905-6914.	5.0	38
148	Effect of maleic anhydride on the damping property of magnetorheological elastomers. Smart Materials and Structures, 2010, 19, 055015.	3.5	37
149	Trajectory control for autonomous electric vehicles with in-wheel motors based on a dynamics model approach. IET Intelligent Transport Systems, 2016, 10, 318-330.	3.0	37
150	On-Chip Microparticle and Cell Washing Using Coflow of Viscoelastic Fluid and Newtonian Fluid. Analytical Chemistry, 2017, 89, 9574-9582.	6.5	37
151	Two-layer structure based adaptive estimation for vehicle mass and road slope under longitudinal motion. Measurement: Journal of the International Measurement Confederation, 2017, 95, 439-455.	5.0	37
152	Development of magnetorheological elastomers-based tuned mass damper for building protection from seismic events. Journal of Intelligent Material Systems and Structures, 2018, 29, 1777-1789.	2.5	37
153	Modeling and Experimental Investigation of Rotational Resistance of a Spiral-Type Robotic Capsule Inside a Real Intestine. IEEE/ASME Transactions on Mechatronics, 2013, 18, 1555-1562.	5.8	36
154	Side-slip angle estimation based lateral dynamics control for omni-directional vehicles with optimal steering angle and traction/brake torque distribution. Mechatronics, 2015, 30, 348-362.	3.3	36
155	Investigation of particle lateral migration in sample-sheath flow of viscoelastic fluid and Newtonian fluid. Electrophoresis, 2016, 37, 2147-2155.	2.4	36
156	Optimal design and size of a desiccant cooling system with onsite energy generation and thermal storage using a multilayer perceptron neural network and a genetic algorithm. Energy Conversion and Management, 2019, 180, 598-608.	9.2	36
157	Improving the critical speeds of high-speed trains using magnetorheological technology. Smart Materials and Structures, 2013, 22, 115012.	3.5	35
158	A hybrid magnetorheological elastomer-fluid (MRE-F) isolation mount: development and experimental validation. Smart Materials and Structures, 2016, 25, 015026.	3.5	35
159	Sheathless Dean-flow-coupled elasto-inertial particle focusing and separation in viscoelastic fluid. RSC Advances, 2017, 7, 3461-3469.	3.6	35
160	Factors governing mass transfer during membrane electrodialysis regeneration of LiCl solution for liquid desiccant dehumidification systems. Sustainable Cities and Society, 2017, 28, 30-41.	10.4	35
161	High-throughput particle manipulation by hydrodynamic, electrokinetic, and dielectrophoretic effects in an integrated microfluidic chip. Biomicrofluidics, 2013, 7, 024106.	2.4	34
162	Development of a linear damper working with magnetorheological shear thickening fluids. Journal of Intelligent Material Systems and Structures, 2015, 26, 1811-1817.	2.5	34

#	ARTICLE	IF	CITATIONS
163	A hybrid dielectrophoretic and hydrophoretic microchip for particle sorting using integrated prefocusing and sorting steps. <i>Electrophoresis</i> , 2015, 36, 284-291.	2.4	34
164	Control of a multiple-DOF vehicle seat suspension with roll and vertical vibration. <i>Journal of Sound and Vibration</i> , 2018, 435, 170-191.	3.9	34
165	Nonlinear rheological behavior of magnetorheological fluids: step-strain experiments. <i>Smart Materials and Structures</i> , 2002, 11, 209-217.	3.5	33
166	Experimental and modeling study of viscoelastic behaviors of magneto-rheological shear thickening fluids. <i>Korea Australia Rheology Journal</i> , 2014, 26, 149-158.	1.7	33
167	An Adaptive Neuro Fuzzy Hybrid Control Strategy for a Semiactive Suspension with Magneto Rheological Damper. <i>Advances in Mechanical Engineering</i> , 2014, 6, 487312.	1.6	33
168	Fabrication and characterization of a magnetic micro-actuator based on deformable Fe-doped PDMS artificial cilium using 3D printing. <i>Smart Materials and Structures</i> , 2015, 24, 035015.	3.5	33
169	Dean-flow-coupled elasto-inertial particle and cell focusing in symmetric serpentine microchannels. <i>Microfluidics and Nanofluidics</i> , 2019, 23, 1.	2.2	33
170	Comparative study of vehicle tyre's road friction coefficient estimation with a novel cost-effective method. <i>Vehicle System Dynamics</i> , 2014, 52, 1066-1098.	3.7	31
171	Side-slip angle estimation and stability control for a vehicle with a non-linear tyre model and a varying speed. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 2015, 229, 486-505.	1.9	31
172	The rheological properties of shear thickening fluid reinforced with SiC nanowires. <i>Results in Physics</i> , 2017, 7, 3369-3372.	4.1	31
173	Fabrication of metallic parts with overhanging structures using the robotic wire arc additive manufacturing. <i>Journal of Manufacturing Processes</i> , 2021, 63, 24-34.	5.9	31
174	An Effective Localization Method for Robotic Endoscopic Capsules Using Multiple Positron Emission Markers. <i>IEEE Transactions on Robotics</i> , 2014, 30, 1174-1186.	10.3	30
175	Controllable Electrically Interconnected Suspension System for Improving Vehicle Vibration Performance. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020, 25, 859-871.	5.8	30
176	A tunable magneto-rheological fluid-filled beam-like vibration absorber. <i>Smart Materials and Structures</i> , 2010, 19, 055020.	3.5	29
177	An Electromagnetic Variable Stiffness Device for Semiactive Seat Suspension Vibration Control. <i>IEEE Transactions on Industrial Electronics</i> , 2020, 67, 6773-6784.	7.9	29
178	Investigation of a new metamaterial magnetorheological elastomer isolator with tunable vibration bandgaps. <i>Mechanical Systems and Signal Processing</i> , 2022, 170, 108806.	8.0	29
179	Liquid metal-based amalgamation-assisted lithography for fabrication of complex channels with diverse structures and configurations. <i>Lab on A Chip</i> , 2018, 18, 785-792.	6.0	28
180	A portable, hand-powered microfluidic device for sorting of biological particles. <i>Microfluidics and Nanofluidics</i> , 2018, 22, 1.	2.2	28

181	A rotary variable admittance device and its application in vehicle seat suspension vibration control. Journal of the Franklin Institute, 2019, 356, 7873-7895.	3.4	28
182	Magnetorheology of single-walled nanotube dispersions. Materials Letters, 2007, 61, 3116-3118.	2.6	27
183	An effective methodology to solve inverse kinematics of electroactive polymer actuators modelled as active and soft robotic structures. Mechanism and Machine Theory, 2013, 67, 94-110.	4.5	27
184	Vibration Control of Vehicle Seat Integrating with Chassis Suspension and Driver Body Model. Advances in Structural Engineering, 2013, 16, 1-9.	2.4	27
185	Development of adaptive seismic isolators for ultimate seismic protection of civil structures. Proceedings of SPIE, 2013, , .	0.8	27
186	Design and development of a novel displacement differential self-induced magnetorheological damper. Journal of Intelligent Material Systems and Structures, 2015, 26, 527-540.	2.5	27
187	High-throughput sheathless and three-dimensional microparticle focusing using a microchannel with arc-shaped groove arrays. Scientific Reports, 2017, 7, 41153.	3.3	27
188	An experimental analysis of strontium titanate ceramic substrates polished by magnetorheological finishing with dynamic magnetic fields formed by rotating magnetic poles. Smart Materials and Structures, 2017, 26, 055017.	3.5	27
189	Design of a Single-Layer Microchannel for Continuous Sheathless Single-Stream Particle Inertial Focusing. Analytical Chemistry, 2018, 90, 1786-1794.	6.5	27
190	A review of heat and mass transfer improvement techniques for dehumidifiers and regenerators of liquid desiccant cooling systems. Applied Thermal Engineering, 2019, 162, 114271.	6.0	27
191	High-Throughput, Off-Chip Microdroplet Generator Enabled by a Spinning Conical Frustum. Analytical Chemistry, 2019, 91, 3725-3732.	6.5	27
192	Liquid metal motor. IScience, 2021, 24, 101911.	4.1	27
193	Light-controlled versatile manipulation of liquid metal droplets: a gateway to future liquid robots. Materials Horizons, 2021, 8, 3063-3071.	12.2	27
194	An integrated dielectrophoresis-active hydrophoretic microchip for continuous particle filtration and separation. Journal of Micromechanics and Microengineering, 2015, 25, 084010.	2.6	26
195	Four-Wheel Electric Braking System Configuration With New Braking Torque Distribution Strategy for Improving Energy Recovery Efficiency. IEEE Transactions on Intelligent Transportation Systems, 2020, 21, 87-103.	8.0	26
196	Event-triggered \hat{H}_∞ control for active seat suspension systems based on relaxed conditions for stability. Mechanical Systems and Signal Processing, 2021, 149, 107210.	8.0	26
197	Numerical modeling of dielectrophoresis using a meshless approach. Journal of Micromechanics and Microengineering, 2005, 15, 1040-1048.	2.6	25

#	ARTICLE	IF	CITATIONS
199	Development of an MR seat suspension with self-powered generation capability. <i>Smart Materials and Structures</i> , 2017, 26, 085025.	3.5	25
200	A Robust Registration Method for Autonomous Driving Pose Estimation in Urban Dynamic Environment Using LiDAR. <i>Electronics (Switzerland)</i> , 2019, 8, 43.	3.1	25
201	A highly stiffness-adjustable robot leg for enhancing locomotive performance. <i>Mechanical Systems and Signal Processing</i> , 2019, 126, 458-468.	8.0	25
202	Automated defect recognition of C-SAM images in IC packaging using Support Vector Machines. <i>International Journal of Advanced Manufacturing Technology</i> , 2005, 25, 1191-1196.	3.0	24
203	Development and analysis of a variable stiffness damper using an MR bladder. <i>Smart Materials and Structures</i> , 2009, 18, 074007.	3.5	24
204	A Soft Mechatronic Microstage Mechanism Based on Electroactive Polymer Actuators. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016, 21, 1467-1478.	5.8	24
205	Integrated active and semi-active control for seat suspension of a heavy duty vehicle. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 91-100.	2.5	24
206	Reversible Underwater Adhesion for Soft Robotic Feet by Leveraging Electrochemically Tunable Liquid Metal Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37904-37914.	8.0	24
207	Sheathless Separation of Cyanobacterial <i>Anabaena</i> by Shape Using Viscoelastic Microfluidics. <i>Analytical Chemistry</i> , 2021, 93, 12648-12654.	6.5	24
208	Design, Analysis, Prototyping, and Experimental Evaluation of an Efficient Double Coil Magnetorheological Valve. <i>Advances in Mechanical Engineering</i> , 2014, 6, 403410.	1.6	24
209	Investigation of a seat suspension installed with compact variable stiffness and damping rotary magnetorheological dampers. <i>Mechanical Systems and Signal Processing</i> , 2022, 171, 108802.	8.0	24
210	Creep and recovery behaviors of magnetorheological elastomers. <i>Frontiers of Mechanical Engineering in China</i> , 2010, 5, 341-346.	0.4	23
211	Design and performance evaluation of a novel magnetorheological valve with a tunable resistance gap. <i>Smart Materials and Structures</i> , 2014, 23, 127001.	3.5	23
212	Development of an MRE adaptive tuned vibration absorber with self-sensing capability. <i>Smart Materials and Structures</i> , 2015, 24, 095012.	3.5	23
213	Design and development of a parametrically excited nonlinear energy harvester. <i>Energy Conversion and Management</i> , 2016, 126, 247-255.	9.2	23
214	Driver intention based coordinate control of regenerative and plugging braking for electric vehicles with in-wheel PMSMs. <i>IET Intelligent Transport Systems</i> , 2018, 12, 1300-1311.	3.0	23
215	A Novel Electrical Variable Stiffness Device for Vehicle Seat Suspension Control With Mismatched Disturbance Compensation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019, 24, 2019-2030.	5.8	23
216	Numerical and experimental studies on a new variable stiffness and damping magnetorheological fluid damper. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 1639-1652.	2.5	23

#	ARTICLE	IF	CITATIONS
217	Experimental testing and modelling of a rotary variable stiffness and damping shock absorber using magnetorheological technology. Journal of Intelligent Material Systems and Structures, 2019, 30, 1453-1465.	2.5	23
218	A Novel Multifeature Based On-Site Calibration Method for LiDAR-IMU System. IEEE Transactions on Industrial Electronics, 2020, 67, 9851-9861.	7.9	23
219	Theoretical and experimental investigation of a stiffness-controllable suspension for railway vehicles to avoid resonance. International Journal of Mechanical Sciences, 2020, 187, 105901.	6.7	23
220	Design a Novel Target to Improve Positioning Accuracy of Autonomous Vehicular Navigation System in GPS Denied Environments. IEEE Transactions on Industrial Informatics, 2021, 17, 7575-7588.	11.3	23
221	Study of PDMS based magnetorheological elastomers. Journal of Physics: Conference Series, 2013, 412, 012038.	0.4	22
222	Electro-mechanical modelling and identification of electroactive polymer actuators as smart robotic manipulators. Mechatronics, 2014, 24, 241-251.	3.3	22
223	Development of a self-sensing magnetorheological damper with magnets in-line coil mechanism. Sensors and Actuators A: Physical, 2017, 255, 71-78.	4.1	22
224	Design of an enhanced wideband energy harvester using a parametrically excited array. Journal of Sound and Vibration, 2017, 410, 416-428.	3.9	22
225	A torsional MRE joint for a C-shaped robotic leg. Smart Materials and Structures, 2017, 26, 015002.	3.5	22
226	A Controllable Untethered Vehicle Driven by Electrically Actuated Liquid Metal Droplets. IEEE Transactions on Industrial Informatics, 2019, 15, 2535-2543.	11.3	22
227	Liquid Metal Hybrid Composites with High-Sensitivity and Large Dynamic Range Enabled by Micro- and Macrostructure Engineering. ACS Applied Polymer Materials, 2021, 3, 5302-5315.	4.4	22
228	Nonlinear dynamics of a parametrically excited beam with a central magneto-rheological elastomer patch: An experimental investigation. International Journal of Mechanical Sciences, 2016, 106, 157-167.	6.7	21
229	Flow rate-insensitive microparticle separation and filtration using a microchannel with arc-shaped groove arrays. Microfluidics and Nanofluidics, 2017, 21, 1.	2.2	21
230	Multi-objective robust optimization design for powertrain mount system of electric vehicles. Journal of Low Frequency Noise Vibration and Active Control, 2017, 36, 243-260.	2.9	21
231	Phononic crystal lens with an asymmetric scatterer. Journal Physics D: Applied Physics, 2019, 52, 025102.	2.8	21
232	A semi-active variable equivalent stiffness and inertance device implemented by an electrical network. Mechanical Systems and Signal Processing, 2021, 156, 107676.	8.0	21
233	Optimal Distribution Control Of Non-Linear Tire Force Of Electric Vehicles With In-Wheel Motors. Asian Journal of Control, 2016, 18, 69-88.	3.0	20
234	Development of a nonlinear adaptive absorber based on magnetorheological elastomer. Journal of Intelligent Material Systems and Structures, 2018, 29, 194-204.	2.5	20

#	ARTICLE	IF	CITATIONS
235	Inertial Microfluidic Purification of Floating Cancer Cells for Drug Screening and Three-Dimensional Tumor Models. <i>Analytical Chemistry</i> , 2020, 92, 11558-11564.	6.5	20
236	Investigation of a novel MRE metamaterial sandwich beam with real-time tunable band gap characteristics. <i>Journal of Sound and Vibration</i> , 2022, 527, 116870.	3.9	20
237	Design and testing of an MR steering damper for motorcycles. <i>International Journal of Advanced Manufacturing Technology</i> , 2003, 22, 288-294.	3.0	19
238	Analysis of dielectrophoretic electrode arrays for nanoparticle manipulation. <i>Computational Materials Science</i> , 2004, 30, 320-325.	3.0	19
239	Performance Comparison between an MRF Damper and an MRE Isolator Incorporated with a Building Structure. <i>Applied Mechanics and Materials</i> , 0, 37-38, 862-865.	0.2	19
240	Tunable Particle Focusing in a Straight Channel with Symmetric Semicircle Obstacle Arrays Using Electrophoresis-Modified Inertial Effects. <i>Micromachines</i> , 2016, 7, 195.	2.9	19
241	An innovative MRE absorber with double natural frequencies for wide frequency bandwidth vibration absorption. <i>Smart Materials and Structures</i> , 2016, 25, 055035.	3.5	19
242	Development and characterization of a multi-layer magnetorheological elastomer isolator based on a Halbach array. <i>Smart Materials and Structures</i> , 2016, 25, 105015.	3.5	19
243	Optimisation of a renewable cooling and heating system using an integer-based genetic algorithm, response surface method and life cycle analysis. <i>Energy Conversion and Management</i> , 2021, 230, 113797.	9.2	19
244	Superelongation of Liquid Metal. <i>Advanced Science</i> , 2022, 9, e2105289.	11.2	19
245	Evaluation of Different Bearing Fault Classifiers in Utilizing CNN Feature Extraction Ability. <i>Sensors</i> , 2022, 22, 3314.	3.8	19
246	Applications of shear thickening fluids: a review. <i>International Journal of Hydromechatronics</i> , 2018, 1, 238.	2.3	18
247	Enhanced Localization of Robotic Capsule Endoscopes Using Positron Emission Markers and Rigid-Body Transformation. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2019, 49, 1270-1284.	9.3	18
248	Modeling and Motion Control of a Liquid Metal Droplet in a Fluidic Channel. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020, 25, 942-950.	5.8	18
249	Size Optimization of a Magnetic System for Drug Delivery With Capsule Robots. <i>IEEE Transactions on Magnetics</i> , 2016, 52, 1-11.	2.1	17
250	Analysis of Hydrodynamic Mechanism on Particles Focusing in Micro-Channel Flows. <i>Micromachines</i> , 2017, 8, 197.	2.9	17
251	3D Printed Helical Soft Pneumatic Actuators. , 2018, , .		17
252	Improving Positioning Accuracy of the Mobile Laser Scanning in GPS-Denied Environments: An Experimental Case Study. <i>IEEE Sensors Journal</i> , 2019, 19, 10753-10763.	4.7	17

#	ARTICLE	IF	CITATIONS
253	Modular and Integrated Systems for Nanoparticle and Microparticle Synthesis—A Review. Biosensors, 2020, 10, 165.	4.7	17
254	A new AI-surrogate model for dynamics analysis of a magnetorheological damper in the semi-active seat suspension. Smart Materials and Structures, 2020, 29, 037001.	3.5	17
255	Particle-Based Porous Materials for the Rapid and Spontaneous Diffusion of Liquid Metals. ACS Applied Materials & Interfaces, 2020, 12, 11163-11170.	8.0	17
256	Vibration suppression of tunnel boring machines using non-resonance approach. Mechanical Systems and Signal Processing, 2020, 145, 106969.	8.0	17
257	Variable stiffness and damping MR isolator. Journal of Physics: Conference Series, 2009, 149, 012088.	0.4	16
258	High-throughput, sheathless, magnetophoretic separation of magnetic and non-magnetic particles with a groove-based channel. Applied Physics Letters, 2016, 109, .	3.3	16
259	An inverted micro-mixer based on a magnetically-actuated cilium made of Fe doped PDMS. Smart Materials and Structures, 2016, 25, 095049.	3.5	16
260	Development of a novel magnetophoresis-assisted hydrophoresis microdevice for rapid particle ordering. Biomedical Microdevices, 2016, 18, 54.	2.8	16
261	A Parametrically Broadband Nonlinear Energy Harvester. Journal of Energy Resources Technology, Transactions of the ASME, 2017, 139, .	2.3	16
262	Design and verification of a hybrid nonlinear MRE vibration absorber for controllable broadband performance. Smart Materials and Structures, 2017, 26, 095039.	3.5	16
263	An Innovative Two-Layer Multiple-DOF Seat Suspension for Vehicle Whole Body Vibration Control. IEEE/ASME Transactions on Mechatronics, 2018, 23, 1787-1799.	5.8	16
264	Optimizing Vibration Attenuation Performance of a Magnetorheological Damper-Based Semi-active Seat Suspension Using Artificial Intelligence. Frontiers in Materials, 2019, 6, .	2.4	16
265	A magnetorheological elastomer rail damper for wideband attenuation of rail noise and vibration. Journal of Intelligent Material Systems and Structures, 2020, 31, 220-228.	2.5	16
266	Densely Connected Deep Extreme Learning Machine Algorithm. Cognitive Computation, 2020, 12, 979-990.	5.2	16
267	Abuse-Tolerant Electrolytes for Lithium-Ion Batteries. Advanced Science, 2021, 8, e2003694.	11.2	16
268	Concept and simulation study of a novel localization method for robotic endoscopic capsules using multiple positron emission markers. Medical Physics, 2014, 41, 072501.	3.0	15
269	Dynamics analysis of an omni-directional vehicle. International Journal of Automotive Technology, 2014, 15, 387-398.	1.4	15
270	Viscoelastic properties of MR shear thickening fluids. Journal of Fluid Science and Technology, 2014, 9, JFST0019-JFST0019.	0.6	15

#	ARTICLE	IF	CITATIONS
271	Variable stiffness and damping suspension system for train. Proceedings of SPIE, 2014, , .	0.8	15
272	A new magnetorheological damper with improved displacement differential self-induced ability. Smart Materials and Structures, 2015, 24, 087001.	3.5	15
273	A New Torque Distribution Strategy for Blended Anti-Lock Braking Systems of Electric Vehicles Based on Road Conditions and Driver's Intentions. SAE International Journal of Passenger Cars - Mechanical Systems, 0, 9, 107-115.	0.4	15
274	Dynamic response of shear thickening fluid reinforced with SiC nanowires under high strain rates. Applied Physics Letters, 2017, 111, .	3.3	15
275	Solar medium-low temperature thermal utilization and effect analysis of boundary condition: A tutorial. Solar Energy, 2020, 197, 238-253.	6.1	15
276	Structure Evolution of Electrorheological Fluids under Flow Conditions. International Journal of Modern Physics B, 1999, 13, 1806-1813.	2.0	14
277	A microslip model of the bonding process in ultrasonic wire bonders Part I: Transient response. International Journal of Advanced Manufacturing Technology, 2006, 29, 860-866.	3.0	14
278	Electroactive polymers as soft robotic actuators: Electromechanical modeling and identification. , 2013, , .		14
279	Performance Analysis of a Magnetorheological Damper with Energy Harvesting Ability. Shock and Vibration, 2016, 2016, 1-10.	0.6	14
280	Improved Mathematical Model for Analysis of the Payne Effect of Magnetorheological Elastomers. Journal of Aerospace Engineering, 2018, 31, .	1.4	14
281	Soft magneto-sensitive elastomer and polyvinylidene fluoride polymer based nonlinear piezoelectric energy harvesting: design, modelling and experiment. Smart Materials and Structures, 2019, 28, 015031.	3.5	14
282	A Robot Boat Powered by Liquid Metal Engines. Advanced Materials Technologies, 2021, 6, .	5.8	14
283	Recent advances in magnetic digital microfluidic platforms. Electrophoresis, 2021, 42, 2329-2346.	2.4	14
284	A Magnetically Actuated Drug Delivery System for Robotic Endoscopic Capsules. Journal of Medical Devices, Transactions of the ASME, 2016, 10, .	0.7	13
285	A novel nickel nanowire based magnetorheological material. Smart Materials and Structures, 2017, 26, 054006.	3.5	13
286	Dynamically integrated spatiotemporalâ€¢based trajectory planning and control for autonomous vehicles. IET Intelligent Transport Systems, 2018, 12, 1271-1282.	3.0	13
287	Vibration control of a tunnel boring machine using adaptive magnetorheological damper. Smart Materials and Structures, 2019, 28, 115012.	3.5	13
288	Integration of an omnidirectional self-powering component to an MRE isolator towards a smart passive isolation system. Mechanical Systems and Signal Processing, 2020, 144, 106853.	8.0	13

#	ARTICLE	IF	CITATIONS
289	Performance investigation and sensitivity analysis of shell-and-tube phase change material thermal energy storage. <i>Journal of Energy Storage</i> , 2021, 33, 102040.	8.1	13
290	A controllable mechanical motion rectifier-based semi-active magnetorheological inerter for vibration control. <i>Smart Materials and Structures</i> , 2020, 29, 114005.	3.5	13
291	Pareto Optimal Information Flow Topology for Control of Connected Autonomous Vehicles. <i>IEEE Transactions on Intelligent Vehicles</i> , 2023, 8, 330-343.	12.7	13
292	TEMPERATURE DEPENDENCE OF MR FLUIDS. <i>International Journal of Modern Physics B</i> , 2002, 16, 2725-2731.	2.0	12
293	Existence of Bound-Rubber in Magnetorheological Elastomers and Its Influence on Material Properties. <i>Chinese Journal of Chemical Physics</i> , 2007, 20, 173-179.	1.3	12
294	A highly adaptive magnetorheological fluid robotic leg for efficient terrestrial locomotion. <i>Smart Materials and Structures</i> , 2016, 25, 095019.	3.5	12
295	Advanced vehicle suspension with variable stiffness and damping MR damper. , 2017, , .		12
296	Overcoming the conflict requirement between high-speed stability and curving trafficability of the train using an innovative magnetorheological elastomer rubber joint. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 214-222.	2.5	12
297	High-throughput production of uniformly sized liquid metal microdroplets using submerged electrodispersion. <i>Applied Physics Letters</i> , 2019, 114, 154101.	3.3	12
298	Magneto-induced surface morphologies in magnetorheological elastomer films: an analytical study. <i>Smart Materials and Structures</i> , 2019, 28, 045016.	3.5	12
299	Development of a variable stiffness magnetorheological damper with self-powered generation capability. <i>Journal of Intelligent Material Systems and Structures</i> , 2020, 31, 209-219.	2.5	12
300	Takagi-Sugeno Fuzzy Model-Based Semi-Active Control for the Seat Suspension With an Electrorheological Damper. <i>IEEE Access</i> , 2020, 8, 98027-98037.	4.2	12
301	A label-free and high-throughput separation of neuron and glial cells using an inertial microfluidic platform. <i>Biomicrofluidics</i> , 2016, 10, 034104.	2.4	11
302	Theoretical and experimental study on a compliant flipper-leg during terrestrial locomotion. <i>Bioinspiration and Biomimetics</i> , 2016, 11, 056005.	2.9	11
303	Integrated Dynamics Control and Energy Efficiency Optimization for Overactuated Electric Vehicles. <i>Asian Journal of Control</i> , 2018, 20, 1952-1966.	3.0	11
304	Non-linear tyre model-based non-singular terminal sliding mode observer for vehicle velocity and side-slip angle estimation. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 2019, 233, 38-54.	1.9	11
305	A novel empirical heat transfer model for a solar thermal storage process using phase change materials. <i>Energy</i> , 2019, 168, 222-234.	8.8	11
306	Modular off-chip emulsion generator enabled by a revolving needle. <i>Lab on A Chip</i> , 2020, 20, 4592-4599.	6.0	11

#	ARTICLE	IF	CITATIONS
307	Development of a biomimetic scallop robot capable of jet propulsion. <i>Bioinspiration and Biomimetics</i> , 2020, 15, 036008.	2.9	11
308	Experimental Study of a Variable Stiffness Seat Suspension Installed With a Compact Rotary MR Damper. <i>Frontiers in Materials</i> , 2021, 8, .	2.4	11
309	Highly stretchable and sensitive strain sensor based on liquid metal composite for wearable sign language communication device. <i>Smart Materials and Structures</i> , 2021, 30, 115005.	3.5	11
310	Modeling and Motion Control of a Soft SMA Planar Actuator. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022, 27, 916-927.	5.8	11
311	Dynamic output feedback event-triggered H ∞ control for singular active seat suspension systems with a human body model. <i>IET Control Theory and Applications</i> , 2021, 15, 594-603.	2.1	11
312	Development of an ankle physiotherapy device using an MR damper. <i>International Journal of Advanced Manufacturing Technology</i> , 2005, 25, 205-213.	3.0	10
313	ON THE EXTENDED RUTGERSâ€“DELAWARE RULE FOR MR SUSPENSIONS UNDER MAGNETIC FIELDS. <i>International Journal of Modern Physics B</i> , 2006, 20, 579-592.	2.0	10
314	Kinematic modeling for artificial flagellum of a robotic bacterium based on electroactive polymer actuators. , 2011, , .		10
315	Study of magnetorheology and sensing capabilities of MR elastomers. <i>Journal of Physics: Conference Series</i> , 2013, 412, 012037.	0.4	10
316	Development of a bio-inspired transformable robotic fin. <i>Bioinspiration and Biomimetics</i> , 2016, 11, 056010.	2.9	10
317	Improving stability and curving passing performance for railway vehicles with a variable stiffness MRF rubber joint. <i>Smart Materials and Structures</i> , 2017, 26, 035055.	3.5	10
318	Design, Fabrication, and Test of a Coupled Parametricâ€“Transverse Nonlinearly Broadband Energy Harvester. <i>IEEE Transactions on Energy Conversion</i> , 2018, 33, 457-464.	5.2	10
319	Development and evaluation of an MRE-based absorber with two individually controllable natural frequencies. <i>Smart Materials and Structures</i> , 2018, 27, 095002.	3.5	10
320	Measurement and prediction of granite damage evolution in deep mine seams using acoustic emission. <i>Measurement Science and Technology</i> , 2019, 30, 114002.	2.6	10
321	Development and evaluation of a highly adaptive MRF-based absorber with a large effective frequency range. <i>Smart Materials and Structures</i> , 2019, 28, 105003.	3.5	10
322	A Nanomechanical Analysis of Deformation Characteristics of 6H-SiC Using an Indenter and Abrasives in Different Fixed Methods. <i>Micromachines</i> , 2019, 10, 332.	2.9	10
323	Automatic Morphology Control of Liquid Metal using a Combined Electrochemical and Feedback Control Approach. <i>Micromachines</i> , 2019, 10, 209.	2.9	10
324	The variable resonance magnetorheological pendulum tuned mass damper: Mathematical modelling and seismic experimental studies. <i>Journal of Intelligent Material Systems and Structures</i> , 2020, 31, 263-276.	2.5	10

#	ARTICLE	IF	CITATIONS
325	Magnetorheological Properties of Aqueous Ferrofluids. Nihon Reorji Gakkaishi, 2006, 34, 25-31.	1.0	9
326	Continuous Sorting of Microparticles Using Dielectrophoresis. Journal of Nanoscience and Nanotechnology, 2012, 12, 3035-3039.	0.9	9
327	Decision tree assisted EKF for vehicle slip angle estimation using inertial motion sensors. , 2014, , .		9
328	Making a hydrophoretic focuser tunable using a diaphragm. Biomicrofluidics, 2014, 8, 064115.	2.4	9
329	An active-compliant micro-stage based on EAP artificial muscles. , 2014, , .		9
330	Novel reversible and switchable electrolytes based on magneto-rheology. Scientific Reports, 2015, 5, 15663.	3.3	9
331	Tracking control of wheel slip ratio with velocity estimation for vehicle anti-lock braking system. , 2015, , .		9
332	A Nonlinearly Broadband Tuneable Energy Harvester. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2017, 139, .	1.6	9
333	Tunable smart digital structure (SDS) to modularly assemble soft actuators with layered adhesive bonding. Smart Materials and Structures, 2018, 27, 015012.	3.5	9
334	A new robotic tactile sensor with bio-mimetic structural colour inspired by Morpho butterflies. Bioinspiration and Biomimetics, 2019, 14, 056010.	2.9	9
335	A bionic soft tongue driven by shape memory alloy and pneumatics. Bioinspiration and Biomimetics, 2021, 16, .	2.9	9
336	Design, Fabrication, and Testing of a Novel Ferrofluid Soft Capsule Robot. IEEE/ASME Transactions on Mechatronics, 2022, 27, 1403-1413.	5.8	9
337	Variable stiffness wires based on magnetorheological liquid metals. International Journal of Smart and Nano Materials, 2022, 13, 232-243.	4.2	9
338	Manipulation of bioparticles using traveling wave dielectrophoresis: numerical approach. International Journal of Mechanics and Materials in Design, 2004, 1, 115-130.	3.0	8
339	LINEAR VISCOELASTICITY OF MR FLUIDS: DEPENDENCE ON MAGNETIC FIELDS. International Journal of Modern Physics B, 2005, 19, 1198-1204.	2.0	8
340	A novel cost effective method for vehicle tire-road friction coefficient estimation. , 2013, , .		8
341	Fabrication and characterisation of patterned magnetorheological elastomers. AIP Conference Proceedings, 2013, , .	0.4	8
342	A Novel Method for Side Slip Angle Estimation of Omni-Directional Vehicles. SAE International Journal of Passenger Cars - Electronic and Electrical Systems, 2014, 7, 471-480.	0.3	8

#	ARTICLE	IF	CITATIONS
343	A Novel Fuzzy Sliding-Mode Control for Discrete-Time Uncertain System. Mathematical Problems in Engineering, 2016, 2016, 1-9.	1.1	8
344	Three-Dimensional Kinematic Modeling of Helix-Forming Lamina-Emergent Soft Smart Actuators Based on Electroactive Polymers. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2016, , 1-12.	9.3	8
345	Double-Mode Microparticle Manipulation by Tunable Secondary Flow in Microchannel With Arc-Shaped Groove Arrays. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 1406-1412.	4.0	8
346	Electrolytes with reversible switch between liquid and solid phases. Current Opinion in Electrochemistry, 2020, 21, 297-302.	4.8	8
347	A Takagi-Sugeno Fuzzy Model-Based Control Strategy for Variable Stiffness and Variable Damping Suspension. IEEE Access, 2020, 8, 71628-71641.	4.2	8
348	Precise locomotion controller design for a novel magnetorheological fluid robot based on improved gray wolf optimization algorithm. Smart Materials and Structures, 2021, 30, 025038.	3.5	8
349	Transient waveform matching based on ascending multi-wavelets for diagnostics and prognostics of bearing deterioration. ISA Transactions, 2022, 120, 330-341.	5.7	8
350	Visualizing rheological mechanism of magnetorheological fluids. Smart Materials and Structures, 2022, 31, 025027.	3.5	8
351	Innovative variable stiffness and variable damping magnetorheological actuation system for robotic arm positioning. Journal of Intelligent Material Systems and Structures, 2023, 34, 123-137.	2.5	8
352	<title>Viscoelastic properties of MR fluids under oscillatory shear</title>. , 2001, , .		7
353	Research and Applications of Shear Thickening Fluids. Recent Patents on Materials Science, 2011, 4, 43-49.	0.5	7
354	Magnetic propulsion of a spiral-type endoscopic microrobot in a real small intestine. , 2012, , .		7
355	Semi-active control of an integrated full-car suspension with seat suspension and driver body model using ER dampers. International Journal of Vehicle Design, 2013, 63, 159.	0.3	7
356	Study on creep characteristics of oil film bearing Babbitt. Materials Research Innovations, 2014, 18, S2-16-S2-21.	2.3	7
357	An experimental investigation into nonlinear dynamics of a magneto-rheological elastomer sandwich beam. Smart Materials and Structures, 2016, 25, 015018.	3.5	7
358	Design and modeling analysis of a changeable stiffness robotic leg working with magnetorheological technology. Journal of Intelligent Material Systems and Structures, 2018, 29, 3725-3736.	2.5	7
359	Fabrication and Characterisation of Magnetorheological Shear Thickening Fluids. Frontiers in Materials, 2020, 7, .	2.4	7
360	Design and Analysis of a Novel Magnetorheological Fluid Dual Clutch for Electric Vehicle Transmission. , 0, , .		7

#	ARTICLE	IF	CITATIONS
361	MRE properties under shear and squeeze modes and applications. Journal of Physics: Conference Series, 2009, 149, 012095.	0.4	6
362	Implementation of Adaptive Neuro Fuzzy Inference System controller on magneto rheological damper suspension. , 2013, , .		6
363	Inertial Microfluidics: Mechanisms and Applications. Microsystems and Nanosystems, 2017, , 563-593.	0.1	6
364	A rapid, maskless 3D prototyping for fabrication of capillary circuits: Toward urinary protein detection. Electrophoresis, 2018, 39, 957-964.	2.4	6
365	Top sheath flow-assisted secondary flow particle manipulation in microchannels with the slanted groove structure. Microfluidics and Nanofluidics, 2019, 23, 1.	2.2	6
366	A review of heat and mass transfer mechanisms of dehumidifiers and regenerators for liquid desiccant cooling systems. Science and Technology for the Built Environment, 2020, 26, 465-483.	1.7	6
367	Development of a smart rubber joint for train using shear thickening fluids. Smart Materials and Structures, 2020, 29, 055036.	3.5	6
368	Design and experimental evaluation of a new modular underactuated multi-fingered robot hand. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2020, 234, 3709-3724.	2.1	6
369	A Novel Ferrofluid Rolling Robot: Design, Manufacturing, and Experimental Analysis. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-10.	4.7	6
370	Numerical Study of Rotary Magnetorheological Seat Suspension on the Impact Protection. Lecture Notes in Electrical Engineering, 2022, , 1003-1017.	0.4	6
371	A Novel MR Device with Variable Stiffness and Damping Capability. International Journal of Aerospace and Lightweight Structures (IJALS), 2013, 3, 325.	0.1	6
372	Real-time adaptive leg-stiffness for roll compensation via magnetorheological control in a legged robot. Smart Materials and Structures, 2022, 31, 045003.	3.5	6
373	Equipping New SMA Artificial Muscles With Controllable MRF Exoskeletons for Robotic Manipulators and Grippers. IEEE/ASME Transactions on Mechatronics, 2022, 27, 4585-4596.	5.8	6
374	Modeling and simulation of droplet translocation and fission by electrowetting-on-dielectrics (EWOD). Frontiers of Mechanical Engineering in China, 2010, 5, 376-388.	0.4	5
375	Experimental characterization of a robotic drug delivery system based on magnetic propulsion. , 2011, , .		5
376	Analysis of jet characteristics and structural optimization of a liquamatic fire water monitor with self-swinging mechanism. International Journal of Advanced Manufacturing Technology, 2012, 59, 805-813.	3.0	5
377	Study of the temperature effect of shear thickening fluid. , 2013, , .		5
378	Experimental investigation into biomechanical and biotribological properties of a real intestine and their significance for design of a spiral-type robotic capsule. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2014, 228, 280-286.	1.8	5

#	ARTICLE	IF	CITATIONS
379	Model-based Takagi-Sugeno fuzzy approach for vehicle longitudinal velocity estimation during braking. , 2014, , .		5
380	Robust tracking control of vehicle lateral dynamics. International Journal of Vehicle Design, 2014, 65, 314.	0.3	5
381	Applications of Controllable Smart Fluids to Mechanical Systems. Advances in Mechanical Engineering, 2014, 6, 254864.	1.6	5
382	Static and Dynamic Experiment Evaluations of a Displacement Differential Self-Induced Magnetorheological Damper. Shock and Vibration, 2015, 2015, 1-10.	0.6	5
383	The Continuous Concentration of Particles and Cancer Cell Line Using Cell Margination in a Groove-Based Channel. Micromachines, 2017, 8, 315.	2.9	5
384	Semi-Active Chatter Reduction for Robotic Machining Using Magnetorheological Elastomers (MREs). , 2017, , .		5
385	Magnetorheological technology for fabricating tunable solid electrolyte with enhanced conductivity and mechanical property. Smart Materials and Structures, 2018, 27, 035022.	3.5	5
386	A Novel Exponential Reaching Law for Sliding Mode Control of Discrete-time System with Disturbance. , 2018, , .		5
387	Rotation of Liquid Metal Droplets Solely Driven by the Action of Magnetic Fields. Applied Sciences (Switzerland), 2019, 9, 1421.	2.5	5
388	Integrated trajectory planning and control for obstacle avoidance manoeuvre using non-linear vehicle MP algorithm. IET Intelligent Transport Systems, 2019, 13, 385-397.	3.0	5
389	Robust Adaptive Sliding Mode PI Control for Active Vehicle Seat Suspension Systems. , 2019, , .		5
390	High sensitivity face shear magneto-electric composite array for weak magnetic field sensing. Journal of Applied Physics, 2020, 128, .	2.5	5
391	A smart passive MR damper with a hybrid powering system for impact mitigation: An experimental study. Journal of Intelligent Material Systems and Structures, 2021, 32, 1452-1461.	2.5	5
392	Modular and Self-Contained Microfluidic Analytical Platforms Enabled by Magnetorheological Elastomer Microactuators. Micromachines, 2021, 12, 604.	2.9	5
393	A novel magneto-rheological fluid dual-clutch design for two-speed transmission of electric vehicles. Smart Materials and Structures, 2021, 30, 075035.	3.5	5
394	Quality-related locally weighted soft sensing for non-stationary processes by a supervised Bayesian network with latent variables. Frontiers of Information Technology and Electronic Engineering, 2021, 22, 1234-1246.	2.6	5
395	Singular System-Based Approach for Active Vibration Control of Vehicle Seat Suspension. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2020, 142, .	1.6	5
396	The Simulation of Magnetorheological Elastomers Adaptive Tuned Dynamic Vibration Absorber for Automobile Engine Vibration Control. , 2006, , .		5

#	ARTICLE	IF	CITATIONS
397	Multi-Objective Asymmetric Sliding Mode Control of Connected Autonomous Vehicles. IEEE Transactions on Intelligent Transportation Systems, 2022, 23, 16342-16357.	8.0	5
398	Variable stiffness and damping magnetorheological isolator. Frontiers of Mechanical Engineering in China, 2009, 4, 310.	0.4	4
399	A variable stiffness MR damper for vibration suppression. , 2009, , .		4
400	Kinematic analysis of electroactive polymer actuators as soft and smart structures with more DoF than inputs. , 2012, , .		4
401	Control of conducting polymer actuators without physical feedback: simulated feedback control approach with particle swarm optimization. Smart Materials and Structures, 2014, 23, 035014.	3.5	4
402	Design optimization of a magnetomechanical system for drug delivery in wireless capsule endoscopy. , 2014, , .		4
403	Design of a Bionic Scallop Robot Based on Jet Propulsion. , 2018, , .		4
404	A Novel Reaching Law for Sliding Mode Control of Uncertain Discrete-Time Systems. Mathematical Problems in Engineering, 2018, 2018, 1-11.	1.1	4
405	Broadband nonlinear behaviour of a soft magneto-sensitive elastomer cantilever under low-frequency and low-magnitude excitation. Journal of Intelligent Material Systems and Structures, 2018, 29, 3165-3184.	2.5	4
406	Design and testing of a novel two-way controllable overrunning clutch based magneto-rheological brake. Smart Materials and Structures, 2019, 28, 095013.	3.5	4
407	A variable inertance and variable damping vibration control system with electric circuit. , 2019, , .		4
408	Experimental and modeling approaches of MR behaviors under large step strains. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 340, 251-257.	5.6	3
409	A 3-D Microelectrode System for Dielectrophoretic Manipulation of Microparticles. Journal of Physics: Conference Series, 2006, 34, 1008-1013.	0.4	3
410	Development of electrorheological chip and conducting polymer-based sensor. Frontiers of Mechanical Engineering in China, 2009, 4, 393-396.	0.4	3
411	APPLICATION OF A MAGNETORHEOLOGICAL ELASTOMER TO DEVELOP A TORSIONAL DYNAMIC ABSORBER FOR VIBRATION REDUCTION OF POWERTRAIN. , 2011, , .		3
412	Continuous particle manipulation and separation in a hurdle-combined curved microchannel using DC dielectrophoresis. AIP Conference Proceedings, 2013, , .	0.4	3
413	Kinematics-based parameter-varying observer design for sideslip angle estimation. , 2014, , .		3
414	Takagi-sugeno fuzzy H ∞ tracking control for steer-by-wire systems. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
415	An accurate model for size optimization of an embedded permanent magnet for drug delivery with capsule robots. , 2015, , .		3
416	Stability enhancement of magnetic levitation ball system with two controlled electromagnets. , 2015, , .		3
417	Analysis of the magnetic torque on a tilted permanent magnet for drug delivery in capsule robots. , 2016, , .		3
418	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Focusing and Membrane. Journal of Heat Transfer, 2017, 139, .	2.1	3
419	Comparison of dynamic models based on backbone curve for rotary magneto-rheological damper. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2020, 234, 2732-2740.	2.1	3
420	A modified extreme seeking-based adaptive fuzzy sliding mode control scheme for vehicle anti-lock braking. International Journal of Vehicle Autonomous Systems, 2020, 15, 1.	0.2	3
421	Controllable magnetorheological fluid damper-based seat suspension. , 2020, , 37-56.		3
422	A magnetorheological fluid based planetary gear transmission for mechanical power-flow control. Smart Materials and Structures, 2021, 30, 045013.	3.5	3
423	A MapReduce-Based ELM for Regression in Big Data. Lecture Notes in Computer Science, 2016, , 164-173.	1.3	3
424	A hybrid MRE isolation system integrated with ball-screw inerter for vibration control. Smart Materials and Structures, 2022, 31, 025009.	3.5	3
425	Fabrication and Characterization of Magneto-Rheological Shear-Stiffened Elastomers. Frontiers in Materials, 2014, 1, .	2.4	2
426	How the type of input function affects the dynamic response of conducting polymer actuators. Smart Materials and Structures, 2014, 23, 105008.	3.5	2
427	Applications of Magnetorheological Technology to Semiactive Vibration Control Systems. Shock and Vibration, 2015, 2015, 1-2.	0.6	2
428	Robust fuzzy tracking control of uncertain steer-by-wire systems with network time delays. , 2015, , .		2
429	Optimization of multiple arc-shaped magnets for drug delivery in a capsule robot. , 2015, , .		2
430	Enhanced particle self-ordering in a double-layer channel. Biomedical Microdevices, 2018, 20, 23.	2.8	2
431	Experimental Nonlinear Model Identification of a Highly Nonlinear Resonator. Journal of Vibration and Acoustics, Transactions of the ASME, 2018, 140, .	1.6	2
432	Remote Sensing Image Scene Classification Based on Densely Connected Multilayer Kernel ELM. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
433	Guest Editorial Focused Section on Mechatronics in Cyber-Physical Systems. IEEE/ASME Transactions on Mechatronics, 2018, 23, 2533-2536.	5.8	2
434	Soft Sensing Applications for Non-Stable Processes Based on a Weighted High-Order Dynamic Information Structure. IEEE Access, 2020, 8, 212055-212065.	4.2	2
435	Compensation of Geometric Parameter Errors for Terrestrial Laser Scanner by Integrating Intensity Correction. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 7483-7495.	6.3	2
436	Modelling and experimental evaluation of a variable stiffness MR suspension with self-powering capability. Journal of Intelligent Material Systems and Structures, 2021, 32, 1473-1483.	2.5	2
437	2D magnetic field sensing array using face-shear mode PMN-PT/Metglas composite. Journal Physics D: Applied Physics, 2020, 53, 455306.	2.8	2
438	Development of a novel magnetorheological brake with zigzag magnetic flux path. Smart Materials and Structures, 2021, 30, 125028.	3.5	2
439	Development of a magnetorheological elastomer rubber joint with fail-safe characteristics for high-speed trains. Smart Materials and Structures, 2022, 31, 045008.	3.5	2
440	Synthesis, modeling, and characterization of conducting polymers. , 2004, 5648, 145.		1
441	Characterization of conducting-polymer-based bimorph vibration sensors. , 2004, , .		1
442	MATLAB simulation of semi-active skyhook control of a quarter car incorporating an MR damper and a fuzzy logic controller. , 2006, , .		1
443	Design and experimental testing of an adaptive magneto-rheological elastomer base isolator. , 2013, , .		1
444	An investigation into biomechanical and biotribological properties of a real intestine for design of a spiral-type robotic capsule. , 2013, , .		1
445	Investigation of trapping process in "Centrifuge-on-a-chip", 2013, , .		1
446	Variable stiffness and damping semi-active vibration control technology based on magnetorheological fluids. , 2013, , .		1
447	Study of shear-stiffened elastomers. , 2013, , .		1
448	Hysteretic Model of a Rotary Magnetorheological Damper in Helical Flow Mode. Communications in Computer and Information Science, 2018, , 15-24.	0.5	1
449	Active seat suspension control algorithm. , 2020, , 209-242.		1
450	Event-triggered \hat{z} control for active seat suspension systems with state delay. Transactions of the Institute of Measurement and Control, 2021, 43, 3428-3437.	1.7	1

#	ARTICLE	IF	CITATIONS
451	Building Vibration Suppression Through a Magnetorheological Variable Resonance Pendulum Tuned Mass Damper. , 2021, , 281-287.		1
452	Multiobjective Heterogeneous Asymmetric Sliding Mode Control of Nonlinear Connected Autonomous Vehicles. IEEE Access, 2022, 10, 50562-50577.	4.2	1
453	STRESS RELAXATION OF MAGNETORHEOLOGICAL FLUIDS. International Journal of Modern Physics B, 2002, 16, 2655-2661.	2.0	0
454	Haptic Interfacing System Using Magnetorheological Fluids. , 2002, , .		0
455	NUMERICAL SOLUTION OF TRAVELING WAVE DIELECTROPHORESIS USING A MESHLESS FINITE DIFFERENCE SCHEME. Modern Physics Letters B, 2005, 19, 1739-1742.	1.9	0
456	Simulation of Traveling Wave Dielectrophoresis Using a Meshless Method. , 2006, , .		0
457	PERFORMANCE TESTING AND HYSTERESIS MODELING OF A POSITION-FEEDBACK MR ACTUATOR. , 2007, , .		0
458	STUDY OF SENSING CAPABILITY OF MR ELASTOMERS. , 2011, , .		0
459	MR ELASTOMERS ISOLATOR FOR SEAT VIBRATION CONTROL. , 2011, , .		0
460	Control of conducting polymer actuators without feedback: Simulated feedback control approach. , 2013, , .		0
461	Robust control of vehicle suspension with electrohydraulic actuator. International Journal of Vehicle Performance, 2013, 1, 157.	0.4	0
462	Fabrication of arc-shaped 3D electrodes for biomedical devices. , 2013, , .		0
463	Modeling and experimental investigation on the mechanical behavior of a spiral-type capsule in the small intestine. , 2013, , .		0
464	Dielectrophoretic manipulation and separation of particles in an S-shaped microchannel with hurdles. , 2013, , .		0
465	Experimental Vibration Simulation for Heavy Duty Vehicle Seat Suspension with a Multiple-DOF Motion Platform. , 2015, , .		0
466	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Microfluidics and Membrane. , 2016, , .		0
467	Three-dimensional particle focusing under viscoelastic flow based on dean-flow-coupled elasto-inertial effects. , 2016, , .		0
468	Hierarchical based model predictive control for automatic vehicles brake. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
469	Editorial for the Special Issue on the Insights and Advancements in Microfluidics. Micromachines, 2017, 8, 254.	2.9	0
470	Simple, low-cost fabrication of semi-circular channel using the surface tension of solder paste and its application to microfluidic valves. Electrophoresis, 2018, 39, 1460-1465.	2.4	0
471	Large Deflection of a Compliant Beam with Non-uniform Stiffness Distribution using a PRB-3R Model. , 2019, , .		0
472	Self-powered MR seat suspension. , 2020, , 57-77.		0
473	Variable equivalent inertance seat suspension. , 2020, , 121-167.		0
474	Single-DOF active seat suspension. , 2020, , 171-179.		0
475	Multiple-DOF active seat suspension. , 2020, , 181-208.		0
476	Nonlinear stiffness seat suspension. , 2020, , 267-279.		0
477	Controllable electromagnetic damper-based seat suspension. , 2020, , 13-36.		0
478	Variable equivalent stiffness seat suspension. , 2020, , 79-119.		0
479	Hybrid active and semi-active seat suspension. , 2020, , 245-265.		0
480	Development and Experimental Study of an MRF Engine Mount with Controllable Stiffness. Lecture Notes in Electrical Engineering, 2022, , 1018-1030.	0.4	0
481	Variable Admittance Network with Indirect Energy Supply for Semiactive Vibration Control. Lecture Notes in Electrical Engineering, 2022, , 987-1002.	0.4	0
482	Output Reachable Set Estimation for Singular Seat Suspension Systems. , 2021, , 143-149.		0
483	Design and Analysis of General and Travelling Dielectrophoresis. , 2006, , .		0
484	An effective permeability model to predict field-dependent modulus of Magnetorheological Elastomers. , 2006, , .		0
485	THE STATIC YIELD STRESS OF FERROFLUID-BASED MAGNETORHEOLOGICAL SUSPENSIONS. , 2007, , .		0
486	DEVELOPMENT OF 2-DOF MR JOYSTICKS FOR VIRTUAL REALITY APPLICATIONS. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
487	0806 Magneto-Rheological Effects of Shear-Thickening MR Fluids. The Proceedings of the Fluids Engineering Conference, 2013, 2013, _0806-01_-0806-02_.	0.0	0
488	Development of a magnetorheological elastomer rubber joint with fail-safe characteristics for high-speed trains. Smart Materials and Structures, 0, , .	3.5	0
489	Shape and Force Sensing of A Soft SMA Planar Actuator for Soft Robots. , 2021, , .		0
490	Analytical jump-avoidance criteria of Duffing-type vibration isolation systems under base and force excitations based on concave-convex property. JVC/Journal of Vibration and Control, 0, , 107754632211106.	2.6	0