List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5358680/publications.pdf Version: 2024-02-01



<u>\λ/ειμιιλ Ι</u>

#	Article	IF	CITATIONS
1	Pareto Optimal Information Flow Topology for Control of Connected Autonomous Vehicles. IEEE Transactions on Intelligent Vehicles, 2023, 8, 330-343.	12.7	13
2	Innovative variable stiffness and variable damping magnetorheological actuation system for robotic arm positioning. Journal of Intelligent Material Systems and Structures, 2023, 34, 123-137.	2.5	8
3	Transient waveform matching based on ascending multi-wavelets for diagnostics and prognostics of bearing deterioration. ISA Transactions, 2022, 120, 330-341.	5.7	8
4	Numerical Study of Rotary Magnetorheological Seat Suspension on the Impact Protection. Lecture Notes in Electrical Engineering, 2022, , 1003-1017.	0.4	6
5	Development and Experimental Study of an MRF Engine Mount with Controllable Stiffness. Lecture Notes in Electrical Engineering, 2022, , 1018-1030.	0.4	0
6	Variable Admittance Network with Indirect Energy Supply for Semiactive Vibration Control. Lecture Notes in Electrical Engineering, 2022, , 987-1002.	0.4	0
7	Modeling and Motion Control of a Soft SMA Planar Actuator. IEEE/ASME Transactions on Mechatronics, 2022, 27, 916-927.	5.8	11
8	Design, Fabrication, and Testing of a Novel Ferrofluid Soft Capsule Robot. IEEE/ASME Transactions on Mechatronics, 2022, 27, 1403-1413.	5.8	9
9	A hybrid MRE isolation system integrated with ball-screw inerter for vibration control. Smart Materials and Structures, 2022, 31, 025009.	3.5	3
10	Visualizing rheological mechanism of magnetorheological fluids. Smart Materials and Structures, 2022, 31, 025027.	3.5	8
11	Investigation of a new metamaterial magnetorheological elastomer isolator with tunable vibration bandgaps. Mechanical Systems and Signal Processing, 2022, 170, 108806.	8.0	29
12	Superelongation of Liquid Metal. Advanced Science, 2022, 9, e2105289.	11.2	19
13	Real-time adaptive leg-stiffness for roll compensation via magnetorheological control in a legged robot. Smart Materials and Structures, 2022, 31, 045003.	3.5	6
14	Development of a magnetorheological elastomer rubber joint with fail-safe characteristics for high-speed trains. Smart Materials and Structures, 2022, 31, 045008.	3.5	2
15	Multi-Objective Asymmetric Sliding Mode Control of Connected Autonomous Vehicles. IEEE Transactions on Intelligent Transportation Systems, 2022, 23, 16342-16357.	8.0	5
16	Investigation of a seat suspension installed with compact variable stiffness and damping rotary magnetorheological dampers. Mechanical Systems and Signal Processing, 2022, 171, 108802.	8.0	24
17	Investigation of a novel MRE metamaterial sandwich beam with real-time tunable band gap characteristics. Journal of Sound and Vibration, 2022, 527, 116870.	3.9	20
18	Equipping New SMA Artificial Muscles With Controllable MRF Exoskeletons for Robotic Manipulators and Grippers. IEEE/ASME Transactions on Mechatronics, 2022, 27, 4585-4596.	5.8	6

#	Article	IF	CITATIONS
19	Multiobjective Heterogeneous Asymmetric Sliding Mode Control of Nonlinear Connected Autonomous Vehicles. IEEE Access, 2022, 10, 50562-50577.	4.2	1
20	Evaluation of Different Bearing Fault Classifiers in Utilizing CNN Feature Extraction Ability. Sensors, 2022, 22, 3314.	3.8	19
21	Variable stiffness wires based on magnetorheological liquid metals. International Journal of Smart and Nano Materials, 2022, 13, 232-243.	4.2	9
22	Fabrication of metallic parts with overhanging structures using the robotic wire arc additive manufacturing. Journal of Manufacturing Processes, 2021, 63, 24-34.	5.9	31
23	A hybrid deep-learning model for fault diagnosis of rolling bearings. Measurement: Journal of the International Measurement Confederation, 2021, 169, 108502.	5.0	155
24	Event-triggered <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">altimg="si10.svg"&gt;<mml:mrow><mml:msub><mml:mrow><mml:mi>H</mml:mi></mml:mrow><mml:mrow><m control for active seat suspension systems based on relaxed conditions for stability. Mechanical Systems and Signal Processing, 2021, 149, 107210.</m </mml:mrow></mml:msub></mml:mrow></mml:math>	ml:mi>â^ž 8.0	26
25	Performance investigation and sensitivity analysis of shell-and-tube phase change material thermal energy storage. Journal of Energy Storage, 2021, 33, 102040.	8.1	13
26	A Robot Boat Powered by Liquid Metal Engines. Advanced Materials Technologies, 2021, 6, .	5.8	14
27	Liquid metal motor. IScience, 2021, 24, 101911.	4.1	27
28	Light-controlled versatile manipulation of liquid metal droplets: a gateway to future liquid robots. Materials Horizons, 2021, 8, 3063-3071.	12.2	27
29	Modelling and experimental evaluation of a variable stiffness MR suspension with self-powering capability. Journal of Intelligent Material Systems and Structures, 2021, 32, 1473-1483.	2.5	2
30	A Novel Ferrofluid Rolling Robot: Design, Manufacturing, and Experimental Analysis. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-10.	4.7	6
31	A smart passive MR damper with a hybrid powering system for impact mitigation: An experimental study. Journal of Intelligent Material Systems and Structures, 2021, 32, 1452-1461.	2.5	5
32	Precise locomotion controller design for a novel magnetorheological fluid robot based on improved gray wolf optimization algorithm. Smart Materials and Structures, 2021, 30, 025038.	3.5	8
33	Experimental Study of a Variable Stiffness Seat Suspension Installed With a Compact Rotary MR Damper. Frontiers in Materials, 2021, 8, .	2.4	11
34	Optimisation of a renewable cooling and heating system using an integer-based genetic algorithm, response surface method and life cycle analysis. Energy Conversion and Management, 2021, 230, 113797.	9.2	19
35	A magnetorheological fluid based planetary gear transmission for mechanical power-flow control. Smart Materials and Structures, 2021, 30, 045013.	3.5	3
36	Abuseâ€Tolerant Electrolytes for Lithiumâ€lon Batteries. Advanced Science, 2021, 8, e2003694.	11.2	16

#	Article	IF	CITATIONS
37	Hybridâ€Filler Stretchable Conductive Composites: From Fabrication to Application. Small Science, 2021, 1, 2000080.	9.9	80
38	Modular and Self-Contained Microfluidic Analytical Platforms Enabled by Magnetorheological Elastomer Microactuators. Micromachines, 2021, 12, 604.	2.9	5
39	A novel magneto-rheological fluid dual-clutch design for two-speed transmission of electric vehicles. Smart Materials and Structures, 2021, 30, 075035.	3.5	5
40	Event-triggered <i>H</i> <sub>â^ž</sub> control for active seat suspension systems with state delay. Transactions of the Institute of Measurement and Control, 2021, 43, 3428-3437.	1.7	1
41	A bionic soft tongue driven by shape memory alloy and pneumatics. Bioinspiration and Biomimetics, 2021, 16, .	2.9	9
42	Reversible Underwater Adhesion for Soft Robotic Feet by Leveraging Electrochemically Tunable Liquid Metal Interfaces. ACS Applied Materials & Interfaces, 2021, 13, 37904-37914.	8.0	24
43	Recent advances in magnetic digital microfluidic platforms. Electrophoresis, 2021, 42, 2329-2346.	2.4	14
44	A semi-active variable equivalent stiffness and inertance device implemented by an electrical network. Mechanical Systems and Signal Processing, 2021, 156, 107676.	8.0	21
45	Sheathless Separation of Cyanobacterial <i>Anabaena</i> by Shape Using Viscoelastic Microfluidics. Analytical Chemistry, 2021, 93, 12648-12654.	6.5	24
46	Liquid Metal Hybrid Composites with High-Sensitivity and Large Dynamic Range Enabled by Micro- and Macrostructure Engineering. ACS Applied Polymer Materials, 2021, 3, 5302-5315.	4.4	22
47	Highly stretchable and sensitive strain sensor based on liquid metal composite for wearable sign language communication device. Smart Materials and Structures, 2021, 30, 115005.	3.5	11
48	A Liquid Metal Artificial Muscle. Advanced Materials, 2021, 33, e2103062.	21.0	82
49	Quality-related locally weighted soft sensing for non-stationary processes by a supervised Bayesian network with latent variables. Frontiers of Information Technology and Electronic Engineering, 2021, 22, 1234-1246.	2.6	5
50	Design a Novel Target to Improve Positioning Accuracy of Autonomous Vehicular Navigation System in GPS Denied Environments. IEEE Transactions on Industrial Informatics, 2021, 17, 7575-7588.	11.3	23
51	Output Reachable Set Estimation for Singular Seat Suspension Systems. , 2021, , 143-149.		0
52	Dynamic outputâ€feedback eventâ€triggered Hâ^ž control for singular active seat suspension systems with a human body model. IET Control Theory and Applications, 2021, 15, 594-603.	2.1	11
53	Development of a novel magnetorheological brake with zigzag magnetic flux path. Smart Materials and Structures, 2021, 30, 125028.	3.5	2
54	Building Vibration Suppression Through a Magnetorheological Variable Resonance Pendulum Tuned Mass Damper. , 2021, , 281-287.		1

#	Article	IF	CITATIONS
55	Shape and Force Sensing of A Soft SMA Planar Actuator for Soft Robots. , 2021, , .		0
56	Four-Wheel Electric Braking System Configuration With New Braking Torque Distribution Strategy for Improving Energy Recovery Efficiency. IEEE Transactions on Intelligent Transportation Systems, 2020, 21, 87-103.	8.0	26
57	An Electromagnetic Variable Stiffness Device for Semiactive Seat Suspension Vibration Control. IEEE Transactions on Industrial Electronics, 2020, 67, 6773-6784.	7.9	29
58	Development and evaluation of a versatile semi-active suspension system for high-speed railway vehicles. Mechanical Systems and Signal Processing, 2020, 135, 106338.	8.0	49
59	Development of a variable stiffness magnetorheological damper with self-powered generation capability. Journal of Intelligent Material Systems and Structures, 2020, 31, 209-219.	2.5	12
60	Application of Multidirectional Robotic Wire Arc Additive Manufacturing Process for the Fabrication of Complex Metallic Parts. IEEE Transactions on Industrial Informatics, 2020, 16, 454-464.	11.3	38
61	A magnetorheological elastomer rail damper for wideband attenuation of rail noise and vibration. Journal of Intelligent Material Systems and Structures, 2020, 31, 220-228.	2.5	16
62	A review of heat and mass transfer mechanisms of dehumidifiers and regenerators for liquid desiccant cooling systems. Science and Technology for the Built Environment, 2020, 26, 465-483.	1.7	6
63	Comparison of dynamic models based on backbone curve for rotary magneto-rheological damper. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2020, 234, 2732-2740.	2.1	3
64	Focusing of sub-micrometer particles in microfluidic devices. Lab on A Chip, 2020, 20, 35-53.	6.0	77
65	Investigation of humping phenomenon for the multi-directional robotic wire and arc additive manufacturing. Robotics and Computer-Integrated Manufacturing, 2020, 63, 101916.	9.9	39
66	Development of a smart rubber joint for train using shear thickening fluids. Smart Materials and Structures, 2020, 29, 055036.	3.5	6
67	The variable resonance magnetorheological pendulum tuned mass damper: Mathematical modelling and seismic experimental studies. Journal of Intelligent Material Systems and Structures, 2020, 31, 263-276.	2.5	10
68	A mini review of recent progress on vortex-induced vibrations of marine risers. Ocean Engineering, 2020, 195, 106704.	4.3	104
69	High sensitivity face shear magneto-electric composite array for weak magnetic field sensing. Journal of Applied Physics, 2020, 128, .	2.5	5
70	Modular and Integrated Systems for Nanoparticle and Microparticle Synthesis—A Review. Biosensors, 2020, 10, 165.	4.7	17
71	Densely Connected Deep Extreme Learning Machine Algorithm. Cognitive Computation, 2020, 12, 979-990.	5.2	16
72	Programmable Digital Liquid Metal Droplets in Reconfigurable Magnetic Fields. ACS Applied Materials & Interfaces, 2020, 12, 37670-37679.	8.0	44

#	Article	IF	CITATIONS
73	Modular off-chip emulsion generator enabled by a revolving needle. Lab on A Chip, 2020, 20, 4592-4599.	6.0	11
74	Fabrication and Characterisation of Magnetorheological Shear Thickening Fluids. Frontiers in Materials, 2020, 7, .	2.4	7
75	Soft Sensing Applications for Non-Stable Processes Based on a Weighted High-Order Dynamic Information Structure. IEEE Access, 2020, 8, 212055-212065.	4.2	2
76	A Magnetorheological Fluid-Filled Soft Crawling Robot With Magnetic Actuation. IEEE/ASME Transactions on Mechatronics, 2020, 25, 2700-2710.	5.8	39
77	A Review of Secondary Flow in Inertial Microfluidics. Micromachines, 2020, 11, 461.	2.9	75
78	Design and experimental evaluation of a new modular underactuated multi-fingered robot hand. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2020, 234, 3709-3724.	2.1	6
79	Takagi-Sugeno Fuzzy Model-Based Semi-Active Control for the Seat Suspension With an Electrorheological Damper. IEEE Access, 2020, 8, 98027-98037.	4.2	12
80	A modified extreme seeking-based adaptive fuzzy sliding mode control scheme for vehicle anti-lock braking. International Journal of Vehicle Autonomous Systems, 2020, 15, 1.	0.2	3
81	A Novel Multifeature Based On-Site Calibration Method for LiDAR-IMU System. IEEE Transactions on Industrial Electronics, 2020, 67, 9851-9861.	7.9	23
82	Dynamic Temperature Control System for the Optimized Production of Liquid Metal Nanoparticles. ACS Applied Nano Materials, 2020, 3, 6905-6914.	5.0	38
83	Development of a biomimetic scallop robot capable of jet propulsion. Bioinspiration and Biomimetics, 2020, 15, 036008.	2.9	11
84	Controllable magnetorheological fluid damper-based seat suspension. , 2020, , 37-56.		3
85	Self-powered MR seat suspension. , 2020, , 57-77.		0
86	Variable equivalent inertance seat suspension. , 2020, , 121-167.		0
87	Single-DOF active seat suspension. , 2020, , 171-179.		0
88	Multiple-DOF active seat suspension. , 2020, , 181-208.		0
89	Theoretical and experimental investigation of a stiffness-controllable suspension for railway vehicles to avoid resonance. International Journal of Mechanical Sciences, 2020, 187, 105901.	6.7	23
90	Liquid Metal Composites with Anisotropic and Unconventional Piezoconductivity. Matter, 2020, 3, 824-841.	10.0	77

#	Article	IF	CITATIONS
91	Inertial Microfluidic Purification of Floating Cancer Cells for Drug Screening and Three-Dimensional Tumor Models. Analytical Chemistry, 2020, 92, 11558-11564.	6.5	20
92	Nonlinear stiffness seat suspension. , 2020, , 267-279.		0
93	Electrolytes with reversible switch between liquid and solid phases. Current Opinion in Electrochemistry, 2020, 21, 297-302.	4.8	8
94	Controllable electromagnetic damper-based seat suspension. , 2020, , 13-36.		0
95	Variable equivalent stiffness seat suspension. , 2020, , 79-119.		0
96	Active seat suspension control algorithm. , 2020, , 209-242.		1
97	Hybrid active and semi-active seat suspension. , 2020, , 245-265.		0
98	A new Al-surrogate model for dynamics analysis of a magnetorheological damper in the semi-active seat suspension. Smart Materials and Structures, 2020, 29, 037001.	3.5	17
99	Particle-Based Porous Materials for the Rapid and Spontaneous Diffusion of Liquid Metals. ACS Applied Materials & Interfaces, 2020, 12, 11163-11170.	8.0	17
100	Liquid metal droplet robot. Applied Materials Today, 2020, 19, 100597.	4.3	57
101	Solar medium-low temperature thermal utilization and effect analysis of boundary condition: A tutorial. Solar Energy, 2020, 197, 238-253.	6.1	15
102	Modeling and Motion Control of a Liquid Metal Droplet in a Fluidic Channel. IEEE/ASME Transactions on Mechatronics, 2020, 25, 942-950.	5.8	18
103	Microscopic characteristics of magnetorheological fluids subjected to magnetic fields. Journal of Magnetism and Magnetic Materials, 2020, 501, 166443.	2.3	40
104	Controllable Electrically Interconnected Suspension System for Improving Vehicle Vibration Performance. IEEE/ASME Transactions on Mechatronics, 2020, 25, 859-871.	5.8	30
105	Compensation of Geometric Parameter Errors for Terrestrial Laser Scanner by Integrating Intensity Correction. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 7483-7495.	6.3	2
106	A Takagi-Sugeno Fuzzy Model-Based Control Strategy for Variable Stiffness and Variable Damping Suspension. IEEE Access, 2020, 8, 71628-71641.	4.2	8
107	Integration of an omnidirectional self-powering component to an MRE isolator towards a smart passive isolation system. Mechanical Systems and Signal Processing, 2020, 144, 106853.	8.0	13
108	Vibration suppression of tunnel boring machines using non-resonance approach. Mechanical Systems and Signal Processing, 2020, 145, 106969.	8.0	17

#	Article	IF	CITATIONS
109	A controllable mechanical motion rectifier-based semi-active magnetorheological inerter for vibration control. Smart Materials and Structures, 2020, 29, 114005.	3.5	13
110	Recent progress of magnetorheological elastomers: a review. Smart Materials and Structures, 2020, 29, 123002.	3.5	84
111	Singular System-Based Approach for Active Vibration Control of Vehicle Seat Suspension. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2020, 142, .	1.6	5
112	2D magnetic field sensing array using face-shear mode PMN-PT/Metglas composite. Journal Physics D: Applied Physics, 2020, 53, 455306.	2.8	2
113	Non-linear tyre model–based non-singular terminal sliding mode observer for vehicle velocity and side-slip angle estimation. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, 2019, 233, 38-54.	1.9	11
114	Mode coupling chatter suppression for robotic machining using semi-active magnetorheological elastomers absorber. Mechanical Systems and Signal Processing, 2019, 117, 221-237.	8.0	82
115	A variable resonance magnetorheological-fluid-based pendulum tuned mass damper for seismic vibration suppression. Mechanical Systems and Signal Processing, 2019, 116, 530-544.	8.0	60
116	Improving Positioning Accuracy of the Mobile Laser Scanning in GPS-Denied Environments: An Experimental Case Study. IEEE Sensors Journal, 2019, 19, 10753-10763.	4.7	17
117	Sheathless separation of microalgae from bacteria using a simple straight channel based on viscoelastic microfluidics. Lab on A Chip, 2019, 19, 2811-2821.	6.0	42
118	A new robotic tactile sensor with bio-mimetic structural colour inspired by Morpho butterflies. Bioinspiration and Biomimetics, 2019, 14, 056010.	2.9	9
119	Design and testing of a novel two-way controllable overrunning clutch based magneto-rheological brake. Smart Materials and Structures, 2019, 28, 095013.	3.5	4
120	Measurement and prediction of granite damage evolution in deep mine seams using acoustic emission. Measurement Science and Technology, 2019, 30, 114002.	2.6	10
121	An electromagnetic variable inertance device for seat suspension vibration control. Mechanical Systems and Signal Processing, 2019, 133, 106259.	8.0	49
122	Development and evaluation of a highly adaptive MRF-based absorber with a large effective frequency range. Smart Materials and Structures, 2019, 28, 105003.	3.5	10
123	A Novel Electrical Variable Stiffness Device for Vehicle Seat Suspension Control With Mismatched Disturbance Compensation. IEEE/ASME Transactions on Mechatronics, 2019, 24, 2019-2030.	5.8	23
124	Vibration control of a tunnel boring machine using adaptive magnetorheological damper. Smart Materials and Structures, 2019, 28, 115012.	3.5	13
125	A review of heat and mass transfer improvement techniques for dehumidifiers and regenerators of liquid desiccant cooling systems. Applied Thermal Engineering, 2019, 162, 114271.	6.0	27
126	Magnetically―and Electricallyâ€Controllable Functional Liquid Metal Droplets. Advanced Materials Technologies, 2019, 4, 1800694.	5.8	60

#	Article	IF	CITATIONS
127	Fundamentals of Differential Particle Inertial Focusing in Symmetric Sinusoidal Microchannels. Analytical Chemistry, 2019, 91, 4077-4084.	6.5	51
128	Rapid, one-step preparation of SERS substrate in microfluidic channel for detection of molecules and heavy metal ions. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2019, 220, 117113.	3.9	44
129	A Nanomechanical Analysis of Deformation Characteristics of 6H-SiC Using an Indenter and Abrasives in Different Fixed Methods. Micromachines, 2019, 10, 332.	2.9	10
130	Phase Separation in Liquid Metal Nanoparticles. Matter, 2019, 1, 192-204.	10.0	110
131	High-throughput production of uniformly sized liquid metal microdroplets using submerged electrodispersion. Applied Physics Letters, 2019, 114, 154101.	3.3	12
132	Numerical and experimental studies on a new variable stiffness and damping magnetorheological fluid damper. Journal of Intelligent Material Systems and Structures, 2019, 30, 1639-1652.	2.5	23
133	A rotary variable admittance device and its application in vehicle seat suspension vibration control. Journal of the Franklin Institute, 2019, 356, 7873-7895.	3.4	28
134	Liquid metal-filled magnetorheological elastomer with positive piezoconductivity. Nature Communications, 2019, 10, 1300.	12.8	267
135	Effect of temperature on the transmission characteristics of high-torque magnetorheological brakes. Smart Materials and Structures, 2019, 28, 057002.	3.5	41
136	Experimental testing and modelling of a rotary variable stiffness and damping shock absorber using magnetorheological technology. Journal of Intelligent Material Systems and Structures, 2019, 30, 1453-1465.	2.5	23
137	Rotation of Liquid Metal Droplets Solely Driven by the Action of Magnetic Fields. Applied Sciences (Switzerland), 2019, 9, 1421.	2.5	5
138	Automatic Morphology Control of Liquid Metal using a Combined Electrochemical and Feedback Control Approach. Micromachines, 2019, 10, 209.	2.9	10
139	A Robust Registration Method for Autonomous Driving Pose Estimation in Urban Dynamic Environment Using LiDAR. Electronics (Switzerland), 2019, 8, 43.	3.1	25
140	Dean-flow-coupled elasto-inertial particle and cell focusing in symmetric serpentine microchannels. Microfluidics and Nanofluidics, 2019, 23, 1.	2.2	33
141	A highly stiffness-adjustable robot leg for enhancing locomotive performance. Mechanical Systems and Signal Processing, 2019, 126, 458-468.	8.0	25
142	Integrated trajectory planning and control for obstacle avoidance manoeuvre using nonâ€linear vehicle MP algorithm. IET Intelligent Transport Systems, 2019, 13, 385-397.	3.0	5
143	High-Throughput, Off-Chip Microdroplet Generator Enabled by a Spinning Conical Frustum. Analytical Chemistry, 2019, 91, 3725-3732.	6.5	27
144	A variable inertance and variable damping vibration control system with electric circuit. , 2019, , .		4

A variable inertance and variable damping vibration control system with electric circuit. , 2019, , . 144

#	Article	IF	CITATIONS
145	Large Deflection of a Compliant Beam with Non-uniform Stiffness Distribution using a PRB-3R Model. , 2019, , .		0
146	Robust Adaptive Sliding Mode PI Control for Active Vehicle Seat Suspension Systems. , 2019, , .		5
147	Optimizing Vibration Attenuation Performance of a Magnetorheological Damper-Based Semi-active Seat Suspension Using Artificial Intelligence. Frontiers in Materials, 2019, 6, .	2.4	16
148	A Controllable Untethered Vehicle Driven by Electrically Actuated Liquid Metal Droplets. IEEE Transactions on Industrial Informatics, 2019, 15, 2535-2543.	11.3	22
149	A New Generation of Magnetorheological Vehicle Suspension System With Tunable Stiffness and Damping Characteristics. IEEE Transactions on Industrial Informatics, 2019, 15, 4696-4708.	11.3	47
150	Top sheath flow-assisted secondary flow particle manipulation in microchannels with the slanted groove structure. Microfluidics and Nanofluidics, 2019, 23, 1.	2.2	6
151	Soft magneto-sensitive elastomer and polyvinylidene fluoride polymer based nonlinear piezoelectric energy harvesting: design, modelling and experiment. Smart Materials and Structures, 2019, 28, 015031.	3.5	14
152	Optimal design and size of a desiccant cooling system with onsite energy generation and thermal storage using a multilayer perceptron neural network and a genetic algorithm. Energy Conversion and Management, 2019, 180, 598-608.	9.2	36
153	Magneto-induced surface morphologies in magnetorheological elastomer films: an analytical study. Smart Materials and Structures, 2019, 28, 045016.	3.5	12
154	Functional Liquid Metal Nanoparticles Produced by Liquidâ€Based Nebulization. Advanced Materials Technologies, 2019, 4, 1800420.	5.8	78
155	Phononic crystal lens with an asymmetric scatterer. Journal Physics D: Applied Physics, 2019, 52, 025102.	2.8	21
156	A novel empirical heat transfer model for a solar thermal storage process using phase change materials. Energy, 2019, 168, 222-234.	8.8	11
157	Design and Implementation of a Soft Robotic Arm Driven by SMA Coils. IEEE Transactions on Industrial Electronics, 2019, 66, 6108-6116.	7.9	95
158	Enhanced Localization of Robotic Capsule Endoscopes Using Positron Emission Markers and Rigid-Body Transformation. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2019, 49, 1270-1284.	9.3	18
159	Enhanced particle self-ordering in a double-layer channel. Biomedical Microdevices, 2018, 20, 23.	2.8	2
160	Microfluidic Mass Production of Stabilized and Stealthy Liquid Metal Nanoparticles. Small, 2018, 14, e1800118.	10.0	117
161	Tunable particle separation in a hybrid dielectrophoresis (DEP)- inertial microfluidic device. Sensors and Actuators B: Chemical, 2018, 267, 14-25.	7.8	99
162	On a CPG-Based Hexapod Robot: AmphiHex-II With Variable Stiffness Legs. IEEE/ASME Transactions on Mechatronics, 2018, 23, 542-551.	5.8	75

#	Article	IF	CITATIONS
163	Design, Fabrication, and Test of a Coupled Parametric–Transverse Nonlinearly Broadband Energy Harvester. IEEE Transactions on Energy Conversion, 2018, 33, 457-464.	5.2	10
164	Liquid metal-based amalgamation-assisted lithography for fabrication of complex channels with diverse structures and configurations. Lab on A Chip, 2018, 18, 785-792.	6.0	28
165	Development of magnetorheological elastomers–based tuned mass damper for building protection from seismic events. Journal of Intelligent Material Systems and Structures, 2018, 29, 1777-1789.	2.5	37
166	Experimental Nonlinear Model Identification of a Highly Nonlinear Resonator. Journal of Vibration and Acoustics, Transactions of the ASME, 2018, 140, .	1.6	2
167	Analysis of Magnetic Interaction in Remotely Controlled Magnetic Devices and its Application to a Capsule Robot for Drug Delivery. IEEE/ASME Transactions on Mechatronics, 2018, 23, 298-310.	5.8	38
168	Magnetorheological technology for fabricating tunable solid electrolyte with enhanced conductivity and mechanical property. Smart Materials and Structures, 2018, 27, 035022.	3.5	5
169	Versatile Microfluidic Platforms Enabled by Novel Magnetorheological Elastomer Microactuators. Advanced Functional Materials, 2018, 28, 1705484.	14.9	71
170	A rapid, maskless 3D prototyping for fabrication of capillary circuits: Toward urinary protein detection. Electrophoresis, 2018, 39, 957-964.	2.4	6
171	Recent progress of particle migration in viscoelastic fluids. Lab on A Chip, 2018, 18, 551-567.	6.0	186
172	Design of a Single-Layer Microchannel for Continuous Sheathless Single-Stream Particle Inertial Focusing. Analytical Chemistry, 2018, 90, 1786-1794.	6.5	27
173	Vibration control of an energy regenerative seat suspension with variable external resistance. Mechanical Systems and Signal Processing, 2018, 106, 94-113.	8.0	62
174	An Energy Saving Variable Damping Seat Suspension System With Regeneration Capability. IEEE Transactions on Industrial Electronics, 2018, 65, 8080-8091.	7.9	63
175	Simple, low ost fabrication of semi ircular channel using the surface tension of solder paste and its application to microfluidic valves. Electrophoresis, 2018, 39, 1460-1465.	2.4	0
176	Overcoming the conflict requirement between high-speed stability and curving trafficability of the train using an innovative magnetorheological elastomer rubber joint. Journal of Intelligent Material Systems and Structures, 2018, 29, 214-222.	2.5	12
177	Integrating photovoltaic thermal collectors and thermal energy storage systems using phase change materials with rotary desiccant cooling systems. Sustainable Cities and Society, 2018, 36, 131-143.	10.4	54
178	Development of a nonlinear adaptive absorber based on magnetorheological elastomer. Journal of Intelligent Material Systems and Structures, 2018, 29, 194-204.	2.5	20
179	A portable, hand-powered microfluidic device for sorting of biological particles. Microfluidics and Nanofluidics, 2018, 22, 1.	2.2	28
180	Tunable smart digital structure (SDS) to modularly assemble soft actuators with layered adhesive bonding. Smart Materials and Structures, 2018, 27, 015012.	3.5	9

#	Article	IF	CITATIONS
181	Integrated Dynamics Control and Energy Efficiency Optimization for Overactuated Electric Vehicles. Asian Journal of Control, 2018, 20, 1952-1966.	3.0	11
182	Integrated active and semi-active control for seat suspension of a heavy duty vehicle. Journal of Intelligent Material Systems and Structures, 2018, 29, 91-100.	2.5	24
183	Remote Sensing Image Scene Classification Based on Densely Connected Multilayer Kernel ELM. , 2018, ,		2
184	Design of a Bionic Scallop Robot Based on Jet Propulsion. , 2018, , .		4
185	Sonication-enabled rapid production of stable liquid metal nanoparticles grafted with poly(1-octadecene- <i>alt</i> -maleic anhydride) in aqueous solutions. Nanoscale, 2018, 10, 19871-19878.	5.6	98
186	Guest Editorial Focused Section on Mechatronics in Cyber-Physical Systems. IEEE/ASME Transactions on Mechatronics, 2018, 23, 2533-2536.	5.8	2
187	A Novel Exponential Reaching Law for Sliding Mode Control of Discrete-time System with Disturbance. , 2018, , .		5
188	Driver intention based coordinate control of regenerative and plugging braking for electric vehicles with inâ€wheel PMSMs. IET Intelligent Transport Systems, 2018, 12, 1300-1311.	3.0	23
189	Dynamically integrated spatiotemporalâ€based trajectory planning and control for autonomous vehicles. IET Intelligent Transport Systems, 2018, 12, 1271-1282.	3.0	13
190	A Structural Optimisation Method for a Soft Pneumatic Actuator. Robotics, 2018, 7, 24.	3.5	65
191	A Wheeled Robot Driven by a Liquidâ€Metal Droplet. Advanced Materials, 2018, 30, e1805039.	21.0	109
192	Design and modeling analysis of a changeable stiffness robotic leg working with magnetorheological technology. Journal of Intelligent Material Systems and Structures, 2018, 29, 3725-3736.	2.5	7
193	Hysteretic Model of a Rotary Magnetorheological Damper in Helical Flow Mode. Communications in Computer and Information Science, 2018, , 15-24.	0.5	1
194	3D Printed Helical Soft Pneumatic Actuators. , 2018, , .		17
195	Unconventional locomotion of liquid metal droplets driven by magnetic fields. Soft Matter, 2018, 14, 7113-7118.	2.7	54
196	A Novel Reaching Law for Sliding Mode Control of Uncertain Discrete-Time Systems. Mathematical Problems in Engineering, 2018, 2018, 1-11.	1.1	4
197	Improved Mathematical Model for Analysis of the Payne Effect of Magnetorheological Elastomers. Journal of Aerospace Engineering, 2018, 31, .	1.4	14
198	An Innovative Two-Layer Multiple-DOF Seat Suspension for Vehicle Whole Body Vibration Control. IEEE/ASME Transactions on Mechatronics, 2018, 23, 1787-1799.	5.8	16

#	Article	IF	CITATIONS
199	Broadband nonlinear behaviour of a soft magneto-sensitive elastomer cantilever under low-frequency and low-magnitude excitation. Journal of Intelligent Material Systems and Structures, 2018, 29, 3165-3184.	2.5	4
200	Applications of shear thickening fluids: a review. International Journal of Hydromechatronics, 2018, 1, 238.	2.3	18
201	A Liquidâ€Metalâ€Based Magnetoactive Slurry for Stimuliâ€Responsive Mechanically Adaptive Electrodes. Advanced Materials, 2018, 30, e1802595.	21.0	106
202	A Review on Chatter in Robotic Machining Process Regarding Both Regenerative and Mode Coupling Mechanism. IEEE/ASME Transactions on Mechatronics, 2018, 23, 2240-2251.	5.8	74
203	Control of a multiple-DOF vehicle seat suspension with roll and vertical vibration. Journal of Sound and Vibration, 2018, 435, 170-191.	3.9	34
204	The effect of graphene on the yarn pull-out force and ballistic performance of Kevlar fabrics impregnated with shear thickening fluids. Smart Materials and Structures, 2018, 27, 075048.	3.5	47
205	Development and evaluation of an MRE-based absorber with two individually controllable natural frequencies. Smart Materials and Structures, 2018, 27, 095002.	3.5	10
206	Sheathless Dean-flow-coupled elasto-inertial particle focusing and separation in viscoelastic fluid. RSC Advances, 2017, 7, 3461-3469.	3.6	35
207	Development of a self-sensing magnetorheological damper with magnets in-line coil mechanism. Sensors and Actuators A: Physical, 2017, 255, 71-78.	4.1	22
208	A Parametrically Broadband Nonlinear Energy Harvester. Journal of Energy Resources Technology, Transactions of the ASME, 2017, 139, .	2.3	16
209	Negative Pressure Induced Droplet Generation in a Microfluidic Flow-Focusing Device. Analytical Chemistry, 2017, 89, 4387-4391.	6.5	48
210	Active droplet sorting in microfluidics: a review. Lab on A Chip, 2017, 17, 751-771.	6.0	250
211	A Nonlinearly Broadband Tuneable Energy Harvester. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2017, 139, .	1.6	9
212	High-throughput sheathless and three-dimensional microparticle focusing using a microchannel with arc-shaped groove arrays. Scientific Reports, 2017, 7, 41153.	3.3	27
213	Flow rate-insensitive microparticle separation and filtration using a microchannel with arc-shaped groove arrays. Microfluidics and Nanofluidics, 2017, 21, 1.	2.2	21
214	Disturbance observer based Takagi-Sugeno fuzzy control for an active seat suspension. Mechanical Systems and Signal Processing, 2017, 93, 515-530.	8.0	94
215	A novel nickel nanowire based magnetorheological material. Smart Materials and Structures, 2017, 26, 054006.	3.5	13
216	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Focusing and Membrane. Journal of Heat Transfer, 2017, 139, .	2.1	3

# ARTICLE IF CITATIONS An experimental analysis of strontium titanate ceramic substrates polished by magnetorheological finishing with dynamic magnetic fields formed by rotating magnetic poles. Smart Materials and Structures, 2017, 26, 055017. Advanced vehicle suspension with variable stiffness and damping MR damper., 2017, , . 218 12 219 Hierarchical based model predictive control for automatic vehicles brake., 2017, , . Vibration reduction of seat suspension using observer based terminal sliding mode control with 220 3.3 42 acceleration data fusion. Mechatronics, 2017, 44, 71-83. A review on performance enhancement techniques for ambient vibration energy harvesters. 16.4 188 Renewable and Sustainable Energy Reviews, 2017, 71, 435-449. A Potential Field Approach-Based Trajectory Control for Autonomous Electric Vehicles With In-Wheel 222 8.0 70 Motors. IEEE Transactions on Intelligent Transportation Systems, 2017, 18, 2044-2055. Design of an enhanced wideband energy harvester using a parametrically excited array. Journal of 3.9 Sound and Vibration, 2017, 410, 416-428. High-Throughput Separation of White Blood Cells From Whole Blood Using Inertial Microfluidics. 224 4.0 47 IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 1422-1430. The rheological properties of shear thickening fluid reinforced with SiC nanowires. Results in 4.1 Physics, 2017, 7, 3369-3372. Shear thickening fluids in protective applications: A review. Progress in Polymer Science, 2017, 75, 226 24.7 272 48-72. Design and verification of a hybrid nonlinear MRE vibration absorber for controllable broadband 3.5 16 performance. Smart Materials and Structures, 2017, 26, 095039. Dynamic response of shear thickening fluid reinforced with SiC nanowires under high strain rates. 228 3.3 15 Applied Physics Letters, 2017, 111, . On-Chip Microparticle and Cell Washing Using Coflow of Viscoelastic Fluid and Newtonian Fluid. Analytical Chemistry, 2017, 89, 9574-9582. 6.5 Development of an MR seat suspension with self-powered generation capability. Smart Materials and 230 3.5 25 Structures, 2017, 26, 085025. Improving stability and curving passing performance for railway vehicles with a variable stiffness MRF rubber joint. Smart Materials and Structures, 2017, 26, 035055. Analysis of a compact annular-radial-orifice flow magnetorheological valve and evaluation of its 232 2.541 performance. Journal of Intelligent Material Systems and Structures, 2017, 28, 1322-1333. A torsional MRE joint for a C-shaped robotic leg. Smart Materials and Structures, 2017, 26, 015002. 3.5 5.0 37

WEIHUA LI

Two-layer structure based adaptive estimation for vehicle mass and road slope under longitudinal 234 motion. Measurement: Journal of the International Measurement Confederation, 2017, 95, 439-455.

#	Article	IF	CITATIONS
235	Takagi–Sugeno Fuzzy Control for Semi-Active Vehicle Suspension With a Magnetorheological Damper and Experimental Validation. IEEE/ASME Transactions on Mechatronics, 2017, 22, 291-300.	5.8	107
236	Inertial Microfluidics: Mechanisms and Applications. Microsystems and Nanosystems, 2017, , 563-593.	0.1	6
237	Hybrid microfluidics combined with active and passive approaches for continuous cell separation. Electrophoresis, 2017, 38, 238-249.	2.4	138
238	Development of an isolator working with magnetorheological elastomers and fluids. Mechanical Systems and Signal Processing, 2017, 83, 371-384.	8.0	59
239	Factors governing mass transfer during membrane electrodialysis regeneration of LiCl solution for liquid desiccant dehumidification systems. Sustainable Cities and Society, 2017, 28, 30-41.	10.4	35
240	Double-Mode Microparticle Manipulation by Tunable Secondary Flow in Microchannel With Arc-Shaped Groove Arrays. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 1406-1412.	4.0	8
241	Multi-objective robust optimization design for powertrain mount system of electric vehicles. Journal of Low Frequency Noise Vibration and Active Control, 2017, 36, 243-260.	2.9	21
242	Analysis of Hydrodynamic Mechanism on Particles Focusing in Micro-Channel Flows. Micromachines, 2017, 8, 197.	2.9	17
243	The Continuous Concentration of Particles and Cancer Cell Line Using Cell Margination in a Groove-Based Channel. Micromachines, 2017, 8, 315.	2.9	5
244	Semi-Active Chatter Reduction for Robotic Machining Using Magnetorheological Elastomers (MREs). , 2017, , .		5
245	Editorial for the Special Issue on the Insights and Advancements in Microfluidics. Micromachines, 2017, 8, 254.	2.9	0
246	A Novel Fuzzy Sliding-Mode Control for Discrete-Time Uncertain System. Mathematical Problems in Engineering, 2016, 2016, 1-9.	1.1	8
247	Performance Analysis of a Magnetorheological Damper with Energy Harvesting Ability. Shock and Vibration, 2016, 2016, 1-10.	0.6	14
248	Tunable Particle Focusing in a Straight Channel with Symmetric Semicircle Obstacle Arrays Using Electrophoresis-Modified Inertial Effects. Micromachines, 2016, 7, 195.	2.9	19
249	Investigation of particle lateral migration in sampleâ€sheath flow of viscoelastic fluid and Newtonian fluid. Electrophoresis, 2016, 37, 2147-2155.	2.4	36
250	High Throughput Cell-Free Extraction of Plasma by an Integrated Microfluidic Device Combining Inertial Microfluidics and Membrane. , 2016, , .		0
251	A label-free and high-throughput separation of neuron and glial cells using an inertial microfluidic platform. Biomicrofluidics, 2016, 10, 034104.	2.4	11
252	Theoretical and experimental study on a compliant flipper-leg during terrestrial locomotion. Bioinspiration and Biomimetics, 2016, 11, 056005.	2.9	11

#	Article	IF	CITATIONS
253	High-throughput, sheathless, magnetophoretic separation of magnetic and non-magnetic particles with a groove-based channel. Applied Physics Letters, 2016, 109, .	3.3	16
254	A Novel Observer Design for Simultaneous Estimation of Vehicle Steering Angle andÂSideslip Angle. IEEE Transactions on Industrial Electronics, 2016, 63, 4357-4366.	7.9	105
255	The effect of carbide particle additives on rheology of shear thickening fluids. Korea Australia Rheology Journal, 2016, 28, 121-128.	1.7	82
256	The rheology of shear thickening fluids with various ceramic particle additives. Materials and Design, 2016, 104, 312-319.	7.0	126
257	Optimal Distribution Control Of Nonâ€Linear Tire Force Of Electric Vehicles With Inâ€Wheel Motors. Asian Journal of Control, 2016, 18, 69-88.	3.0	20
258	An innovative MRE absorber with double natural frequencies for wide frequency bandwidth vibration absorption. Smart Materials and Structures, 2016, 25, 055035.	3.5	19
259	Active control of an innovative seat suspension system with acceleration measurement based friction estimation. Journal of Sound and Vibration, 2016, 384, 28-44.	3.9	81
260	Development of a bio-inspired transformable robotic fin. Bioinspiration and Biomimetics, 2016, 11, 056010.	2.9	10
261	An inverted micro-mixer based on a magnetically-actuated cilium made of Fe doped PDMS. Smart Materials and Structures, 2016, 25, 095049.	3.5	16
262	A seat suspension with a rotary magnetorheological damper for heavy duty vehicles. Smart Materials and Structures, 2016, 25, 105032.	3.5	83
263	Analysis of the magnetic torque on a tilted permanent magnet for drug delivery in capsule robots. , 2016, , .		3
264	Design and development of a parametrically excited nonlinear energy harvester. Energy Conversion and Management, 2016, 126, 247-255.	9.2	23
265	A highly adaptive magnetorheological fluid robotic leg for efficient terrestrial locomotion. Smart Materials and Structures, 2016, 25, 095019.	3.5	12
266	Comparison of rheological behaviors with fumed silica-based shear thickening fluids. Korea Australia Rheology Journal, 2016, 28, 197-205.	1.7	40
267	Continuous plasma extraction under viscoelastic fluid in a straight channel with asymmetrical expansion–contraction cavity arrays. Lab on A Chip, 2016, 16, 3919-3928.	6.0	50
268	An active seat suspension design for vibration control of heavy-duty vehicles. Journal of Low Frequency Noise Vibration and Active Control, 2016, 35, 264-278.	2.9	75
269	Development and characterization of a multi-layer magnetorheological elastomer isolator based on a Halbach array. Smart Materials and Structures, 2016, 25, 105015.	3.5	19
270	A novel viscoelastic-based ferrofluid for continuous sheathless microfluidic separation of nonmagnetic microparticles. Lab on A Chip, 2016, 16, 3947-3956.	6.0	73

#	Article	IF	CITATIONS
271	Development of a novel magnetophoresis-assisted hydrophoresis microdevice for rapid particle ordering. Biomedical Microdevices, 2016, 18, 54.	2.8	16
272	Multiplexing slanted spiral microchannels for ultra-fast blood plasma separation. Lab on A Chip, 2016, 16, 2791-2802.	6.0	135
273	Trajectory control for autonomous electric vehicles with inâ€wheel motors based on a dynamics model approach. IET Intelligent Transport Systems, 2016, 10, 318-330.	3.0	37
274	A Magnetically Actuated Drug Delivery System for Robotic Endoscopic Capsules. Journal of Medical Devices, Transactions of the ASME, 2016, 10, .	0.7	13
275	Size Optimization of a Magnetic System for Drug Delivery With Capsule Robots. IEEE Transactions on Magnetics, 2016, 52, 1-11.	2.1	17
276	A hybrid magnetorheological elastomer-fluid (MRE-F) isolation mount: development and experimental validation. Smart Materials and Structures, 2016, 25, 015026.	3.5	35
277	Three-Dimensional Kinematic Modeling of Helix-Forming Lamina-Emergent Soft Smart Actuators Based on Electroactive Polymers. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2016, , 1-12.	9.3	8
278	A Soft Mechatronic Microstage Mechanism Based on Electroactive Polymer Actuators. IEEE/ASME Transactions on Mechatronics, 2016, 21, 1467-1478.	5.8	24
279	Dynamic response of symmetrical and asymmetrical sandwich plates with shear thickening fluid core subjected to penetration loading. Materials and Design, 2016, 94, 105-110.	7.0	38
280	Three-dimensional particle focusing under viscoelastic flow based on dean-flow-coupled elasto-inertial effects. , 2016, , .		0
281	State of the art of control schemes for smart systems featuring magneto-rheological materials. Smart Materials and Structures, 2016, 25, 043001.	3.5	103
282	Fault-tolerant control of electric vehicles with in-wheel motors using actuator-grouping sliding mode controllers. Mechanical Systems and Signal Processing, 2016, 72-73, 462-485.	8.0	73
283	Experimental nonlinear dynamics of a geometrically imperfect magneto-rheological elastomer sandwich beam. Composite Structures, 2016, 138, 381-390.	5.8	25
284	Nonlinear dynamics of a parametrically excited beam with a central magneto-rheological elastomer patch: An experimental investigation. International Journal of Mechanical Sciences, 2016, 106, 157-167.	6.7	21
285	An experimental investigation into nonlinear dynamics of a magneto-rheological elastomer sandwich beam. Smart Materials and Structures, 2016, 25, 015018.	3.5	7
286	Fundamentals and applications of inertial microfluidics: a review. Lab on A Chip, 2016, 16, 10-34.	6.0	737
287	Development of a novel multi-layer MRE isolator for suppression of building vibrations under seismic events. Mechanical Systems and Signal Processing, 2016, 70-71, 811-820.	8.0	96
288	A MapReduce-Based ELM for Regression in Big Data. Lecture Notes in Computer Science, 2016, , 164-173.	1.3	3

#	Article	IF	CITATIONS
289	Novel reversible and switchable electrolytes based on magneto-rheology. Scientific Reports, 2015, 5, 15663.	3.3	9
290	Dean-flow-coupled elasto-inertial three-dimensional particle focusing under viscoelastic flow in a straight channel with asymmetrical expansion–contraction cavity arrays. Biomicrofluidics, 2015, 9, 044108.	2.4	49
291	Experimental Vibration Simulation for Heavy Duty Vehicle Seat Suspension with a Multiple-DOF Motion Platform. , 2015, , .		0
292	Applications of Magnetorheological Technology to Semiactive Vibration Control Systems. Shock and Vibration, 2015, 2015, 1-2.	0.6	2
293	Static and Dynamic Experiment Evaluations of a Displacement Differential Self-Induced Magnetorheological Damper. Shock and Vibration, 2015, 2015, 1-10.	0.6	5
294	Development of a linear damper working with magnetorheological shear thickening fluids. Journal of Intelligent Material Systems and Structures, 2015, 26, 1811-1817.	2.5	34
295	Takagi-sugeno fuzzy H <inf>∞</inf> tracking control for steer-by-wire systems. , 2015, , .		3
296	Robust fuzzy tracking control of uncertain steer-by-wire systems with network time delays. , 2015, , .		2
297	Horizontal vibration reduction of a seat suspension using negative changing stiffness magnetorheological elastomer isolators. International Journal of Vehicle Design, 2015, 68, 104.	0.3	51
298	Side-slip angle estimation based lateral dynamics control for omni-directional vehicles with optimal steering angle and traction/brake torque distribution. Mechatronics, 2015, 30, 348-362.	3.3	36
299	A hybrid dielectrophoretic and hydrophoretic microchip for particle sorting using integrated prefocusing and sorting steps. Electrophoresis, 2015, 36, 284-291.	2.4	34
300	Fabrication and characterization of a magnetic micro-actuator based on deformable Fe-doped PDMS artificial cilium using 3D printing. Smart Materials and Structures, 2015, 24, 035015.	3.5	33
301	A new magnetorheological damper with improved displacement differential self-induced ability. Smart Materials and Structures, 2015, 24, 087001.	3.5	15
302	Development of a novel variable stiffness and damping magnetorheological fluid damper. Smart Materials and Structures, 2015, 24, 085021.	3.5	53
303	An adaptive tuned vibration absorber based on multilayered MR elastomers. Smart Materials and Structures, 2015, 24, 045045.	3.5	64
304	Experimental and modelling study of the effect of temperature on shear thickening fluids. Korea Australia Rheology Journal, 2015, 27, 17-24.	1.7	45
305	Performance evaluation and comparison of magnetorheological elastomer absorbers working in shear and squeeze modes. Journal of Intelligent Material Systems and Structures, 2015, 26, 1757-1763.	2.5	40
306	Side-slip angle estimation and stability control for a vehicle with a non-linear tyre model and a varying speed. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, 2015, 229, 486-505.	1.9	31

#	Article	IF	CITATIONS
307	Tracking control of wheel slip ratio with velocity estimation for vehicle anti-lock braking system. , 2015, , .		9
308	An accurate model for size optimization of an embedded permanent magnet for drug delivery with capsule robots. , 2015, , .		3
309	A Compact Variable Stiffness and Damping Shock Absorber for Vehicle Suspension. IEEE/ASME Transactions on Mechatronics, 2015, 20, 2621-2629.	5.8	77
310	Optimization of multiple arc-shaped magnets for drug delivery in a capsule robot. , 2015, , .		2
311	Development of an MRE adaptive tuned vibration absorber with self-sensing capability. Smart Materials and Structures, 2015, 24, 095012.	3.5	23
312	An integrated dielectrophoresis-active hydrophoretic microchip for continuous particle filtration and separation. Journal of Micromechanics and Microengineering, 2015, 25, 084010.	2.6	26
313	Stability enhancement of magnetic levitation ball system with two controlled electomagnets. , 2015, , .		3
314	Lab on a chip for continuous-flow magnetic cell separation. Lab on A Chip, 2015, 15, 959-970.	6.0	299
315	Design and development of a novel displacement differential self-induced magnetorheological damper. Journal of Intelligent Material Systems and Structures, 2015, 26, 527-540.	2.5	27
316	A Novel Method for Side Slip Angle Estimation of Omni-Directional Vehicles. SAE International Journal of Passenger Cars - Electronic and Electrical Systems, 2014, 7, 471-480.	0.3	8
317	Fabrication and Characterization of Magneto-Rheological Shear-Stiffened Elastomers. Frontiers in Materials, 2014, 1, .	2.4	2
318	Decision tree assisted EKF for vehicle slip angle estimation using inertial motion sensors. , 2014, , .		9
319	An Effective Localization Method for Robotic Endoscopic Capsules Using Multiple Positron Emission Markers. IEEE Transactions on Robotics, 2014, 30, 1174-1186.	10.3	30
320	Kinematics-based parameter-varying observer design for sideslip angle estimation. , 2014, , .		3
321	Design and performance evaluation of a novel magnetorheological valve with a tunable resistance gap. Smart Materials and Structures, 2014, 23, 127001.	3.5	23
322	A state-of-the-art review on magnetorheological elastomer devices. Smart Materials and Structures, 2014, 23, 123001.	3.5	438
323	Concept and simulation study of a novel localization method for robotic endoscopic capsules using multiple positron emission markers. Medical Physics, 2014, 41, 072501.	3.0	15
324	Making a hydrophoretic focuser tunable using a diaphragm. Biomicrofluidics, 2014, 8, 064115.	2.4	9

#	Article	IF	CITATIONS
325	Experimental investigation into biomechanical and biotribological properties of a real intestine and their significance for design of a spiral-type robotic capsule. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2014, 228, 280-286.	1.8	5
326	How the type of input function affects the dynamic response of conducting polymer actuators. Smart Materials and Structures, 2014, 23, 105008.	3.5	2
327	Control of conducting polymer actuators without physical feedback: simulated feedback control approach with particle swarm optimization. Smart Materials and Structures, 2014, 23, 035014.	3.5	4
328	Particle inertial focusing and its mechanism in a serpentine microchannel. Microfluidics and Nanofluidics, 2014, 17, 305-316.	2.2	114
329	Electro-mechanical modelling and identification of electroactive polymer actuators as smart robotic manipulators. Mechatronics, 2014, 24, 241-251.	3.3	22
330	Modelling and identifying the parameters of a magneto-rheological damper with a force-lag phenomenon. Applied Mathematical Modelling, 2014, 38, 3763-3773.	4.2	48
331	A review of microfabrication techniques and dielectrophoretic microdevices for particle manipulation and separation. Journal Physics D: Applied Physics, 2014, 47, 063001.	2.8	174
332	Real-time control of inertial focusing in microfluidics using dielectrophoresis (DEP). RSC Advances, 2014, 4, 62076-62085.	3.6	62
333	Model-based Takagi-Sugeno fuzzy approach for vehicle longitudinal velocity estimation during braking. , 2014, , .		5
334	Design optimization of a magnetomechanical system for drug delivery in wireless capsule endoscopy. , 2014, , .		4
335	High throughput extraction of plasma using a secondary flow-aided inertial microfluidic device. RSC Advances, 2014, 4, 33149.	3.6	88
336	Isolating plasma from blood using a dielectrophoresis-active hydrophoretic device. Lab on A Chip, 2014, 14, 2993.	6.0	73
337	An active-compliant micro-stage based on EAP artificial muscles. , 2014, , .		9
338	Robust tracking control of vehicle lateral dynamics. International Journal of Vehicle Design, 2014, 65, 314.	0.3	5
339	A novel magnetorheological elastomer isolator with negative changing stiffness for vibration reduction. Smart Materials and Structures, 2014, 23, 105023.	3.5	88
340	Dynamics analysis of an omni-directional vehicle. International Journal of Automotive Technology, 2014, 15, 387-398.	1.4	15
341	Comparative study of vehicle tyre–road friction coefficient estimation with a novel cost-effective method. Vehicle System Dynamics, 2014, 52, 1066-1098.	3.7	31
342	A review of drug delivery systems for capsule endoscopy. Advanced Drug Delivery Reviews, 2014, 71, 77-85.	13.7	112

#	Article	IF	CITATIONS
343	Experimental and modeling study of viscoelastic behaviors of magneto-rheological shear thickening fluids. Korea Australia Rheology Journal, 2014, 26, 149-158.	1.7	33
344	The development of an adaptive tuned magnetorheological elastomer absorber working in squeeze mode. Smart Materials and Structures, 2014, 23, 075009.	3.5	64
345	Viscoelastic properties of MR shear thickening fluids. Journal of Fluid Science and Technology, 2014, 9, JFST0019-JFST0019.	0.6	15
346	Variable stiffness and damping suspension system for train. Proceedings of SPIE, 2014, , .	0.8	15
347	Applications of Controllable Smart Fluids to Mechanical Systems. Advances in Mechanical Engineering, 2014, 6, 254864.	1.6	5
348	An Adaptive Neuro Fuzzy Hybrid Control Strategy for a Semiactive Suspension with Magneto Rheological Damper. Advances in Mechanical Engineering, 2014, 6, 487312.	1.6	33
349	Study on creep characteristics of oil film bearing Babbitt. Materials Research Innovations, 2014, 18, S2-16-S2-21.	2.3	7
350	On-chip high-throughput manipulation of particles in a dielectrophoresis-active hydrophoretic focuser. Scientific Reports, 2014, 4, 5060.	3.3	46
351	Inertial particle separation by differential equilibrium positions in a symmetrical serpentine micro-channel. Scientific Reports, 2014, 4, 4527.	3.3	152
352	Design, Analysis, Prototyping, and Experimental Evaluation of an Efficient Double Coil Magnetorheological Valve. Advances in Mechanical Engineering, 2014, 6, 403410.	1.6	24
353	An effective methodology to solve inverse kinematics of electroactive polymer actuators modelled as active and soft robotic structures. Mechanism and Machine Theory, 2013, 67, 94-110.	4.5	27
354	Modeling and Experimental Investigation of Rotational Resistance of a Spiral-Type Robotic Capsule Inside a Real Intestine. IEEE/ASME Transactions on Mechatronics, 2013, 18, 1555-1562.	5.8	36
355	Design and experimental testing of an adaptive magneto-rheological elastomer base isolator. , 2013, , .		1
356	Control of conducting polymer actuators without feedback: Simulated feedback control approach. , 2013, , .		0
357	Continuous manipulation and separation of particles using combined obstacle―and curvatureâ€induced direct current dielectrophoresis. Electrophoresis, 2013, 34, 952-960.	2.4	40
358	Inertial focusing in a straight channel with asymmetrical expansion–contraction cavity arrays using two secondary flows. Journal of Micromechanics and Microengineering, 2013, 23, 085023.	2.6	57
359	Development of a torsional dynamic absorber using a magnetorheological elastomer for vibration reduction of a powertrain test rig. Journal of Intelligent Material Systems and Structures, 2013, 24, 2036-2044.	2.5	47
360	Modeling and Experimental Characterization of Propulsion of a Spiral-Type Microrobot for Medical Use in Gastrointestinal Tract. IEEE Transactions on Biomedical Engineering, 2013, 60, 1751-1759.	4.2	52

#	Article	IF	CITATIONS
361	An investigation into biomechanical and biotribological properties of a real intestine for design of a spiral-type robotic capsule. , 2013, , .		1
362	Implementation of Adaptive Neuro Fuzzy Inference System controller on magneto rheological damper suspension. , 2013, , .		6
363	Co3O4 nanorods decorated reduced graphene oxide composite for oxygen reduction reaction in alkaline electrolyte. Electrochemistry Communications, 2013, 34, 299-303.	4.7	90
364	High-throughput particle manipulation by hydrodynamic, electrokinetic, and dielectrophoretic effects in an integrated microfluidic chip. Biomicrofluidics, 2013, 7, 024106.	2.4	34
365	Magnetorheological Elastomers and Their Applications. Advanced Structured Materials, 2013, , 357-374.	0.5	63
366	Study of magnetorheology and sensing capabilities of MR elastomers. Journal of Physics: Conference Series, 2013, 412, 012037.	0.4	10
367	Improved concentration and separation of particles in a 3D dielectrophoretic chip integrating focusing, aligning and trapping. Microfluidics and Nanofluidics, 2013, 14, 527-539.	2.2	41
368	A novel method to construct 3D electrodes at the sidewall of microfluidic channel. Microfluidics and Nanofluidics, 2013, 14, 499-508.	2.2	47
369	Reduced graphene oxide–cuprous oxide composite via facial deposition for photocatalytic dye-degradation. Journal of Alloys and Compounds, 2013, 568, 26-35.	5.5	61
370	Investigation of trapping process in $\hat{a} \in \infty$ Centrifuge-on-a-chip $\hat{a} \in \mathbf{e}$ , 2013, , .		1
371	Robust control of vehicle suspension with electrohydraulic actuator. International Journal of Vehicle Performance, 2013, 1, 157.	0.4	0
372	Vibration Control of Vehicle Seat Integrating with Chassis Suspension and Driver Body Model. Advances in Structural Engineering, 2013, 16, 1-9.	2.4	27
373	Variable stiffness and damping semi-active vibration control technology based on magnetorheological fluids. , 2013, , .		1
374	Direct voltage control of magnetorheological damper for vehicle suspensions. Smart Materials and Structures, 2013, 22, 105016.	3.5	57
375	Experimental study and modeling of a novel magnetorheological elastomer isolator. Smart Materials and Structures, 2013, 22, 117001.	3.5	111
376	Fabrication and characterization of PDMS based magnetorheological elastomers. Smart Materials and Structures, 2013, 22, 055035.	3.5	80
377	Fabrication of arc-shaped 3D electrodes for biomedical devices. , 2013, , .		0
378	Development of adaptive seismic isolators for ultimate seismic protection of civil structures. Proceedings of SPIE, 2013, , .	0.8	27

#	Article	IF	CITATIONS
379	Electroactive polymers as soft robotic actuators: Electromechanical modeling and identification. , 2013, , .		14
380	Study of the temperature effect of shear thickening fluid. , 2013, , .		5
381	Modeling and experimental investigation on the mechanical behavior of a spiral-type capsule in the small intestine. , 2013, , .		0
382	Smart Multifunctional Fluids for Lithium Ion Batteries: Enhanced Rate Performance and Intrinsic Mechanical Protection. Scientific Reports, 2013, 3, 2485.	3.3	54
383	A novel cost effective method for vehicle tire-road friction coefficient estimation. , 2013, , .		8
384	Improving the critical speeds of high-speed trains using magnetorheological technology. Smart Materials and Structures, 2013, 22, 115012.	3.5	35
385	A highly adjustable magnetorheological elastomer base isolator for applications of real-time adaptive control. Smart Materials and Structures, 2013, 22, 095020.	3.5	127
386	Development and characterization of a magnetorheological elastomer based adaptive seismic isolator. Smart Materials and Structures, 2013, 22, 035005.	3.5	153
387	Dielectrophoretic manipulation and separation of particles in an S-shaped microchannel with hurdles. , 2013, , .		Ο
388	Semi-active control of an integrated full-car suspension with seat suspension and driver body model using ER dampers. International Journal of Vehicle Design, 2013, 63, 159.	0.3	7
389	Study of shear-stiffened elastomers. , 2013, , .		1
390	Study of PDMS based magnetorheological elastomers. Journal of Physics: Conference Series, 2013, 412, 012038.	0.4	22
391	Fabrication and characterisation of patterned magnetorheological elastomers. AIP Conference Proceedings, 2013, , .	0.4	8
392	Continuous particle manipulation and separation in a hurdle-combined curved microchannel using DC dielectrophoresis. AIP Conference Proceedings, 2013, , .	0.4	3
393	A Novel MR Device with Variable Stiffness and Damping Capability. International Journal of Aerospace and Lightweight Structures (IJALS), 2013, 3, 325.	0.1	6
394	0806 Magneto-Rheological Effects of Shear-Thickening MR Fluids. The Proceedings of the Fluids Engineering Conference, 2013, 2013, _0806-010806-02	0.0	0
395	Development and simulation evaluation of a magnetorheological elastomer isolator for seat vibration control. Journal of Intelligent Material Systems and Structures, 2012, 23, 1041-1048.	2.5	107
396	Kinematic analysis of electroactive polymer actuators as soft and smart structures with more DoF than inputs. , 2012, , .		4

#	Article	IF	CITATIONS
397	Continuous Sorting of Microparticles Using Dielectrophoresis. Journal of Nanoscience and Nanotechnology, 2012, 12, 3035-3039.	0.9	9
398	Integrated Seat and Suspension Control for a Quarter Car With Driver Model. IEEE Transactions on Vehicular Technology, 2012, 61, 3893-3908.	6.3	108
399	Magnetic propulsion of a spiral-type endoscopic microrobot in a real small intestine. , 2012, , .		7
400	A Review of Localization Systems for Robotic Endoscopic Capsules. IEEE Transactions on Biomedical Engineering, 2012, 59, 2387-2399.	4.2	219
401	Study of shear-stiffened elastomers. Smart Materials and Structures, 2012, 21, 125009.	3.5	39
402	Microstructure and magnetorheological properties of the thermoplastic magnetorheological elastomer composites containing modified carbonyl iron particles and poly(styrene-b-ethylene-ethylenepropylene-b-styrene) matrix. Smart Materials and Structures, 2012, 21, 115028.	3.5	58
403	Continuous particle focusing in a waved microchannel using negative dc dielectrophoresis. Journal of Micromechanics and Microengineering, 2012, 22, 095001.	2.6	39
404	A simple and cost-effective method for fabrication of integrated electronic-microfluidic devices using a laser-patterned PDMS layer. Microfluidics and Nanofluidics, 2012, 12, 751-760.	2.2	47
405	Analysis of jet characteristics and structural optimization of a liquamatic fire water monitor with self-swinging mechanism. International Journal of Advanced Manufacturing Technology, 2012, 59, 805-813.	3.0	5
406	Microdroplet-based universal logic gates by electrorheological fluid. Soft Matter, 2011, 7, 7493.	2.7	42
407	Experimental investigation of the vibration characteristics of a magnetorheological elastomer sandwich beam under non-homogeneous small magnetic fields. Smart Materials and Structures, 2011, 20, 127001.	3.5	60
408	Kinematic modeling for artificial flagellum of a robotic bacterium based on electroactive polymer actuators. , 2011, , .		10
409	Research and Applications of Shear Thickening Fluids. Recent Patents on Materials Science, 2011, 4, 43-49.	0.5	7
410	APPLICATION OF A MAGNETORHEOLOGICAL ELASTOMER TO DEVELOP A TORSIONAL DYNAMIC ABSORBER FOR VIBRATION REDUCTION OF POWERTRAIN. , 2011, , .		3
411	STUDY OF SENSING CAPABILITY OF MR ELASTOMERS. , 2011, , .		0
412	Microstructure and magnetorheology of graphite-based MR elastomers. Rheologica Acta, 2011, 50, 825-836.	2.4	96
413	Design and fabrication of microfluidic mixer from carbonyl iron–PDMS composite membrane. Microfluidics and Nanofluidics, 2011, 10, 919-925.	2.2	63
414	Experimental characterization of a robotic drug delivery system based on magnetic propulsion. , 2011, ,		5

#	Article	IF	CITATIONS
415	Semi-active variable stiffness vibration control of vehicle seat suspension using an MR elastomer isolator. Smart Materials and Structures, 2011, 20, 105003.	3.5	142
416	Sensing capabilities of graphite based MR elastomers. Smart Materials and Structures, 2011, 20, 025022.	3.5	74
417	MR ELASTOMERS ISOLATOR FOR SEAT VIBRATION CONTROL., 2011,,.		0
418	Modeling and simulation of droplet translocation and fission by electrowetting-on-dielectrics (EWOD). Frontiers of Mechanical Engineering in China, 2010, 5, 376-388.	0.4	5
419	Viscoelastic properties of MR elastomers under harmonic loading. Rheologica Acta, 2010, 49, 733-740.	2.4	247
420	Creep and recovery behaviors of magnetorheological elastomers. Frontiers of Mechanical Engineering in China, 2010, 5, 341-346.	0.4	23
421	MRE Properties under Shear and Squeeze Modes and Applications. Journal of Intelligent Material Systems and Structures, 2010, 21, 1471-1477.	2.5	96
422	Thixotropy of MR shear-thickening fluids. Smart Materials and Structures, 2010, 19, 125012.	3.5	56
423	A tunable magneto-rheological fluid-filled beam-like vibration absorber. Smart Materials and Structures, 2010, 19, 055020.	3.5	29
424	Effect of maleic anhydride on the damping property of magnetorheological elastomers. Smart Materials and Structures, 2010, 19, 055015.	3.5	37
425	A study of the magnetorheological effect of bimodal particle based magnetorheological elastomers. Smart Materials and Structures, 2010, 19, 035002.	3.5	76
426	Design and Fabrication of Magnetically Functionalized Core/Shell Microspheres for Smart Drug Delivery. Advanced Functional Materials, 2009, 19, 292-297.	14.9	110
427	Variable stiffness and damping magnetorheological isolator. Frontiers of Mechanical Engineering in China, 2009, 4, 310.	0.4	4
428	Development of electrorheological chip and conducting polymer-based sensor. Frontiers of Mechanical Engineering in China, 2009, 4, 393-396.	0.4	3
429	Development and analysis of a variable stiffness damper using an MR bladder. Smart Materials and Structures, 2009, 18, 074007.	3.5	24
430	Development of a force sensor working with MR elastomers. , 2009, , .		41
431	A variable stiffness MR damper for vibration suppression. , 2009, , .		4
432	MRE properties under shear and squeeze modes and applications. Journal of Physics: Conference Series, 2009, 149, 012095.	0.4	6

#	Article	IF	CITATIONS
433	Variable stiffness and damping MR isolator. Journal of Physics: Conference Series, 2009, 149, 012088.	0.4	16
434	Effect of carbon black on the mechanical performances of magnetorheological elastomers. Polymer Testing, 2008, 27, 340-345.	4.8	166
435	Study on the damping properties of magnetorheological elastomers based on cis-polybutadiene rubber. Polymer Testing, 2008, 27, 520-526.	4.8	157
436	An effective permeability model to predict field-dependent modulus of magnetorheological elastomers. Communications in Nonlinear Science and Numerical Simulation, 2008, 13, 1910-1916.	3.3	59
437	The rheology of shear thickening fluid (STF) and the dynamic performance of an STF-filled damper. Smart Materials and Structures, 2008, 17, 035027.	3.5	161
438	Study on magnetorheological shear thickening fluid. Smart Materials and Structures, 2008, 17, 015051.	3.5	94
439	Damping of Magnetorheological Elastomers. Chinese Journal of Chemical Physics, 2008, 21, 581-585.	1.3	63
440	Analysis and fabrication of patterned magnetorheological elastomers. Smart Materials and Structures, 2008, 17, 045001.	3.5	73
441	Research and Applications of MR Elastomers. Recent Patents on Mechanical Engineering, 2008, 1, 161-166.	0.3	61
442	PERFORMANCE TESTING AND HYSTERESIS MODELING OF A POSITION-FEEDBACK MR ACTUATOR. , 2007, , .		0
443	Microstructures and viscoelastic properties of anisotropic magnetorheological elastomers. Smart Materials and Structures, 2007, 16, 2645-2650.	3.5	205
444	Existence of Bound-Rubber in Magnetorheological Elastomers and Its Influence on Material Properties. Chinese Journal of Chemical Physics, 2007, 20, 173-179.	1.3	12
445	Magnetorheology of single-walled nanotube dispersions. Materials Letters, 2007, 61, 3116-3118.	2.6	27
446	Investigation on magnetorheological elastomers based on natural rubber. Journal of Materials Science, 2007, 42, 5483-5489.	3.7	263
447	Bioparticle separation and manipulation using dielectrophoresis. Sensors and Actuators A: Physical, 2007, 133, 329-334.	4.1	60
448	A 2-DOF MR actuator joystick for virtual reality applications. Sensors and Actuators A: Physical, 2007, 137, 308-320.	4.1	82
449	THE STATIC YIELD STRESS OF FERROFLUID-BASED MAGNETORHEOLOGICAL SUSPENSIONS. , 2007, , .		0
450	DEVELOPMENT OF 2-DOF MR JOYSTICKS FOR VIRTUAL REALITY APPLICATIONS. , 2007, , .		0

#	Article	IF	CITATIONS
451	A 3-D Microelectrode System for Dielectrophoretic Manipulation of Microparticles. Journal of Physics: Conference Series, 2006, 34, 1008-1013.	0.4	3
452	Simulation of Traveling Wave Dielectrophoresis Using a Meshless Method. , 2006, , .		0
453	A 3D paired microelectrode array for accumulation and separation of microparticles. Journal of Micromechanics and Microengineering, 2006, 16, 1162-1169.	2.6	56
454	Magnetorheological Properties of Aqueous Ferrofluids. Nihon Reoroji Gakkaishi, 2006, 34, 25-31.	1.0	9
455	A microslip model of the bonding process in ultrasonic wire bonders Part I: Transient response. International Journal of Advanced Manufacturing Technology, 2006, 29, 860-866.	3.0	14
456	MATLAB simulation of semi-active skyhook control of a quarter car incorporating an MR damper and a fuzzy logic controller. , 2006, , .		1
457	Development of an MR-brake-based haptic device. Smart Materials and Structures, 2006, 15, 1960-1966.	3.5	157
458	ON THE EXTENDED RUTGERS–DELAWARE RULE FOR MR SUSPENSIONS UNDER MAGNETIC FIELDS. International Journal of Modern Physics B, 2006, 20, 579-592.	2.0	10
459	The Simulation of Magnetorheological Elastomers Adaptive Tuned Dynamic Vibration Absorber for Automobile Engine Vibration Control. , 2006, , .		5
460	Design and Analysis of General and Travelling Dielectrophoresis. , 2006, , .		0
461	An effective permeability model to predict field-dependent modulus of Magnetorheological Elastomers. , 2006, , .		0
462	Development of an ankle physiotherapy device using an MR damper. International Journal of Advanced Manufacturing Technology, 2005, 25, 205-213.	3.0	10
463	Automated defect recognition of C-SAM images in IC packaging using Support Vector Machines. International Journal of Advanced Manufacturing Technology, 2005, 25, 1191-1196.	3.0	24
464	Numerical modeling of dielectrophoresis using a meshless approach. Journal of Micromechanics and Microengineering, 2005, 15, 1040-1048.	2.6	25
465	LINEAR VISCOELASTICITY OF MR FLUIDS: DEPENDENCE ON MAGNETIC FIELDS. International Journal of Modern Physics B, 2005, 19, 1198-1204.	2.0	8
466	NUMERICAL SOLUTION OF TRAVELING WAVE DIELECTROPHORESIS USING A MESHLESS FINITE DIFFERENCE SCHEME. Modern Physics Letters B, 2005, 19, 1739-1742.	1.9	0
467	Synthesis, modeling, and characterization of conducting polymers. , 2004, 5648, 145.		1
468	Manipulation of bioparticles using traveling wave dielectrophoresis: numerical approach. International Journal of Mechanics and Materials in Design, 2004, 1, 115-130.	3.0	8

#	Article	IF	CITATIONS
469	Dynamic behavior of MR suspensions at moderate flux densities. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 371, 9-15.	5.6	53
470	Analysis of dielectrophoretic electrode arrays for nanoparticle manipulation. Computational Materials Science, 2004, 30, 320-325.	3.0	19
471	Characterization of conducting-polymer-based bimorph vibration sensors. , 2004, , .		1
472	Design and testing of an MR steering damper for motorcycles. International Journal of Advanced Manufacturing Technology, 2003, 22, 288-294.	3.0	19
473	Finite Element Analysis and Simulation Evaluation of a Magnetorheological Valve. International Journal of Advanced Manufacturing Technology, 2003, 21, 438-445.	3.0	92
474	Design and Experimental Evaluation of a Magnetorheological Brake. International Journal of Advanced Manufacturing Technology, 2003, 21, 508-515.	3.0	309
475	Experimental and modeling approaches of MR behaviors under large step strains. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 340, 251-257.	5.6	3
476	Nonlinear rheological behavior of magnetorheological fluids: step-strain experiments. Smart Materials and Structures, 2002, 11, 209-217.	3.5	33
477	STRESS RELAXATION OF MAGNETORHEOLOGICAL FLUIDS. International Journal of Modern Physics B, 2002, 16, 2655-2661.	2.0	0
478	TEMPERATURE DEPENDENCE OF MR FLUIDS. International Journal of Modern Physics B, 2002, 16, 2725-2731.	2.0	12
479	Haptic Interfacing System Using Magnetorheological Fluids. , 2002, , .		0
480	Experimental investigation of creep and recovery behaviors of magnetorheological fluids. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 333, 368-376.	5.6	59
481	MR damper and its application for semi-active control of vehicle suspension system. Mechatronics, 2002, 12, 963-973.	3.3	376
482	<title>Viscoelastic properties of MR fluids under oscillatory shear</title> . , 2001, , .		7
483	Testing and steady state modeling of a linear MR damper under sinusoidal loading. Smart Materials and Structures, 2000, 9, 95-102.	3.5	157
484	Structure Evolution of Electrorheological Fluids under Flow Conditions. International Journal of Modern Physics B, 1999, 13, 1806-1813.	2.0	14
485	Viscoelastic properties of MR fluids. Smart Materials and Structures, 1999, 8, 460-468.	3.5	108
486	Performance Comparison between an MRF Damper and an MRE Isolator Incorporated with a Building Structure. Applied Mechanics and Materials, 0, 37-38, 862-865.	0.2	19

#	Article	IF	CITATIONS
487	A New Torque Distribution Strategy for Blended Anti-Lock Braking Systems of Electric Vehicles Based on Road Conditions and Driver's Intentions. SAE International Journal of Passenger Cars - Mechanical Systems, 0, 9, 107-115.	0.4	15
488	Design and Analysis of a Novel Magnetorheological Fluid Dual Clutch for Electric Vehicle Transmission. , 0, , .		7
489	Development of a magnetorheological elastomer rubber joint with fail-safe characteristics for high-speed trains. Smart Materials and Structures, 0, , .	3.5	0
490	Analytical jump-avoidance criteria of Duffing-type vibration isolation systems under base and force excitations based on concave-convex property. JVC/Journal of Vibration and Control, 0, , 107754632211106.	2.6	0