

Murugan Ramaswamy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5366123/publications.pdf>

Version: 2024-02-01

98
papers

6,782
citations

94433

37
h-index

60623

81
g-index

99
all docs

99
docs citations

99
times ranked

5148
citing authors

#	ARTICLE	IF	CITATIONS
1	Review "Microstructural Modification in Lithium Garnet Solid-State Electrolytes: Emerging Trends. Journal of the Electrochemical Society, 2022, 169, 030548.	2.9	5
2	Plasma assisted decomposition and reforming of greenhouse gases: A review of current status and emerging trends. Renewable and Sustainable Energy Reviews, 2022, 161, 112343.	16.4	18
3	Effect of vacancy defects on electronic structure and ferromagnetism in pristine In ₂ O ₃ nanostructures: An experimental study and first-principles modeling. Materials Research Bulletin, 2022, 152, 111853.	5.2	1
4	Genesis and tuning of ferromagnetism in SnO ₂ semiconductor nanostructures: Comprehensive review on size, morphology, magnetic properties and DFT investigations. Progress in Materials Science, 2022, 130, 100970.	32.8	13
5	Morphology controlled synthesis of Fe and Mn co-doped In ₂ O ₃ nanocubes and their Dopant-Atom effects on electronic structure and magnetic properties. Journal of Magnetism and Magnetic Materials, 2022, 560, 169547.	2.3	5
6	A brief review of recent advances in garnet structured solid electrolyte based lithium metal batteries. Journal of Energy Storage, 2021, 33, 102157.	8.1	48
7	Advances in Electrolytes for High Capacity Rechargeable Lithium-Sulphur Batteries. Current Smart Materials, 2021, 5, 3-37.	0.5	7
8	Electrochemical characteristics of Ge incorporated Li ₄ Ti ₅ O ₁₂ as an anode for Li-ion battery applications. Materials Today Communications, 2021, 27, 102273.	1.9	6
9	Review on the critical issues for the realization of all-solid-state lithium metal batteries with garnet electrolyte: interfacial chemistry, dendrite growth, and critical current densities. Ionics, 2021, 27, 4105-4126.	2.4	24
10	Lithium garnet-cathode interfacial chemistry: inclusive insights and outlook toward a practical solid-state lithium metal batteries. Materials Today Energy, 2021, 21, 100804.	4.7	23
11	Polymer-garnet composite electrolyte based on comb-like structured polymer for lithium-metal batteries. Materials Today Energy, 2021, 21, 100836.	4.7	14
12	Development of stable and conductive interface between garnet structured solid electrolyte and lithium metal anode for high performance solid-state battery. Electrochimica Acta, 2020, 332, 135511.	5.2	38
13	Interface-Compatible and High-Cyclability Lithiophilic Lithium "Zinc Alloy Anodes for Garnet-Structured Solid Electrolytes. ACS Applied Energy Materials, 2020, 3, 9010-9017.	5.1	33
14	Investigation on electronic structure and magnetic properties of Co and Mn incorporated nanoscale SnO ₂ . Applied Physics A: Materials Science and Processing, 2020, 126, 1.	2.3	6
15	Room temperature magnetoelectric coupling in Fe-doped sodium bismuth titanate ceramics. Journal of Alloys and Compounds, 2020, 830, 154679.	5.5	15
16	Origin and control of room temperature ferromagnetism in Co,Zn-doped SnO ₂ : oxygen vacancies and their local environment. Journal of Materials Chemistry C, 2020, 8, 4902-4908.	5.5	6
17	Emerging scenario on displacive cubic bismuth pyrochlores (Bi,M)MNO ₇ - $\bar{1}$ (M = transition metal, N = Nb, Tj ETQq1 1 0.784314 rgBT /Ov International, 2020, 46, 14346-14360.	4.8	11
18	Lithium garnet incorporated 3D electrospun fibrous membrane for high capacity lithium-metal batteries. Materials Today Energy, 2020, 16, 100389.	4.7	16

#	ARTICLE	IF	CITATIONS
19	Higher Critical Current Density in Lithium Garnets at Room Temperature by Incorporation of an Li_4SiO_4 -Related Glassy Phase and Hot Isostatic Pressing. <i>ACS Applied Energy Materials</i> , 2020, 3, 2737-2743.	5.1	16
20	Realization of room temperature lithium metal battery with high Li^+ conductive lithium garnet solid electrolyte. <i>Ceramics International</i> , 2019, 45, 22610-22616.	4.8	24
21	Room temperature magnetoelectric coupling and relaxor-like multiferroic nature in a biphasic of cubic pyrochlore and spinel. <i>Journal of Applied Physics</i> , 2019, 126, 044103.	2.5	6
22	Metal Coated Polypropylene Separator with Enhanced Surface Wettability for High Capacity Lithium Metal Batteries. <i>Scientific Reports</i> , 2019, 9, 16795.	3.3	30
23	XANES, EXAFS, EPR, and First-Principles Modeling on Electronic Structure and Ferromagnetism in Mn Doped SnO_2 Quantum Dots. <i>Journal of Physical Chemistry C</i> , 2019, 123, 3067-3075.	3.1	15
24	Effect of doping and annealing on the electronic structure and magnetic properties of nanoscale Co and Zn co-doped SnO_2 : An experimental study and first-principles modeling. <i>Journal of Alloys and Compounds</i> , 2019, 799, 433-441.	5.5	8
25	Electrospun 3D CNF@ SiO_2 fabricated using non-biodegradable silica gel as prospective anode for lithium-ion batteries. <i>Ionics</i> , 2019, 25, 5305-5313.	2.4	15
26	Flexible high Li^+ conductive lithium garnet-based dry solid polymer electrolyte membrane with enhanced electrochemical performance for lithium metal batteries. <i>Ionics</i> , 2019, 25, 4703-4711.	2.4	13
27	Microstructural engineering in lithium garnets by hot isostatic press to control lithium dendrite growth and negate interfacial resistance for all solid state battery applications. <i>Electrochimica Acta</i> , 2019, 312, 320-328.	5.2	25
28	Enhanced electrochemical performance of lithium-sulphur battery by negating polysulphide shuttling and interfacial resistance through aluminium nanolayer deposition on a polypropylene separator. <i>Ionics</i> , 2019, 25, 1645-1657.	2.4	11
29	Room temperature multiferroicity and magnetoelectric coupling in Na-deficient sodium bismuth titanate. <i>Applied Physics Letters</i> , 2019, 114, 062902.	3.3	12
30	Interfacial Engineering for Lithium Metal Batteries Based on Garnet Structured Solid Fast Lithium-Ion Conductors. , 2019, , 241-273.		0
31	(Invited) Interface Engineered Lithium Garnets for Lithium-Metal Batteries. <i>ECS Meeting Abstracts</i> , 2019, , .	0.0	0
32	An insight into the origin of room-temperature ferromagnetism in SnO_2 and Mn-doped SnO_2 quantum dots: an experimental and DFT approach. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 6500-6514.	2.8	24
33	Microwave-assisted rapid synthesis of Fe_3O_4 /poly(styrene-divinylbenzene-acrylic acid) polymeric magnetic composites and investigation of their structural and magnetic properties. <i>European Polymer Journal</i> , 2018, 98, 177-190.	5.4	39
34	Electrochemical performance of a garnet solid electrolyte based lithium metal battery with interface modification. <i>Journal of Materials Chemistry A</i> , 2018, 6, 21018-21028.	10.3	71
35	Enhanced magnetic ordering transition temperature and broad dielectric relaxation in iron incorporated intergrown pyrochlore-spinel crystals. <i>Journal of Alloys and Compounds</i> , 2018, 763, 409-420.	5.5	2
36	Garnet structured solid fast Li^+ conductor as polysulfide shuttle inhibitor in Li-S battery. <i>Electrochemistry Communications</i> , 2018, 93, 109-113.	4.7	35

#	ARTICLE	IF	CITATIONS
37	Electrodes-electrolyte interfacial engineering for realizing room temperature lithium metal battery based on garnet structured solid fast Li ⁺ conductors. Journal of Power Sources, 2018, 396, 764-773.	7.8	80
38	Lithium garnet based free-standing solid polymer composite membrane for rechargeable lithium battery. Journal of Solid State Electrochemistry, 2018, 22, 2989-2998.	2.5	45
39	Lithium garnets: Synthesis, structure, Li ⁺ conductivity, Li ⁺ dynamics and applications. Progress in Materials Science, 2017, 88, 325-411.	32.8	295
40	Tunable magnetocaloric effect in Sr _{1-x} Ca _x Mn _{0.5} Ti _{0.5} O ₃ perovskites. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	2.3	1
41	Lithium garnet oxide dispersed polymer composite membrane for rechargeable lithium batteries. Ionics, 2017, 23, 541-548.	2.4	10
42	Electronic and Thermoelectric Properties of SrTiO ₃ . Current Smart Materials, 2017, 2, .	0.5	2
43	Phase transition, lithium ion conductivity and structural stability of tin substituted lithium garnets. RSC Advances, 2016, 6, 94706-94716.	3.6	7
44	Displacive disorder and spin frustration hosted multiferroic orders in pyrochlore spinel composites. Journal of Materials Chemistry C, 2016, 4, 7766-7774.	5.5	5
45	Magnetic field-induced switching of magnetic ordering in SrFeO ₃ . Applied Physics A: Materials Science and Processing, 2016, 122, 1.	2.3	2
46	Investigation on lithium ion conductivity and structural stability of yttrium-substituted Li ₇ La ₃ Zr ₂ O ₁₂ . Ionics, 2016, 22, 1281-1289.	2.4	44
47	First principle calculations on structural, electronic and transport properties of Li ₂ TiS ₃ and Li ₃ NbS ₄ positive electrode materials. Materials for Renewable and Sustainable Energy, 2016, 5, 1.	3.6	5
48	Room temperature dilute magnetism in nanoscale Co and Zn co-doped SnO ₂ . Superlattices and Microstructures, 2016, 89, 7-14.	3.1	19
49	First principle study on electronic structure, structural phase stability, optical and vibrational properties of Ba ₂ ScMO ₆ (M = Nb, Ta). International Journal of Modern Physics B, 2016, 30, 1550246.	2.0	6
50	First-principle study on lithium intercalated antimonides Ag ₃ Sb and Mg ₃ Sb ₂ . Ionics, 2015, 21, 1351-1361.	2.4	5
51	Facile synthesis of high lithium ion conductive cubic phase lithium garnets for electrochemical energy storage devices. RSC Advances, 2015, 5, 96042-96051.	3.6	53
52	Synthesis of lithium garnets from La ₂ Zr ₂ O ₇ pyrochlore. Solid State Ionics, 2015, 283, 123-130.	2.7	42
53	Optimization of Lithium Content and Sintering Aid for Maximized Li ⁺ Conductivity and Density in Ta-Doped Li ₇ La ₃ Zr ₂ O ₁₂ . Journal of the American Ceramic Society, 2015, 98, 2039-2046.	3.8	70
54	Influence of lithium concentration on the structure and Li ⁺ transport properties of cubic phase lithium garnets. Dalton Transactions, 2015, 44, 539-552.	3.3	27

#	ARTICLE	IF	CITATIONS
55	Green grasses as light harvesters in dye sensitized solar cells. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2015, 135, 947-952.	3.9	48
56	Influence of sintering additives on densification and Li^{+} conductivity of Al doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ lithium garnet. RSC Advances, 2014, 4, 51228-51238.	3.6	128
57	Effect of Simultaneous Substitution of Y and Ta on the Stabilization of Cubic Phase, Microstructure, and Li^{+} Conductivity of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Lithium Garnet. ACS Applied Materials & Interfaces, 2014, 6, 17606-17615.	8.0	104
58	Influence of zirconium doping on structure, microstructure, dielectric and impedance properties of strontium bismuth niobate ceramics. Current Applied Physics, 2014, 14, 407-414.	2.4	9
59	Lithium ion transport properties of high conductive tellurium substituted $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ cubic lithium garnets. Journal of Power Sources, 2013, 240, 18-25.	7.8	185
60	Room temperature ferromagnetic properties of Cu_2O microcrystals. Journal of Alloys and Compounds, 2013, 579, 572-575.	5.5	13
61	Performance of dye-sensitized solar cells fabricated with extracts from fruits of ivy gourd and flowers of red frangipani as sensitizers. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2013, 104, 35-40.	3.9	123
62	Structure and Li^{+} dynamics of Sb-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ fast lithium ion conductors. Physical Chemistry Chemical Physics, 2013, 15, 11327.	2.8	127
63	ELECTRONIC STRUCTURE, MAGNETIC ORDERING AND PHASE STABILITY OF LiFe_X ($X = \text{Tj, ET, Qq, 1}$) $\text{O}_{0.784314}$ rgBT / Ove 2013, 27, 1350236.	1.9	8
64	Li^{+} transport properties of W substituted $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ cubic lithium garnets. AIP Advances, 2013, 3, .	1.3	84
65	Structural, morphological and optical properties of Na and K dual doped CdS thin film. Journal of Alloys and Compounds, 2012, 545, 41-45.	5.5	42
66	Synthesis of Cu_2O microcrystals with morphological evolution from octahedral to microrod through a simple surfactant-free chemical route. CrystEngComm, 2012, 14, 8338.	2.6	26
67	$\text{Li}_{7-x}\text{La}_3\text{Sn}_{2-x}\text{NbxO}_{12}$ ($x=0.25 \leq x \leq 1$) cubic lithium garnet. Materials Letters, 2012, 77, 57-59.	2.6	15
68	Optimum lithium-ion conductivity in cubic $\text{Li}_{7-x}\text{La}_3\text{Hf}_2\text{Ta}_x\text{O}_{12}$. Journal of Power Sources, 2012, 209, 184-188.	7.8	70
69	High conductive yttrium doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ cubic lithium garnet. Electrochemistry Communications, 2011, 13, 1373-1375.	4.7	171
70	Synthesis of cubic $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ by modified sol-gel process. Ionics, 2011, 17, 575-580.	2.4	86
71	High lithium ion conductive $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ by inclusion of both Al and Si. Electrochemistry Communications, 2011, 13, 509-512.	4.7	236
72	Characterization of the interface between LiCoO_2 and $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ in an all-solid-state rechargeable lithium battery. Journal of Power Sources, 2011, 196, 764-767.	7.8	326

#	ARTICLE	IF	CITATIONS
73	Fast ionic conduction in cubic hafnium garnet $\text{Li}_7\text{La}_3\text{Hf}_2\text{O}_{12}$. <i>Ionics</i> , 2010, 16, 855-858.	2.4	31
74	Structure and lithium ion conductivity of garnet-like $\text{Li}_5\text{La}_3\text{Sb}_2\text{O}_{12}$ and $\text{Li}_6\text{SrLa}_2\text{Sb}_2\text{O}_{12}$. <i>Materials Research Bulletin</i> , 2008, 43, 2579-2591.	5.2	66
75	Lattice Parameter and Sintering Temperature Dependence of Bulk and Grain-Boundary Conduction of Garnet-like Solid Li-Electrolytes. <i>Journal of the Electrochemical Society</i> , 2008, 155, A90.	2.9	73
76	Fast Lithium Ion Conduction in Garnet-type $\text{Li}_{7-x}\text{La}_{3-x}\text{Zr}_2\text{O}_{12}$. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7778-7781.	13.8	2,453
77	Structure and lithium ion conductivity of bismuth containing lithium garnets $\text{Li}_5\text{La}_3\text{Bi}_2\text{O}_{12}$ and $\text{Li}_6\text{SrLa}_2\text{Bi}_2\text{O}_{12}$. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007, 143, 14-20.	3.5	95
78	Lithium ion conductivity of $\text{Li}_{5+x}\text{Ba}_x\text{La}_{3-x}\text{Ta}_2\text{O}_{12}$ ($x=0, 0.1, 0.2$) with garnet-related structure in dependence of the barium content. <i>Ionics</i> , 2007, 13, 195-203.	2.4	79
79	Dielectric properties of $\text{Sr}_{1-x}\text{Bi}_2+(2/3)x(\text{VxNb}_{1-x})_2\text{O}_9$ [$x=0.1$ and 0.2] ceramics. <i>Ceramics International</i> , 2006, 32, 467-470.	4.8	13
80	Electronic structure and structural phase stability of CuAlX_2 ($X=\text{S, Se, Te}$) under pressure. <i>Journal of Physics and Chemistry of Solids</i> , 2006, 67, 669-674.	4.0	31
81	Dielectric properties of $\text{Sr}_{0.8}\text{Bi}_{2.2}(\text{V}_{0.2}\text{Nb}_{0.8})_2\text{O}_9$ ceramic. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2006, 127, 224-227.	3.5	25
82	Characterization of PEG: $\text{LiClO}_4+\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ nanocomposite polymer electrolytes for lithium secondary batteries. <i>Journal of Power Sources</i> , 2005, 149, 90-95.	7.8	39
83	Dielectric properties of $\text{Sr}_{1-x}\text{Bi}_2+(2/3)x(\text{VXTa}_{1-x})_2\text{O}_9$ [$x=0.1$ and 0.2] ceramics. <i>Physica B: Condensed Matter</i> , 2005, 357, 439-444.	2.7	6
84	Electronic and structural properties of CuMO_2 ($M = \text{Al, Ga, In}$). <i>Journal of Alloys and Compounds</i> , 2005, 388, 19-22.	5.5	52
85	Synthesis and characterization of $\text{LiNi}_y\text{Co}_{1-y}\text{PO}_4$ ($y=0, 1$) cathode materials for lithium secondary batteries. <i>Ionics</i> , 2004, 10, 88-92.	2.4	50
86	Investigation on ionic conductivity and Raman spectra of $\hat{\Gamma}_3\text{-Bi}_2\text{MoO}_6$. <i>Physica B: Condensed Matter</i> , 2004, 352, 227-232.	2.7	42
87	Electronic and structural properties of zinc chalcogenides ZnX ($X=\text{S, Se, Te}$). <i>Journal of Alloys and Compounds</i> , 2003, 359, 22-26.	5.5	84
88	Investigation of structural changes in the phase transformations of $\hat{\Gamma}_3\text{-Bi}_2\text{MoO}_6$. <i>Journal of Physics Condensed Matter</i> , 2002, 14, 4001-4010.	1.8	16
89	Phase transformation studies of ceramic BaTiO_3 using thermo-Raman and dielectric constant measurements. <i>Journal of Applied Physics</i> , 2002, 91, 10038.	2.5	68
90	Ionic conductivity and Raman investigations on the phase transformations of $\text{Na}_4\text{P}_2\text{O}_7$. <i>Journal of Alloys and Compounds</i> , 2002, 340, 95-100.	5.5	17

#	ARTICLE	IF	CITATIONS
91	Thermo-Raman Studies on NaH ₂ PO ₄ ·2H ₂ O for Dehydration, Condensation, and Phase Transformation. <i>Inorganic Chemistry</i> , 2001, 40, 5917-5923.	4.0	30
92	Thermo-Raman studies on dehydration of Na ₃ PO ₄ ·12H ₂ O. <i>Thermochimica Acta</i> , 2001, 371, 127-135.	2.7	15
93	Coupling of thermogravimetric analysis and thermo-Raman spectroscopy for in situ dynamic thermal analysis. <i>Thermochimica Acta</i> , 2001, 374, 45-49.	2.7	17
94	Studies on thermal hysteresis of KNO ₃ by thermo-Raman spectroscopy. <i>Thermochimica Acta</i> , 2000, 346, 83-90.	2.7	36
95	Thermo-Raman spectroscopic studies on polymorphism in Na ₂ SO ₄ . <i>Journal of Physics Condensed Matter</i> , 2000, 12, 677-700.	1.8	80
96	Thermo-Raman investigations on structural transformations in hydrated MoO ₃ . <i>Journal of Materials Chemistry</i> , 2000, 10, 2157-2162.	6.7	47
97	Raman studies on ferroelectric phase (phase III) of KNO ₃ . <i>Journal of Applied Physics</i> , 1999, 86, 6779-6788.	2.5	29
98	Synthesis of Cu ₂ O Nanospheres and Cubes: Their Structural, Optical and Magnetic Properties. <i>Advanced Materials Research</i> , 0, 938, 114-117.	0.3	4