

Joannes F M Jacobs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5367151/publications.pdf>

Version: 2024-02-01

76
papers

3,889
citations

147801

31
h-index

123424

61
g-index

76
all docs

76
docs citations

76
times ranked

6313
citing authors

#	ARTICLE	IF	CITATIONS
1	PD-1 Blockade Augments Th1 and Th17 and Suppresses Th2 Responses in Peripheral Blood From Patients With Prostate and Advanced Melanoma Cancer. <i>Journal of Immunotherapy</i> , 2012, 35, 169-178.	2.4	269
2	Regulatory T cells in melanoma: the final hurdle towards effective immunotherapy?. <i>Lancet Oncology</i> , The, 2012, 13, e32-e42.	10.7	219
3	Dendritic Cell Vaccination in Combination with Anti-CD25 Monoclonal Antibody Treatment: A Phase I/II Study in Metastatic Melanoma Patients. <i>Clinical Cancer Research</i> , 2010, 16, 5067-5078.	7.0	212
4	Effective Clinical Responses in Metastatic Melanoma Patients after Vaccination with Primary Myeloid Dendritic Cells. <i>Clinical Cancer Research</i> , 2016, 22, 2155-2166.	7.0	211
5	Regulatory T cells and the PD-L1/PD-1 pathway mediate immune suppression in malignant human brain tumors. <i>Neuro-Oncology</i> , 2009, 11, 394-402.	1.2	203
6	Prognostic significance and mechanism of Treg infiltration in human brain tumors. <i>Journal of Neuroimmunology</i> , 2010, 225, 195-199.	2.3	180
7	Limited Amounts of Dendritic Cells Migrate into the T-Cell Area of Lymph Nodes but Have High Immune Activating Potential in Melanoma Patients. <i>Clinical Cancer Research</i> , 2009, 15, 2531-2540.	7.0	172
8	Route of Administration Modulates the Induction of Dendritic Cell Vaccine-Induced Antigen-Specific T Cells in Advanced Melanoma Patients. <i>Clinical Cancer Research</i> , 2011, 17, 5725-5735.	7.0	158
9	Maturation of monocyte-derived dendritic cells with Toll-like receptor 3 and 7/8 ligands combined with prostaglandin E2 results in high interleukin-12 production and cell migration. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 1589-1597.	4.2	141
10	Targeting CD4+ T-Helper Cells Improves the Induction of Antitumor Responses in Dendritic Cell-Based Vaccination. <i>Cancer Research</i> , 2013, 73, 19-29.	0.9	131
11	Sorafenib reduces the percentage of tumour infiltrating regulatory T cells in renal cell carcinoma patients. <i>International Journal of Cancer</i> , 2011, 129, 507-512.	5.1	120
12	Single-cell analysis reveals that stochasticity and paracrine signaling control interferon-alpha production by plasmacytoid dendritic cells. <i>Nature Communications</i> , 2018, 9, 3317.	12.8	116
13	Monitoring multiple myeloma patients treated with daratumumab: teasing out monoclonal antibody interference. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1095-104.	2.3	102
14	Toll-like receptor signalling on Tregs: to suppress or not to suppress?. <i>Immunology</i> , 2008, 124, 445-452.	4.4	87
15	Vaccination with mRNA-Electroporated Dendritic Cells Induces Robust Tumor Antigen-Specific CD4+ and CD8+ T Cells Responses in Stage III and IV Melanoma Patients. <i>Clinical Cancer Research</i> , 2012, 18, 5460-5470.	7.0	86
16	Elimination of regulatory T cells is essential for an effective vaccination with tumor lysate-pulsed dendritic cells in a murine glioma model. <i>International Journal of Cancer</i> , 2008, 122, 1794-1802.	5.1	78
17	Cancer-germline gene expression in pediatric solid tumors using quantitative real-time PCR. <i>International Journal of Cancer</i> , 2007, 120, 67-74.	5.1	70
18	Frequency of Circulating Tregs with Demethylated <i>FOXP3</i> Intron 1 in Melanoma Patients Receiving Tumor Vaccines and Potentially Treg-Depleting Agents. <i>Clinical Cancer Research</i> , 2011, 17, 841-848.	7.0	70

#	ARTICLE	IF	CITATIONS
19	Anaphylaxis from Passive Transfer of Peanut Allergen in a Blood Product. <i>New England Journal of Medicine</i> , 2011, 364, 1981-1982.	27.0	67
20	Early identification of antigen-specific immune responses in vivo by [¹⁸ F]-labeled 3- ¹⁸ F-fluoro-3-deoxy-thymidine ([¹⁸ F]FLT) PET imaging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 18396-18399.	7.1	65
21	Interference of daratumumab in monitoring multiple myeloma patients using serum immunofixation electrophoresis can be abrogated using the daratumumab IFE reflex assay (DIRA). <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1105-9.	2.3	65
22	Intranodal vaccination with mRNA-optimized dendritic cells in metastatic melanoma patients. <i>Oncolmmunology</i> , 2015, 4, e1019197.	4.6	55
23	Long-lasting multifunctional CD8 ⁺ T cell responses in end-stage melanoma patients can be induced by dendritic cell vaccination. <i>Oncolmmunology</i> , 2016, 5, e1067745.	4.6	55
24	Antigen excess in modern immunoassays: To anticipate on the unexpected. <i>Autoimmunity Reviews</i> , 2015, 14, 160-167.	5.8	51
25	Skin-Test Infiltrating Lymphocytes Early Predict Clinical Outcome of Dendritic Cell-Based Vaccination in Metastatic Melanoma. <i>Cancer Research</i> , 2012, 72, 6102-6110.	0.9	50
26	The role of interleukin-1 beta in the pathophysiology of Schnitzler's syndrome. <i>Arthritis Research and Therapy</i> , 2015, 17, 187.	3.5	45
27	N Latex FLC serum free light-chain assays in patients with renal impairment. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 853-9.	2.3	38
28	Is accuracy of serum free light chain measurement achievable?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1021-30.	2.3	38
29	Overestimation of Serum Free Light Chain Concentration by Immunonephelometry. <i>Clinical Chemistry</i> , 2010, 56, 1188-1190.	3.2	37
30	An international multi-center serum protein electrophoresis accuracy and M-protein isotyping study. Part I: factors impacting limit of quantitation of serum protein electrophoresis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 533-546.	2.3	36
31	Development of a Targeted Mass-Spectrometry Serum Assay To Quantify M-Protein in the Presence of Therapeutic Monoclonal Antibodies. <i>Journal of Proteome Research</i> , 2018, 17, 1326-1333.	3.7	32
32	An international multi-center serum protein electrophoresis accuracy and M-protein isotyping study. Part II: limit of detection and follow-up of patients with small M-proteins. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 547-559.	2.3	32
33	Vaccine-specific local T cell reactivity in immunotherapy-associated vitiligo in melanoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 145-151.	4.2	29
34	Regulation of MYCN expression in human neuroblastoma cells. <i>BMC Cancer</i> , 2009, 9, 239.	2.6	28
35	Cancer Patients Treated with Sunitinib or Sorafenib Have Sufficient Antibody and Cellular Immune Responses to Warrant Influenza Vaccination. <i>Clinical Cancer Research</i> , 2011, 17, 4541-4549.	7.0	28
36	Recognition and management of common, rare, and novel serum protein electrophoresis and immunofixation interferences. <i>Clinical Biochemistry</i> , 2018, 51, 72-79.	1.9	28

#	ARTICLE	IF	CITATIONS
37	Relatively Restricted Migration of Polyclonal IgG4 May Mimic a Monoclonal Gammopathy in IgG4-Related Disease. <i>American Journal of Clinical Pathology</i> , 2014, 142, 76-81.	0.7	27
38	Quantitative Measurement of Immunoglobulins and Free Light Chains Using Mass Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 8268-8274.	6.5	27
39	Evaluation of a new free light chain ELISA assay: bringing coherence with electrophoretic methods. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 312-322.	2.3	26
40	Development of a rapid and quantitative lateral flow assay for the simultaneous measurement of serum I κ and λ immunoglobulin free light chains (FLC): inception of a new near-patient FLC screening tool. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 424-434.	2.3	25
41	Selective cancer-germline gene expression in pediatric brain tumors. <i>Journal of Neuro-Oncology</i> , 2008, 88, 273-280.	2.9	24
42	Humoral anti-KLH responses in cancer patients treated with dendritic cell-based immunotherapy are dictated by different vaccination parameters. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 2003-2011.	4.2	24
43	Multiple Myeloma Minimal Residual Disease Detection: Targeted Mass Spectrometry in Blood vs Next-Generation Sequencing in Bone Marrow. <i>Clinical Chemistry</i> , 2021, 67, 1689-1698.	3.2	24
44	Standardization and harmonization of autoimmune diagnostics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1563-1567.	2.3	22
45	Effect of sample dilution on two free light chain nephelometric assays. <i>Clinica Chimica Acta</i> , 2012, 413, 1708-1709.	1.1	21
46	Method comparison of four clinically available assays for serum free light chain analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 58, 85-94.	2.3	21
47	Fast, robust and high-resolution glycosylation profiling of intact monoclonal IgG antibodies using nanoLC-chip-QTOF. <i>Clinica Chimica Acta</i> , 2016, 461, 90-97.	1.1	20
48	Simultaneous Presence of Non- and Highly Mutated Keyhole Limpet Hemocyanin (KLH)-Specific Plasmablasts Early after Primary KLH Immunization Suggests Cross-Reactive Memory B Cell Activation. <i>Journal of Immunology</i> , 2018, 200, 3981-3992.	0.8	18
49	Allogeneic and autologous serum eye drops: a pilot double-blind randomized crossover trial. <i>Acta Ophthalmologica</i> , 2021, 99, 837-842.	1.1	17
50	Anti-SSA antibodies are present in immunoglobulin preparations. <i>Transfusion</i> , 2015, 55, 832-837.	1.6	16
51	Monitoring of dynamic changes in Keyhole Limpet Hemocyanin (KLH)-specific B cells in KLH-vaccinated cancer patients. <i>Scientific Reports</i> , 2017, 7, 43486.	3.3	16
52	Changes in peripheral immune cell numbers and functions in octogenarian walkers – an acute exercise study. <i>Immunity and Ageing</i> , 2017, 14, 5.	4.2	15
53	Integrating Serum Protein Electrophoresis with Mass Spectrometry, A New Workflow for M-Protein Detection and Quantification. <i>Journal of Proteome Research</i> , 2020, 19, 2845-2853.	3.7	15
54	Monitoring the M-protein of multiple myeloma patients treated with a combination of monoclonal antibodies: the laboratory solution to eliminate interference. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1963-1971.	2.3	14

#	ARTICLE	IF	CITATIONS
55	Reference ranges of the Sebia free light chain ratio in patients with chronic kidney disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, e232-e234.	2.3	13
56	Clonotypic Features of Rearranged Immunoglobulin Genes Yield Personalized Biomarkers for Minimal Residual Disease Monitoring in Multiple Myeloma. <i>Clinical Chemistry</i> , 2021, 67, 867-875.	3.2	12
57	Phenotypic and functional characterization of mature dendritic cells from pediatric cancer patients. <i>Pediatric Blood and Cancer</i> , 2007, 49, 924-927.	1.5	10
58	The Role of FcRn in the Pharmacokinetics of Biologics in Patients With Multiple Myeloma. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 903-904.	4.7	9
59	Cerebrospinal Fluid Penetrance of Daratumumab in Leptomeningeal Multiple Myeloma. <i>HemaSphere</i> , 2020, 4, e413.	2.7	8
60	Clone-directed therapy for proliferative glomerulonephritis with monoclonal immunoglobulin depositions: is it always necessary?. <i>Journal of Nephrology</i> , 2020, 33, 611-617.	2.0	8
61	Severe exacerbation of Crohn's disease during sunitinib treatment. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 234-236.	1.6	7
62	Analytical validation of the Hevylite assays for M-protein quantification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1169-1175.	2.3	7
63	Assessment of serum free light chain levels in healthy adults immediately after marathon running. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 459-65.	2.3	6
64	Plasma therapy leads to an increase in functional IgA and IgM concentration in the blood and saliva of a patient with X-linked agammaglobulinemia. <i>Journal of Translational Medicine</i> , 2019, 17, 174.	4.4	5
65	External quality assessment of M-protein diagnostics: a realistic impression of the accuracy and precision of M-protein quantification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1063-1068.	2.3	5
66	Dendritic Cells as Vaccines: Key Regulators of Tolerance and Immunity. <i>Mediators of Inflammation</i> , 2016, 2016, 1-2.	3.0	4
67	FLC polymerization: Another hurdle towards standardization of FLC measurements. <i>Clinica Chimica Acta</i> , 2021, 515, 42-43.	1.1	4
68	Early predictive value of multifunctional skin-infiltrating lymphocytes in anticancer immunotherapy. <i>Oncolmmunology</i> , 2014, 3, e27219.	4.6	3
69	The impact of exercise on the variation of serum free light chains. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, e239-42.	2.3	3
70	Humoral and cellular immune responses after influenza vaccination in patients with postcancer fatigue. <i>Human Vaccines and Immunotherapeutics</i> , 2015, 11, 1634-1640.	3.3	2
71	Broad Bands Observed in Serum Electrophoresis Should Not Be Taken Lightly. <i>Clinical Chemistry</i> , 2019, 65, 618-621.	3.2	2
72	Method comparison of three serum free light chain assays on the Roche Cobas 6000 c501 chemistry analyzer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 379-385.	2.3	2

#	ARTICLE	IF	CITATIONS
73	What is Your Guess? Detecting Only Light Chains, Now What?. <i>Clinical Chemistry</i> , 2010, 56, 1368-1368.	3.2	1
74	Response to: Interference of daratumumab on the serum protein electrophoresis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, e29-e30.	2.3	1
75	Minimal Residual Disease in Multiple Myeloma: Targeted Mass Spectrometry in Blood Vs Next Generation Sequencing in Bone Marrow. <i>Blood</i> , 2020, 136, 9-9.	1.4	1
76	Reply to Berlanga et al. (DOI 10.1515/cclm-2014-0420). <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, e247-e248.	2.3	0