

Chen-Hua Yeow

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5368029/publications.pdf>

Version: 2024-02-01

123
papers

4,104
citations

172457

29
h-index

149698

56
g-index

129
all docs

129
docs citations

129
times ranked

4065
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Force Soft Printable Pneumatics for Soft Robotic Applications. <i>Soft Robotics</i> , 2016, 3, 144-158.	8.0	427
2	Cartilage repair using hyaluronan hydrogel-encapsulated human embryonic stem cell-derived chondrogenic cells. <i>Biomaterials</i> , 2010, 31, 6968-6980.	11.4	239
3	Flexible and Stretchable Strain Sensing Actuator for Wearable Soft Robotic Applications. <i>Advanced Materials Technologies</i> , 2016, 1, 1600018.	5.8	188
4	A Fully Fabric-Based Bidirectional Soft Robotic Glove for Assistance and Rehabilitation of Hand Impaired Patients. <i>IEEE Robotics and Automation Letters</i> , 2017, 2, 1383-1390.	5.1	178
5	A soft exoskeleton for hand assistive and rehabilitation application using pneumatic actuators with variable stiffness. , 2015, , .		175
6	Artificial Intelligence of Things (AIoT) Enabled Virtual Shop Applications Using Self-Powered Sensor Enhanced Soft Robotic Manipulator. <i>Advanced Science</i> , 2021, 8, e2100230.	11.2	138
7	An investigation of lower extremity energy dissipation strategies during single-leg and double-leg landing based on sagittal and frontal plane biomechanics. <i>Human Movement Science</i> , 2011, 30, 624-635.	1.4	109
8	Design and Preliminary Feasibility Study of a Soft Robotic Glove for Hand Function Assistance in Stroke Survivors. <i>Frontiers in Neuroscience</i> , 2017, 11, 547.	2.8	107
9	Contributions of the Soleus and Gastrocnemius muscles to the anterior cruciate ligament loading during single-leg landing. <i>Journal of Biomechanics</i> , 2013, 46, 1913-1920.	2.1	102
10	Wireless Ti ₃ C ₂ T _x MXene Strain Sensor with Ultrahigh Sensitivity and Designated Working Windows for Soft Exoskeletons. <i>ACS Nano</i> , 2020, 14, 11860-11875.	14.6	99
11	A Versatile Soft Crawling Robot with Rapid Locomotion. <i>Soft Robotics</i> , 2019, 6, 455-467.	8.0	97
12	Sagittal knee joint kinematics and energetics in response to different landing heights and techniques. <i>Knee</i> , 2010, 17, 127-131.	1.6	89
13	Hybrid Tele-Manipulation System Using a Sensorized 3-D-Printed Soft Robotic Gripper and a Soft Fabric-Based Haptic Glove. <i>IEEE Robotics and Automation Letters</i> , 2017, 2, 880-887.	5.1	80
14	A fabric-regulated soft robotic glove with user intent detection using EMG and RFID for hand assistive application. , 2016, , .		79
15	Stiffness Customization and Patterning for Property Modulation of Silicone-Based Soft Pneumatic Actuators. <i>Soft Robotics</i> , 2017, 4, 251-260.	8.0	74
16	Brain-Computer Interface-Based Soft Robotic Glove Rehabilitation for Stroke. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 3339-3351.	4.2	74
17	Early detection of biomolecular changes in disrupted porcine cartilage using polarized Raman spectroscopy. <i>Journal of Biomedical Optics</i> , 2011, 16, 017003.	2.6	73
18	A Magnetic Resonance Compatible Soft Wearable Robotic Glove for Hand Rehabilitation and Brain Imaging. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017, 25, 782-793.	4.9	72

#	ARTICLE	IF	CITATIONS
19	Contrasting Effects of Vasculogenic Induction Upon Biaxial Bioreactor Stimulation of Mesenchymal Stem Cells and Endothelial Progenitor Cells Cocultures in Three-Dimensional Scaffolds Under <i>In Vitro</i> and <i>In Vivo</i> Paradigms for Vascularized Bone Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2013, 19, 893-904.	3.1	71
20	Effect of landing height on frontal plane kinematics, kinetics and energy dissipation at lower extremity joints. <i>Journal of Biomechanics</i> , 2009, 42, 1967-1973.	2.1	68
21	Regression relationships of landing height with ground reaction forces, knee flexion angles, angular velocities and joint powers during double-leg landing. <i>Knee</i> , 2009, 16, 381-386.	1.6	57
22	A Novel Fold-Based Design Approach toward Printable Soft Robotics Using Flexible 3D Printing Materials. <i>Advanced Materials Technologies</i> , 2018, 3, 1700172.	5.8	56
23	Design of a Soft Robotic Glove for Hand Rehabilitation of Stroke Patients With Clenched Fist Deformity Using Inflatable Plastic Actuators. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2016, 10, .	0.7	54
24	Characterisation and evaluation of soft elastomeric actuators for hand assistive and rehabilitation applications. <i>Journal of Medical Engineering and Technology</i> , 2016, 40, 199-209.	1.4	54
25	Design, Characterization, and Implementation of a Two-DOF Fabric-Based Soft Robotic Arm. <i>IEEE Robotics and Automation Letters</i> , 2018, 3, 2702-2709.	5.1	51
26	Design and Characterization of Soft Actuator for Hand Rehabilitation Application. <i>IFMBE Proceedings</i> , 2015, , 367-370.	0.3	48
27	Design of a Soft Robotic Elbow Sleeve with Passive and Intent-Controlled Actuation. <i>Frontiers in Neuroscience</i> , 2017, 11, 597.	2.8	46
28	Anterior Cruciate Ligament Failure and Cartilage Damage during Knee Joint Compression. <i>American Journal of Sports Medicine</i> , 2008, 36, 934-942.	4.2	43
29	A Reconfigurable Pneumatic Bending Actuator with Replaceable Inflation Modules. <i>Soft Robotics</i> , 2018, 5, 304-317.	8.0	39
30	Temporal Activation of β -Catenin Signaling in the Chondrogenic Process of Mesenchymal Stem Cells Affects the Phenotype of the Cartilage Generated. <i>Stem Cells and Development</i> , 2012, 21, 1966-1976.	2.1	36
31	Force Measurement Toward the Instability Theory of Soft Pneumatic Actuators. <i>IEEE Robotics and Automation Letters</i> , 2017, 2, 985-992.	5.1	36
32	MRC-glove: A fMRI compatible soft robotic glove for hand rehabilitation application. , 2015, , .		35
33	Print-it-Yourself (PIY) glove: A fully 3D printed soft robotic hand rehabilitative and assistive exoskeleton for stroke patients. , 2017, , .		33
34	The effect of leg dominance and landing height on ACL loading among female athletes. <i>Journal of Biomechanics</i> , 2017, 60, 181-187.	2.1	31
35	Development of a soft robotic shoulder assistive device for shoulder abduction. , 2016, , .		29
36	A hybrid plastic-fabric soft bending actuator with reconfigurable bending profiles. , 2017, , .		29

#	ARTICLE	IF	CITATIONS
37	Customizable soft pneumatic finger actuators for hand orthotic and prosthetic applications. , 2015, , .		28
38	Design and characterization of low-cost fabric-based flat pneumatic actuators for soft assistive glove application. , 2017, 2017, 1465-1470.		27
39	Effects of Mattress Material on Body Pressure Profiles in Different Sleeping Postures. Journal of Chiropractic Medicine, 2017, 16, 1-9.	0.7	26
40	Geometry-Based Customization of Bending Modalities for 3D-Printed Soft Pneumatic Actuators. IEEE Robotics and Automation Letters, 2018, 3, 3489-3496.	5.1	26
41	Sensorized Reconfigurable Soft Robotic Gripper System for Automated Food Handling. IEEE/ASME Transactions on Mechatronics, 2022, 27, 3232-3243.	5.8	26
42	A bidirectional soft pneumatic fabric-based actuator for grasping applications. , 2017, , .		25
43	Design and Modeling of a High Force Soft Actuator for Assisted Elbow Flexion. IEEE Robotics and Automation Letters, 2020, 5, 3731-3736.	5.1	24
44	A Hybrid Soft Robotic Surgical Gripper System for Delicate Nerve Manipulation in Digital Nerve Repair Surgery. IEEE/ASME Transactions on Mechatronics, 2019, 24, 1440-1451.	5.8	23
45	Soft Robotic Pad Maturing for Practical Applications. Soft Robotics, 2020, 7, 30-43.	8.0	23
46	Shod landing provides enhanced energy dissipation at the knee joint relative to barefoot landing from different heights. Knee, 2011, 18, 407-411.	1.6	22
47	Customizable Soft Pneumatic Chamberâ€Gripper Devices for Delicate Surgical Manipulation. Journal of Medical Devices, Transactions of the ASME, 2014, 8, .	0.7	22
48	Development of a Soft Pneumatic Sock for Robot-Assisted Ankle Exercise. Journal of Medical Devices, Transactions of the ASME, 2016, 10, .	0.7	22
49	Design of a wearable FMG sensing system for user intent detection during hand rehabilitation with a soft robotic glove. , 2016, , .		22
50	A Fabric-Based Wearable Soft Robotic Limb. Journal of Mechanisms and Robotics, 2019, 11, .	2.2	20
51	Tubular Jamming: A Variable Stiffening Method Toward High-Force Applications with Soft Robotic Components. Soft Robotics, 2019, 6, 468-482.	8.0	19
52	Fabric-based actuator modules for building soft pneumatic structures with high payload-to-weight ratio. , 2017, , .		17
53	Freeform Liquid 3D Printing of Soft Functional Components for Soft Robotics. ACS Applied Materials & Interfaces, 2022, 14, 2301-2315.	8.0	17
54	Damage and degenerative changes in menisciâ€covered and exposed tibial osteochondral regions after simulated landing impact compressionâ€a porcine study. Journal of Orthopaedic Research, 2009, 27, 1100-1108.	2.3	16

#	ARTICLE	IF	CITATIONS
55	Non-linear flexion relationships of the knee with the hip and ankle, and their relative postures during landing. <i>Knee</i> , 2011, 18, 323-328.	1.6	16
56	Design and characterization of a novel fabric-based robotic arm for future wearable robot application. , 2017, , .		16
57	Design and Characterization of a 3D Printed Soft Robotic Wrist Sleeve with 2 DoF for Stroke Rehabilitation. , 2019, , .		16
58	Soft Fabric-Based Pneumatic Sensor for Bending Angles and Contact Force Detection. <i>IEEE Sensors Journal</i> , 2019, 19, 1269-1279.	4.7	16
59	A Wearable Soft Robotic Exoskeleton for Hip Flexion Rehabilitation. <i>Frontiers in Robotics and AI</i> , 2022, 9, 835237.	3.2	16
60	Inhibition of Anterior Tibial Translation or Axial Tibial Rotation Prevents Anterior Cruciate Ligament Failure during Impact Compression. <i>American Journal of Sports Medicine</i> , 2009, 37, 813-821.	4.2	15
61	Functional connectivity of brain associated with passive range of motion exercise: Proprioceptive input promoting motor activation?. <i>NeuroImage</i> , 2019, 202, 116023.	4.2	15
62	Hamstrings and quadriceps muscle contributions to energy generation and dissipation at the knee joint during stance, swing and flight phases of level running. <i>Knee</i> , 2013, 20, 100-105.	1.6	14
63	A pressure-redistributing insole using soft sensors and actuators. , 2015, , .		14
64	A compliant modular robotic hand with fabric force sensor for multiple versatile grasping modes. , 2016, , .		14
65	Design and fabrication of a shape-morphing soft pneumatic actuator: Soft robotic pad. , 2017, , .		14
66	Design and fabrication of a pneumatic soft robotic gripper for delicate surgical manipulation. , 2017, , .		14
67	Repeated application of incremental landing impact loads to intact knee joints induces anterior cruciate ligament failure and tibiofemoral cartilage deformation and damage: A preliminary cadaveric investigation. <i>Journal of Biomechanics</i> , 2009, 42, 972-981.	2.1	13
68	Design and Characterization of a Soft Robotic Therapeutic Glove for Rheumatoid Arthritis. <i>Assistive Technology</i> , 2019, 31, 44-52.	2.0	12
69	A 2-DOF Shoulder Exosuit Driven by Modular, Pneumatic, Fabric Actuators. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2021, 3, 166-178.	3.2	12
70	Static Modeling of the Fiber-Reinforced Soft Pneumatic Actuators Including Inner Compression: Bending in Free Space, Block Force, and Deflection upon Block Force. <i>Soft Robotics</i> , 2022, 9, 451-472.	8.0	12
71	Soft haptics using soft actuator and soft sensor. , 2016, , .		11
72	Development of flexible fabric based tactile sensor for closed loop control of soft robotic actuator. , 2017, , .		10

#	ARTICLE	IF	CITATIONS
73	Direct contribution of axial impact compressive load to anterior tibial load during simulated ski landing impact. <i>Journal of Biomechanics</i> , 2010, 43, 242-247.	2.1	9
74	Restrained tibial rotation may prevent ACL injury during landing at different flexion angles. <i>Knee</i> , 2015, 22, 24-29.	1.6	9
75	Study on the use of soft ankle-foot exoskeleton for alternative mechanical prophylaxis of deep vein thrombosis. , 2015, , .		9
76	Texture Discrimination using a Soft Biomimetic Finger for Prosthetic Applications. , 2019, 2019, 380-385.		9
77	Simulation Data Driven Design Optimization for Reconfigurable Soft Gripper System. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 5803-5810.	5.1	9
78	A Learning-Based Approach to Sensorize Soft Robots. <i>Soft Robotics</i> , 2022, 9, 1144-1153.	8.0	9
79	Correlation of axial impact forces with knee joint forces and kinematics during simulated ski-landing. <i>Journal of Sports Sciences</i> , 2011, 29, 1143-1151.	2.0	8
80	Antagonist muscle co-contraction during a double-leg landing maneuver at two heights. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 1382-1393.	1.6	8
81	Tibial Cartilage Damage and Deformation at Peak Displacement Compression during Simulated Landing Impact. <i>American Journal of Sports Medicine</i> , 2010, 38, 816-823.	4.2	7
82	Comparison of mean frequency and median frequency in evaluating muscle fiber type selection in varying gait speed across healthy young adult individuals. , 2016, 2016, 1725-1728.		7
83	Proton NMR characterization of intact primary and metastatic melanoma cells in 2D & 3D cultures. <i>Biological Research</i> , 2017, 50, 12.	3.4	7
84	STAS: An Antagonistic Soft Pneumatic Actuator Assembly for High Torque Output. , 2019, , .		7
85	Effect of a Soft Robotic Sock Device on Lower Extremity Rehabilitation Following Stroke: A Preliminary Clinical Study With Focus on Deep Vein Thrombosis Prevention. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2019, 7, 1-6.	3.7	7
86	Fiber pattern optimization for soft robotic pad. <i>Extreme Mechanics Letters</i> , 2020, 41, 101055.	4.1	7
87	The Exosleeve: A Soft Robotic Exoskeleton for Assisting in Activities of Daily Living. <i>Biosystems and Biorobotics</i> , 2019, , 406-409.	0.3	7
88	Effect of proprioceptive stimulation using a soft robotic glove on motor activation and brain connectivity in stroke survivors. <i>Journal of Neural Engineering</i> , 2021, 18, 066049.	3.5	7
89	Effect of an anterior-sloped brace joint on anterior tibial translation and axial tibial rotation: A motion analysis study. <i>Clinical Biomechanics</i> , 2010, 25, 1025-1030.	1.2	6
90	Identification of Gastric Cancer Biomarkers Using 1H Nuclear Magnetic Resonance Spectrometry. <i>PLoS ONE</i> , 2016, 11, e0162222.	2.5	6

#	ARTICLE	IF	CITATIONS
91	A soft robotic sock device for ankle rehabilitation and prevention of deep vein thrombosis. , 2016, , .		6
92	GEAR: A Mobile Game-Assisted Rehabilitation System. , 2016, , .		6
93	Rod-based Fabrication of Customizable Soft Robotic Pneumatic Gripper Devices for Delicate Tissue Manipulation. Journal of Visualized Experiments, 2016, , .	0.3	6
94	A wearable, EEG-based massage headband for anxiety alleviation. , 2017, 2017, 3557-3560.		6
95	Propulsion-Based Soft Robotic Actuation. Robotics, 2017, 6, 34.	3.5	6
96	Design, characterisation and evaluation of a soft robotic sock device on healthy subjects for assisted ankle rehabilitation. Journal of Medical Engineering and Technology, 2018, 42, 26-34.	1.4	6
97	GSG: A Granary-Shaped Soft Gripper With Mechanical Sensing via Snap-Through Structure. IEEE Robotics and Automation Letters, 2022, 7, 9421-9428.	5.1	6
98	Delicate manipulations with compliant mechanism and electrostatic adhesion. , 2016, , .		5
99	Development of a Wearable Electroencephalographic Device for Anxiety Monitoring1. Journal of Medical Devices, Transactions of the ASME, 2015, 9, .	0.7	4
100	Design and evaluation of Rheumatoid Arthritis rehabilitative Device (RARD) for laterally bent fingers. , 2016, , .		4
101	3D printed Soft Extension Actuator. , 2021, , .		4
102	Effects of visual feedback on motion mimicry ability during video-based rehabilitation. Cogent Medicine, 2016, 3, 1215284.	0.7	3
103	The Biomechanics of Character Types in Javanese Dance. Journal of Dance Medicine and Science, 2019, 23, 104-111.	0.7	3
104	The Biomechanics of ACL Injury: Progresses toward Prophylactic Strategies. Critical Reviews in Biomedical Engineering, 2013, 41, 309-321.	0.9	2
105	Soft Robotics: Flexible and Stretchable Strain Sensing Actuator for Wearable Soft Robotic Applications (Adv. Mater. Technol. 3/2016). Advanced Materials Technologies, 2016, 1, .	5.8	2
106	A Low-Profile Soft Robotic Sixth-Finger for Grasp Compensation in Hand-Impaired Patients1. Journal of Medical Devices, Transactions of the ASME, 2016, 10, .	0.7	2
107	Soft robotic Sit-to-Stand trainer seat. , 2016, , .		2
108	Soft Printable Pneumatics for Wrist Rehabilitation. Biosystems and Biorobotics, 2017, , 545-550.	0.3	2

#	ARTICLE	IF	CITATIONS
109	Shape Programming Using Triangular and Rectangular Soft Robot Primitives. <i>Micromachines</i> , 2019, 10, 236.	2.9	2
110	Design and Evaluation of a Novel Hybrid Soft Surgical Gripper for Safe Digital Nerve Manipulation. <i>Micromachines</i> , 2019, 10, 190.	2.9	2
111	Application of Novel Graphite Flex Sensors in Closed-Loop Angle Feedback on a Soft Robotic Glove for Stroke Rehabilitation. <i>Journal of Prosthetics and Orthotics</i> , 2020, 32, 272-285.	0.4	2
112	Effects of Squatting Speed and Depth on Lower Extremity Kinematics, Kinetics and Energetics. <i>Journal of Mechanics in Medicine and Biology</i> , 0, , .	0.7	2
113	Extent and distribution of tibial osteochondral disruption during simulated landing impact with axial tibial rotation restraint. <i>Journal of Biomechanics</i> , 2010, 43, 2010-2016.	2.1	1
114	Differential Spring Stiffness Design for Finger Therapy Exercise Device: Bio-inspired from Stiff Pathological Finger Joints. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2012, 6, .	0.7	1
115	A Portable Soft Hand Exerciser With Variable Elastic Resistance for Rehabilitation and Strengthening of Finger, Wrist, and Hand. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2015, 9, .	0.7	1
116	Simplifying Soft Robots Through Adhesive-backed Fabrics. , 2019, , .		1
117	Erratum to "Design, Characterization, and Implementation of a Two-DOF Fabric-Based Soft Robotic Arm" IEEE Robotics and Automation Letters, 2019, 4, 2250-2250.	5.1	1
118	Multilayer Extending Actuator for Soft Robotic Applications. , 2021, , .		1
119	Utilizing Sacrificial Molding for Embedding Motion Controlling Endostructures in Soft Pneumatic Actuators. , 2020, , .		1
120	FPGA implementation of a FA-1 mechanoreceptor model for efficient representation of tactile features. , 2016, , .		0
121	Carpie: A soft, mechanically-reconfigurable worm robot. , 2019, , .		0
122	Improved Fabrication of Soft Robotic Pad for Wearable Assistive Devices. <i>Biosystems and Biorobotics</i> , 2019, , 401-405.	0.3	0
123	Pathomechanics of Post-traumatic Knee Injuries. <i>IFMBE Proceedings</i> , 2008, , 13-17.	0.3	0