Kate Jolly

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5374614/publications.pdf

Version: 2024-02-01

199 papers 8,328 citations

45 h-index 81 g-index

208 all docs $\begin{array}{c} 208 \\ \\ \text{docs citations} \end{array}$

208 times ranked 10737 citing authors

#	Article	IF	Citations
1	Effects of interventions in pregnancy on maternal weight and obstetric outcomes: meta-analysis of randomised evidence. BMJ, The, 2012, 344, e2088-e2088.	6.0	642
2	Home based versus centre based cardiac rehabilitation: Cochrane systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 340, b5631-b5631.	2.3	354
3	Home-based versus centre-based cardiac rehabilitation. , 2010, , CD007130.		330
4	Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: Lighten Up randomised controlled trial. BMJ: British Medical Journal, 2011, 343, d6500-d6500.	2.3	308
5	Home-based versus centre-based cardiac rehabilitation. The Cochrane Library, 2017, 2017, CD007130.	2.8	234
6	Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. Lancet, The, 2016, 388, 2492-2500.	13.7	220
7	Randomised controlled trial of follow up care in general practice of patients with myocardial infarction and angina: final results of the Southampton heart integrated care project (SHIP). BMJ: British Medical Journal, 1999, 318, 706-711.	2.3	200
8	Increased risk of ischemic heart disease, hypertension, and type 2 diabetes in women with previous gestational diabetes mellitus, a target group in general practice for preventive interventions: A population-based cohort study. PLoS Medicine, 2018, 15, e1002488.	8.4	199
9	Interventions to reduce or prevent obesity in pregnant women: a systematic review Health Technology Assessment, 2012, 16, iii-iv, 1-191.	2.8	176
10	Eating attentively: a systematic review and meta-analysis of the effect of food intake memory and awareness on eating. American Journal of Clinical Nutrition, 2013, 97, 728-742.	4.7	174
11	The effects of educational curricula and training on LGBTâ€specific health issues for healthcare students and professionals: a mixedâ€method systematic review. Journal of the International AIDS Society, 2017, 20, 21624.	3.0	173
12	Impact of Exercise Rehabilitation on Exercise Capacity and Quality-of-Life in Heart Failure. Journal of the American College of Cardiology, 2019, 73, 1430-1443.	2.8	172
13	The Birmingham Rehabilitation Uptake Maximisation Study (BRUM). Home-based compared with hospital-based cardiac rehabilitation in a multi-ethnic population: cost-effectiveness and patient adherence. Health Technology Assessment, 2007, 11, 1-118.	2.8	151
14	Home-based cardiac rehabilitation compared with centre-based rehabilitation and usual care: A systematic review and meta-analysis. International Journal of Cardiology, 2006, 111, 343-351.	1.7	140
15	Comparing Skype (video calling) and in-person qualitative interview modes in a study of people with irritable bowel syndrome – an exploratory comparative analysis. BMC Medical Research Methodology, 2019, 19, 219.	3.1	140
16	The Birmingham rehabilitation uptake maximisation study (BRUM): a randomised controlled trial comparing home-based with centre-based cardiac rehabilitation. Heart, 2008, 95, 36-42.	2.9	133
17	Systematic review of peer support for breastfeeding continuation: metaregression analysis of the effect of setting, intensity, and timing. BMJ: British Medical Journal, 2012, 344, d8287-d8287.	2.3	132
18	Herbal medicine: women's views, knowledge and interaction with doctors: a qualitative study. BMC Complementary and Alternative Medicine, 2006, 6, 40.	3.7	126

#	Article	IF	CITATIONS
19	Impact of exerciseâ€based cardiac rehabilitation in patients with heart failure (ExTraMATCH II) on mortality and hospitalisation: an individual patient data metaâ€analysis of randomised trials. European Journal of Heart Failure, 2018, 20, 1735-1743.	7.1	125
20	Ethnicity and cardiovascular disease prevention in the United Kingdom: a practical approach to management. Journal of Human Hypertension, 2007, 21, 183-211.	2.2	113
21	Effects of a standard provision versus an autonomy supportive exercise referral programme on physical activity, quality of life and well-being indicators: a cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 10.	4.6	106
22	Home-based versus centre-based cardiac rehabilitation: abridged Cochrane systematic review and meta-analysis. Open Heart, 2016, 3, e000463.	2.3	101
23	Self-care and adherence to medication: a survey in the hypertension outpatient clinic. BMC Complementary and Alternative Medicine, 2008, 8, 4.	3.7	100
24	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. European Journal of Preventive Cardiology, 2019, 26, 262-272.	1.8	96
25	A randomized trial of the addition of homeâ€based exercise to specialist heart failure nurse care: the Birmingham Rehabilitation Uptake Maximisation study for patients with Congestive Heart Failure (BRUMâ€CHF) study. European Journal of Heart Failure, 2009, 11, 205-213.	7.1	93
26	A self-management programme for COPD: a randomised controlled trial. European Respiratory Journal, 2014, 44, 1538-1547.	6.7	91
27	Effects of exercise training for heart failure with preserved ejection fraction: A systematic review and meta-analysis of comparative studies. International Journal of Cardiology, 2012, 162, 6-13.	1.7	88
28	Development and feasibility testing of a smart phone based attentive eating intervention. BMC Public Health, 2013, 13, 639.	2.9	88
29	Home-based versus centre-based cardiac rehabilitation. , 2015, , CD007130.		87
30	Women's use of complementary and alternative medicines during pregnancy: A cross-sectional study. Midwifery, 2014, 30, 499-505.	2.3	82
31	In the beginning: Role of autonomy support on the motivation, mental health and intentions of participants entering an exercise referral scheme. Psychology and Health, 2011, 26, 729-749.	2.2	77
32	'DNA' may not mean 'did not participate': a qualitative study of reasons for non-adherence at homeand centre-based cardiac rehabilitation. Family Practice, 2007, 24, 343-357.	1.9	76
33	The effectiveness of exercise in the management of post-natal depression: systematic review and meta-analysis. Family Practice, 2009, 26, 154-162.	1.9	76
34	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. BMJ Open, 2018, 8, e019649.	1.9	66
35	Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 104.	4.6	65
36	Self management of patients with mild COPD in primary care: randomised controlled trial. BMJ: British Medical Journal, 2018, 361, k2241.	2.3	64

#	Article	IF	CITATIONS
37	Supported self-management for patients with moderate to severe chronic obstructive pulmonary disease (COPD): an evidence synthesis and economic analysis. Health Technology Assessment, 2015, 19, 1-516.	2.8	64
38	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. Lancet Respiratory Medicine, the, 2016, 4, 720-730.	10.7	63
39	Needs of caregivers in heart failure management: A qualitative study. Chronic Illness, 2015, 11, 304-319.	1.5	62
40	Sudden death in patients receiving drugs tending to prolong the QT interval. British Journal of Clinical Pharmacology, 2009, 68, 743-751.	2.4	61
41	Barriers and enablers of physical activity engagement for patients with COPD in primary care. International Journal of COPD, 2017, Volume 12, 1019-1031.	2.3	61
42	Self-management of health care behaviors for COPD: a systematic review and meta-analysis. International Journal of COPD, 2016, 11, 305.	2.3	53
43	Antenatal peer support workers and initiation of breast feeding: cluster randomised controlled trial. BMJ: British Medical Journal, 2009, 338, b131-b131.	2.3	52
44	Optimising self-care support for people with heart failure and their caregivers: development of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) intervention using intervention mapping. Pilot and Feasibility Studies, 2016, 2, 37.	1.2	51
45	A pragmatic randomized controlled trial to evaluate the effectiveness of a facilitated exercise intervention as a treatment for postnatal depression: the PAM-PeRS trial. Psychological Medicine, 2015, 45, 2413-2425.	4.5	50
46	Trends in the incidence of testing for vitamin D deficiency in primary care in the UK: a retrospective analysis of The Health Improvement Network (THIN), 2005–2015. BMJ Open, 2019, 9, e028355.	1.9	47
47	Home-based versus hospital-based cardiac rehabilitation after myocardial infarction or revascularisation: design and rationale of the Birmingham Rehabilitation Uptake Maximisation Study (BRUM): a randomised controlled trial [ISRCTN72884263]. BMC Cardiovascular Disorders, 2003, 3, 10.	1.7	46
48	Improving the Prescription of Oral Anticoagulants in Atrial Fibrillation: A Systematic Review. Thrombosis and Haemostasis, 2019, 119, 294-307.	3.4	46
49	NSAIDs and Gastrointestinal Cancer Prevention. Drugs, 2002, 62, 945-956.	10.9	45
50	Does aerobic exercise reduce postpartum depressive symptoms? a systematic review and meta-analysis. British Journal of General Practice, 2017, 67, e684-e691.	1.4	45
51	Follow-up care in general practice of patients with myocardial infarction or angina pectoris: initial results of the SHIP trial. Southampton Heart Integrated Care Project. Family Practice, 1998, 15, 548-555.	1.9	44
52	Attendance of Ethnic Minority Patients in Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2004, 24, 308-312.	0.5	44
53	Costs and benefits of iodine supplementation for pregnant women in a mildly to moderately iodine-deficient population: a modelling analysis. Lancet Diabetes and Endocrinology,the, 2015, 3, 715-722.	11.4	42
54	Improving exclusive breastfeeding in low and middleâ€income countries: A systematic review. Maternal and Child Nutrition, 2019, 15, e12788.	3.0	42

#	Article	IF	CITATIONS
55	Is exercise associated with primary dysmenorrhoea in young women?. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 222-224.	2.3	41
56	Regular self-weighing to promote weight maintenance after intentional weight loss: a quasi-randomized controlled trial. Journal of Public Health, 2014, 36, 259-267.	1.8	39
57	Synthetic social support: Theorizing lay health worker interventions. Social Science and Medicine, 2018, 196, 96-105.	3.8	39
58	Which weight-loss programmes are as effective as Weight Watchers < \hat{A}^{\otimes} < /sup>?. British Journal of General Practice, 2014, 64, e128-e136.	1.4	38
59	The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. European Journal of Preventive Cardiology, 2019, 26, 1252-1261.	1.8	36
60	Reproducibility and safety of the incremental shuttle walking test for cardiac rehabilitation. International Journal of Cardiology, 2008, 125, 144-145.	1.7	35
61	A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. BMC Public Health, 2010, 10, 439.	2.9	35
62	Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. European Journal of Cardiovascular Nursing, 2019, 18, 611-620.	0.9	35
63	Patients' Experience of Home and Hospital Based Cardiac Rehabilitation: A Focus Group Study. European Journal of Cardiovascular Nursing, 2009, 8, 9-17.	0.9	34
64	Management of type III female genital mutilation in Birmingham, UK: A retrospective audit. Midwifery, 2014, 30, 282-288.	2.3	33
65	Recruitment of ethnic minority patients to a cardiac rehabilitation trial: The Birmingham Rehabilitation Uptake Maximisation (BRUM) study [ISRCTN72884263]. BMC Medical Research Methodology, 2005, 5, 18.	3.1	32
66	Patterns of analgesic use, pain and self-efficacy: a cross-sectional study of patients attending a hospital rheumatology clinic. BMC Musculoskeletal Disorders, 2009, 10, 137.	1.9	32
67	Clinical effectiveness and cost-effectiveness of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) facilitated self-care rehabilitation intervention in heart failure patients and caregivers: rationale and protocol for a multicentre randomised controlled trial. BMJ Open, 2015, 5, e009994.	1.9	29
68	Lay support for pregnant women with social risk: a randomised controlled trial. BMJ Open, 2016, 6, e009203.	1.9	29
69	Is weight cycling associated with adverse health outcomes? A cohort study. Preventive Medicine, 2018, 108, 47-52.	3.4	29
70	Supported self-management for patients with COPD who have recently been discharged from hospital: a systematic review and meta-analysis. International Journal of COPD, 2015, 10, 853.	2.3	28
71	Evaluation of a standard provision versus an autonomy promotive exercise referral programme: rationale and study design. BMC Public Health, 2009, 9, 176.	2.9	27
72	Feasibility and acceptability of regular weighing, setting weight gain limits and providing feedback by community midwives to prevent excess weight gain during pregnancy: randomised controlled trial and qualitative study. BMC Obesity, 2015, 2, 35.	3.1	27

#	Article	IF	CITATIONS
73	Exercise for premenstrual syndrome: a systematic review and meta-analysis of randomised controlled trials. BJGP Open, 2020, 4, bjgpopen20X101032.	1.8	27
74	Effect of antenatal peer support on breastfeeding initiation: a systematic review. Cmaj, 2010, 182, 1739-1746.	2.0	26
75	Effect of a peer support service on breast-feeding continuation in the UK: A randomised controlled trial. Midwifery, 2012, 28, 740-745.	2.3	26
76	A survey on knowledge of female genital mutilation guidelines. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 858-861.	2.8	25
77	A Comparison of the Validity and Responsiveness of the EQ-5D-5L and SF-6D for Measuring Health Spillovers: A Study of the Family Impact of Meningitis. Medical Decision Making, 2017, 37, 882-893.	2.4	25
78	Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. BMJ Open, 2019, 9, e026039.	1.9	24
79	Incidence of Cardiometabolic Diseases in People With and Without Human Immunodeficiency Virus in the United Kingdom: A Population-Based Matched Cohort Study. Journal of Infectious Diseases, 2022, 225, 1348-1356.	4.0	24
80	Patient self-management in primary care patients with mild COPD – protocol of a randomised controlled trial of telephone health coaching. BMC Pulmonary Medicine, 2015, 15, 16.	2.0	23
81	A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 125.	4.6	22
82	Systematic review of the effectiveness of community-based self-management interventions among primary care COPD patients. Npj Primary Care Respiratory Medicine, 2018, 28, 44.	2.6	22
83	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. Thorax, 2019, 74, 730-739.	5.6	22
84	Atrial fibrillation in low- and middle-income countries: a narrative review. European Heart Journal Supplements, 2020, 22, O61-O77.	0.1	22
85	Home-based exercise rehabilitation in addition to specialist heart failure nurse care: design, rationale and recruitment to the Birmingham Rehabilitation Uptake Maximisation study for patients with congestive heart failure (BRUM-CHF): a randomised controlled trial. BMC Cardiovascular Disorders, 2007. 7. 9.	1.7	21
86	Obesity in pregnancy: a review of reviews on the effectiveness of interventions. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1309-1312.	2.3	21
87	A brief intervention for weight management in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 393.	1.6	21
88	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. International Journal of Epidemiology, 2017, 46, dyv350.	1.9	21
89	Remote Consultations Versus Standard Face-to-Face Appointments for Liver Transplant Patients in Routine Hospital Care: Feasibility Randomized Controlled Trial of myVideoClinic. Journal of Medical Internet Research, 2021, 23, e19232.	4.3	19
90	Use of complementary and alternative medicine and self-tests by coronary heart disease patients. BMC Complementary and Alternative Medicine, 2008, 8, 47.	3.7	18

#	Article	IF	CITATIONS
91	What the public think about hypnosis and hypnotherapy: A narrative review of literature covering opinions and attitudes of the general public 1996–2016. Complementary Therapies in Medicine, 2017, 32, 75-84.	2.7	18
92	Effectiveness of a behavioural intervention involving regular weighing and feedback by community midwives within routine antenatal care to prevent excessive gestational weight gain: POPS2 randomised controlled trial. BMJ Open, 2019, 9, e030174.	1.9	18
93	Women's and peer supporters' experiences of an assetsâ€based peer support intervention for increasing breastfeeding initiation and continuation: A qualitative study. Health Expectations, 2020, 23, 622-631.	2.6	18
94	Systematic review, meta-analysis with subgroup analysis of hypnotherapy for irritable bowel syndrome, effect of intervention characteristics. Complementary Therapies in Medicine, 2021, 57, 102672.	2.7	18
95	Evaluation of a text supported weight maintenance programme â€`Lighten Up Plus' following a weight reduction programme: randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 19.	4.6	17
96	Web-based cardiac RE habilitatio N alternative for those declining or dropping out of conventional rehabilitation: results of the WREN feasibility randomised controlled trial. Open Heart, 2018, 5, e000860.	2.3	17
97	Case-finding for COPD in primary care: a qualitative study of patients' perspectives. International Journal of COPD, 2018, Volume 13, 1623-1632.	2.3	17
98	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versusroutine practice in primary care: protocol. BMC Pulmonary Medicine, 2014, 14, 157.	2.0	16
99	Provision of Healthcare Services to Men Who Have Sex with Men in Nigeria: Students' Attitudes Following the Passage of the Same-Sex Marriage Prohibition Law. LGBT Health, 2016, 3, 300-307.	3.4	16
100	Targeted case finding in the prevention of cardiovascular disease: a stepped wedge cluster randomised controlled trial. British Journal of General Practice, 2016, 66, e758-e767.	1.4	16
101	Screening and brief intervention for obesity in primary care: cost-effectiveness analysis in the BWeL trial. International Journal of Obesity, 2019, 43, 2066-2075.	3.4	16
102	Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). BMC Public Health, 2015, 15, 530.	2.9	15
103	Rehabilitation Enablement in Chronic Heart Failure—a facilitated self-care rehabilitation intervention in patients with heart failure with preserved ejection fraction (REACH-HFpEF) and their caregivers: rationale and protocol for a single-centre pilot randomised controlled trial. BMJ Open, 2016, 6, e012853.	1.9	15
104	The ABA intervention for improving breastfeeding initiation and continuation: Feasibility study results. Maternal and Child Nutrition, 2020, 16, e12907.	3.0	15
105	Plasma haemostatic markers, endothelial function and ambulatory blood pressure changes with home versus hospital cardiac rehabilitation: the Birmingham Rehabilitation Uptake Maximisation Study. Heart, 2006, 92, 1732-1738.	2.9	14
106	The development and validation of the Interpersonal Support in Physical Activity Consultations Observational Tool. European Journal of Sport Science, 2016, 16, 106-114.	2.7	14
107	Improving recruitment to a study of telehealth management for COPD: a cluster randomised controlled â€~study within a trial' (SWAT) of a multimedia information resource. Trials, 2019, 20, 453.	1.6	14
108	Volumes of cancer surgery for breast, colorectal and ovarian cancer 1992–97: is there evidence of increasing sub-specialization by surgeons?. British Journal of Cancer, 2001, 84, 1308-1313.	6.4	13

#	Article	IF	CITATIONS
109	Cross-cultural adaptation into Punjabi of the English version of the Hospital Anxiety and Depression Scale. BMC Psychiatry, 2007, 7, 5.	2.6	13
110	Evaluation of Lay Support in Pregnant women with Social risk (ELSIPS): a randomised controlled trial. BMC Pregnancy and Childbirth, 2012, 12, 11.	2.4	13
111	Mixed methods evaluation of targeted case finding for cardiovascular disease prevention using a stepped wedged cluster RCT. BMC Public Health, 2012, 12, 908.	2.9	13
112	A critique of the design, implementation, and delivery of a culturally-tailored self-management education intervention: a qualitative evaluation. BMC Health Services Research, 2015, 15, 54.	2.2	13
113	Long-term conditions, self-management and systems of support: an exploration of health beliefs and practices within the Sikh community, Birmingham, UK. Ethnicity and Health, 2016, 21, 498-514.	2.5	13
114	Clinicians' views and experiences of prescribing oral anticoagulants for stroke prevention in atrial fibrillation: A qualitative meta-synthesis. PLoS ONE, 2020, 15, e0232484.	2.5	13
115	The effectiveness of exercise as a treatment for postnatal depression: study protocol. BMC Pregnancy and Childbirth, 2012, 12, 45.	2.4	12
116	How Do People With COPD Value Different Activities? An Adapted Meta-Ethnography of Qualitative Research. Qualitative Health Research, 2017, 27, 37-50.	2.1	12
117	How do people with refractory irritable bowel syndrome perceive hypnotherapy?: Qualitative study. Complementary Therapies in Medicine, 2019, 45, 65-70.	2.7	12
118	Healthy Dads, Healthy Kids UK, a weight management programme for fathers: feasibility RCT. BMJ Open, 2019, 9, e033534.	1.9	12
119	Exercise to treat depression. BMJ, The, 2012, 344, e3181-e3181.	6.0	11
120	Effectiveness of regular weighing, weight target setting and feedback by community midwives within routine antenatal care in preventing excessive gestational weight gain: randomised controlled trial. BMC Obesity, 2015, 3, 7.	3.1	11
121	The equity impact of brief opportunistic interventions to promote weight loss in primary care: secondary analysis of the BWeL randomised trial. BMC Medicine, 2019, 17, 51.	5.5	11
122	Hidden healthcare populations: using intersectionality to theorise the experiences of LGBT+ people in Nigeria, Africa. Global Public Health, 2022, 17, 134-149.	2.0	11
123	Incremental shuttle walking is associated with activation of haemostatic and haemorheological markers in patients with coronary artery disease: the Birmingham rehabilitation uptake maximisation study (BRUM). Heart, 2005, 91, 1413-1417.	2.9	10
124	Effects of Interventions in Pregnancy on Maternal Weight and Obstetric Outcomes. Obstetrical and Gynecological Survey, 2012, 67, 603-604.	0.4	10
125	Comparative effect of physical exercise versus statins on improving arterial stiffness in patients with high cardiometabolic risk: A network meta-analysis. PLoS Medicine, 2021, 18, e1003543.	8.4	10
126	The Effect of Providing Staff Training and Enhanced Support to Care Homes on Care Processes, Safety Climate and Avoidable Harms: Evaluation of a Care Home Quality Improvement Programme in England. International Journal of Environmental Research and Public Health, 2021, 18, 7581.	2.6	10

#	Article	IF	CITATIONS
127	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. British Journal of Sports Medicine, 2021, 55, 444-450.	6.7	10
128	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106.	2.8	10
129	Epidemiology and diagnosis of meningitis: results of a five-year prospective, population-based study. Communicable Disease and Public Health / Phls, 2001, 4, 124-9.	0.4	10
130	Psychotropic medication: curing illness or creating problems?. Heart, 2009, 95, 1893-1894.	2.9	9
131	lodine Supplements During and After Pregnancy. JAMA - Journal of the American Medical Association, 2013, 309, 1345.	7.4	9
132	Protocol for a feasibility trial for improving breast feeding initiation and continuation: assets-based infant feeding help before and after birth (ABA). BMJ Open, 2018, 8, e019142.	1.9	9
133	Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregiver's. Pilot and Feasibility Studies, 2021, 7, 11.	1.2	9
134	Accuracy and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among primary care patients (≥40 years) in China: a cross-sectional screening test accuracy study: findings from the Breathe Well group. BMJ Open, 2021, 11, e051811.	1.9	9
135	A brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: a RCT. Public Health Research, 2019, 7, 1-66.	1.3	9
136	Nursery sickness policies and their influence on prescribing for conjunctivitis: audit and questionnaire survey. British Journal of General Practice, 2016, 66, e674-e679.	1.4	8
137	Are babies conceived during Ramadan born smaller and sooner than babies conceived at other times of the year? A Born in Bradford Cohort Study. Journal of Epidemiology and Community Health, 2017, 71, 722-728.	3.7	8
138	Women's experiences of exercise as a treatment for their postnatal depression: A nested qualitative study. Journal of Health Psychology, 2020, 25, 684-691.	2.3	8
139	A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. Programme Grants for Applied Research, 2021, 9, 1-100.	1.0	8
140	Cultural adaptation of a children's weight management programme: Child weigHt mANaGement for Ethnically diverse communities (CHANGE) study. BMC Public Health, 2019, 19, 848.	2.9	7
141	The Push and Pull of Self-Managing Mild COPD: An Evaluation of Participant Experiences of a Nurse-Led Telephone Health Coaching Intervention. Qualitative Health Research, 2019, 29, 658-671.	2.1	7
142	Effect of Exercise on Motor Symptoms in Patients With Parkinson's Disease: A Network Meta-analysis. Journal of Geriatric Physical Therapy, 2023, 46, E87-E105.	1.1	7
143	Snacktivityâ,,¢ to Promote Physical Activity: a Qualitative Study. International Journal of Behavioral Medicine, 2022, 29, 553-564.	1.7	7
144	Real-time remote outpatient consultations in secondary and tertiary care: A systematic review of inequalities in invitation and uptake. PLoS ONE, 2022, 17, e0269435.	2.5	7

#	Article	IF	Citations
145	Death rate from asthma BMJ: British Medical Journal, 1993, 306, 518-518.	2.3	6
146	"Flogging dead horses": evaluating when have clinical trials achieved sufficiency and stability? A case study in cardiac rehabilitation. Trials, 2011, 12, 83.	1.6	6
147	Telemonitoring for patients with COPD. BMJ, The, 2013, 347, f5932-f5932.	6.0	6
148	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. BMJ Open, 2018, 8, e022382.	1.9	6
149	Outcome measures in a combined exercise rehabilitation programme for adults with COPD and chronic heart failure: A preliminary stakeholder consensus event. Chronic Respiratory Disease, 2019, 16, 147997311986795.	2.4	6
150	Cultural adaptation of an existing children's weight management programme: the CHANGE intervention and feasibility RCT. Health Technology Assessment, 2019, 23, 1-166.	2.8	6
151	Has Calman-Hine succeeded? Analysis of breast cancer procedure loads per consultant firm before and after the Calman-Hine report. Breast, 2001, 10, 55-57.	2.2	5
152	Impact of primary care exercise referral schemes on the health of patients with obesity. Journal of Pragmatic and Observational Research, 2017, Volume 8, 189-201.	1.5	5
153	Exploring the views of female genital mutilation survivors, their male partners and healthcare professionals on the timing of deinfibulation surgery and NHS FGM care provision (the FGM Sister) Tj ETQq1 1	0.78 ⊭ 914 r	gB፮/Overloc
154	Stay home and stay active? The impact of stay-at-home restrictions on physical activity routines in the UK during the COVID-19 pandemic. Journal of Sports Sciences, 2022, 40, 310-322.	2.0	5
155	Sickness Absence from Work and Influenza Immunization. Occupational Medicine, 1987, 37, 128-129.	1.4	4
156	Ethnicity and cardiovascular disease prevention: practical clinical considerations. Current Opinion in Cardiology, 2008, 23, 465-470.	1.8	4
157	A cluster-randomised feasibility trial of a children's weight management programme: the Child weigHt mANaGement for Ethnically diverse communities (CHANGE) study. Pilot and Feasibility Studies, 2018, 4, 175.	1.2	4
158	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	2.2	4
159	Incorporating Household Spillovers in Cost Utility Analysis: A Case Study Using Behavior Change in COPD. International Journal of Technology Assessment in Health Care, 2019, 35, 212-220.	0.5	4
160	Exploring the use and experience of an infant feeding genogram to facilitate an assets-based approach to support infant feeding. BMC Pregnancy and Childbirth, 2020, 20, 569.	2.4	4
161	Feasibility and acceptability of a brief routine weight management intervention for postnatal women embedded within the national child immunisation programme in primary care: randomised controlled cluster feasibility trial. Trials, 2020, 21, 757.	1.6	4
162	What is the effectiveness of community-based health promotion campaigns on chlamydia screening uptake in young people and what barriers and facilitators have been identified? A mixed-methods systematic review. Sexually Transmitted Infections, 2021, , sextrans-2021-055142.	1.9	4

#	Article	IF	CITATIONS
163	A weight management programme for fathers of children aged 4–11 years: cultural adaptation and the Healthy Dads, Healthy Kids UK feasibility RCT. Public Health Research, 2020, 8, 1-166.	1.3	4
164	An assets-based intervention before and after birth to improve breastfeeding initiation and continuation: the ABA feasibility RCT. Public Health Research, 2020, 8, 1-156.	1.3	4
165	Re-organizing services for the management of upper gastrointestinal cancers: patterns of care and problems with change. Public Health, 2004, 118, 360-369.	2.9	3
166	Provision of commercial weight management programmes. Lancet, The, 2011, 378, 1444-1445.	13.7	3
167	Perceptions of risk factors of cardiovascular disease and cardiac rehabilitation: a cross-sectional study targeting the Chinese population in the Midlands, UK. Heart Asia, 2012, 4, 57-61.	1.1	3
168	Cultural adaptation of a children's weight management programme for Bangladeshi and Pakistani families in the UK: a cluster-randomised feasibility study protocol. Pilot and Feasibility Studies, 2016, 2, 48.	1.2	3
169	What factors influence weight loss in participants of commercial weight loss programmes? Implications for health policy. Obesity Research and Clinical Practice, 2017, 11, 709-717.	1.8	3
170	The experiences of postnatal women and healthcare professionals of a brief weight management intervention embedded within the national child immunisation programme. BMC Pregnancy and Childbirth, 2021, 21, 462.	2.4	3
171	Protocol for the feasibility and acceptability of a brief routine weight management intervention for postnatal women embedded within the national child immunisation programme: randomised controlled cluster feasibility trial with nested qualitative study (PIMMS-WL). BMJ Open, 2020, 10, e033027.	1.9	3
172	Methodological challenges of cross-language qualitative research with South Asian communities living in the UK. Family Medicine and Community Health, 2016, 4, 16-28.	1.6	2
173	Factors which affect the efficacy of hypnotherapy for IBS: Protocol for a systematic review and meta-regression. European Journal of Integrative Medicine, 2018, 21, 58-62.	1.7	2
174	Effectiveness of community-based self-management interventions among primary care COPD patients: a systematic review. , 2017, , .		2
175	Using a rapid prioritisation process to identify health research priorities in LMICs. , 2018, , .		2
176	The success of an integrated care programme for patients with ischaemic heart disease: the practice nurses' perspective of SHIP. Journal of Clinical Nursing, 1999, 8, 519-526.	3.0	1
177	Exercise for postnatal psychological outcomes: a systematic review and meta-analysis. Lancet, The, 2012, 380, S25.	13.7	1
178	Public health benefits of weight loss: in response to Dixon et al Journal of Public Health, 2013, 35, 342-342.	1.8	1
179	S82 An Economic Evaluation Of Self-management Programs Delivered At Discharge After Acute Exacerbation, In Copd Patients In The Uk. Thorax, 2014, 69, A45-A45.	5.6	1
180	Cardiac rehabilitation in heart failure with reduced ejection fraction: A "should take it and not leave it―intervention. American Heart Journal, 2017, 192, e1-e2.	2.7	1

#	Article	IF	CITATIONS
181	How do people with refractory irritable bowel syndrome perceive hypnotherapy: Qualitative study protocol. European Journal of Integrative Medicine, 2019, 26, 50-55.	1.7	1
182	Primary Care Healthcare Professionals' Knowledge, Attitudes, and Practices Towards Promoting the Reduction of Children's Secondhand Smoke Exposure: A Mixed-Methods Review and Synthesis. Nicotine and Tobacco Research, 2019, 21, 398-408.	2.6	1
183	Emergency Oral Contraceptive Consultations in Pharmacies in a Rural Setting: An Epidemiological Analysis. Journal of Pharmacy Practice, 2020, , 089719002096169.	1.0	1
184	Gender differences in response to an opportunistic brief intervention for obesity in primary care: Data from the BWeL trial. Clinical Obesity, 2021, 11, e12418.	2.0	1
185	P215â€Effectiveness of community-based health promotion campaign methods on chlamydia screening uptake in young people: A mixed-methods systematic review. , 2021, , .		1
186	Practice nurse-supported weight self-management delivered within the national child immunisation programme for postnatal women: a feasibility cluster RCT. Health Technology Assessment, 2021, 25, 1-130.	2.8	1
187	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-148.	1.0	1
188	Neonatal screening programme for phenylketonuria. BMJ: British Medical Journal, 1991, 303, 716-716.	2.3	0
189	Meta-analysis finds exercise training is safe in people with heart failure and left ventricular dysfunction. Evidence-based Cardiovascular Medicine, 2004, 8, 327-328.	0.0	0
190	Commentary. Evidence-based Cardiovascular Medicine, 2004, 8, 329-330.	0.0	0
191	The effect of home-based versus hospital-based cardiac rehabilitation on 24-hour ambulatory blood pressure and lipid profile in patients with coronary heart disease: the birmingham rehabilitation uptake maximisation study (BRUM). American Journal of Hypertension, 2004, 17, S147.	2.0	0
192	47â€Rehabilitation enablement in chronic heart failure (reach-HF) a multicentre randomised controlled trial of facilitated self-care rehabilitation intervention in heart failure with reduced ejection fraction. , 2018, , .		0
193	P216â€Umbrella combined sexual health services, chlamydia screening and deprivation: are we achieving continued screening of high-risk populations?. , 2021, , .		0
194	444 A randomised trial of home-based exercise in patients with heart failure: results of the BRUM-CHF study. European Journal of Heart Failure, Supplement, 2007, 6, 93-93.	0.0	0
195	Don't forget rehabilitation. BMJ: British Medical Journal, 2010, 341, c4286-c4286.	2.3	0
196	TargetCOPD: A pragmatic randomised controlled trial of targeted case finding for COPD <i>versus</i> routine practice in primary care., 2015,,.		0
197	A longitudinal qualitative study of nurse-led telephone health coaching for COPD. , 2016, , .		0
198	Effect of screening for undiagnosed COPD on respiratory hospitalisation and mortality; 4 year follow up of the TargetCOPD trial. , 2019 , , .		0

ARTICLE IF CITATIONS

199 The Evidence Base for Cardiac Rehabilitation., 2007, ,9-18. 0