
## Kate Jolly

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5374614/publications.pdf Version: 2024-02-01



KATELOUX

#	Article	IF	CITATIONS
1	Effect of Exercise on Motor Symptoms in Patients With Parkinson's Disease: A Network Meta-analysis. Journal of Geriatric Physical Therapy, 2023, 46, E87-E105.	1.1	7
2	Hidden healthcare populations: using intersectionality to theorise the experiences of LGBT+ people in Nigeria, Africa. Global Public Health, 2022, 17, 134-149.	2.0	11
3	Incidence of Cardiometabolic Diseases in People With and Without Human Immunodeficiency Virus in the United Kingdom: A Population-Based Matched Cohort Study. Journal of Infectious Diseases, 2022, 225, 1348-1356.	4.0	24
4	Stay home and stay active? The impact of stay-at-home restrictions on physical activity routines in the UK during the COVID-19 pandemic. Journal of Sports Sciences, 2022, 40, 310-322.	2.0	5
5	Snacktivityâ"¢ to Promote Physical Activity: a Qualitative Study. International Journal of Behavioral Medicine, 2022, 29, 553-564.	1.7	7
6	Real-time remote outpatient consultations in secondary and tertiary care: A systematic review of inequalities in invitation and uptake. PLoS ONE, 2022, 17, e0269435.	2.5	7
7	Gender differences in response to an opportunistic brief intervention for obesity in primary care: Data from the BWeL trial. Clinical Obesity, 2021, 11, e12418.	2.0	1
8	Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregiver's. Pilot and Feasibility Studies, 2021, 7, 11.	1.2	9
9	Comparative effect of physical exercise versus statins on improving arterial stiffness in patients with high cardiometabolic risk: A network meta-analysis. PLoS Medicine, 2021, 18, e1003543.	8.4	10
10	A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. Programme Grants for Applied Research, 2021, 9, 1-100.	1.0	8
11	Systematic review, meta-analysis with subgroup analysis of hypnotherapy for irritable bowel syndrome, effect of intervention characteristics. Complementary Therapies in Medicine, 2021, 57, 102672.	2.7	18
12	The experiences of postnatal women and healthcare professionals of a brief weight management intervention embedded within the national child immunisation programme. BMC Pregnancy and Childbirth, 2021, 21, 462.	2.4	3
13	P215â€Effectiveness of community-based health promotion campaign methods on chlamydia screening uptake in young people: A mixed-methods systematic review. , 2021, , .		1
14	P216â€Umbrella combined sexual health services, chlamydia screening and deprivation: are we achieving continued screening of high-risk populations?. , 2021, , .		0
15	The Effect of Providing Staff Training and Enhanced Support to Care Homes on Care Processes, Safety Climate and Avoidable Harms: Evaluation of a Care Home Quality Improvement Programme in England. International Journal of Environmental Research and Public Health, 2021, 18, 7581.	2.6	10
16	Practice nurse-supported weight self-management delivered within the national child immunisation programme for postnatal women: a feasibility cluster RCT. Health Technology Assessment, 2021, 25, 1-130.	2.8	1
17	What is the effectiveness of community-based health promotion campaigns on chlamydia screening uptake in young people and what barriers and facilitators have been identified? A mixed-methods systematic review. Sexually Transmitted Infections, 2021, , sextrans-2021-055142.	1.9	4
18	Accuracy and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among primary care patients (≥40 years) in China: a cross-sectional screening test accuracy study: findings from the Breathe Well group. BMJ Open, 2021, 11, e051811.	1.9	9

#	Article	IF	CITATIONS
19	Remote Consultations Versus Standard Face-to-Face Appointments for Liver Transplant Patients in Routine Hospital Care: Feasibility Randomized Controlled Trial of myVideoClinic. Journal of Medical Internet Research, 2021, 23, e19232.	4.3	19
20	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. British Journal of Sports Medicine, 2021, 55, 444-450.	6.7	10
21	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-148.	1.0	1
22	Women's experiences of exercise as a treatment for their postnatal depression: A nested qualitative study. Journal of Health Psychology, 2020, 25, 684-691.	2.3	8
23	The ABA intervention for improving breastfeeding initiation and continuation: Feasibility study results. Maternal and Child Nutrition, 2020, 16, e12907.	3.0	15
24	Emergency Oral Contraceptive Consultations in Pharmacies in a Rural Setting: An Epidemiological Analysis. Journal of Pharmacy Practice, 2020, , 089719002096169.	1.0	1
25	Exploring the use and experience of an infant feeding genogram to facilitate an assets-based approach to support infant feeding. BMC Pregnancy and Childbirth, 2020, 20, 569.	2.4	4
26	Feasibility and acceptability of a brief routine weight management intervention for postnatal women embedded within the national child immunisation programme in primary care: randomised controlled cluster feasibility trial. Trials, 2020, 21, 757.	1.6	4
27	Clinicians' views and experiences of prescribing oral anticoagulants for stroke prevention in atrial fibrillation: A qualitative meta-synthesis. PLoS ONE, 2020, 15, e0232484.	2.5	13
28	Women's and peer supporters' experiences of an assetsâ€based peer support intervention for increasing breastfeeding initiation and continuation: A qualitative study. Health Expectations, 2020, 23, 622-631.	2.6	18
29	Atrial fibrillation in low- and middle-income countries: a narrative review. European Heart Journal Supplements, 2020, 22, 061-077.	0.1	22
30	Protocol for the feasibility and acceptability of a brief routine weight management intervention for postnatal women embedded within the national child immunisation programme: randomised controlled cluster feasibility trial with nested qualitative study (PIMMS-WL). BMJ Open, 2020, 10, e033027.	1.9	3
31	A weight management programme for fathers of children aged 4–11 years: cultural adaptation and the Healthy Dads, Healthy Kids UK feasibility RCT. Public Health Research, 2020, 8, 1-166.	1.3	4
32	An assets-based intervention before and after birth to improve breastfeeding initiation and continuation: the ABA feasibility RCT. Public Health Research, 2020, 8, 1-156.	1.3	4
33	Exercise for premenstrual syndrome: a systematic review and meta-analysis of randomised controlled trials. BJGP Open, 2020, 4, bjgpopen20X101032.	1.8	27
34	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106.	2.8	10
35	Improving recruitment to a study of telehealth management for COPD: a cluster randomised controlled †study within a trial' (SWAT) of a multimedia information resource. Trials, 2019, 20, 453.	1.6	14
36	Cultural adaptation of a children's weight management programme: Child weigHt mANaGement for Ethnically diverse communities (CHANGE) study. BMC Public Health, 2019, 19, 848.	2.9	7

#	Article	IF	CITATIONS
37	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. Thorax, 2019, 74, 730-739.	5.6	22
38	Outcome measures in a combined exercise rehabilitation programme for adults with COPD and chronic heart failure: A preliminary stakeholder consensus event. Chronic Respiratory Disease, 2019, 16, 147997311986795.	2.4	6
39	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	2.2	4
40	Improving exclusive breastfeeding in low and middleâ€income countries: A systematic review. Maternal and Child Nutrition, 2019, 15, e12788.	3.0	42
41	Improving the Prescription of Oral Anticoagulants in Atrial Fibrillation: A Systematic Review. Thrombosis and Haemostasis, 2019, 119, 294-307.	3.4	46
42	Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. European Journal of Cardiovascular Nursing, 2019, 18, 611-620.	0.9	35
43	Trends in the incidence of testing for vitamin D deficiency in primary care in the UK: a retrospective analysis of The Health Improvement Network (THIN), 2005–2015. BMJ Open, 2019, 9, e028355.	1.9	47
44	How do people with refractory irritable bowel syndrome perceive hypnotherapy?: Qualitative study. Complementary Therapies in Medicine, 2019, 45, 65-70.	2.7	12
45	How do people with refractory irritable bowel syndrome perceive hypnotherapy: Qualitative study protocol. European Journal of Integrative Medicine, 2019, 26, 50-55.	1.7	1
46	Incorporating Household Spillovers in Cost Utility Analysis: A Case Study Using Behavior Change in COPD. International Journal of Technology Assessment in Health Care, 2019, 35, 212-220.	0.5	4
47	Impact of Exercise Rehabilitation on Exercise Capacity and Quality-of-Life in Heart Failure. Journal of the American College of Cardiology, 2019, 73, 1430-1443.	2.8	172
48	The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. European Journal of Preventive Cardiology, 2019, 26, 1252-1261.	1.8	36
49	The equity impact of brief opportunistic interventions to promote weight loss in primary care: secondary analysis of the BWeL randomised trial. BMC Medicine, 2019, 17, 51.	5.5	11
50	Screening and brief intervention for obesity in primary care: cost-effectiveness analysis in the BWeL trial. International Journal of Obesity, 2019, 43, 2066-2075.	3.4	16
51	Effectiveness of a behavioural intervention involving regular weighing and feedback by community midwives within routine antenatal care to prevent excessive gestational weight gain: POPS2 randomised controlled trial. BMJ Open, 2019, 9, e030174.	1.9	18
52	Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. BMJ Open, 2019, 9, e026039.	1.9	24
53	Healthy Dads, Healthy Kids UK, a weight management programme for fathers: feasibility RCT. BMJ Open, 2019, 9, e033534.	1.9	12
	Exploring the views of female genital mutilation survivors, their male partners and healthcare		

Exploring the views of female genital mutilation survivors, their male partners and healthcare professionals on the timing of deinfibulation surgery and NHS FGM care provision (the FGM Sister) Tj ETQq0 0 0 rg B.D/Overlock 10 Tf 50

#	Article	IF	CITATIONS
55	Comparing Skype (video calling) and in-person qualitative interview modes in a study of people with irritable bowel syndrome – an exploratory comparative analysis. BMC Medical Research Methodology, 2019, 19, 219.	3.1	140
56	The Push and Pull of Self-Managing Mild COPD: An Evaluation of Participant Experiences of a Nurse-Led Telephone Health Coaching Intervention. Qualitative Health Research, 2019, 29, 658-671.	2.1	7
57	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. European Journal of Preventive Cardiology, 2019, 26, 262-272.	1.8	96
58	Primary Care Healthcare Professionals' Knowledge, Attitudes, and Practices Towards Promoting the Reduction of Children's Secondhand Smoke Exposure: A Mixed-Methods Review and Synthesis. Nicotine and Tobacco Research, 2019, 21, 398-408.	2.6	1
59	Cultural adaptation of an existing children's weight management programme: the CHANGE intervention and feasibility RCT. Health Technology Assessment, 2019, 23, 1-166.	2.8	6
60	A brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: a RCT. Public Health Research, 2019, 7, 1-66.	1.3	9
61	Effect of screening for undiagnosed COPD on respiratory hospitalisation and mortality; 4 year follow up of the TargetCOPD trial. , 2019, , .		0
62	ls weight cycling associated with adverse health outcomes? A cohort study. Preventive Medicine, 2018, 108, 47-52.	3.4	29
63	Protocol for a feasibility trial for improving breast feeding initiation and continuation: assets-based infant feeding help before and after birth (ABA). BMJ Open, 2018, 8, e019142.	1.9	9
64	Synthetic social support: Theorizing lay health worker interventions. Social Science and Medicine, 2018, 196, 96-105.	3.8	39
65	47â€Rehabilitation enablement in chronic heart failure (reach-HF) a multicentre randomised controlled trial of facilitated self-care rehabilitation intervention in heart failure with reduced ejection fraction. , 2018, , .		0
66	Web-based cardiac <b>RE</b> habilitatio <b>N</b> alternative for those declining or dropping out of conventional rehabilitation: results of the WREN feasibility randomised controlled trial. Open Heart, 2018, 5, e000860.	2.3	17
67	Systematic review of the effectiveness of community-based self-management interventions among primary care COPD patients. Npj Primary Care Respiratory Medicine, 2018, 28, 44.	2.6	22
68	A cluster-randomised feasibility trial of a children's weight management programme: the Child weigHt mANaGement for Ethnically diverse communities (CHANGE) study. Pilot and Feasibility Studies, 2018, 4, 175.	1.2	4
69	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. BMJ Open, 2018, 8, e022382.	1.9	6
70	Impact of exerciseâ€based cardiac rehabilitation in patients with heart failure (ExTraMATCH II) on mortality and hospitalisation: an individual patient data metaâ€analysis of randomised trials. European Journal of Heart Failure, 2018, 20, 1735-1743.	7.1	125
71	Case-finding for COPD in primary care: a qualitative study of patients' perspectives. International Journal of COPD, 2018, Volume 13, 1623-1632.	2.3	17
72	Factors which affect the efficacy of hypnotherapy for IBS: Protocol for a systematic review and meta-regression. European Journal of Integrative Medicine, 2018, 21, 58-62.	1.7	2

#	Article	IF	CITATIONS
73	Self management of patients with mild COPD in primary care: randomised controlled trial. BMJ: British Medical Journal, 2018, 361, k2241.	2.3	64
74	Increased risk of ischemic heart disease, hypertension, and type 2 diabetes in women with previous gestational diabetes mellitus, a target group in general practice for preventive interventions: A population-based cohort study. PLoS Medicine, 2018, 15, e1002488.	8.4	199
75	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. BMJ Open, 2018, 8, e019649.	1.9	66
76	Using a rapid prioritisation process to identify health research priorities in LMICs. , 2018, , .		2
77	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. International Journal of Epidemiology, 2017, 46, dyv350.	1.9	21
78	How Do People With COPD Value Different Activities? An Adapted Meta-Ethnography of Qualitative Research. Qualitative Health Research, 2017, 27, 37-50.	2.1	12
79	What the public think about hypnosis and hypnotherapy: A narrative review of literature covering opinions and attitudes of the general public 1996–2016. Complementary Therapies in Medicine, 2017, 32, 75-84.	2.7	18
80	Are babies conceived during Ramadan born smaller and sooner than babies conceived at other times of the year? A Born in Bradford Cohort Study. Journal of Epidemiology and Community Health, 2017, 71, 722-728.	3.7	8
81	Does aerobic exercise reduce postpartum depressive symptoms? a systematic review and meta-analysis. British Journal of General Practice, 2017, 67, e684-e691.	1.4	45
82	Cardiac rehabilitation in heart failure with reduced ejection fraction: A "should take it and not leave it―intervention. American Heart Journal, 2017, 192, e1-e2.	2.7	1
83	What factors influence weight loss in participants of commercial weight loss programmes? Implications for health policy. Obesity Research and Clinical Practice, 2017, 11, 709-717.	1.8	3
84	Home-based versus centre-based cardiac rehabilitation. The Cochrane Library, 2017, 2017, CD007130.	2.8	234
85	A Comparison of the Validity and Responsiveness of the EQ-5D-5L and SF-6D for Measuring Health Spillovers: A Study of the Family Impact of Meningitis. Medical Decision Making, 2017, 37, 882-893.	2.4	25
86	Barriers and enablers of physical activity engagement for patients with COPD in primary care. International Journal of COPD, 2017, Volume 12, 1019-1031.	2.3	61
87	The effects of educational curricula and training on LCBTâ€specific health issues for healthcare students and professionals: a mixedâ€method systematic review. Journal of the International AIDS Society, 2017, 20, 21624.	3.0	173
88	Impact of primary care exercise referral schemes on the health of patients with obesity. Journal of Pragmatic and Observational Research, 2017, Volume 8, 189-201.	1.5	5
89	Effectiveness of community-based self-management interventions among primary care COPD patients: a systematic review. , 2017, , .		2
90	Self-management of health care behaviors for COPD: a systematic review and meta-analysis. International Journal of COPD, 2016, 11, 305.	2.3	53

#	Article	IF	CITATIONS
91	Provision of Healthcare Services to Men Who Have Sex with Men in Nigeria: Students' Attitudes Following the Passage of the Same-Sex Marriage Prohibition Law. LGBT Health, 2016, 3, 300-307.	3.4	16
92	Methodological challenges of cross-language qualitative research with South Asian communities living in the UK. Family Medicine and Community Health, 2016, 4, 16-28.	1.6	2
93	Optimising self-care support for people with heart failure and their caregivers: development of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) intervention using intervention mapping. Pilot and Feasibility Studies, 2016, 2, 37.	1.2	51
94	Rehabilitation Enablement in Chronic Heart Failure—a facilitated self-care rehabilitation intervention in patients with heart failure with preserved ejection fraction (REACH-HFpEF) and their caregivers: rationale and protocol for a single-centre pilot randomised controlled trial. BMJ Open, 2016, 6, e012853.	1.9	15
95	Targeted case finding in the prevention of cardiovascular disease: a stepped wedge cluster randomised controlled trial. British Journal of General Practice, 2016, 66, e758-e767.	1.4	16
96	Lay support for pregnant women with social risk: a randomised controlled trial. BMJ Open, 2016, 6, e009203.	1.9	29
97	Home-based versus centre-based cardiac rehabilitation: abridged Cochrane systematic review and meta-analysis. Open Heart, 2016, 3, e000463.	2.3	101
98	Long-term conditions, self-management and systems of support: an exploration of health beliefs and practices within the Sikh community, Birmingham, UK. Ethnicity and Health, 2016, 21, 498-514.	2.5	13
99	Nursery sickness policies and their influence on prescribing for conjunctivitis: audit and questionnaire survey. British Journal of General Practice, 2016, 66, e674-e679.	1.4	8
100	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. Lancet Respiratory Medicine,the, 2016, 4, 720-730.	10.7	63
101	Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. Lancet, The, 2016, 388, 2492-2500.	13.7	220
102	Cultural adaptation of a children's weight management programme for Bangladeshi and Pakistani families in the UK: a cluster-randomised feasibility study protocol. Pilot and Feasibility Studies, 2016, 2, 48.	1.2	3
103	Evaluation of a text supported weight maintenance programme †Lighten Up Plus' following a weight reduction programme: randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 19.	4.6	17
104	The development and validation of the Interpersonal Support in Physical Activity Consultations Observational Tool. European Journal of Sport Science, 2016, 16, 106-114.	2.7	14
105	A longitudinal qualitative study of nurse-led telephone health coaching for COPD. , 2016, , .		0
106	A pragmatic randomized controlled trial to evaluate the effectiveness of a facilitated exercise intervention as a treatment for postnatal depression: the PAM-PeRS trial. Psychological Medicine, 2015, 45, 2413-2425.	4.5	50
107	Clinical effectiveness and cost-effectiveness of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) facilitated self-care rehabilitation intervention in heart failure patients and caregivers: rationale and protocol for a multicentre randomised controlled trial. BMJ Open, 2015, 5, e009994.	1.9	29
108	Feasibility and acceptability of regular weighing, setting weight gain limits and providing feedback by community midwives to prevent excess weight gain during pregnancy: randomised controlled trial and qualitative study. BMC Obesity, 2015, 2, 35.	3.1	27

#	Article	IF	CITATIONS
109	Home-based versus centre-based cardiac rehabilitation. , 2015, , CD007130.		87
110	Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 104.	4.6	65
111	Effectiveness of regular weighing, weight target setting and feedback by community midwives within routine antenatal care in preventing excessive gestational weight gain: randomised controlled trial. BMC Obesity, 2015, 3, 7.	3.1	11
112	Supported self-management for patients with COPD who have recently been discharged from hospital: a systematic review and meta-analysis. International Journal of COPD, 2015, 10, 853.	2.3	28
113	Needs of caregivers in heart failure management: A qualitative study. Chronic Illness, 2015, 11, 304-319.	1.5	62
114	A critique of the design, implementation, and delivery of a culturally-tailored self-management education intervention: a qualitative evaluation. BMC Health Services Research, 2015, 15, 54.	2.2	13
115	Patient self-management in primary care patients with mild COPD – protocol of a randomised controlled trial of telephone health coaching. BMC Pulmonary Medicine, 2015, 15, 16.	2.0	23
116	Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). BMC Public Health, 2015, 15, 530.	2.9	15
117	Costs and benefits of iodine supplementation for pregnant women in a mildly to moderately iodine-deficient population: a modelling analysis. Lancet Diabetes and Endocrinology,the, 2015, 3, 715-722.	11.4	42
118	Supported self-management for patients with moderate to severe chronic obstructive pulmonary disease (COPD): an evidence synthesis and economic analysis. Health Technology Assessment, 2015, 19, 1-516.	2.8	64
119	TargetCOPD: A pragmatic randomised controlled trial of targeted case finding for COPD <i>versus</i> routine practice in primary care. , 2015, , .		0
120	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versusroutine practice in primary care: protocol. BMC Pulmonary Medicine, 2014, 14, 157.	2.0	16
121	A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 125.	4.6	22
122	Management of type III female genital mutilation in Birmingham, UK: A retrospective audit. Midwifery, 2014, 30, 282-288.	2.3	33
123	Effects of a standard provision versus an autonomy supportive exercise referral programme on physical activity, quality of life and well-being indicators: a cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 10.	4.6	106
124	Women's use of complementary and alternative medicines during pregnancy: A cross-sectional study. Midwifery, 2014, 30, 499-505.	2.3	82
125	A self-management programme for COPD: a randomised controlled trial. European Respiratory Journal, 2014, 44, 1538-1547.	6.7	91
126	Regular self-weighing to promote weight maintenance after intentional weight loss: a quasi-randomized controlled trial. Journal of Public Health, 2014, 36, 259-267.	1.8	39

#	Article	IF	CITATIONS
127	S82 An Economic Evaluation Of Self-management Programs Delivered At Discharge After Acute Exacerbation, In Copd Patients In The Uk. Thorax, 2014, 69, A45-A45.	5.6	1
128	Which weight-loss programmes are as effective as Weight Watchers <sup>®</sup> ?. British Journal of General Practice, 2014, 64, e128-e136.	1.4	38
129	Development and feasibility testing of a smart phone based attentive eating intervention. BMC Public Health, 2013, 13, 639.	2.9	88
130	A brief intervention for weight management in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 393.	1.6	21
131	Telemonitoring for patients with COPD. BMJ, The, 2013, 347, f5932-f5932.	6.0	6
132	Public health benefits of weight loss: in response to Dixon et al Journal of Public Health, 2013, 35, 342-342.	1.8	1
133	Eating attentively: a systematic review and meta-analysis of the effect of food intake memory and awareness on eating. American Journal of Clinical Nutrition, 2013, 97, 728-742.	4.7	174
134	lodine Supplements During and After Pregnancy. JAMA - Journal of the American Medical Association, 2013, 309, 1345.	7.4	9
135	A survey on knowledge of female genital mutilation guidelines. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 858-861.	2.8	25
136	Perceptions of risk factors of cardiovascular disease and cardiac rehabilitation: a cross-sectional study targeting the Chinese population in the Midlands, UK. Heart Asia, 2012, 4, 57-61.	1.1	3
137	Interventions to reduce or prevent obesity in pregnant women: a systematic review Health Technology Assessment, 2012, 16, iii-iv, 1-191.	2.8	176
138	Effects of Interventions in Pregnancy on Maternal Weight and Obstetric Outcomes. Obstetrical and Gynecological Survey, 2012, 67, 603-604.	0.4	10
139	Exercise for postnatal psychological outcomes: a systematic review and meta-analysis. Lancet, The, 2012, 380, S25.	13.7	1
140	Effects of interventions in pregnancy on maternal weight and obstetric outcomes: meta-analysis of randomised evidence. BMJ, The, 2012, 344, e2088-e2088.	6.0	642
141	Systematic review of peer support for breastfeeding continuation: metaregression analysis of the effect of setting, intensity, and timing. BMJ: British Medical Journal, 2012, 344, d8287-d8287.	2.3	132
142	Exercise to treat depression. BMJ, The, 2012, 344, e3181-e3181.	6.0	11
143	Evaluation of Lay Support in Pregnant women with Social risk (ELSIPS): a randomised controlled trial. BMC Pregnancy and Childbirth, 2012, 12, 11.	2.4	13
144	The effectiveness of exercise as a treatment for postnatal depression: study protocol. BMC Pregnancy and Childbirth, 2012, 12, 45.	2.4	12

#	Article	IF	CITATIONS
145	Mixed methods evaluation of targeted case finding for cardiovascular disease prevention using a stepped wedged cluster RCT. BMC Public Health, 2012, 12, 908.	2.9	13
146	Effects of exercise training for heart failure with preserved ejection fraction: A systematic review and meta-analysis of comparative studies. International Journal of Cardiology, 2012, 162, 6-13.	1.7	88
147	Effect of a peer support service on breast-feeding continuation in the UK: A randomised controlled trial. Midwifery, 2012, 28, 740-745.	2.3	26
148	In the beginning: Role of autonomy support on the motivation, mental health and intentions of participants entering an exercise referral scheme. Psychology and Health, 2011, 26, 729-749.	2.2	77
149	Provision of commercial weight management programmes. Lancet, The, 2011, 378, 1444-1445.	13.7	3
150	"Flogging dead horses": evaluating when have clinical trials achieved sufficiency and stability? A case study in cardiac rehabilitation. Trials, 2011, 12, 83.	1.6	6
151	Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: Lighten Up randomised controlled trial. BMJ: British Medical Journal, 2011, 343, d6500-d6500.	2.3	308
152	Home-based versus centre-based cardiac rehabilitation. , 2010, , CD007130.		330
153	A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. BMC Public Health, 2010, 10, 439.	2.9	35
154	ls exercise associated with primary dysmenorrhoea in young women?. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 222-224.	2.3	41
155	Obesity in pregnancy: a review of reviews on the effectiveness of interventions. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1309-1312.	2.3	21
156	Effect of antenatal peer support on breastfeeding initiation: a systematic review. Cmaj, 2010, 182, 1739-1746.	2.0	26
157	Home based versus centre based cardiac rehabilitation: Cochrane systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 340, b5631-b5631.	2.3	354
158	Don't forget rehabilitation. BMJ: British Medical Journal, 2010, 341, c4286-c4286.	2.3	0
159	The effectiveness of exercise in the management of post-natal depression: systematic review and meta-analysis. Family Practice, 2009, 26, 154-162.	1.9	76
160	Psychotropic medication: curing illness or creating problems?. Heart, 2009, 95, 1893-1894.	2.9	9
161	A randomized trial of the addition of homeâ€based exercise to specialist heart failure nurse care: the Birmingham Rehabilitation Uptake Maximisation study for patients with Congestive Heart Failure (BRUM HF) study. European Journal of Heart Failure, 2009, 11, 205-213.	7.1	93
162	Patients' Experience of Home and Hospital Based Cardiac Rehabilitation: A Focus Group Study. European Journal of Cardiovascular Nursing, 2009, 8, 9-17.	0.9	34

#	Article	IF	CITATIONS
163	Evaluation of a standard provision versus an autonomy promotive exercise referral programme: rationale and study design. BMC Public Health, 2009, 9, 176.	2.9	27
164	Patterns of analgesic use, pain and self-efficacy: a cross-sectional study of patients attending a hospital rheumatology clinic. BMC Musculoskeletal Disorders, 2009, 10, 137.	1.9	32
165	Sudden death in patients receiving drugs tending to prolong the QT interval. British Journal of Clinical Pharmacology, 2009, 68, 743-751.	2.4	61
166	Antenatal peer support workers and initiation of breast feeding: cluster randomised controlled trial. BMJ: British Medical Journal, 2009, 338, b131-b131.	2.3	52
167	Self-care and adherence to medication: a survey in the hypertension outpatient clinic. BMC Complementary and Alternative Medicine, 2008, 8, 4.	3.7	100
168	Use of complementary and alternative medicine and self-tests by coronary heart disease patients. BMC Complementary and Alternative Medicine, 2008, 8, 47.	3.7	18
169	Reproducibility and safety of the incremental shuttle walking test for cardiac rehabilitation. International Journal of Cardiology, 2008, 125, 144-145.	1.7	35
170	The Birmingham rehabilitation uptake maximisation study (BRUM): a randomised controlled trial comparing home-based with centre-based cardiac rehabilitation. Heart, 2008, 95, 36-42.	2.9	133
171	Ethnicity and cardiovascular disease prevention: practical clinical considerations. Current Opinion in Cardiology, 2008, 23, 465-470.	1.8	4
172	Ethnicity and cardiovascular disease prevention in the United Kingdom: a practical approach to management. Journal of Human Hypertension, 2007, 21, 183-211.	2.2	113
173	'DNA' may not mean 'did not participate': a qualitative study of reasons for non-adherence at home- and centre-based cardiac rehabilitation. Family Practice, 2007, 24, 343-357.	1.9	76
174	Cross-cultural adaptation into Punjabi of the English version of the Hospital Anxiety and Depression Scale. BMC Psychiatry, 2007, 7, 5.	2.6	13
175	Home-based exercise rehabilitation in addition to specialist heart failure nurse care: design, rationale and recruitment to the Birmingham Rehabilitation Uptake Maximisation study for patients with congestive heart failure (BRUM-CHF): a randomised controlled trial. BMC Cardiovascular Disorders, 2007. 7. 9.	1.7	21
176	The Birmingham Rehabilitation Uptake Maximisation Study (BRUM). Home-based compared with hospital-based cardiac rehabilitation in a multi-ethnic population: cost-effectiveness and patient adherence. Health Technology Assessment, 2007, 11, 1-118.	2.8	151
177	444 A randomised trial of home-based exercise in patients with heart failure: results of the BRUM-CHF study. European Journal of Heart Failure, Supplement, 2007, 6, 93-93.	0.0	0
178	The Evidence Base for Cardiac Rehabilitation. , 2007, , 9-18.		0
179	Home-based cardiac rehabilitation compared with centre-based rehabilitation and usual care: A systematic review and meta-analysis. International Journal of Cardiology, 2006, 111, 343-351.	1.7	140
180	Herbal medicine: women's views, knowledge and interaction with doctors: a qualitative study. BMC Complementary and Alternative Medicine, 2006, 6, 40.	3.7	126

#	Article	IF	CITATIONS
181	Plasma haemostatic markers, endothelial function and ambulatory blood pressure changes with home versus hospital cardiac rehabilitation: the Birmingham Rehabilitation Uptake Maximisation Study. Heart, 2006, 92, 1732-1738.	2.9	14
182	Recruitment of ethnic minority patients to a cardiac rehabilitation trial: The Birmingham Rehabilitation Uptake Maximisation (BRUM) study [ISRCTN72884263]. BMC Medical Research Methodology, 2005, 5, 18.	3.1	32
183	Incremental shuttle walking is associated with activation of haemostatic and haemorheological markers in patients with coronary artery disease: the Birmingham rehabilitation uptake maximisation study (BRUM). Heart, 2005, 91, 1413-1417.	2.9	10
184	Meta-analysis finds exercise training is safe in people with heart failure and left ventricular dysfunction. Evidence-based Cardiovascular Medicine, 2004, 8, 327-328.	0.0	0
185	Commentary. Evidence-based Cardiovascular Medicine, 2004, 8, 329-330.	0.0	0
186	Re-organizing services for the management of upper gastrointestinal cancers: patterns of care and problems with change. Public Health, 2004, 118, 360-369.	2.9	3
187	The effect of home-based versus hospital-based cardiac rehabilitation on 24-hour ambulatory blood pressure and lipid profile in patients with coronary heart disease: the birmingham rehabilitation uptake maximisation study (BRUM). American Journal of Hypertension, 2004, 17, S147.	2.0	0
188	Attendance of Ethnic Minority Patients in Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2004, 24, 308-312.	0.5	44
189	Home-based versus hospital-based cardiac rehabilitation after myocardial infarction or revascularisation: design and rationale of the Birmingham Rehabilitation Uptake Maximisation Study (BRUM): a randomised controlled trial [ISRCTN72884263]. BMC Cardiovascular Disorders, 2003, 3, 10.	1.7	46
190	NSAIDs and Gastrointestinal Cancer Prevention. Drugs, 2002, 62, 945-956.	10.9	45
191	Volumes of cancer surgery for breast, colorectal and ovarian cancer 1992–97: is there evidence of increasing sub-specialization by surgeons?. British Journal of Cancer, 2001, 84, 1308-1313.	6.4	13
192	Has Calman-Hine succeeded? Analysis of breast cancer procedure loads per consultant firm before and after the Calman-Hine report. Breast, 2001, 10, 55-57.	2.2	5
193	Epidemiology and diagnosis of meningitis: results of a five-year prospective, population-based study. Communicable Disease and Public Health / Phls, 2001, 4, 124-9.	0.4	10
194	The success of an integrated care programme for patients with ischaemic heart disease: the practice nurses' perspective of SHIP. Journal of Clinical Nursing, 1999, 8, 519-526.	3.0	1
195	Randomised controlled trial of follow up care in general practice of patients with myocardial infarction and angina: final results of the Southampton heart integrated care project (SHIP). BMJ: British Medical Journal, 1999, 318, 706-711.	2.3	200
196	Follow-up care in general practice of patients with myocardial infarction or angina pectoris: initial results of the SHIP trial. Southampton Heart Integrated Care Project. Family Practice, 1998, 15, 548-555.	1.9	44
197	Death rate from asthma BMJ: British Medical Journal, 1993, 306, 518-518.	2.3	6
198	Neonatal screening programme for phenylketonuria. BMJ: British Medical Journal, 1991, 303, 716-716.	2.3	0

	KAT	E JOLLY	
#	Article	IF	CITATIONS
199	Sickness Absence from Work and Influenza Immunization. Occupational Medicine, 1987, 37, 128-129.	1.4	4