
Christophe d'Enfert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5379964/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Overexpression approaches to advance understanding of <i>Candida albicans</i> . Molecular Microbiology, 2022, 117, 589-599.	2.5	12
2	Candidalysins Are a New Family of Cytolytic Fungal Peptide Toxins. MBio, 2022, 13, e0351021.	4.1	18
3	Membrane protective role of autophagic machinery during infection of epithelial cells by <i>Candida albicans</i> . Gut Microbes, 2022, 14, 2004798.	9.8	6
4	Candida albicans commensalism in the oral mucosa is favoured by limited virulence and metabolic adaptation. PLoS Pathogens, 2022, 18, e1010012.	4.7	14
5	ChIP-SICAP: A New Tool to Explore Gene-Regulatory Networks in Candida albicans and Other Yeasts. Methods in Molecular Biology, 2022, 2477, 149-175.	0.9	1
6	Multiple Stochastic Parameters Influence Genome Dynamics in a Heterozygous Diploid Eukaryotic Model. Journal of Fungi (Basel, Switzerland), 2022, 8, 650.	3.5	1
7	Spatiotemporal dynamics of calcium signals during neutrophil cluster formation. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	8
8	A protocol for ultrastructural study of Candida albicans biofilm using transmission electron microscopy. STAR Protocols, 2022, 3, 101514.	1.2	4
9	The impact of the Fungus-Host-Microbiota interplay upon <i>Candida albicans</i> infections: current knowledge and new perspectives. FEMS Microbiology Reviews, 2021, 45, .	8.6	139
10	Regulators of commensal and pathogenic lifeâ€styles of an opportunistic fungus— <scp><i>Candida albicans</i></scp> . Yeast, 2021, 38, 243-250.	1.7	10
11	Factors that influence bidirectional long-tract homozygosis due to double-strand break repair in <i>Candida albicans</i> . Genetics, 2021, 218, .	2.9	1
12	Ethylzingerone, a Novel Compound with Antifungal Activity. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	0
13	Involvement of amyloid proteins in the formation of biofilms in the pathogenic yeast Candida albicans. Research in Microbiology, 2021, 172, 103813.	2.1	13
14	Adenosine Triphosphate Released by Candida albicans Is Associated with Reduced Skin Infectivity. Journal of Investigative Dermatology, 2021, 141, 2306-2310.	0.7	2
15	Use of CRISPR-Cas9 To Target Homologous Recombination Limits Transformation-Induced Genomic Changes in Candida albicans. MSphere, 2020, 5, .	2.9	10
16	A conserved regulator controls asexual sporulation in the fungal pathogen Candida albicans. Nature Communications, 2020, 11, 6224.	12.8	10
17	A SARS-CoV-2 protein interaction map reveals targets for drug repurposing. Nature, 2020, 583, 459-468.	27.8	3,542
18	Tracing the Origin of Invasive Fungal Infections. Trends in Microbiology, 2020, 28, 240-242.	7.7	20

CHRISTOPHE D'ENFERT

#	Article	IF	CITATIONS
19	Large-scale genome mining allows identification of neutral polymorphisms and novel resistance mutations in genes involved in Candida albicans resistance to azoles and echinocandins. Journal of Antimicrobial Chemotherapy, 2020, 75, 835-848.	3.0	13
20	The Candida albicans biofilm gene circuit modulated at the chromatin level by a recent molecular histone innovation. PLoS Biology, 2019, 17, e3000422.	5.6	22
21	Studying fungal pathogens of humans and fungal infections: fungal diversity and diversity of approaches. Microbes and Infection, 2019, 21, 237-245.	1.9	28
22	Studying fungal pathogens of humans and fungal infections: fungal diversity and diversity of approaches. Genes and Immunity, 2019, 20, 403-414.	4.1	55
23	Identification of Recessive Lethal Alleles in the Diploid Genome of a Candida albicans Laboratory Strain Unveils a Potential Role of Repetitive Sequences in Buffering Their Deleterious Impact. MSphere, 2019, 4, .	2.9	5
24	Within-Host Genomic Diversity of Candida albicans in Healthy Carriers. Scientific Reports, 2019, 9, 2563.	3.3	30
25	Candida albicans: An Emerging Yeast Model to Study Eukaryotic Genome Plasticity. Trends in Genetics, 2019, 35, 292-307.	6.7	35
26	<i>Candida albicans</i> Biofilms Are Generally Devoid of Persister Cells. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	18
27	A standardized toolkit for genetic engineering of CTG clade yeasts. Journal of Microbiological Methods, 2018, 144, 152-156.	1.6	19
28	Azole resistance in a Candida albicans mutant lacking the ABC transporter CDR6/ROA1 depends on TOR signaling. Journal of Biological Chemistry, 2018, 293, 412-432.	3.4	42
29	From Genes to Networks: The Regulatory Circuitry Controlling Candida albicans Morphogenesis. Current Topics in Microbiology and Immunology, 2018, 422, 61-99.	1.1	30
30	A conserved fungal hub protein involved in adhesion and drug resistance in the human pathogen Candida albicans. Cell Surface, 2018, 4, 10-19.	3.0	6
31	Evolving a pathogen to be protective. Science, 2018, 362, 523-524.	12.6	2
32	A High-Throughput <i>Candida albicans</i> Two-Hybrid System. MSphere, 2018, 3, .	2.9	13
33	Combined bacterial and fungal intestinal microbiota analyses: Impact of storage conditions and DNA extraction protocols. PLoS ONE, 2018, 13, e0201174.	2.5	41
34	Methodologies for in vitro and in vivo evaluation of efficacy of antifungal and antibiofilm agents and surface coatings against fungal biofilms. Microbial Cell, 2018, 5, 300-326.	3.2	81
35	Systematic gene overexpression in <i>Candida albicans</i> identifies a regulator of early adaptation to the mammalian gut. Cellular Microbiology, 2018, 20, e12890.	2.1	50
36	Generating genomic platforms to study Candida albicans pathogenesis. Nucleic Acids Research, 2018, 46, 6935-6949.	14.5	30

CHRISTOPHE D'ENFERT

#	Article	IF	CITATIONS
37	Gene flow contributes to diversification of the major fungal pathogen Candida albicans. Nature Communications, 2018, 9, 2253.	12.8	131
38	The twoâ€component response regulator Skn7 belongs to a network of transcription factors regulating morphogenesis in <i>Candida albicans</i> and independently limits morphogenesisâ€induced ROS accumulation. Molecular Microbiology, 2017, 106, 157-182.	2.5	20
39	Comparison of E,E-Farnesol Secretion and the Clinical Characteristics of Candida albicans Bloodstream Isolates from Different Multilocus Sequence Typing Clades. PLoS ONE, 2016, 11, e0148400.	2.5	10
40	Mechanisms Underlying the Delayed Activation of the Cap1 Transcription Factor in Candida albicans following Combinatorial Oxidative and Cationic Stress Important for Phagocytic Potency. MBio, 2016, 7, e00331.	4.1	28
41	Pleiotropic effects of the vacuolar ABC transporter MLT1 of Candida albicans on cell function and virulence. Biochemical Journal, 2016, 473, 1537-1552.	3.7	28
42	Analysis of Repair Mechanisms following an Induced Double-Strand Break Uncovers Recessive Deleterious Alleles in the Candida albicans Diploid Genome. MBio, 2016, 7, .	4.1	31
43	Biofilm formation in <i>Candida glabrata</i> : What have we learnt from functional genomics approaches?. FEMS Yeast Research, 2016, 16, fov111.	2.3	32
44	<i>Candida albicans</i> is able to use M cells as a portal of entry across the intestinal barrier <i>in vitro</i> . Cellular Microbiology, 2016, 18, 195-210.	2.1	32
45	Of mice, flies – and men? Comparing fungal infection models for large-scale screening efforts. DMM Disease Models and Mechanisms, 2015, 8, 473-486.	2.4	52
46	A FACS-Optimized Screen Identifies Regulators of Genome Stability in Candida albicans. Eukaryotic Cell, 2015, 14, 311-322.	3.4	19
47	A Single Nucleotide Polymorphism Uncovers a Novel Function for the Transcription Factor Ace2 during Candida albicans Hyphal Development. PLoS Genetics, 2015, 11, e1005152.	3.5	16
48	<i>Candida albicans</i> commensalism in the gastrointestinal tract. FEMS Yeast Research, 2015, 15, fov081.	2.3	119
49	One Small Step for a Yeast - Microevolution within Macrophages Renders Candida glabrata Hypervirulent Due to a Single Point Mutation. PLoS Pathogens, 2014, 10, e1004478.	4.7	49
50	Microevolution of Candida albicans in Macrophages Restores Filamentation in a Nonfilamentous Mutant. PLoS Genetics, 2014, 10, e1004824.	3.5	67
51	Systematic Phenotyping of a Large-Scale Candida glabrata Deletion Collection Reveals Novel Antifungal Tolerance Genes. PLoS Pathogens, 2014, 10, e1004211.	4.7	155
52	Targeted Changes of the Cell Wall Proteome Influence Candida albicans Ability to Form Single- and Multi-strain Biofilms. PLoS Pathogens, 2014, 10, e1004542.	4.7	54
53	A study of the <scp>DNA</scp> damage checkpoint in <i><scp>C</scp>andida albicans</i> : uncoupling of the functions of <scp>Rad</scp> 53 in <scp>DNA</scp> repair, cell cycle regulation and genotoxic stressâ€induced polarized growth. Molecular Microbiology, 2014, 91, 452-471.	2.5	39
54	Multilocus sequence typing for the analysis of clonality among Candida albicans strains from a neonatal intensive care unit. Medical Mycology, 2014, 52, 653-658.	0.7	12

Christophe d'Enfert

#	Article	IF	CITATIONS
55	SUN Proteins Belong to a Novel Family of β-(1,3)-Glucan-modifying Enzymes Involved in Fungal Morphogenesis. Journal of Biological Chemistry, 2013, 288, 13387-13396.	3.4	34
56	Candida albicans biofilms: building a heterogeneous, drug-tolerant environment. Current Opinion in Microbiology, 2013, 16, 398-403.	5.1	93
57	Candida albicans Is Not Always the Preferential Yeast Colonizing Humans: A Study in Wayampi Amerindians. Journal of Infectious Diseases, 2013, 208, 1705-1716.	4.0	84
58	A Comprehensive Functional Portrait of Two Heat Shock Factor-Type Transcriptional Regulators Involved in Candida albicans Morphogenesis and Virulence. PLoS Pathogens, 2013, 9, e1003519.	4.7	53
59	A novel bioluminescence mouse model for monitoring oropharyngeal candidiasis in mice. Virulence, 2013, 4, 250-254.	4.4	33
60	Synergy of the antibiotic colistin with echinocandin antifungals in Candida species. Journal of Antimicrobial Chemotherapy, 2013, 68, 1285-1296.	3.0	44
61	Gymnemic Acids Inhibit Hyphal Growth and Virulence in Candida albicans. PLoS ONE, 2013, 8, e74189.	2.5	68
62	Antifungal Activity of Fused Mannich Ketones Triggers an Oxidative Stress Response and Is Cap1-Dependent in Candida albicans. PLoS ONE, 2013, 8, e62142.	2.5	4
63	Rbt1 Protein Domains Analysis in Candida albicans Brings Insights into Hyphal Surface Modifications and Rbt1 Potential Role during Adhesion and Biofilm Formation. PLoS ONE, 2013, 8, e82395.	2.5	26
64	The NDR/LATS Kinase Cbk1 Controls the Activity of the Transcriptional Regulator Bcr1 during Biofilm Formation in Candida albicans. PLoS Pathogens, 2012, 8, e1002683.	4.7	36
65	Shedding natural light on fungal infections. Virulence, 2012, 3, 15-17.	4.4	6
66	New regulators of biofilm development in Candida glabrata. Research in Microbiology, 2012, 163, 297-307.	2.1	36
67	Using a Multi-Locus Microsatellite Typing method improved phylogenetic distribution of Candida albicans isolates but failed to demonstrate association of some genotype with the commensal or clinical origin of the isolates. Infection, Genetics and Evolution, 2012, 12, 1949-1957.	2.3	21
68	A Versatile Overexpression Strategy in the Pathogenic Yeast Candida albicans: Identification of Regulators of Morphogenesis and Fitness. PLoS ONE, 2012, 7, e45912.	2.5	103
69	Modular Gene Over-expression Strategies for Candida albicans. Methods in Molecular Biology, 2012, 845, 227-244.	0.9	18
70	Biofilm Formation Studies in Microtiter Plate Format. Methods in Molecular Biology, 2012, 845, 369-377.	0.9	2
71	A Luciferase Reporter for Gene Expression Studies and Dynamic Imaging of Superficial Candida albicans Infections. Methods in Molecular Biology, 2012, 845, 537-546.	0.9	13
72	Contribution of the glycolytic flux and hypoxia adaptation to efficient biofilm formation by <i>Candida albicans</i> . Molecular Microbiology, 2011, 80, 995-1013.	2.5	131

CHRISTOPHE D'ENFERT

#	Article	IF	CITATIONS
73	Ultraviolet Light for Treatment of <i>Candida albicans</i> Burn Infection in Mice. Photochemistry and Photobiology, 2011, 87, 342-349.	2.5	55
74	Genetic Diversity among Korean Candida albicans Bloodstream Isolates: Assessment by Multilocus Sequence Typing and Restriction Endonuclease Analysis of Genomic DNA by Use of BssHII. Journal of Clinical Microbiology, 2011, 49, 2572-2577.	3.9	57
75	Endocytosis-Mediated Vacuolar Accumulation of the Human ApoE Apolipoprotein-Derived ApoEdpL-W Antimicrobial Peptide Contributes to Its Antifungal Activity in Candida albicans. Antimicrobial Agents and Chemotherapy, 2011, 55, 4670-4681.	3.2	39
76	Comparative Transcript Profiling of Candida albicans and Candida dubliniensis Identifies <i>SFL2</i> , a C. albicans Gene Required for Virulence in a Reconstituted Epithelial Infection Model. Eukaryotic Cell, 2010, 9, 251-265.	3.4	78
77	Interaction of <i>Candida albicans</i> Biofilms with Antifungals: Transcriptional Response and Binding of Antifungals to Beta-Glucans. Antimicrobial Agents and Chemotherapy, 2010, 54, 2096-2111.	3.2	165
78	The Transposon impala Is Activated by Low Temperatures: Use of a Controlled Transposition System To Identify Genes Critical for Viability of Aspergillus fumigatus. Eukaryotic Cell, 2010, 9, 438-448.	3.4	31
79	Bioluminescent fungi for real-time monitoring of fungal infections. Virulence, 2010, 1, 174-176.	4.4	24
80	A β-glucan-conjugate vaccine and anti-β-glucan antibodies are effective against murine vaginal candidiasis as assessed by a novel in vivo imaging technique. Vaccine, 2010, 28, 1717-1725.	3.8	74
81	Genetic Differences between Avian and Human Isolates ofCandida dubliniensis. Emerging Infectious Diseases, 2009, 15, 1467-1470.	4.3	16
82	Correlation between Biofilm Formation and the Hypoxic Response in <i>Candida parapsilosis</i> . Eukaryotic Cell, 2009, 8, 550-559.	3.4	83
83	A Multifunctional, Synthetic <i>Gaussia princeps</i> Luciferase Reporter for Live Imaging of <i>Candida albicans</i> Infections. Infection and Immunity, 2009, 77, 4847-4858.	2.2	123
84	The GPI-modified proteins Pga59 and Pga62 of Candida albicans are required for cell wall integrity. Microbiology (United Kingdom), 2009, 155, 2004-2020.	1.8	56
85	<i>Candida albicans</i> internalization by host cells is mediated by a clathrin-dependent mechanism. Cellular Microbiology, 2009, 11, 1179-1189.	2.1	128
86	Loss of heterozygosity in commensal isolates of the asexual diploid yeast Candida albicans. Fungal Genetics and Biology, 2009, 46, 159-168.	2.1	53
87	Hidden killers: persistence of opportunistic fungal pathogens in the human host. Current Opinion in Microbiology, 2009, 12, 358-364.	5.1	74
88	Candidemia and candiduria in critically ill patients admitted to intensive care units in France: incidence, molecular diversity, management and outcome. Intensive Care Medicine, 2008, 34, 292-299.	8.2	182
89	Multilocus sequence typing of Candida albicans isolates from animals. Research in Microbiology, 2008, 159, 436-440.	2.1	25
90	Mating is rare within as well as between clades of the human pathogen Candida albicans. Fungal Genetics and Biology, 2008, 45, 221-231.	2.1	58

#	Article	IF	CITATIONS
91	The Yak1 Kinase Is Involved in the Initiation and Maintenance of Hyphal Growth in <i>Candida albicans</i> . Molecular Biology of the Cell, 2008, 19, 2251-2266.	2.1	59
92	Multilocus Sequence Typing Reveals that the Population Structure of <i>Candida dubliniensis</i> Is Significantly Less Divergent than That of <i>Candida albicans</i> . Journal of Clinical Microbiology, 2008, 46, 652-664.	3.9	57
93	Molecular Phylogenetics of Candida albicans. Eukaryotic Cell, 2007, 6, 1041-1052.	3.4	285
94	Genotypic Evolution of Azole Resistance Mechanisms in Sequential <i>Candida albicans</i> Isolates. Eukaryotic Cell, 2007, 6, 1889-1904.	3.4	268
95	Genome sequencing and analysis of the versatile cell factory Aspergillus niger CBS 513.88. Nature Biotechnology, 2007, 25, 221-231.	17.5	1,047
96	The SUN41 and SUN42 genes are essential for cell separation in Candida albicans. Molecular Microbiology, 2007, 66, 1256-1275.	2.5	52
97	G-protein and cAMP-mediated signaling in aspergilli: A genomic perspective. Fungal Genetics and Biology, 2006, 43, 490-502.	2.1	131
98	Biofilms and their Role in the Resistance of Pathogenic Candida to Antifungal Agents. Current Drug Targets, 2006, 7, 465-670.	2.1	118
99	Protein O- Mannosyltransferase Isoforms Regulate Biofilm Formation in Candida albicans. Antimicrobial Agents and Chemotherapy, 2006, 50, 3488-3491.	3.2	34
100	Sequencing of Aspergillus nidulans and comparative analysis with A. fumigatus and A. oryzae. Nature, 2005, 438, 1105-1115.	27.8	1,250
101	A Human-Curated Annotation of the Candida albicans Genome. PLoS Genetics, 2005, 1, e1.	3.5	293
102	The Heterotrimeric G-Protein GanB(α)-SfaD(β)-GpgA(γ) Is a Carbon Source Sensor Involved in Early cAMP-Dependent Germination in Aspergillus nidulans. Genetics, 2005, 171, 71-80.	2.9	118
103	Phosphatidylinositol-dependent phospholipases C Plc2 and Plc3 of Candida albicans are dispensable for morphogenesis and host–pathogen interaction. Research in Microbiology, 2005, 156, 822-829.	2.1	10
104	Candida albicans Biofilms: a Developmental State Associated With Specific and Stable Gene Expression Patterns. Eukaryotic Cell, 2004, 3, 536-545.	3.4	343
105	The Yak1p kinase controls expression of adhesins and biofilm formation in Candida glabrata in a Sir4p-dependent pathway. Molecular Microbiology, 2004, 55, 1259-1271.	2.5	119
106	Multilocus sequence typing of Candida albicans: strategies, data exchange and applications. Infection, Genetics and Evolution, 2004, 4, 243-252.	2.3	104
107	Stage-specific gene expression of Candida albicans in human blood. Molecular Microbiology, 2003, 47, 1523-1543.	2.5	216
108	Glycerol dehydrogenase, encoded by gldB is essential for osmotolerance in Aspergillus nidulans. Molecular Microbiology, 2003, 49, 131-141.	2.5	62

7

Christophe d'Enfert

#	Article	IF	CITATIONS
109	Identification of Essential Genes in the Human Fungal Pathogen Aspergillus fumigatus by Transposon Mutagenesis. Eukaryotic Cell, 2003, 2, 247-255.	3.4	61
110	Identifying essential genes in fungal pathogens of humans. Trends in Microbiology, 2002, 10, 456-462.	7.7	18
111	cAMP and ras signalling independently control spore germination in the filamentous fungus Aspergillus nidulans. Molecular Microbiology, 2002, 44, 1001-1016.	2.5	170
112	Characterization of Essential Genes by Parasexual Genetics in the Human Fungal Pathogen <i>Aspergillus fumigatus</i> : Impact of Genomic Rearrangements Associated With Electroporation of DNA. Genetics, 2002, 161, 1077-1087.	2.9	47
113	Molecular and physiological characterization of the NAD-dependent glycerol 3-phosphate dehydrogenase in the filamentous fungus Aspergillus nidulans. Molecular Microbiology, 2001, 39, 145-157.	2.5	58
114	Transcript profiling in Candida albicans reveals new cellular functions for the transcriptional repressors CaTup1, CaMig1 and CaNrg1. Molecular Microbiology, 2001, 42, 981-993.	2.5	207
115	Trehalose is required for the acquisition of tolerance to a variety of stresses in the filamentous fungus Aspergillus nidulans The GenBank accession number for the sequence reported in this paper is AF043230 Microbiology (United Kingdom), 2001, 147, 1851-1862.	1.8	187
116	Neutral trehalases catalyse intracellular trehalose breakdown in the filamentous fungi Aspergillus nidulans and Neurospora crassa. Molecular Microbiology, 1999, 32, 471-483.	2.5	101
117	Development of a homologous transformation system for the human pathogenic fungus Aspergillus fumigatus based on the pyrG gene encoding orotidine 5′′-monophosphate decarboxylase. Current Genetics, 1998, 33, 378-385.	1.7	207
118	Fungal Spore Germination: Insights from the Molecular Genetics ofAspergillus nidulansandNeurospora crassa. Fungal Genetics and Biology, 1997, 21, 163-172.	2.1	192
119	Molecular characterization of the Aspergillus nidulans treA gene encoding an acid trehalase required for growth on trehalose. Molecular Microbiology, 1997, 24, 203-216.	2.5	110
120	Selection of multiple disruption events in Aspergillus fumigatus using the orotidine-5′-decarboxylase gene, pyrG, as a unique transformation marker. Current Genetics, 1996, 30, 76-82.	1.7	181
121	Cool Tools 5: The Candida albicans ORFeome Project. , 0, , 505-510.		1