
## San-Gang Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/538474/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	21-Gene Recurrence Score Assay and Outcomes of Adjuvant Radiotherapy in Elderly Women With Early-Stage Breast Cancer After Breast-Conserving Surgery. Frontiers in Oncology, 2019, 9, 1.	2.8	139
2	Metronomic capecitabine as adjuvant therapy in locoregionally advanced nasopharyngeal carcinoma: a multicentre, open-label, parallel-group, randomised, controlled, phase 3 trial. Lancet, The, 2021, 398, 303-313.	13.7	98
3	Serum levels of CEA and CA15-3 in different molecular subtypes and prognostic value in Chinese breast cancer. Breast, 2014, 23, 88-93.	2.2	90
4	Downregulation of hsa_circ_0011946 suppresses the migration and invasion of the breast cancer cell line MCF-7 by targeting RFC3. Cancer Management and Research, 2018, Volume 10, 535-544.	1.9	75
5	Sites of metastasis and overall survival in esophageal cancer: a population-based study. Cancer Management and Research, 2017, Volume 9, 781-788.	1.9	68
6	The Clinicopathological Features and Survival Outcomes of Different Histological Subtypes in Triple-negative Breast Cancer. Journal of Cancer, 2018, 9, 296-303.	2.5	60
7	Comparison of clinical outcomes of squamous cell carcinoma, adenocarcinoma, and adenosquamous carcinoma of the uterine cervix after definitive radiotherapy: a population-based analysis. Journal of Cancer Research and Clinical Oncology, 2017, 143, 115-122.	2.5	59
8	The effect of distant metastases sites on survival in de novo stage-IV breast cancer: A SEER database analysis. Tumor Biology, 2017, 39, 101042831770508.	1.8	56
9	Patterns of Distant Metastasis Between Histological Types in Esophageal Cancer. Frontiers in Oncology, 2018, 8, 302.	2.8	52
10	Survival in signet ring cell carcinoma varies based on primary tumor location: a Surveillance, Epidemiology, and End Results database analysis. Expert Review of Gastroenterology and Hepatology, 2018, 12, 209-214.	3.0	50
11	KIF11 Functions as an Oncogene and Is Associated with Poor Outcomes from Breast Cancer. Cancer Research and Treatment, 2019, 51, 1207-1221.	3.0	47
12	Up-Regulation of RFC3 Promotes Triple Negative Breast Cancer Metastasis and is Associated With Poor Prognosis Via EMT. Translational Oncology, 2017, 10, 1-9.	3.7	46
13	Demographic and clinicopathological characteristics of nasopharyngeal carcinoma and survival outcomes according to age at diagnosis: A population-based analysis. Oral Oncology, 2017, 73, 83-87.	1.5	40
14	The Activation of ERK1/2 and JNK MAPK Signaling by Insulin/IGF-1 Is Responsible for the Development of Colon Cancer with Type 2 Diabetes Mellitus. PLoS ONE, 2016, 11, e0149822.	2.5	38
15	Prognostic Value of Metastatic Axillary Lymph Node Ratio for Chinese Breast Cancer Patients. PLoS ONE, 2013, 8, e61410.	2.5	34
16	Predictive value of breast cancer molecular subtypes in Chinese patients with four or more positive nodes after postmastectomy radiotherapy. Breast, 2012, 21, 657-661.	2.2	33
17	Prognostic Value of Ki-67 in Breast Cancer Patients with Positive Axillary Lymph Nodes: A Retrospective Cohort Study. PLoS ONE, 2014, 9, e87264.	2.5	33
18	Surgery Combined with Radiotherapy Improved Survival in Metastatic Esophageal Cancer in a Surveillance Epidemiology and End Results Population-based Study. Scientific Reports, 2016, 6, 28280.	3.3	31

#	Article	IF	CITATIONS
19	Real-World Impact of Survival by Period of Diagnosis in Epithelial Ovarian Cancer Between 1990 and 2014. Frontiers in Oncology, 2019, 9, 639.	2.8	31
20	Prognosis of patients with esophageal squamous cell carcinoma after esophagectomy using the log odds of positive lymph nodes. Oncotarget, 2015, 6, 36911-36922.	1.8	26
21	The Effect of Histological Subtypes on Outcomes of Stage IV Epithelial Ovarian Cancer. Frontiers in Oncology, 2018, 8, 577.	2.8	25
22	Distribution of metastatic disease in the brain in relation to the hippocampus: a retrospective single-center analysis of 6064 metastases in 632 patients. Oncotarget, 2015, 6, 44030-44036.	1.8	25
23	Influence of different treatment modalities on survival of patients with low-grade endometrial stromal sarcoma: A retrospective cohort study. International Journal of Surgery, 2015, 23, 147-151.	2.7	24
24	Use of CEA and CA15-3 to Predict Axillary Lymph Node Metastasis in Patients with Breast Cancer. Journal of Cancer, 2016, 7, 37-41.	2.5	23
25	Patterns of distant metastasis in Chinese women according to breast cancer subtypes. Oncotarget, 2016, 7, 47975-47984.	1.8	23
26	The Distribution and Outcomes of the 21-Gene Recurrence Score in T1-T2NO Estrogen Receptor-Positive Breast Cancer With Different Histologic Subtypes. Frontiers in Genetics, 2018, 9, 638.	2.3	23
27	The Effect of Marital Status on Nasopharyngeal Carcinoma Survival: A Surveillance, Epidemiology and End Results Study. Journal of Cancer, 2018, 9, 1870-1876.	2.5	23
28	Prognostic value of lymph node ratio in stage IIIC epithelial ovarian cancer with node-positive in a SEER population-based study. Oncotarget, 2016, 7, 7952-7959.	1.8	22
29	Patterns of Regional Lymph Node Recurrence After Radical Surgery for Thoracic Esophageal Squamous Cell Carcinoma. Annals of Thoracic Surgery, 2016, 101, 551-557.	1.3	22
30	The effect of histological subtypes on survival outcome in nasopharyngeal carcinoma after extensive follow up. Annals of Translational Medicine, 2019, 7, 768-768.	1.7	22
31	Postmastectomy Radiotherapy Improves Disease-Free Survival of High Risk of Locoregional Recurrence Breast Cancer Patients with T1-2 and 1 to 3 Positive Nodes. PLoS ONE, 2015, 10, e0119105.	2.5	22
32	Adjuvant radiation therapy and survival for adenoid cystic carcinoma of the breast. Breast, 2017, 31, 214-218.	2.2	21
33	Lung Large Cell Neuroendocrine Carcinoma: An Analysis of Patients from the Surveillance, Epidemiology, and End-Results (SEER) Database. Medical Science Monitor, 2019, 25, 3636-3646.	1.1	21
34	Risk factors for lymph node metastasis in ovarian cancer: Implications for systematic lymphadenectomy. International Journal of Surgery, 2016, 29, 123-127.	2.7	20
35	Using the Lymph Node Ratio to Evaluate the Prognosis of Stage II/III Breast Cancer Patients Who Received Neoadjuvant Chemotherapy and Mastectomy. Cancer Research and Treatment, 2015, 47, 757-764.	3.0	20
36	Number of negative lymph nodes should be considered for incorporation into staging for breast cancer. American Journal of Cancer Research, 2015, 5, 844-53.	1.4	20

#	Article	IF	CITATIONS
37	Prognostic Value of Different Lymph Node Staging Methods in Esophageal Squamous Cell Carcinoma After Esophagectomy. Annals of Thoracic Surgery, 2015, 99, 284-290.	1.3	19
38	The impact of examined lymph node count on survival in squamous cell carcinoma and adenocarcinoma of the uterine cervix. Cancer Management and Research, 2017, Volume 9, 315-322.	1.9	19
39	The effect of lymphadenectomy in advanced ovarian cancer according to residual tumor status: A population-based study. International Journal of Surgery, 2018, 52, 11-15.	2.7	19
40	21-gene recurrence score and adjuvant chemotherapy decisions in patients with invasive lobular breast cancer. Biomarkers in Medicine, 2019, 13, 83-93.	1.4	19
41	Tailoring Pelvic Lymphadenectomy for Patients with Stage IA2, IB1, and IIA1 Uterine Cervical Cancer. Journal of Cancer, 2015, 6, 377-381.	2.5	18
42	Lymph Node Status and Outcomes for Nasopharyngeal Carcinoma According to Histological Subtypes: A SEER Population-Based Retrospective Analysis. Advances in Therapy, 2019, 36, 3123-3133.	2.9	18
43	Prognostic Impact of ABO Blood Group on the Survival in Patients with Ovarian Cancer. Journal of Cancer, 2015, 6, 970-975.	2.5	17
44	The local treatment modalities in FIGO stage lâ€l smallâ€cell carcinoma of the cervix are determined by disease stage and lymph node status. Cancer Medicine, 2016, 5, 1108-1115.	2.8	17
45	Clinicopathological features of small cell carcinoma of the uterine cervix in the surveillance, epidemiology, and end results database. Oncotarget, 2017, 8, 40425-40433.	1.8	17
46	Transdermal fentanyl for pain due to chemoradiotherapy-induced oral mucositis in nasopharyngeal cancer patients: evaluating efficacy, safety, and improvement in quality of life. Drug Design, Development and Therapy, 2014, 8, 497.	4.3	16
47	Dosimetric analysis of the brachial plexus among patients with breast cancer treated with post-mastectomy radiotherapy to the ipsilateral supraclavicular area: report of 3 cases of radiation-induced brachial plexus neuropathy. Radiation Oncology, 2014, 9, 292.	2.7	16
48	Development and validation of a novel diagnostic nomogram model based on tumor markers for assessing cancer risk of pulmonary lesions: A multicenter study in Chinese population. Cancer Letters, 2018, 420, 236-241.	7.2	16
49	Inflammatory breast cancer outcomes by breast cancer subtype: a population-based study. Future Oncology, 2019, 15, 507-516.	2.4	16
50	Lymph node ratio may predict the benefit of postoperative radiotherapy in node-positive cervical cancer. Oncotarget, 2016, 7, 29420-29428.	1.8	16
51	Using the lymph nodal ratio to predict the risk of locoregional recurrence in lymph node-positive breast cancer patients treated with mastectomy without radiation therapy. Radiation Oncology, 2013, 8, 119.	2.7	14
52	Impact of the number of resected lymph nodes on survival after preoperative radiotherapy for esophageal cancer. Oncotarget, 2016, 7, 22497-22507.	1.8	14
53	Clinical Features of Brain Metastases in Small Cell Lung Cancer: an Implication for Hippocampal Sparing Whole Brain Radiation Therapy. Translational Oncology, 2017, 10, 54-58.	3.7	14
54	The effect of local treatment modalities in patients with early-stage adenocarcinoma of the uterine cervix: A population-based analysis. International Journal of Surgery, 2017, 41, 16-22.	2.7	14

#	Article	IF	CITATIONS
55	Postoperative radiotherapy for invasive micropapillary carcinoma of the breast: an analysis of Surveillance, Epidemiology, and End Results database. Cancer Management and Research, 2017, Volume 9, 453-459.	1.9	14
56	The prognostic value of histologic subtype in node-positive early-stage cervical cancer after hysterectomy and adjuvant radiotherapy. International Journal of Surgery, 2017, 44, 1-6.	2.7	13
57	Comparison of survival outcomes between radical hysterectomy and definitive radiochemotherapy in stage IB1 and IIA1 cervical cancer. Cancer Management and Research, 2017, Volume 9, 813-819.	1.9	13
58	Comparable Survival between Additional Radiotherapy and Local Surgery in Occult Breast Cancer after Axillary Lymph Node Dissection: A Population-based Analysis. Journal of Cancer, 2017, 8, 3849-3855.	2.5	13
59	Evaluation of the 8th edition of the American joint committee on cancer's pathological staging system in prognosis assessment and treatment decision making for stage T1-2N1 breast cancer after mastectomy. Breast, 2020, 51, 2-10.	2.2	13
60	Number of negative lymph nodes can predict survival of breast cancer patients with four or more positive lymph nodes after postmastectomy radiotherapy. Radiation Oncology, 2014, 9, 284.	2.7	12
61	Differences in esophageal cancer characteristics and survival between Chinese and Caucasian patients in the SEER database. OncoTargets and Therapy, 2016, Volume 9, 6435-6444.	2.0	12
62	Preoperative radiotherapy improves survival in rectal signet-ring cell carcinoma-a population-based study. Radiation Oncology, 2017, 12, 141.	2.7	12
63	Incorporation of the number of positive lymph nodes leads to better prognostic discrimination of node-positive early stage cervical cancer. Oncotarget, 2017, 8, 26057-26065.	1.8	12
64	Clinical features of brain metastases in breast cancer: an implication for hippocampal-sparing whole-brain radiation therapy. Therapeutics and Clinical Risk Management, 2016, Volume 12, 1849-1853.	2.0	11
65	Long-term survival effect of the interval between mastectomy and radiotherapy in locally advanced breast cancer. Cancer Management and Research, 2018, Volume 10, 2047-2054.	1.9	11
66	The Effect of Post-mastectomy Radiotherapy in Patients With Metaplastic Breast Cancer: An Analysis of SEER Database. Frontiers in Oncology, 2019, 9, 747.	2.8	11
67	Prognostic validation and therapeutic decisionâ€making of the AJCC eighth pathological prognostic staging for T3N0 breast cancer after mastectomy. Clinical and Translational Medicine, 2020, 10, 125-136.	4.0	11
68	Evaluation of Subjective Sleep Disturbances in Cancer Patients: A Cross-Sectional Study in a Radiotherapy Department. Frontiers in Psychiatry, 2021, 12, 648896.	2.6	11
69	Number of negative lymph nodes is associated with disease-free survival in patients with breast cancer. BMC Cancer, 2015, 15, 43.	2.6	10
70	Early-stage node negative cervical adenocarcinoma and squamous cell carcinoma show similar survival outcomes after hysterectomy: a population-based study. Journal of Gynecologic Oncology, 2017, 28, e81.	2.2	10
71	The survival benefits of local surgery in stage IV breast cancer are not affected by breast cancer subtypes: a population-based analysis. Oncotarget, 2017, 8, 67851-67860.	1.8	10
72	Prognostic significance of the skeletal muscle index and systemic inflammatory index in patients with lymph node-positive breast cancer after radical mastectomy. BMC Cancer, 2022, 22, 234.	2.6	10

#	Article	IF	CITATIONS
73	Progesterone receptor loss identifies hormone receptor-positive and HER2-negative breast cancer subgroups at higher risk of relapse: a retrospective cohort study. OncoTargets and Therapy, 2016, 9, 1707.	2.0	9
74	Comparison of survival outcomes of locally advanced breast cancer patients receiving post-mastectomy radiotherapy with and without immediate breast reconstruction: a population-based analysis. Cancer Management and Research, 2018, Volume 10, 1993-2002.	1.9	9
75	Omission of Postoperative Radiotherapy in Women Aged 65 Years or Older With Tubular Carcinoma of the Breast After Breast-Conserving Surgery. Frontiers in Oncology, 2018, 8, 190.	2.8	9
76	Omission of adjuvant radiotherapy following breast-conserving surgery for elderly women with early-stage pure mucinous breast carcinoma. Radiation Oncology, 2019, 14, 190.	2.7	9
77	Noninferior Outcome After Breast-Conserving Treatment Compared to Mastectomy in Breast Cancer Patients With Four or More Positive Lymph Nodes. Frontiers in Oncology, 2019, 9, 143.	2.8	9
78	Identification of MEC8/miRâ€378d/SOBP axis as a novel regulatory network and associated with immune infiltrates in ovarian carcinoma by integrated bioinformatics analysis. Cancer Medicine, 2021, 10, 2924-2939.	2.8	9
79	circ-PTK2 (hsa_circ_0008305) regulates the pathogenic processes of ovarian cancer via miR-639 and FOXC1 regulatory cascade. Cancer Cell International, 2021, 21, 277.	4.1	9
80	Widowed status increases the risk of death in vulvar cancer. Future Oncology, 2018, 14, 2589-2598.	2.4	8
81	Progesterone receptor status and tumor grade predict the 21-gene recurrence score of invasive lobular breast cancer. Biomarkers in Medicine, 2019, 13, 1005-1012.	1.4	8
82	21-Gene Recurrence Score Assay Could Not Predict Benefit of Post-mastectomy Radiotherapy in T1-2 N1mic ER-Positive HER2-Negative Breast Cancer. Frontiers in Oncology, 2019, 9, 270.	2.8	8
83	The 21-gene recurrence score and effects of adjuvant radiotherapy after breast conserving surgery in early-stage breast cancer. Future Oncology, 2019, 15, 1629-1639.	2.4	8
84	Should women with early breast cancer under 40 years of age have a routine 21-gene recurrence score testing: A SEER database study. Breast, 2020, 49, 233-241.	2.2	8
85	Chemotherapy and 21-gene recurrence score testing for older breast cancer patients: A competing-risks analysis. Breast, 2020, 54, 319-327.	2.2	8
86	Ovarian Ablation Using Goserelin Improves Survival of Premenopausal Patients with Stage II/III Hormone Receptor-Positive Breast Cancer without Chemotherapy-Induced Amenorrhea. Cancer Research and Treatment, 1970, 47, 55-63.	3.0	8
87	The longitudinal risk of mortality between invasive ductal carcinoma and metaplastic breast carcinoma. Scientific Reports, 2020, 10, 22070.	3.3	8
88	Long-Term Survival Among Histological Subtypes in Advanced Epithelial Ovarian Cancer: Population-Based Study Using the Surveillance, Epidemiology, and End Results Database. JMIR Public Health and Surveillance, 2021, 7, e25976.	2.6	8
89	Effect of blood type on survival of Chinese patients with esophageal squamous cell carcinoma. OncoTargets and Therapy, 2015, 8, 947.	2.0	7
90	Multimodal treatment including hysterectomy improves survival in patients with locally advanced cervical cancer: A population-based, propensity score–matched analysis. International Journal of Surgery, 2017, 48, 122-127.	2.7	7

#	Article	IF	CITATIONS
91	Therapeutic role of axillary lymph node dissection in patients with stage IV breast cancer: a population-based analysis. Journal of Cancer Research and Clinical Oncology, 2017, 143, 467-474.	2.5	7
92	The effects of postoperative radiotherapy on survival outcomes in patients under 65 with estrogen receptor positive tubular breast carcinoma. Radiation Oncology, 2018, 13, 226.	2.7	7
93	Trends and Outcomes of Sentinel Lymph Node Biopsy in Early-stage Vulvar Squamous Cell Carcinoma: A Population-based Study. Journal of Cancer, 2018, 9, 1951-1957.	2.5	7
94	The effect of postmastectomy radiotherapy in node-positive triple-negative breast cancer. BMC Cancer, 2020, 20, 1146.	2.6	7
95	Incorporation of biologic factors for the staging of de novo stage IV breast cancer. Npj Breast Cancer, 2020, 6, 43.	5.2	7
96	Aggressive Local Treatment Improves Survival in Stage IV Breast Cancer With Synchronous Metastasis. Frontiers in Oncology, 2020, 10, 522580.	2.8	7
97	Survival Outcomes and Treatment Decision by Human Papillomavirus Status Among Patients With Stage IVC Head and Neck Squamous Cell Carcinoma. Frontiers in Oncology, 2021, 11, 668066.	2.8	7
98	Increased risk of cerebrovascular mortality in head and neck cancer survivors aged ≥ 65Âyears treat with definitive radiotherapy: a population-based cohort study. Radiation Oncology, 2021, 16, 185.	ed <sub>2.7</sub>	7
99	The patterns of distant metastasis and prognostic factors in patients with primary metastatic Ewing sarcoma of the bone. Journal of Bone Oncology, 2021, 30, 100385.	2.4	7
100	The value of radiotherapy in breast cancer patients with isolated ipsilateral supraclavicular lymph node metastasis without distant metastases at diagnosis: a retrospective analysis of Chinese patients. OncoTargets and Therapy, 2014, 7, 281.	2.0	6
101	Lymph node dissection improved survival in patients with metastatic thoracic esophageal cancer: An analysis of 220 patients from the SEER database. International Journal of Surgery, 2016, 35, 13-18.	2.7	6
102	Men and women show similar survival outcome in stage IV breast cancer. Breast, 2017, 34, 115-121.	2.2	6
103	Clinicopathologic characteristics and clinical outcomes of pure type and mixed type of tubular carcinoma of the breast: a single-institution cohort study. Cancer Management and Research, 2018, Volume 10, 4509-4515.	1.9	6
104	Cognitive dysfunction in patients with nasopharyngeal carcinoma after induction chemotherapy. Oral Oncology, 2020, 111, 104921.	1.5	6
105	Real-world impact of postmastectomy radiotherapy in T1–2 breast cancer with one to three positive lymph nodes. Annals of Translational Medicine, 2020, 8, 489-489.	1.7	6
106	Additional radiotherapy to breast onserving surgery is an optional treatment for de novo stage IV breast cancer: A populationâ€based analysis. Cancer Medicine, 2021, 10, 1634-1643.	2.8	6
107	Histological Tumor Type is Associated with One-Year Cause-Specific Survival in Women with Stage III–IV Epithelial Ovarian Cancer: A Surveillance, Epidemiology, and End Results (SEER) Database Population Study, 2004–2014. Medical Science Monitor, 2020, 26, e920531.	1.1	6
108	Prognostic value of ductal carcinoma in situ component in invasive ductal carcinoma of the breast: a Surveillance, Epidemiology, and End Results database analysis. Cancer Management and Research, 2018, Volume 10, 527-534.	1.9	5

#	Article	IF	CITATIONS
109	Survival benefits with the addition of adjuvant hysterectomy to radiochemotherapy for treatment of stage lâ€l adenocarcinoma of the uterine cervix. Journal of Surgical Oncology, 2018, 118, 574-580.	1.7	5
110	The Role of Axillary Lymph Node Dissection in Tubular Carcinoma of the Breast: A Population Database Study. Medical Science Monitor, 2019, 25, 880-887.	1.1	5
111	Impact of the 21-gene recurrence score assay on chemotherapy decision making and outcomes for breast cancer patients with four or more positive lymph nodes. Annals of Translational Medicine, 2019, 7, 446-446.	1.7	5
112	The prognostic effect of residual tumor for advanced epithelial ovarian cancer treated with neoadjuvant chemotherapy or primary debulking surgery. Cancer Medicine, 2022, , .	2.8	5
113	Local treatment improves survival in patients with stage IVB cervical cancer. Gynecologic Oncology, 2022, 165, 538-545.	1.4	5
114	Comparison of the effects of local treatment strategies in non-metastatic Ewing sarcoma of bone. Expert Review of Anticancer Therapy, 2018, 18, 501-506.	2.4	4
115	Tubular carcinomas of the breast: an epidemiologic study. Future Oncology, 2018, 14, 3037-3047.	2.4	4
116	Triple-negative breast cancer outcomes: Does AJCC 8th staging improve chemotherapy decision-making. Breast, 2021, 59, 117-123.	2.2	4
117	Effect of postoperative radiotherapy for squamous cell cancer of the breast in a surveillance epidemiology and end results population-based study. Oncotarget, 2016, 7, 10684-10693.	1.8	4
118	Impact of 21-Gene Recurrence Score on Chemotherapy Decision in Invasive Ductal Carcinoma of Breast with Nodal Micrometastases. Cancer Research and Treatment, 2019, 51, 1437-1448.	3.0	4
119	Bioinformatics-Based Discovery of CKLF-Like MARVEL Transmembrane Member 5 as a Novel Biomarker for Breast Cancer. Frontiers in Cell and Developmental Biology, 2019, 7, 361.	3.7	4
120	Validation of the 8th edition of the American Joint Committee on Cancer Pathological Prognostic Staging for young breast cancer patients. Aging, 2020, 12, 7549-7560.	3.1	4
121	Analysis of the Trends in Publications on Clinical Cancer Research in Mainland China from the Surveillance, Epidemiology, and End Results (SEER) Database: Bibliometric Study. JMIR Medical Informatics, 2020, 8, e21931.	2.6	4
122	Number of Negative Lymph Nodes Can Predict Survival after Postmastectomy Radiotherapy According to Different Breast Cancer Subtypes. Journal of Cancer, 2015, 6, 261-269.	2.5	3
123	The prognosis and effects of local treatment strategies for orbital embryonal rhabdomyosarcoma: a population-based study. Cancer Management and Research, 2018, Volume 10, 1727-1734.	1.9	3
124	Lymph node ratio has prognostic value related to the number of positive lymph nodes in patients with vulvar cancer. Future Oncology, 2018, 14, 2343-2351.	2.4	3
125	Staging for Breast Cancer With Internal Mammary Lymph Nodes Metastasis: Utility of Incorporating Biologic Factors. Frontiers in Oncology, 2020, 10, 584009.	2.8	3
126	Thyroid-like low-grade nasopharyngeal papillary adenocarcinoma: a case report and literature review. Translational Cancer Research, 2020, 9, 4457-4463.	1.0	3

#	Article	IF	CITATIONS
127	Distribution, Chemotherapy Use, and Outcome of the 21-Gene Recurrence Score Between Chinese and White breast Cancer in the United States. Clinical Breast Cancer, 2022, 22, 279-287.	2.4	3
128	Locoregional recurrence of pT3N0M0 breast cancer after mastectomy is not higher than that of pT1-2N0M0: An analysis for radiotherapy. Cancer Science, 2013, 104, 599-603.	3.9	2
129	Prognostic value of lymph node ratio in patients with small-cell carcinoma of the cervix based on data from a large national registry. OncoTargets and Therapy, 2015, 9, 67.	2.0	2
130	The 1-year mortality after radiotherapy for nasopharyngeal carcinoma: a population-based analysis. Future Oncology, 2019, 15, 3357-3365.	2.4	2
131	<p>Effect of 21-gene recurrence score in decision-making for surgery in early stage breast cancer</p> . OncoTargets and Therapy, 2019, Volume 12, 2071-2078.	2.0	2
132	>Development and validation of a novel diagnostic model for assessing lung cancer metastasis in a Chinese population based on multicenter real-world data. Cancer Management and Research, 2019, Volume 11, 9213-9223.	1.9	2
133	The prognostic and predictive value of the 8th American Joint Committee on Cancer (AJCC) staging system among early breast cancer patients aged <50 years. Gland Surgery, 2021, 10, 233-241.	1.1	2
134	Biopsy of cervical lymph node does not impact the survival of nasopharyngeal carcinoma. Cancer Medicine, 2021, 10, 6687-6696.	2.8	2
135	Prognostic validation and treatment decision making of the 8th edition of the American Joint Committee on Cancer pathological staging system for elderly women with early-stage breast cancer. Aging, 2020, 12, 15077-15090.	3.1	2
136	Rare Metastasis to the Submandibular Gland in Oral Squamous Cell Carcinoma. Frontiers in Oncology, 2021, 11, 728230.	2.8	2
137	Prognostic Value of the Number of Removed Lymph Nodes in Vulvar Squamous Cell Carcinoma Patients With Node-Positive Disease: A Population-Based Study. Frontiers in Oncology, 2018, 8, 184.	2.8	1
138	Prognostic and Predictive Value of the American Joint Committee on Cancer Pathological Prognostic Staging System in Nodal Micrometastatic Breast Cancer. Frontiers in Oncology, 2020, 10, 570175.	2.8	1
139	Adjuvant chemotherapy and survival outcome in node-negative breast cancer with a 21-gene recurrence score of 26–30. Future Oncology, 2021, 17, 2183-2192.	2.4	1
140	Olanzapine 5 mg for Nausea and Vomiting in Patients with Nasopharyngeal Carcinoma Receiving Cisplatin-Based Concurrent Chemoradiotherapy. Journal of Oncology, 2022, 2022, 1-7.	1.3	1
141	The Predictive Effect of the 8th AJCC Pathological Prognostic Staging on the Benefit of Postmastectomy Radiotherapy in N2/N3 Breast Cancer. Breast Cancer: Targets and Therapy, 2022, Volume 14, 133-144.	1.8	1
142	Integration the biologic factors into the staging of breast cancer patients with ipsilateral supraclavicular lymph node metastasis. Journal of Cancer, 2020, 11, 6834-6840.	2.5	0
143	OUP accepted manuscript. BJS Open, 2022, 6, .	1.7	0