

Rosane Harter Griep

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5387007/publications.pdf>

Version: 2024-02-01

179
papers

3,894
citations

147801

31
h-index

189892

50
g-index

215
all docs

215
docs citations

215
times ranked

4894
citing authors

#	ARTICLE	IF	CITATIONS
1	Consumption of ultra-processed foods and incidence of dyslipidaemias: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>British Journal of Nutrition</i> , 2023, 129, 336-344.	2.3	6
2	Association between objective sleep measures and cognitive performance: a cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) study. <i>Journal of Sleep Research</i> , 2023, 32, .	3.2	3
3	The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Factors Related to Smoking Cessation. <i>International Journal of Behavioral Medicine</i> , 2022, 29, 718-727.	1.7	1
4	Is work-family conflict a pathway between job strain components and binge eating? A cross-sectional analysis from the ELSA-Brasil study. <i>Journal of Eating Disorders</i> , 2022, 10, 16.	2.7	4
5	Psychosocial and environmental determinants of physical activity in a Brazilian public university employees - ELDAF: A prospective cohort study protocol. <i>PLoS ONE</i> , 2022, 17, e0263385.	2.5	1
6	Job stress and chronic and widespread musculoskeletal pain: a cross-sectional analysis from the Brazilian Longitudinal Study of Adult Health Musculoskeletal. <i>Pain</i> , 2022, 163, 2044-2051.	4.2	2
7	Is retirement associated to greater life satisfaction? Cross-sectional findings from ELSA-Brasil. <i>Cadernos De Saude Publica</i> , 2022, 38, .	1.0	1
8	Racial discrimination is associated with greater arterial stiffness and carotid intima-media thickness: the ELSA-Brasil study. <i>Annals of Epidemiology</i> , 2022, 72, 40-47.	1.9	5
9	The association between diabetes mellitus and incidence of depressive episodes is different based on sex: insights from ELSA-Brasil. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2022, 13, 204201882210932.	3.2	1
10	Cardiovascular risk among nursing workers: a cross-sectional study. <i>Revista Brasileira De Enfermagem</i> , 2022, 75, e20210305.	0.7	1
11	Gender, work-family conflict, and weight gain: four-year follow-up of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cadernos De Saude Publica</i> , 2022, 38, EN066321.	1.0	5
12	Terapia Hormonal e Hipertens�o em Mulheres na P�s-Menopausa: Resultados do Estudo Longitudinal de Sa�de do Adulto (ELSA-Brasil). <i>Arquivos Brasileiros De Cardiologia</i> , 2022, 118, 905-913.	0.8	2
13	Fun�o cognitiva e controle da press�o arterial em idosos hipertensos. <i>Ciencia E Saude Coletiva</i> , 2022, 27, 2269-2278.	0.5	0
14	Racial inequalities in multimorbidity: baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Public Health</i> , 2022, 22, .	2.9	3
15	Normative Data for the ELSA-Brasil Neuropsychological Assessment and Operationalized Criterion for Cognitive Impairment for Middle-Aged and Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 293-303.	1.8	5
16	Hypertension, Prehypertension, and Hypertension Control. <i>Hypertension</i> , 2021, 77, 672-681.	2.7	56
17	Metabolic status is not associated with job stress in individuals with obesity: the ELSA-Brasil baseline. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 639-646.	2.3	2
18	Response to comment on van Duinkerken et al. Biopsychosocial factors associated with a current depressive episode in diabetes: The ELSA-Brasil study. <i>Diabetic Medicine</i> , 2021, 38, e14435.	2.3	0

#	ARTICLE	IF	CITATIONS
19	Insulin resistance may be misdiagnosed by HOMA-IR in adults with greater fat-free mass: the ELSA-Brasil Study. <i>Acta Diabetologica</i> , 2021, 58, 73-80.	2.5	2
20	Birth weight and body fat mass in adults assessed by bioimpedance in the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2021, 37, e00061619.	1.0	3
21	Racial inequality, racial discrimination and obesity incidence in adults from the ELSA-Brasil cohort. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 695-701.	3.7	5
22	Life Course Socioeconomic Position, Intergenerational Social Mobility, and Hypertension Incidence in ELSA-Brasil. <i>American Journal of Hypertension</i> , 2021, 34, 801-809.	2.0	7
23	Does Work after Retirement Matter? Sleep Features among Workers in the Brazilian Longitudinal Study of Adult Health. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4117.	2.6	0
24	Incidence of excess body weight and annual weight gain in women and men: Results from the ELSA-Brasil cohort. <i>American Journal of Human Biology</i> , 2021, , e23606.	1.6	2
25	Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Archives of Endocrinology and Metabolism</i> , 2021, 65, 468-478.	0.6	3
26	Impact of Work-Family Conflict on Sleep Complaints: Results From the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Frontiers in Public Health</i> , 2021, 9, 649974.	2.7	6
27	Social Capital and Depressive Episodes: Gender Differences in the ELSA-Brasil Cohort. <i>Frontiers in Public Health</i> , 2021, 9, 657700.	2.7	4
28	Return to Work after a Disabling Mental Disorder. <i>Journal of Occupational and Environmental Medicine</i> , 2021, Publish Ahead of Print, e505-e511.	1.7	0
29	Longitudinal measurement invariance of neuropsychological tests in a diverse sample from the ELSA-Brasil study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 254-261.	1.7	8
30	Associação entre Atividade Física no Tempo Livre e HDL-C em Participantes do Elsa-Brasil: Existem Diferenças entre Homens e Mulheres no Efeito Dose-Resposta?. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 494-500.	0.8	3
31	Reference values for the triglyceride to high-density lipoprotein ratio and its association with cardiometabolic diseases in a mixed adult population: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2021, 15, 699-711.	1.5	6
32	Longitudinal association between binge eating and metabolic syndrome in adults: Findings from the ELSA-Brasil cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 464-474.	4.5	14
33	Advanced glycation end product: A potential biomarker for risk stratification of non-alcoholic fatty liver disease in ELSA-Brasil study. <i>World Journal of Gastroenterology</i> , 2021, 27, 4913-4928.	3.3	16
34	Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) participant's profile regarding self-rated health: a multiple correspondence analysis. <i>BMC Public Health</i> , 2021, 21, 1761.	2.9	7
35	Alcoholic beverage consumption, changes in blood pressure, and incidence of hypertension in the Longitudinal Adult Health Study (ELSA-Brasil). <i>Nutrition</i> , 2021, 91-92, 111387.	2.4	4
36	Different Components of Subjective Well-being Are Associated With Chronic Nondisabling and Disabling Knee Pain. <i>Journal of Clinical Rheumatology</i> , 2021, 27, S301-S307.	0.9	1

#	ARTICLE	IF	CITATIONS
37	Association of sleep disturbances with sarcopenia and its defining components: the ELSA-Brasil study. Brazilian Journal of Medical and Biological Research, 2021, 54, e11539.	1.5	5
38	Prediction of Liver Steatosis Applying a New Score in Subjects from the Brazilian Longitudinal Study of Adult Health. Journal of Clinical Gastroenterology, 2020, 54, e1-e10.	2.2	7
39	Work-related stress and cognitive performance among middle-aged adults: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Stress and Health, 2020, 36, 19-30.	2.6	12
40	Four-year adiposity change and remission of hypertension: an observational evaluation from the Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Human Hypertension, 2020, 34, 68-75.	2.2	6
41	Association between Presenteeism, Psychosocial Aspects of Work and Common Mental Disorders among Nursing Personnel. International Journal of Environmental Research and Public Health, 2020, 17, 6758.	2.6	17
42	Identifying patterns of diurnal blood pressure variation among ELSA-Brasil participants. Journal of Clinical Hypertension, 2020, 22, 2315-2324.	2.0	2
43	Gender Difference in Social Capital, Common Mental Disorders and Depression: ELSA-Brasil Study. Psych, 2020, 2, 85-96.	1.6	3
44	Factors Associated with Body Size Perception and Body Image (Dis)Satisfaction in the Elderly: Results of the ELSA-Brasil Study. International Journal of Environmental Research and Public Health, 2020, 17, 6632.	2.6	4
45	Lifetime night work exposure and the risk of type 2 diabetes: results from the longitudinal study of adult health (ELSA-Brasil). Chronobiology International, 2020, 37, 1344-1347.	2.0	4
46	Gender, sexual orientation and health behaviors in the ELSA-Brasil cohort. Cogent Social Sciences, 2020, 6, 1787695.	1.1	4
47	On-shift naps are associated with systolic and diastolic blood pressure level among night working nursing professionals. Chronobiology International, 2020, 37, 1365-1372.	2.0	3
48	Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brasil study. Cadernos De Saude Publica, 2020, 36, e00072120.	1.0	14
49	Sex differences in the association between self-reported sleep duration, insomnia symptoms and cardiometabolic risk factors: cross-sectional findings from Brazilian longitudinal study of adult health. Archives of Public Health, 2020, 78, 48.	2.4	15
50	Religious Service Attendance, Educational Attainment, and Hypertension at Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). American Journal of Hypertension, 2020, 33, 452-457.	2.0	3
51	Combined Use of Job Stress Models and the Incidence of Glycemic Alterations (Prediabetes and) Tj ETQq1 1 0.784314 rgBT /Overlock Health, 2020, 17, 1539.	2.6	12
52	Dietary Patterns and Depression: First Results in a Cross-Sectional Study from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Psych, 2020, 2, 11-24.	1.6	4
53	Sleep problems and their association with weight and waist gain - The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Sleep Medicine, 2020, 73, 196-201.	1.6	0
54	Biopsychosocial factors associated with a current depressive episode in diabetes: the ELSA-Brasil study. Diabetic Medicine, 2020, 37, 1742-1751.	2.3	10

#	ARTICLE	IF	CITATIONS
55	Adherence to the Dietary Approaches to Stop Hypertension (DASH) and hypertension risk: results of the Longitudinal Study of Adult Health (ELSA-Brasil). <i>British Journal of Nutrition</i> , 2020, 123, 1068-1077.	2.3	14
56	Association between C reactive protein and all-cause mortality in the ELSA-Brasil cohort. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 421-427.	3.7	21
57	Measurement invariance of neuropsychological tests across different sociodemographic backgrounds in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil).. <i>Neuropsychology</i> , 2020, 34, 227-234.	1.3	12
58	Pressão arterial não controlada entre pessoas idosas hipertensas assistidas pela Estratégia Saúde da Família. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2020, 23, .	0.3	2
59	Association between race/color and incidence of hypertension in the ELSA-Brasil population: investigating the mediation of racial discrimination and socioeconomic position. <i>Ethnicity and Health</i> , 2020, , 1-11.	2.5	3
60	Psychosocial determinants of physical activity among workers: an integrative review. <i>Revista Brasileira De Medicina Do Trabalho</i> , 2020, 18, 472-487.	0.4	6
61	Job Stress and Subclinical Cardiovascular Disease. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 1052-1058.	1.7	1
62	Structural equation modeling of associations between night work and glycemic levels. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 487-494.	0.6	2
63	Fatores associados à relação sódio/potássio urinária em participantes do ELSA-Brasil. <i>Cadernos De Saude Publica</i> , 2019, 35, e00039718.	1.0	2
64	Work-Family Conflict and Ideal Cardiovascular Health Score in the ELSA-Brasil Baseline Assessment. <i>Journal of the American Heart Association</i> , 2019, 8, e012701.	3.7	7
65	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brasil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.	4.5	13
66	Effort-Reward Imbalance, Over-Commitment and Depressive Episodes at Work: Evidence from the ELSA-Brasil Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3025.	2.6	20
67	Working Time Society consensus statements: Psychosocial stressors relevant to the health and wellbeing of night and shift workers. <i>Industrial Health</i> , 2019, 57, 175-183.	1.0	19
68	Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): socio-occupational class as an effect modifier for the relationship between adiposity measures and self-rated health. <i>BMC Public Health</i> , 2019, 19, 734.	2.9	5
69	Sex-specific patterns in the association between salt intake and blood pressure: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 502-509.	2.0	25
70	Intermediate hyperglycaemia to predict progression to type 2 diabetes (ELSA-Brasil): an occupational cohort study in Brazil. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 267-277.	11.4	53
71	The association between salt intake and arterial stiffness is influenced by a sex-specific mediating effect through blood pressure in normotensive adults: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1771-1779.	2.0	14
72	Effect of urinary sodium-to-potassium ratio change on blood pressure in participants of the longitudinal health of adults study - ELSA-Brasil. <i>Medicine (United States)</i> , 2019, 98, e16278.	1.0	7

#	ARTICLE	IF	CITATIONS
73	Job Stress and Heart Rate Variability: Findings From the ELSA-Brasil Cohort. <i>Psychosomatic Medicine</i> , 2019, 81, 536-544.	2.0	5
74	Mulher, trabalho e saúde. , 2019, , .		5
75	Abstract P354: Work-Family Conflict and Ideal Cardiovascular Health Score in ELSA-Brasil Baseline Assessment. <i>Circulation</i> , 2019, 139, .	1.6	0
76	Time of exposure to night work and carotid atherosclerosis: a structural equation modeling approach using baseline data from ELSA-Brasil. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 591-600.	2.3	6
77	Intragenerational Social Mobility and Changes in Blood Pressure: Longitudinal Analysis From the ELSA-Brasil Study. <i>American Journal of Hypertension</i> , 2018, 31, 672-678.	2.0	10
78	HIV Infection Is Not Associated With Aortic Stiffness. Traditional Cardiovascular Risk Factors Are the Main Determinants” Cross-sectional Results of INI-ELSA-BRASIL. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 73-81.	2.1	5
79	Predicting cardiometabolic disturbances from waist-to-height ratio: findings from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) baseline. <i>Public Health Nutrition</i> , 2018, 21, 1028-1035.	2.2	17
80	Carotid-femoral pulse wave velocity in a healthy adult sample: The ELSA-Brasil study. <i>International Journal of Cardiology</i> , 2018, 251, 90-95.	1.7	27
81	What Factors Explain Bicycling and Walking for Commuting by ELSA-Brasil Participants?. <i>American Journal of Health Promotion</i> , 2018, 32, 646-656.	1.7	7
82	1602aê€…Multiple job stressors of night and rotating shift workers that affect health and wellbeing: basis for comprehensive interventions for their solutions. , 2018, , .		0
83	1602aê€…Can on-shift nap benefit night workersâ€™ health? studies on blood pressure and obesity in nursing teams. , 2018, , .		0
84	Association between perceived racial discrimination and hypertension: findings from the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2018, 34, e00050317.	1.0	7
85	Validade e confiabilidade teste-reteste do questionÃ¡rio â€˜Expectativas sobre o trabalhoâ€™. <i>Revista De Saude Publica</i> , 2018, 52, 65.	1.7	8
86	Shift work, job strain, and metabolic syndrome: Crossâ€§ectional analysis of ELSAâ€§Brasil. <i>American Journal of Industrial Medicine</i> , 2018, 61, 911-918.	2.1	11
87	Adherence to physical activity in adults with chronic diseases: ELSA-Brasil. <i>Revista De Saude Publica</i> , 2018, 52, 31.	1.7	46
88	Transcultural adaptation to the Brazilian Portuguese of the Postpartum Bonding Questionnaire for assessing the postpartum bond between mother and baby. <i>Cadernos De Saude Publica</i> , 2018, 34, e00170717.	1.0	6
89	Racial disparities in renal function: the role of racial discrimination. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil)</i> . <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1027-1032.	3.7	5
90	Association between Body Image Dissatisfaction and Self-Rated Health, as Mediated by Physical Activity and Eating Habits: Structural Equation Modelling in ELSA-Brasil. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 790.	2.6	17

#	ARTICLE	IF	CITATIONS
91	Gender, time use and overweight and obesity in adults: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE, 2018, 13, e0194190.	2.5	19
92	Association between demand-control model components and blood pressure in the ELSA-Brasil study: exploring heterogeneity using quantile regression analyses. Scandinavian Journal of Work, Environment and Health, 2018, 44, 601-612.	3.4	6
93	Adequacy of Intake of Nutrients among Shift Workers in a Public Hospital of Rio de Janeiro, Brazil. International Journal of Advanced Nutritional and Health Science, 2018, 6, 278-288.	0.2	0
94	Job Strain and Cardiovascular Health Score (from the Brazilian Longitudinal Study of Adult Health) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.6	11
95	Intention to leave profession, psychosocial environment and self-rated health among registered nurses from large hospitals in Brazil: a cross-sectional study. BMC Health Services Research, 2017, 17, 21.	2.2	76
96	Job strain and binge eating among Brazilian workers participating in the ELSA-Brasil study: does BMI matter?. Journal of Occupational Health, 2017, 59, 247-255.	2.1	14
97	Job Strain and Casual Blood Pressure Distribution: Looking beyond the Adjusted Mean and Taking Gender, Age, and Use of Antihypertensives into Account. Results from ELSA-Brasil. International Journal of Environmental Research and Public Health, 2017, 14, 451.	2.6	10
98	Using Gamma and Quantile Regressions to Explore the Association between Job Strain and Adiposity in the ELSA-Brasil Study: Does Gender Matter?. International Journal of Environmental Research and Public Health, 2017, 14, 1404.	2.6	4
99	Multinomial model and zero-inflated gamma model to study time spent on leisure time physical activity: an example of ELSA-Brasil. Revista De Saude Publica, 2017, 51, 76.	1.7	8
100	Working hours and health in nurses of public hospitals according to gender. Revista De Saude Publica, 2017, 51, 63.	1.7	14
101	Night work and BMI: is it related to on-shift napping?. Revista De Saude Publica, 2017, 51, 97.	1.7	11
102	Transcultural adaptation to Brazilian Portuguese and reliability of the effort-reward imbalance in household and family work. Revista De Saude Publica, 2016, 50, .	1.7	1
103	Eating patterns in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): an exploratory analysis. Cadernos De Saude Publica, 2016, 32, e00066215.	1.0	34
104	Factors associated with overweight: are the conclusions influenced by choice of the regression method?. BMC Public Health, 2016, 16, 642.	2.9	4
105	Work-family conflict and time use: psychometric assessment of an instrument in ELSA-Brasil. Revista De Saude Publica, 2016, 50, .	1.7	11
106	Sex-specific associations of low birth weight with adult-onset diabetes and measures of glucose homeostasis: Brazilian Longitudinal Study of Adult Health. Scientific Reports, 2016, 6, 37032.	3.3	14
107	Association between perceived neighbourhood characteristics, physical activity and diet quality: results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). BMC Public Health, 2016, 16, 751.	2.9	38
108	Work-family Conflict and Self-Rated Health: the Role of Gender and Educational Level. Baseline Data from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). International Journal of Behavioral Medicine, 2016, 23, 372-382.	1.7	44

#	ARTICLE	IF	CITATIONS
109	Work schedule and self-reported hypertension – the potential beneficial role of on-shift naps for night workers. <i>Chronobiology International</i> , 2016, 33, 697-705.	2.0	26
110	Gender differences in cumulative life-course socioeconomic position and social mobility in relation to new onset diabetes in adults – the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Annals of Epidemiology</i> , 2016, 26, 858-864.e1.	1.9	10
111	Social mobility and subclinical atherosclerosis in a middle-income country: Association of intra- and inter-generational social mobility with carotid intima-media thickness in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Social Science and Medicine</i> , 2016, 169, 9-17.	3.8	7
112	Work-family conflict, lack of time for personal care and leisure, and job strain in migraine: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Journal of Industrial Medicine</i> , 2016, 59, 987-1000.	2.1	20
113	Mortality differences between self-employed and paid employees: a 5-year follow-up study of the working population in Sweden. <i>Occupational and Environmental Medicine</i> , 2016, 73, 627-636.	2.8	36
114	Chronic kidney disease among adult participants of the ELSA-Brasil cohort: association with race and socioeconomic position. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 380-389.	3.7	83
115	Night work is associated with glycemic levels and anthropometric alterations preceding diabetes: Baseline results from ELSA-Brasil. <i>Chronobiology International</i> , 2016, 33, 64-72.	2.0	17
116	HIV Infection Is Not Associated with Carotid Intima-Media Thickness in Brazil: A Cross-Sectional Analysis from the INI/ELSA-Brasil Study. <i>PLoS ONE</i> , 2016, 11, e0158999.	2.5	16
117	Perfil do consumo de álcool de usuários de uma unidade de Atenção Primária à Saúde. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 55-62.	0.7	4
118	Inter-relações entre o estado nutricional, fatores sociodemográficos, características de trabalho e da saúde em trabalhadores de enfermagem. <i>Ciencia E Saude Coletiva</i> , 2015, 20, 1925-1935.	0.5	9
119	Napping during the night shift and recovery after work among hospital nurses. <i>Revista Latino-Americana De Enfermagem</i> , 2015, 23, 114-121.	1.0	23
120	A sociedade de risco midiaticizada, o movimento antivacinal e o risco do autismo. <i>Ciencia E Saude Coletiva</i> , 2015, 20, 607-616.	0.5	31
121	Disentangling the effects of insomnia and night work on cardiovascular diseases: a study in nursing professionals. <i>Brazilian Journal of Medical and Biological Research</i> , 2015, 48, 120-127.	1.5	15
122	Prevalence, Awareness, Treatment and Influence of Socioeconomic Variables on Control of High Blood Pressure: Results of the ELSA-Brasil Study. <i>PLoS ONE</i> , 2015, 10, e0127382.	2.5	132
123	Job Strain and Self-Reported Insomnia Symptoms among Nurses: What about the Influence of Emotional Demands and Social Support?. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	57
124	Job strain and unhealthy lifestyle: results from the baseline cohort study, Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Public Health</i> , 2015, 15, 309.	2.9	38
125	Associations of life course socioeconomic position and job stress with carotid intima-media thickness. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil)</i> . <i>Social Science and Medicine</i> , 2015, 141, 91-99.	3.8	18
126	Associations of a Short Sleep Duration, Insufficient Sleep, and Insomnia with Self-Rated Health among Nurses. <i>PLoS ONE</i> , 2015, 10, e0126844.	2.5	46

#	ARTICLE	IF	CITATIONS
127	Gender-specific association between night-work exposure and type-2 diabetes: results from longitudinal study of adult health, ELSA-Brasil. Scandinavian Journal of Work, Environment and Health, 2015, 41, 569-578.	3.4	24
128	Napping on the night shift among nursing staff: potential benefits for workers' health. Escola Anna Nery, 2015, 19, .	0.8	3
129	Characterization of alcohol consumption among the population ascribed to the Family Health strategy. Escola Anna Nery, 2014, 18, .	0.8	1
130	Gender differences in social support and leisure-time physical activity. Revista De Saude Publica, 2014, 48, 602-612.	1.7	16
131	Migraine Headaches and Mood/Anxiety Disorders in the <scp>ELSA B</scp>razil. Headache, 2014, 54, 1310-1319.	3.9	39
132	High prevalence of diabetes and intermediate hyperglycemia â€“ The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Diabetology and Metabolic Syndrome, 2014, 6, 123.	2.7	103
133	Years worked at night and body mass index among registered nurses from eighteen public hospitals in Rio de Janeiro, Brazil. BMC Health Services Research, 2014, 14, 603.	2.2	32
134	Job stress is associated with migraine in current workers: The <scp>B</scp>razilian Longitudinal Study of Adult Health (<scp>ELSA</scp>â€“<scp>B</scp>razil). European Journal of Pain, 2014, 18, 1290-1297.	2.8	32
135	Negative life events and migraine: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) baseline data. BMC Public Health, 2014, 14, 678.	2.9	11
136	Life Course Socioeconomic Position and C-Reactive Protein: Mediating Role of Health-Risk Behaviors and Metabolic Alterations. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE, 2014, 9, e108426.	2.5	22
137	Mental health and poor recovery in female nursing workers: a contribution to the study of gender inequities. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2014, 35, 179-85.	1.1	6
138	Relationship between napping during night shift work and household obligations of female nursing personnel. International Journal of General Medicine, 2013, 6, 227.	1.8	7
139	Seroprevalence of Hepatitis C and factors associated with this in crack users. Revista Latino-Americana De Enfermagem, 2013, 21, 1195-1202.	1.0	15
140	Working hours and health behaviour among nurses at public hospitals. Revista Latino-Americana De Enfermagem, 2013, 21, 1104-1111.	1.0	30
141	The Influence of Domestic Overload on the Association between Job Strain and Ambulatory Blood Pressure among Female Nursing Workers. International Journal of Environmental Research and Public Health, 2013, 10, 6397-6408.	2.6	13
142	Transcultural adaptation and validation of the Stanford Presenteeism Scale for the evaluation of presenteeism for Brazilian Portuguese. Revista Latino-Americana De Enfermagem, 2013, 21, 388-395.	1.0	34
143	Minor psychiatric disorders among nursing workers â€“ is there an association with current or former night work?. Work, 2012, 41, 2887-2892.	1.1	10
144	Abordagem multifatorial do absenteÃsmo por doenÃsa em trabalhadores de enfermagem. Revista De Saude Publica, 2012, 46, 259-268.	1.7	37

#	ARTICLE	IF	CITATIONS
145	Violence in daily hospital nursing work. ACTA Paulista De Enfermagem, 2012, 25, 40-47.	0.6	13
146	Need for recovery from work and sleep-related complaints among nursing professionals. Work, 2012, 41, 3726-3731.	1.1	20
147	Barriers related to screening examinations for prostate cancer. Revista Latino-Americana De Enfermagem, 2011, 19, 73-80.	1.0	14
148	Uso combinado de modelos de estresse no trabalho e a saúde auto-referida na enfermagem. Revista De Saude Publica, 2011, 45, 145-152.	1.7	47
149	P2-105 Factors associated with short and long sickness absenteeism among healthcare workers. Journal of Epidemiology and Community Health, 2011, 65, A249-A249.	3.7	0
150	SP2-4 Impact assessment of institutional campaigns compared to summer months on the search for information about self-examination of the skin. Journal of Epidemiology and Community Health, 2011, 65, A407-A407.	3.7	0
151	Housework and Recovery from Work among Nursing Teams: A Gender Perspective. New Solutions, 2011, 20, 497-510.	1.2	13
152	SP6-11 Validity and reliability of the work ability index questionnaire in nurse's work. Journal of Epidemiology and Community Health, 2011, 65, A457-A458.	3.7	2
153	Relationship between sleeping on the night shift and recovery from work among nursing workers - the influence of domestic work. Journal of Advanced Nursing, 2011, 67, 972-981.	3.3	23
154	Social support and leisure-time physical activity: longitudinal evidence from the Brazilian Prática-Saúde cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 77.	4.6	27
155	P1-59 Topics related to skin cancer which arouse greater demand for information during national campaigns in Brazil. Journal of Epidemiology and Community Health, 2011, 65, A83-A83.	3.7	0
156	Condições de trabalho, características sociodemográficas e distúrbios musculoesqueléticos em trabalhadores de enfermagem. ACTA Paulista De Enfermagem, 2010, 23, 187-193.	0.6	28
157	Psychosocial aspects of work and musculoskeletal disorders in nursing workers. Revista Latino-Americana De Enfermagem, 2010, 18, 429-435.	1.0	60
158	Conhecimentos, atitudes e práticas acerca da detecção do câncer de próstata. ACTA Paulista De Enfermagem, 2010, 23, 88-93.	0.6	24
159	Beyond simple approaches to studying the association between work characteristics and absenteeism: Combining the DCS and ERI models. Work and Stress, 2010, 24, 179-195.	4.5	42
160	Apoio social entre idosos de uma localidade de baixa renda no Município do Rio de Janeiro. ACTA Paulista De Enfermagem, 2010, 23, 625-631.	0.6	14
161	Self-medication among nursing workers from public hospitals. Revista Latino-Americana De Enfermagem, 2009, 17, 1015-1022.	1.0	29
162	Social support and cervical and breast cancer screening practices among nurses. Revista Latino-Americana De Enfermagem, 2009, 17, 514-521.	1.0	21

#	ARTICLE	IF	CITATIONS
163	Acidentes de trânsito e a frequência dos exames de alcoolemia com vítimas fatais na cidade do Rio de Janeiro. Escola Anna Nery, 2009, 13, 44-50.	0.8	12
164	Working at night and work ability among nursing personnel: when precarious employment makes the difference. International Archives of Occupational and Environmental Health, 2009, 82, 877-885.	2.3	34
165	The psychometric properties of demand-control and effort-reward imbalance scales among Brazilian nurses. International Archives of Occupational and Environmental Health, 2009, 82, 1163-1172.	2.3	54
166	Social Support and Cervical and Breast Cancer Screening in Argentinean Women From a Rural Population. Public Health Nursing, 2009, 26, 269-276.	1.5	39
167	Condições de trabalho e características sócio-demográficas relacionadas à presença de distúrbios psíquicos menores em trabalhadores de enfermagem. Texto E Contexto Enfermagem, 2009, 18, 215-223.	0.4	40
168	A gender approach to work ability and its relationship to professional and domestic work hours among nursing personnel. Applied Ergonomics, 2008, 39, 646-652.	3.1	52
169	Cancer prevention campaigns and Internet access: promoting health or disease?. Journal of Epidemiology and Community Health, 2008, 62, 876-881.	3.7	11
170	Trabalho da enfermagem e distúrbio musculoesquelético: revisão das pesquisas sobre o tema. Escola Anna Nery, 2008, 12, 560-565.	0.8	14
171	Mortalidade de infantil no município do Rio de Janeiro. Escola Anna Nery, 2007, 11, 283-288.	0.8	5
172	Experiências de ensino-aprendizagem de estudantes de enfermagem em uma comunidade do município do Rio de Janeiro. Escola Anna Nery, 2006, 10, 251-257.	0.8	3
173	Cobertura vacinal dos profissionais de um curso de especialização em Saúde da Família do Piauí. Escola Anna Nery, 2006, 10, 95-100.	0.8	3
174	Trabalho noturno e pressão arterial: um estudo com foco nas doses de exposição. Revista Brasileira De Saúde De Ocupacional, 0, 46, .	0.2	0
175	Factors associated with sedentary behavior among ELSA-Brasil participants: ecological model. Revista Brasileira De Atividade Física E Saúde, 0, 23, 1-8.	0.1	2
176	ADESÃO AO TRATAMENTO ANTI-HIPERTENSIVO EM IDOSOS COM COMPROMETIMENTO COGNITIVO: REVISÃO SISTEMÁTICA. Cogitare Enfermagem, 0, 26, .	0.6	0
177	Estresse no trabalho e níveis de hemoglobina glicada: o papel da escolaridade. Dados da linha de base do Estudo Longitudinal de Saúde do Adulto (ELSA-Brasil). Revista Brasileira De Saúde De Ocupacional, 0, 47, .	0.2	0
178	Retest effects in a diverse sample: sociodemographic predictors and possible correction approaches. Dementia E Neuropsychologia, 0, , .	0.8	0
179	The association between salt intake and blood pressure is mediated by body mass index but modified by hypertension: The ELSA-Brasil study. Journal of Human Hypertension, 0, , .	2.2	2