

Magdalena Rosińska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5390122/publications.pdf>

Version: 2024-02-01

93
papers

3,976
citations

430754

18
h-index

138417

58
g-index

127
all docs

127
docs citations

127
times ranked

6385
citing authors

#	ARTICLE	IF	CITATIONS
1	Social Contacts and Mixing Patterns Relevant to the Spread of Infectious Diseases. PLoS Medicine, 2008, 5, e74.	3.9	2,355
2	Hepatitis C Virus Infection Epidemiology among People Who Inject Drugs in Europe: A Systematic Review of Data for Scaling Up Treatment and Prevention. PLoS ONE, 2014, 9, e103345.	1.1	184
3	A review of lesbian, gay, bisexual, trans and intersex (LGBTI) health and healthcare inequalities. European Journal of Public Health, 2019, 29, 974-980.	0.1	154
4	Immunovirologic Control 24 Months After Interruption of Antiretroviral Therapy Initiated Close to HIV Seroconversion. Archives of Internal Medicine, 2012, 172, 1252.	4.3	102
5	Impact of HIV-1 Subtype on CD4 Count at HIV Seroconversion, Rate of Decline, and Viral Load Set Point in European Seroconverter Cohorts. Clinical Infectious Diseases, 2013, 56, 888-897.	2.9	88
6	New HIV diagnoses among adults aged 50 years or older in 31 European countries, 2004-2015: an analysis of surveillance data. Lancet HIV, 2017, 4, e514-e521.	2.1	87
7	Gender Differences in HIV Progression to AIDS and Death in Industrialized Countries: Slower Disease Progression Following HIV Seroconversion in Women. American Journal of Epidemiology, 2008, 168, 532-540.	1.6	82
8	Prevalence of drug use during sex amongst MSM in Europe: Results from a multi-site bio-behavioural survey. International Journal of Drug Policy, 2018, 55, 231-241.	1.6	73
9	Is the HCV-HIV co-infection prevalence amongst injecting drug users a marker for the level of sexual and injection related HIV transmission?. Drug and Alcohol Dependence, 2013, 132, 172-181.	1.6	40
10	A National Case-Control Study Identifies Human Socio-Economic Status and Activities as Risk Factors for Tick-Borne Encephalitis in Poland. PLoS ONE, 2012, 7, e45511.	1.1	36
11	Risk assessment of COVID-19 epidemic resurgence in relation to SARS-CoV-2 variants and vaccination passes. Communications Medicine, 2022, 2, .	1.9	32
12	Estimating HIV incidence and number of undiagnosed individuals living with HIV in the European Union/European Economic Area, 2015. Eurosurveillance, 2016, 21, .	3.9	30
13	Healthcare professionals' assumptions as barriers to LGBTI healthcare. Culture, Health and Sexuality, 2020, 22, 954-970.	1.0	28
14	Bio-behavioural HIV and STI surveillance among men who have sex with men in Europe: the Sialon II protocols. BMC Public Health, 2016, 16, 212.	1.2	26
15	Type specific seroprevalence of HSV-1 and HSV-2 in four geographical regions of Poland. Sexually Transmitted Infections, 2006, 82, 159-163.	0.8	23
16	Training healthcare professionals in LGBTI cultural competencies: Exploratory findings from the Health4LGBTI pilot project. Patient Education and Counseling, 2020, 103, 978-987.	1.0	23
17	Are European HIV cohort data within EuroCoord representative of the diagnosed HIV population?. Aids, 2019, 33, 133-143.	1.0	20
18	Towards standardized definitions for monitoring the continuum of HIV care in Europe. Aids, 2017, 31, 2053-2058.	1.0	19

#	ARTICLE	IF	CITATIONS
19	Increase of new HIV diagnoses among men who have sex with men in Poland, 2000 to 2011. <i>Eurosurveillance</i> , 2013, 18, 20642.	3.9	19
20	High Percentage of Recent HIV Infection Among HIV-Positive Individuals Newly Diagnosed at Voluntary Counseling and Testing Sites in Poland. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 805-813.	0.5	18
21	HIV-1 Infection in Persons Homozygous for CCR5-Δ32 Allele: The Next Case and the Review. <i>AIDS Reviews</i> , 2017, 19, 219-230.	0.5	17
22	High regional variability of HIV, HCV and injecting risks among people who inject drugs in Poland: comparing a cross-sectional bio-behavioural study with case-based surveillance. <i>BMC Infectious Diseases</i> , 2015, 15, 83.	1.3	16
23	Imported Malaria in Poland 2003 to 2011: Implications of Different Travel Patterns. <i>Journal of Travel Medicine</i> , 2014, 21, 189-194.	1.4	15
24	Socio-demographic Characteristics, Sexual and Test-Seeking Behaviours Amongst Men Who have Sex with Both Men and Women: Results from a Bio-behavioural Survey in 13 European Cities. <i>AIDS and Behavior</i> , 2017, 21, 3013-3025.	1.4	15
25	Behavioural and demographic correlates of undiagnosed HIV infection in a MSM sample recruited in 13 European cities. <i>BMC Infectious Diseases</i> , 2018, 18, 368.	1.3	15
26	Determining the likely place of HIV acquisition for migrants in Europe combining subject-specific information and biomarkers data. <i>Statistical Methods in Medical Research</i> , 2019, 28, 1979-1997.	0.7	15
27	Trends in HIV surveillance data in the EU/EEA, 2005 to 2014: new HIV diagnoses still increasing in men who have sex with men. <i>Eurosurveillance</i> , 2015, 20, .	3.9	15
28	HIV among women in the WHO European Region – epidemiological trends and predictors of late diagnosis, 2009-2018. <i>Eurosurveillance</i> , 2019, 24, .	3.9	15
29	Hepatitis C virus epidemiology and prevention in Polish and Swiss population – similar and contrasting experiences. <i>Annals of Agricultural and Environmental Medicine</i> , 2016, 23, 425-431.	0.5	15
30	Hepatitis C prevalence in injecting drug users in Europe, 1990–2007: impact of study recruitment setting. <i>Epidemiology and Infection</i> , 2013, 141, 563-572.	1.0	14
31	Current trends in HIV/ AIDS epidemiology in Poland, 1999 – 2004. <i>Eurosurveillance</i> , 2006, 11, 11-12.	3.9	14
32	Antibacterial prescriptions for acute gastrointestinal infections: uncovering the iceberg. <i>Epidemiology and Infection</i> , 2013, 141, 859-867.	1.0	12
33	Being in the Closet. Correlates of Outness Among MSM in 13 European Cities. <i>Journal of Homosexuality</i> , 2021, 68, 415-433.	1.3	12
34	Cross-Border Surveillance Differences: Tick-Borne Encephalitis and Lyme Borreliosis in the Czech Republic and Poland, 1999-2008. <i>Central European Journal of Public Health</i> , 2014, 22, 54-59.	0.4	12
35	Reduction in undiagnosed HIV infection in the European Union/European Economic Area, 2012 to 2016. <i>Eurosurveillance</i> , 2017, 22, .	3.9	12
36	Quantifying unmet prevention needs among MSM in Europe through a multi-site bio-behavioural survey. <i>Eurosurveillance</i> , 2018, 23, .	3.9	12

#	ARTICLE	IF	CITATIONS
37	Cutaneous melanoma with nodal metastases in elderly people. <i>International Journal of Dermatology</i> , 2010, 49, 907-913.	0.5	11
38	The relationship between human behavior and the process of epidemic spreading in a real social network. <i>European Physical Journal B</i> , 2012, 85, 1.	0.6	11
39	A Predictive Model Has Identified Tick-Borne Encephalitis High-Risk Areas in Regions Where No Cases Were Reported Previously, Poland, 1999–2012. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 677.	1.2	11
40	Recent Increase in HIV Rate by Age, Cohort, Period Analysis of Surveillance Data Suggests Changes in HIV Epidemiology in Poland. <i>Central European Journal of Public Health</i> , 2011, 19, 123-127.	0.4	11
41	HIV Incidence Estimates Using the Limiting Antigen Avidity EIA Assay at Testing Sites in Kiev City, Ukraine: 2013-2014. <i>PLoS ONE</i> , 2016, 11, e0157179.	1.1	10
42	The effectiveness of vaccination with whole-cell pertussis vaccine by age group in Poland 1996–2001. <i>Scandinavian Journal of Infectious Diseases</i> , 2004, 36, 114-118.	1.5	9
43	Molecular epidemiology of recent HIV-1 infections in southern Poland. <i>Journal of Medical Virology</i> , 2012, 84, 1857-1868.	2.5	9
44	Relating HIV testing patterns in Poland to risky and protective behaviour. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 423-431.	0.6	9
45	Factors associated with hepatitis C prevalence differ by the stage of liver fibrosis: A cross-sectional study in the general population in Poland, 2012-2016. <i>PLoS ONE</i> , 2017, 12, e0185055.	1.1	9
46	Discriminating Between Premigration and Postmigration HIV Acquisition Using Surveillance Data. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 88, 117-124.	0.9	9
47	Potential adjustment methodology for missing data and reporting delay in the HIV Surveillance System, European Union/European Economic Area, 2015. <i>Eurosurveillance</i> , 2018, 23, .	3.9	9
48	High Seroprevalence of CMV Among Women of Childbearing Age Implicates High Burden of Congenital Cytomegalovirus Infection in Poland. <i>Polish Journal of Microbiology</i> , 2016, 65, 425-432.	0.6	9
49	Refining HIV Risk: The Modifying Effects of Youth, Gender and Education among People Who Inject Drugs in Poland. <i>PLoS ONE</i> , 2013, 8, e68018.	1.1	8
50	Self-reported testing, HIV status and associated risk behaviours among people who inject drugs in Europe. <i>Aids</i> , 2014, 28, 1657-1664.	1.0	8
51	What weighs more—low compliance with self-deferral or minor medical procedures? Explaining the high rate of hepatitis C virus window-period donations in Poland. <i>Transfusion</i> , 2017, 57, 1998-2006.	0.8	8
52	Next-generation sequencing analysis of a cluster of hepatitis C virus infections in a haematology and oncology center. <i>PLoS ONE</i> , 2018, 13, e0194816.	1.1	8
53	Significant proportion of acute hepatitis B in Poland in 2010–2014 attributed to hospital transmission: combining surveillance and public registries data. <i>BMC Infectious Diseases</i> , 2018, 18, 164.	1.3	7
54	The concordance of the limiting antigen and the Bio-Rad avidity assays in persons from Estonia infected mainly with HIV-1 CRF06_cpx. <i>PLoS ONE</i> , 2019, 14, e0217048.	1.1	6

#	ARTICLE	IF	CITATIONS
55	Factors related to condomless anal intercourse between men who have sex with men: results from a European bio-behavioural survey. <i>Journal of Public Health</i> , 2020, 42, e174-e186.	1.0	6
56	Increasing integrated testing in community settings through interventions for change, including the Spring European Testing Week. <i>BMC Infectious Diseases</i> , 2021, 21, 874.	1.3	6
57	Hepatitis C outbreaks in Poland in 2003-2013. Medical procedures as a dominant route of HCV transmission. <i>Przeład Epidemiologiczny</i> , 2015, 69, 465-72, 585-90.	0.4	6
58	HIV and AIDS in Poland in 2014. <i>Przeład Epidemiologiczny</i> , 2016, 70, 249-259.	0.4	6
59	Predictors for diagnosis of tick-borne encephalitis infection in Poland, 2009–2010. <i>Infectious Diseases</i> , 2015, 47, 604-610.	1.4	5
60	Bayesian evidence synthesis to estimate HIV prevalence in men who have sex with men in Poland at the end of 2009. <i>Epidemiology and Infection</i> , 2016, 144, 1175-1191.	1.0	5
61	CD4 T cell decline following HIV seroconversion in individuals with and without CXCR4-tropic virus. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2862-2868.	1.3	5
62	Effect of incident hepatitis C infection on CD4+ cell count and HIV RNA trajectories based on a multinational HIV seroconversion cohort. <i>Aids</i> , 2019, 33, 327-337.	1.0	5
63	Genetic Variability of Hepatitis C Virus (HCV) 5'™ Untranslated Region in HIV/HCV Coinfected Patients Treated with Pegylated Interferon and Ribavirin. <i>PLoS ONE</i> , 2015, 10, e0125604.	1.1	5
64	Transmission of Drug-Resistant HIV-1 Variants Among Individuals with Recent Infection in Southern Poland. <i>Current HIV Research</i> , 2013, 11, 288-294.	0.2	5
65	Seroprevalence of varicella-zoster virus in Polish population. <i>Przeład Epidemiologiczny</i> , 2009, 63, 495-9.	0.4	5
66	Hepatitis C virus 5'™ untranslated region variability correlates with treatment outcome. <i>Journal of Viral Hepatitis</i> , 2014, 21, 551-559.	1.0	4
67	On limits of contact tracing in epidemic control. <i>PLoS ONE</i> , 2021, 16, e0256180.	1.1	4
68	The detection of meningococcal household clusters and their prophylaxis in the changing epidemiological situation of invasive meningococcal disease in Poland, 2003-2006. <i>Eurosurveillance</i> , 2008, 13, 5-6.	3.9	4
69	Genital Chlamydia trachomatis infections in young adults – a school-based bio-behavioural study in urban areas, Poland, 2012 to 2015. <i>Eurosurveillance</i> , 2018, 23, .	3.9	4
70	Univariable associations between a history of incarceration and HIV and HCV prevalence among people who inject drugs across 17 countries in Europe 2006 to 2020 – is the precautionary principle applicable?. <i>Eurosurveillance</i> , 2021, 26, .	3.9	4
71	Time to virological failure, treatment change and interruption for individuals treated within 12 months of HIV seroconversion and in chronic infection. <i>Antiviral Therapy</i> , 2012, 17, 1039-1048.	0.6	3
72	What affects response rates in primary healthcare-based programmes? An analysis of individual and unit-related factors associated with increased odds of non-response based on HCV screening in the general population in Poland. <i>BMJ Open</i> , 2016, 6, e013359.	0.8	3

#	ARTICLE	IF	CITATIONS
73	Estimating the percentage of European MSM eligible for PrEP: insights from a bio-behavioural survey in thirteen cities. <i>Sexually Transmitted Infections</i> , 2021, 97, sextrans-2020-054786.	0.8	3
74	HIV and AIDS in Poland in 2012. <i>Przegląd Epidemiologiczny</i> , 2014, 68, 283-9, 383-6.	0.4	3
75	Costs of Medically Attended Acute Gastrointestinal Infections: The Polish Prospective Healthcare Utilization Survey. <i>Value in Health Regional Issues</i> , 2013, 2, 210-217.	0.5	2
76	Bayesian inference for age-structured population model of infectious disease with application to varicella in Poland. <i>Journal of Theoretical Biology</i> , 2016, 407, 38-50.	0.8	2
77	Shaping the HIV epidemic in Poland – proceedings from the first Polish workshop on cascade of care in HIV. <i>HIV and AIDS Review</i> , 2017, 2, 130-133.	0.1	2
78	Neoadjuvant Pertuzumab Plus Trastuzumab in Combination with Docetaxel and Carboplatin in Patients with HER2-Positive Breast Cancer: Real-World Data from the National Institute of Oncology in Poland. <i>Cancers</i> , 2022, 14, 1218.	1.7	2
79	Using incidence assays within the context of the recent infections testing algorithm. <i>Aids</i> , 2014, 28, 2167.	1.0	1
80	Optimization in structure population models through the Escalator Boxcar Train. <i>ESAIM - Control, Optimisation and Calculus of Variations</i> , 2018, 24, 377-399.	0.7	1
81	Transmission patterns of HIV-1 non-R5 strains in Poland. <i>Scientific Reports</i> , 2019, 9, 4970.	1.6	1
82	Integration of community-based testing data into national HIV surveillance in Poland, Serbia and Slovakia within the framework of INTEGRATE project. <i>BMC Infectious Diseases</i> , 2021, 21, 800.	1.3	1
83	Prevalence of Transmitted Drug-Resistance Mutations and Polymorphisms in HIV-1 Reverse Transcriptase, Protease, and gp41 Sequences Among Recent Seroconverters in Southern Poland. <i>Medical Science Monitor</i> , 2017, 23, 682-694.	0.5	1
84	COVID-19 module in SRWE system – application and use in epidemiological surveillance and reporting to international institutions. <i>Przegląd Epidemiologiczny</i> , 2020, 74, 416-431.	0.4	1
85	Hepatitis C in Poland in 2011. <i>Przegląd Epidemiologiczny</i> , 2013, 67, 247-51, 353-6.	0.4	1
86	HIV and AIDS in Poland in 2011. <i>Przegląd Epidemiologiczny</i> , 2013, 67, 267-72, 369-72.	0.4	1
87	Hepatitis C in Poland in 2013. <i>Przegląd Epidemiologiczny</i> , 2015, 69, 257-61, 375-8.	0.4	1
88	HIV and AIDS in Poland in 2016. <i>Przegląd Epidemiologiczny</i> , 2018, 72, 175-187.	0.4	1
89	Hepatitis C in Poland in 2016. <i>Przegląd Epidemiologiczny</i> , 2018, 72, 157-167.	0.4	1
90	Prognostic and predictive factors for the outcomes of clear cell sarcoma (CCS) multidisciplinary treatment: The role of lymph node involvement.. <i>Journal of Clinical Oncology</i> , 2020, 38, e23554-e23554.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Comparison of adverse effects following immunization with vaccine containing whole-cell vs. acellular pertussis components. <i>Przegląd Epidemiologiczny</i> , 2008, 62, 589-96.	0.4	0
92	Seroprevalence of measles-specific antibodies in the group predominantly affected by measles in 2006-2009 in Poland. <i>Przegląd Epidemiologiczny</i> , 2014, 68, 411-6, 521-5.	0.4	0
93	Hepatitis C in Poland in 2015. <i>Przegląd Epidemiologiczny</i> , 2015, 71, 363-371.	0.4	0