

William J Britt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5390296/publications.pdf>

Version: 2024-02-01

132
papers

11,679
citations

38742

50
h-index

29157

104
g-index

138
all docs

138
docs citations

138
times ranked

6175
citing authors

#	ARTICLE	IF	CITATIONS
1	The Outcome of Congenital Cytomegalovirus Infection in Relation to Maternal Antibody Status. <i>New England Journal of Medicine</i> , 1992, 326, 663-667.	27.0	996
2	Intrauterine Transmission of Cytomegalovirus to Infants of Women with Preconceptional Immunity. <i>New England Journal of Medicine</i> , 2001, 344, 1366-1371.	27.0	665
3	Symptomatic congenital cytomegalovirus infection. <i>Pediatric Infectious Disease Journal</i> , 1992, 11, 93-98.	2.0	539
4	Identification of Proteins in Human Cytomegalovirus (HCMV) Particles: the HCMV Proteome. <i>Journal of Virology</i> , 2004, 78, 10960-10966.	3.4	521
5	Congenital cytomegalovirus infection following first trimester maternal infection: Symptoms at birth and outcome. <i>Journal of Clinical Virology</i> , 2006, 35, 216-220.	3.1	411
6	Saliva Polymerase-Chain-Reaction Assay for Cytomegalovirus Screening in Newborns. <i>New England Journal of Medicine</i> , 2011, 364, 2111-2118.	27.0	394
7	Symptomatic Congenital Cytomegalovirus Infection in Infants Born to Mothers With Preexisting Immunity to Cytomegalovirus. <i>Pediatrics</i> , 1999, 104, 55-60.	2.1	369
8	Longitudinal Investigation of Hearing Disorders in Children with Congenital Cytomegalovirus. <i>Journal of the American Academy of Audiology</i> , 2000, 11, 283-290.	0.7	344
9	Dried Blood Spot Real-time Polymerase Chain Reaction Assays to Screen Newborns for Congenital Cytomegalovirus Infection. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1375.	7.4	312
10	Congenital and Perinatal Cytomegalovirus Infections. <i>Clinical Infectious Diseases</i> , 1990, 12, S745-S753.	5.8	302
11	Accumulation of Virion Tegument and Envelope Proteins in a Stable Cytoplasmic Compartment during Human Cytomegalovirus Replication: Characterization of a Potential Site of Virus Assembly. <i>Journal of Virology</i> , 2000, 74, 975-986.	3.4	299
12	Congenital Cytomegalovirus Infection: Association between Virus Burden in Infancy and Hearing Loss. <i>Journal of Pediatrics</i> , 2005, 146, 817-823.	1.8	246
13	Birth Prevalence and Natural History of Congenital Cytomegalovirus Infection in a Highly Seroimmune Population. <i>Clinical Infectious Diseases</i> , 2009, 49, 522-528.	5.8	231
14	Neutralizing antibodies detect a disulfide-linked glycoprotein complex within the envelope of human cytomegalovirus. <i>Virology</i> , 1984, 135, 369-378.	2.4	227
15	Hearing loss in children with congenital cytomegalovirus infection born to mothers with preexisting immunity. <i>Journal of Pediatrics</i> , 2006, 148, 332-336.	1.8	221
16	Predictors of Hearing Loss in Children With Symptomatic Congenital Cytomegalovirus Infection. <i>Pediatrics</i> , 2002, 110, 762-767.	2.1	187
17	Cytomegalovirus Reinfections in Healthy Seroimmune Women. <i>Journal of Infectious Diseases</i> , 2010, 201, 386-389.	4.0	184
18	A rapid microneutralization assay for the measurement of neutralizing antibody reactive with human cytomegalovirus. <i>Journal of Virological Methods</i> , 1989, 23, 157-167.	2.1	181

#	ARTICLE	IF	CITATIONS
19	Human Cytomegalovirus Glycoproteins. <i>Intervirology</i> , 1996, 39, 401-412.	2.8	179
20	Human cytomegalovirus reinfection is associated with intrauterine transmission in a highly cytomegalovirus-immune maternal population. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 297.e1-297.e8.	1.3	173
21	Spectrum of Disease and Outcome in Children with Symptomatic Congenital Cytomegalovirus Infection. <i>Journal of Pediatrics</i> , 2014, 164, 855-859.	1.8	139
22	Congenital Human Cytomegalovirus Infection and the Enigma of Maternal Immunity. <i>Journal of Virology</i> , 2017, 91, .	3.4	139
23	Cytomegalovirus miRNAs Target Secretory Pathway Genes to Facilitate Formation of the Virion Assembly Compartment and Reduce Cytokine Secretion. <i>Cell Host and Microbe</i> , 2014, 15, 363-373.	11.0	131
24	Human Cytomegalovirus pp28 (UL99) Localizes to a Cytoplasmic Compartment Which Overlaps the Endoplasmic Reticulum-Golgi-Intermediate Compartment. <i>Journal of Virology</i> , 2000, 74, 3842-3851.	3.4	126
25	Congenital Cytomegalovirus Infection as a Cause of Sensorineural Hearing Loss in a Highly Immune Population. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 1043-1046.	2.0	126
26	Human Cytomegalovirus Infection Elicits a Glycoprotein M (gM)/gN-Specific Virus-Neutralizing Antibody Response. <i>Journal of Virology</i> , 2006, 80, 4591-4600.	3.4	106
27	Cytomegalovirus Blood Viral Load and Hearing Loss in Young Children With Congenital Infection. <i>Pediatric Infectious Disease Journal</i> , 2009, 28, 588-592.	2.0	104
28	Limits and patterns of cytomegalovirus genomic diversity in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4120-E4128.	7.1	101
29	Nonhuman Primate Models of Intrauterine Cytomegalovirus Infection. <i>ILAR Journal</i> , 2006, 47, 49-64.	1.8	96
30	Protective capacity of neutralizing and non-neutralizing antibodies against glycoprotein B of cytomegalovirus. <i>PLoS Pathogens</i> , 2017, 13, e1006601.	4.7	91
31	A Case Series of Children with Acute Hepatitis and Human Adenovirus Infection. <i>New England Journal of Medicine</i> , 2022, 387, 620-630.	27.0	84
32	Maternal Immunity and the Natural History of Congenital Human Cytomegalovirus Infection. <i>Viruses</i> , 2018, 10, 405.	3.3	82
33	HCMV-Encoded Glycoprotein M (UL100) Interacts with Rab11 Effector Protein FIP4. <i>Traffic</i> , 2009, 10, 1439-1457.	2.7	81
34	New therapies for human cytomegalovirus infections. <i>Antiviral Research</i> , 2018, 159, 153-174.	4.1	80
35	Vaccine-Derived Neutralizing Antibodies to the Human Cytomegalovirus gH/gL Pentamer Potently Block Primary Cytotrophoblast Infection. <i>Journal of Virology</i> , 2015, 89, 11884-11898.	3.4	79
36	Controversies in the natural history of congenital human cytomegalovirus infection: the paradox of infection and disease in offspring of women with immunity prior to pregnancy. <i>Medical Microbiology and Immunology</i> , 2015, 204, 263-271.	4.8	78

#	ARTICLE	IF	CITATIONS
37	Mixed Infection and Strain Diversity in Congenital Cytomegalovirus Infection. <i>Journal of Infectious Diseases</i> , 2011, 204, 1003-1007.	4.0	77
38	A viral regulator of glycoprotein complexes contributes to human cytomegalovirus cell tropism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4471-4476.	7.1	75
39	Passive Immunization Reduces Murine Cytomegalovirus-Induced Brain Pathology in Newborn Mice. <i>Journal of Virology</i> , 2008, 82, 12172-12180.	3.4	74
40	CONGENITAL CYTOMEGALOVIRUS INFECTION IN A HIGHLY SEROPOSITIVE SEMI-URBAN POPULATION IN INDIA. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 841-843.	2.0	73
41	MicroRNA miR-21 Attenuates Human Cytomegalovirus Replication in Neural Cells by Targeting Cdc25a. <i>Journal of Virology</i> , 2015, 89, 1070-1082.	3.4	73
42	Altered development of the brain after focal herpesvirus infection of the central nervous system. <i>Journal of Experimental Medicine</i> , 2008, 205, 423-435.	8.5	72
43	Experimental Coinfection of Rhesus Macaques with Rhesus Cytomegalovirus and Simian Immunodeficiency Virus: Pathogenesis. <i>Journal of Virology</i> , 2002, 76, 7661-7671.	3.4	68
44	Murine CMV-Induced Hearing Loss Is Associated with Inner Ear Inflammation and Loss of Spiral Ganglia Neurons. <i>PLoS Pathogens</i> , 2015, 11, e1004774.	4.7	68
45	Recombinant mouse cytomegalovirus expressing a ligand for the NKG2D receptor is attenuated and has improved vaccine properties. <i>Journal of Clinical Investigation</i> , 2010, 120, 4532-4545.	8.2	68
46	Rapid Genetic Engineering of Human Cytomegalovirus by Using a Lambda Phage Linear Recombination System: Demonstration that pp28 (UL99) Is Essential for Production of Infectious Virus. <i>Journal of Virology</i> , 2004, 78, 539-543.	3.4	66
47	CD8+ T Lymphocytes Control Murine Cytomegalovirus Replication in the Central Nervous System of Newborn Animals. <i>Journal of Immunology</i> , 2008, 181, 2111-2123.	0.8	63
48	Bicaudal D1-Dependent Trafficking of Human Cytomegalovirus Tegument Protein pp150 in Virus-Infected Cells. <i>Journal of Virology</i> , 2010, 84, 3162-3177.	3.4	59
49	Immunobiology of congenital cytomegalovirus infection of the central nervous system—the murine cytomegalovirus model. <i>Cellular and Molecular Immunology</i> , 2015, 12, 180-191.	10.5	58
50	Cytomegalovirus microRNAs. <i>Current Opinion in Virology</i> , 2014, 7, 40-46.	5.4	55
51	Postattachment Events Associated with Viral Entry Are Necessary for Induction of Interferon-Stimulated Genes by Human Cytomegalovirus. <i>Journal of Virology</i> , 2004, 78, 6688-6691.	3.4	53
52	Factors associated with primary cytomegalovirus infection during pregnancy. <i>Journal of Medical Virology</i> , 1984, 13, 347-353.	5.0	52
53	Human Cytomegalovirus: Propagation, Quantification, and Storage. <i>Current Protocols in Microbiology</i> , 2010, 18, Unit 14E.3.	6.5	52
54	Sequence Requirements for Localization of Human Cytomegalovirus Tegument Protein pp28 to the Virus Assembly Compartment and for Assembly of Infectious Virus. <i>Journal of Virology</i> , 2006, 80, 5611-5626.	3.4	50

#	ARTICLE	IF	CITATIONS
55	Human Cytomegalovirus Induces TGF- β 1 Activation in Renal Tubular Epithelial Cells after Epithelial-to-Mesenchymal Transition. <i>PLoS Pathogens</i> , 2010, 6, e1001170.	4.7	50
56	Comparing Nasopharyngeal and Midturbinate Nasal Swab Testing for the Identification of Severe Acute Respiratory Syndrome Coronavirus 2. <i>Clinical Infectious Diseases</i> , 2021, 72, 1253-1255.	5.8	50
57	Human cytomegalovirus virion proteins. <i>Human Immunology</i> , 2004, 65, 395-402.	2.4	49
58	Glucocorticoid Treatment of MCMV Infected Newborn Mice Attenuates CNS Inflammation and Limits Deficits in Cerebellar Development. <i>PLoS Pathogens</i> , 2013, 9, e1003200.	4.7	48
59	Tumor Necrosis Factor Alpha-Induced Recruitment of Inflammatory Mononuclear Cells Leads to Inflammation and Altered Brain Development in Murine Cytomegalovirus-Infected Newborn Mice. <i>Journal of Virology</i> , 2017, 91, .	3.4	47
60	Biochemical and structural characterization of the capsid-bound tegument proteins of human cytomegalovirus. <i>Journal of Structural Biology</i> , 2011, 174, 451-460.	2.8	46
61	The Smallest Capsid Protein Mediates Binding of the Essential Tegument Protein pp150 to Stabilize DNA-Containing Capsids in Human Cytomegalovirus. <i>PLoS Pathogens</i> , 2013, 9, e1003525.	4.7	46
62	Cytoplasmic Envelopment of Human Cytomegalovirus Requires the Postlocalization Function of Tegument Protein pp28 within the Assembly Compartment. <i>Journal of Virology</i> , 2007, 81, 6536-6547.	3.4	45
63	The Carboxy-Terminal Domain of Glycoprotein N of Human Cytomegalovirus Is Required for Virion Morphogenesis. <i>Journal of Virology</i> , 2007, 81, 5212-5224.	3.4	44
64	Later Passages of Neural Progenitor Cells from Neonatal Brain Are More Permissive for Human Cytomegalovirus Infection. <i>Journal of Virology</i> , 2013, 87, 10968-10979.	3.4	43
65	Seroconversion for Cytomegalovirus Infection During Pregnancy and Fetal Infection in a Highly Seropositive Population: "The BraCHS Study" <i>Journal of Infectious Diseases</i> , 2018, 218, 1200-1204.	4.0	43
66	The Cytoplasmic Tail of Glycoprotein M (gpUL100) Expresses Trafficking Signals Required for Human Cytomegalovirus Assembly and Replication. <i>Journal of Virology</i> , 2007, 81, 10316-10328.	3.4	42
67	Glycoprotein N of Human Cytomegalovirus Protects the Virus from Neutralizing Antibodies. <i>PLoS Pathogens</i> , 2012, 8, e1002999.	4.7	42
68	Human Cytomegalovirus Infection Dysregulates the Localization and Stability of NICD1 and Jag1 in Neural Progenitor Cells. <i>Journal of Virology</i> , 2015, 89, 6792-6804.	3.4	42
69	HCMV trimer- and pentamer-specific antibodies synergize for virus neutralization but do not correlate with congenital transmission. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 3728-3733.	7.1	42
70	Virus-Specific Antibody Responses in Mothers and Their Newborn Infants with Asymptomatic Congenital Cytomegalovirus Infections. <i>Journal of Infectious Diseases</i> , 1993, 167, 72-77.	4.0	41
71	Cytomegalovirus Shedding in Seropositive Pregnant Women From a High-Seroprevalence Population: The Brazilian Cytomegalovirus Hearing and Maternal Secondary Infection Study. <i>Clinical Infectious Diseases</i> , 2018, 67, 743-750.	5.8	40
72	Glycoprotein N subtypes of human cytomegalovirus induce a strain-specific antibody response during natural infection. <i>Journal of General Virology</i> , 2009, 90, 1951-1961.	2.9	38

#	ARTICLE	IF	CITATIONS
73	Cytomegalovirus Enhances Macrophage TLR Expression and MyD88-Mediated Signal Transduction To Potentiate Inducible Inflammatory Responses. <i>Journal of Immunology</i> , 2014, 193, 5604-5612.	0.8	38
74	Phosphorylation of Golgi Peripheral Membrane Protein Grasp65 Is an Integral Step in the Formation of the Human Cytomegalovirus Cytoplasmic Assembly Compartment. <i>MBio</i> , 2016, 7, .	4.1	38
75	Human cytomegalovirus IE1 downregulates Hes1 in neural progenitor cells as a potential E3 ubiquitin ligase. <i>PLoS Pathogens</i> , 2017, 13, e1006542.	4.7	38
76	Brain-resident memory CD8 ⁺ T cells induced by congenital CMV infection prevent brain pathology and virus reactivation. <i>European Journal of Immunology</i> , 2018, 48, 950-964.	2.9	37
77	Human cytomegalovirus-infected cells release extracellular vesicles that carry viral surface proteins. <i>Virology</i> , 2018, 524, 97-105.	2.4	33
78	Cytomegalovirus Infection and Inflammation in Developing Brain. <i>Viruses</i> , 2021, 13, 1078.	3.3	32
79	Virus-induced cochlear inflammation in newborn mice alters auditory function. <i>JCI Insight</i> , 2019, 4, .	5.0	32
80	Characterizing human cytomegalovirus reinfection in congenitally infected infants: an evolutionary perspective. <i>Molecular Ecology</i> , 2017, 26, 1980-1990.	3.9	31
81	Clinical Predictors of Sensorineural Hearing Loss and Cognitive Outcome in Infants with Symptomatic Congenital Cytomegalovirus Infection. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 924-926.	2.0	29
82	Contribution of Congenital Cytomegalovirus Infection to Permanent Hearing Loss in a Highly Seropositive Population: The Brazilian Cytomegalovirus Hearing and Maternal Secondary Infection Study. <i>Clinical Infectious Diseases</i> , 2020, 70, 1379-1384.	5.8	29
83	Immune responses to congenital cytomegalovirus infection. <i>Microbes and Infection</i> , 2018, 20, 543-551.	1.9	28
84	Phosphorylation of Human Cytomegalovirus Glycoprotein B (gB) at the Acidic Cluster Casein Kinase 2 Site (Ser 900) Is Required for Localization of gB to the trans- Golgi Network and Efficient Virus Replication. <i>Journal of Virology</i> , 2004, 78, 285-293.	3.4	27
85	Antigenic Domain 1 Is Required for Oligomerization of Human Cytomegalovirus Glycoprotein B. <i>Journal of Virology</i> , 2005, 79, 4066-4079.	3.4	27
86	Cytomegalovirus promotes intestinal macrophage-mediated mucosal inflammation through induction of Smad7. <i>Mucosal Immunology</i> , 2018, 11, 1694-1704.	6.0	26
87	Human Cytomegalovirus Nuclear Capsids Associate with the Core Nuclear Egress Complex and the Viral Protein Kinase pUL97. <i>Viruses</i> , 2018, 10, 35.	3.3	26
88	Human Cytomegalovirus Infection in Women With Preexisting Immunity: Sources of Infection and Mechanisms of Infection in the Presence of Antiviral Immunity. <i>Journal of Infectious Diseases</i> , 2020, 221, S1-S8.	4.0	26
89	Identification of an Abundant Disulfide-Linked Complex of Glycoproteins in the Envelope of Guinea Pig Cytomegalovirus. <i>Virology</i> , 1994, 201, 294-302.	2.4	25
90	Deletion of gpUL132, a Structural Component of Human Cytomegalovirus, Results in Impaired Virus Replication in Fibroblasts. <i>Journal of Virology</i> , 2005, 79, 11837-11847.	3.4	25

#	ARTICLE	IF	CITATIONS
91	Identification of a Neutralizing Epitope within Antigenic Domain 5 of Glycoprotein B of Human Cytomegalovirus. <i>Journal of Virology</i> , 2015, 89, 361-372.	3.4	24
92	NK/ILC1 cells mediate neuroinflammation and brain pathology following congenital CMV infection. <i>Journal of Experimental Medicine</i> , 2021, 218, .	8.5	24
93	Multimerization of Tegument Protein pp28 within the Assembly Compartment Is Required for Cytoplasmic Envelopment of Human Cytomegalovirus. <i>Journal of Virology</i> , 2008, 82, 6272-6287.	3.4	22
94	Role of antibodies in confining cytomegalovirus after reactivation from latency: three decadesâ€™ rÃ©sumÃ©. <i>Medical Microbiology and Immunology</i> , 2019, 208, 415-429.	4.8	21
95	Three-Dimensional Localization of the Smallest Capsid Protein in the Human Cytomegalovirus Capsid. <i>Journal of Virology</i> , 2005, 79, 1327-1332.	3.4	20
96	Optimal Replication of Human Cytomegalovirus Correlates with Endocytosis of Glycoprotein gpUL132. <i>Journal of Virology</i> , 2010, 84, 7039-7052.	3.4	20
97	WDR5 Facilitates Human Cytomegalovirus Replication by Promoting Capsid Nuclear Egress. <i>Journal of Virology</i> , 2018, 92, .	3.4	20
98	Human Cytomegalovirus Immediate Early 1 Protein Causes Loss of SOX2 from Neural Progenitor Cells by Trapping Unphosphorylated STAT3 in the Nucleus. <i>Journal of Virology</i> , 2018, 92, .	3.4	20
99	Simultaneous Ex Vivo Expansion of Cytomegalovirus and Epstein-Barr Virusâ€™ Specific Cytotoxic T Lymphocytes Using B-Lymphoblastoid Cell Lines Expressing Cytomegalovirus pp65. <i>Blood</i> , 1999, 94, 3242-3250.	1.4	19
100	Transplacentally Acquired Antiviral Antibodies and Outcome in Congenital Human Cytomegalovirus Infection. <i>Viral Immunology</i> , 1996, 9, 211-218.	1.3	18
101	Strain-Specific Neutralizing Antibody Responses against Human Cytomegalovirus Envelope Glycoprotein N. <i>Vaccine Journal</i> , 2012, 19, 909-913.	3.1	18
102	Cytomegalovirus vector expressing RAEâ€™1 ³ induces enhanced anti-tumor capacity of murine CD8 ⁺ T cells. <i>European Journal of Immunology</i> , 2017, 47, 1354-1367.	2.9	18
103	International prospective observational cohort study of Zika in infants and pregnancy (ZIP study): study protocol. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 282.	2.4	18
104	A congenital CMV infection model for follow-up studies of neurodevelopmental disorders, neuroimaging abnormalities, and treatment. <i>JCI Insight</i> , 2022, 7, .	5.0	17
105	Cell Fusion Induced by a Fusion-Active Form of Human Cytomegalovirus Glycoprotein B (gB) Is Inhibited by Antibodies Directed at Antigenic Domain 5 in the Ectodomain of gB. <i>Journal of Virology</i> , 2020, 94, .	3.4	16
106	Infectious clones of herpesviruses: a new approach for understanding viral gene function. <i>Trends in Microbiology</i> , 2000, 8, 262-265.	7.7	15
107	CD4 T cells are required for maintenance of CD8 TRM cells and virus control in the brain of MCMV-infected newborn mice. <i>Medical Microbiology and Immunology</i> , 2019, 208, 487-494.	4.8	15
108	Adverse outcomes of pregnancy-associated Zika virus infection. <i>Seminars in Perinatology</i> , 2018, 42, 155-167.	2.5	14

#	ARTICLE	IF	CITATIONS
109	Congenital Cytomegalovirus Infection. , 0, , 269-281.		13
110	CMV maturation and egress. , 0, , 311-323.		12
111	Murine Models of Central Nervous System Disease following Congenital Human Cytomegalovirus Infections. <i>Pathogens</i> , 2021, 10, 1062.	2.8	12
112	Recent Approaches and Strategies in the Generation of Antihuman Cytomegalovirus Vaccines. <i>Methods in Molecular Biology</i> , 2014, 1119, 311-348.	0.9	12
113	Human Cytomegalovirus Egress: Overcoming Barriers and Co-Opting Cellular Functions. <i>Viruses</i> , 2022, 14, 15.	3.3	12
114	Association of CMV genomic mutations with symptomatic infection and hearing loss in congenital CMV infection. <i>BMC Infectious Diseases</i> , 2019, 19, 1046.	2.9	11
115	RNF2 ablation reprograms the tumor-immune microenvironment and stimulates durable NK and CD4+ T-cell-dependent antitumor immunity. <i>Nature Cancer</i> , 2021, 2, 1018-1038.	13.2	11
116	Human Cytomegalovirus Envelope Protein gpUL132 Regulates Infectious Virus Production through Formation of the Viral Assembly Compartment. <i>MBio</i> , 2020, 11, .	4.1	10
117	Comprehensive evaluation of risk factors for neonatal hearing loss in a large Brazilian cohort. <i>Journal of Perinatology</i> , 2021, 41, 315-323.	2.0	10
118	Neutralizing Antibodies Limit Cell-Associated Spread of Human Cytomegalovirus in Epithelial Cells and Fibroblasts. <i>Viruses</i> , 2022, 14, 284.	3.3	10
119	Herpesviridae Infection: Prevention, Screening, and Management. <i>Clinical Obstetrics and Gynecology</i> , 2018, 61, 157-176.	1.1	9
120	Human cytomegalovirus phosphoproteins are hypophosphorylated and intrinsically disordered. <i>Journal of General Virology</i> , 2017, 98, 471-485.	2.9	9
121	HCMV: pathogenesis and disease consequences. , 2007, , 737-764.		8
122	A Novel Strain-Specific Neutralizing Epitope on Glycoprotein H of Human Cytomegalovirus. <i>Journal of Virology</i> , 2021, 95, e0065721.	3.4	8
123	Low antibody-dependent cellular cytotoxicity responses in Zambians prior to HIV-1 intrasubtype C superinfection. <i>Virology</i> , 2014, 462-463, 295-298.	2.4	6
124	Phosphorylation of tegument protein pp28 contributes to trafficking to the assembly compartment in human cytomegalovirus infection. <i>Journal of Microbiology</i> , 2020, 58, 624-631.	2.8	5
125	Recent Approaches and Strategies in the Generation of Anti-human Cytomegalovirus Vaccines. <i>Methods in Molecular Biology</i> , 2021, 2244, 403-463.	0.9	5
126	Mission, Organization, and Future Direction of the Serological Sciences Network for COVID-19 (SeroNet) Epidemiologic Cohort Studies. <i>Open Forum Infectious Diseases</i> , 2022, 9, .	0.9	5

#	ARTICLE	IF	CITATIONS
127	Human Cytomegalovirus Hijacks WD Repeat Domain 11 for Virion Assembly Compartment Formation and Virion Morphogenesis. <i>Journal of Virology</i> , 2022, 96, JVI0182721.	3.4	4
128	Localization of the WD Repeat-Containing Protein 5 to the Virion Assembly Compartment Facilitates Human Cytomegalovirus Assembly. <i>Journal of Virology</i> , 2021, 95, .	3.4	3
129	OUP accepted manuscript. <i>Journal of Infectious Diseases</i> , 2021, 224, 1807-1809.	4.0	3
130	Distinct functional domains within the acidic cluster of tegument protein pp28 required for trafficking and cytoplasmic envelopment of human cytomegalovirus. <i>Journal of General Virology</i> , 2016, 97, 2677-2683.	2.9	2
131	Development and Immunologic Characterization of Multi-Antigen Expressing Attenuated Poxviruses for Immunotherapy of CMV Infection in HSCT Recipients.. <i>Blood</i> , 2005, 106, 480-480.	1.4	0
132	Vaccine Properties of a Novel Marker Gene-Free Recombinant Modified Vaccinia Ankara (MVA) Expressing Immunodominant CMV Antigens.. <i>Blood</i> , 2006, 108, 2858-2858.	1.4	0