

Barnaby Nelson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5393243/publications.pdf>

Version: 2024-02-01

330
papers

14,295
citations

25014

57
h-index

29127

104
g-index

355
all docs

355
docs citations

355
times ranked

8552
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between social deprivation and the rate of identification of individuals at Ultra-High Risk for psychosis and transition to psychosis. <i>International Journal of Social Psychiatry</i> , 2023, 69, 294-303.	1.6	0
2	Can disorders of subjective time inform the differential diagnosis of psychiatric disorders? A transdiagnostic taxonomy of time. <i>Microbial Biotechnology</i> , 2023, 17, 231-243.	0.9	9
3	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
4	Distress Related to Attenuated Psychotic Symptoms: Static and Dynamic Association With Transition to Psychosis, Nonremission, and Transdiagnostic Symptomatology in Clinical High-Risk Patients in an International Intervention Trial. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	6
5	Cannabidiol for at risk for psychosis youth: A randomized controlled trial. <i>Microbial Biotechnology</i> , 2022, 16, 419-432.	0.9	9
6	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
7	The incidence and admission rate for first-episode psychosis in young people before and during the COVID-19 pandemic in Melbourne, Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 811-817.	1.3	19
8	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 147-156.	2.0	2
9	Basic self-disturbance trajectories in clinical high risk for psychosis: a one-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1007-1019.	1.8	2
10	Characterizing Use of a Multicomponent Digital Intervention to Predict Treatment Outcomes in First-Episode Psychosis: Cluster Analysis. <i>JMIR Mental Health</i> , 2022, 9, e29211.	1.7	13
11	Baseline data of a sequential multiple assignment randomized trial (STEP study). <i>Microbial Biotechnology</i> , 2022, 16, 1130-1142.	0.9	0
12	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	2
13	Outcomes for first-episode psychosis after entry via an at-risk mental state clinic compared to direct entry to a first episode of psychosis service: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2022, 240, 214-219.	1.1	4
14	Proportion and characteristics of young people in a first-episode psychosis clinic who first attended an at-risk mental state service or other specialist youth mental health service. <i>Schizophrenia Research</i> , 2022, 241, 94-101.	1.1	11
15	Young migrants to Australia identified as being at ultra-high risk for psychosis: Pathways to care and clinical characteristics. <i>Schizophrenia Research</i> , 2022, 241, 156-160.	1.1	1
16	Impact of smoking behavior on cognitive functioning in persons at risk for psychosis and healthy controls: A longitudinal study – CORRIGENDUM. <i>European Psychiatry</i> , 2022, 65, e17.	0.1	0
17	Machine learning based prediction and the influence of complement – Coagulation pathway proteins on clinical outcome: Results from the NEURAPRO trial. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 50-60.	2.0	4
18	Digital technology for addressing cognitive impairment in recent-onset psychosis: A perspective. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100247.	0.7	8

#	ARTICLE	IF	CITATIONS
19	Integrating trauma, self-disturbances, cognitive biases, and personality into a model for the risk of psychosis: a longitudinal study in a non-clinical sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1073-1085.	1.8	2
20	Identifying Electroencephalography Biomarkers in Individuals at Clinical High Risk for Psychosis in an International Multi-Site Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 828376.	1.3	1
21	The lived experience of psychosis: a bottom-up review co-written by experts by experience and academics. <i>World Psychiatry</i> , 2022, 21, 168-188.	4.8	67
22	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. <i>Schizophrenia Research</i> , 2022, 244, 1-7.	1.1	1
23	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
24	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 874-881.	0.9	10
25	Improving treatments for psychotic disorders: beyond cognitive behaviour therapy for psychosis. <i>Psychosis</i> , 2021, 13, 78-84.	0.4	14
26	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021, 15, 642-651.	0.9	11
27	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
28	Integrating clinical staging and phenomenological psychopathology to add depth, nuance, and utility to clinical phenotyping: a heuristic challenge. <i>Lancet Psychiatry</i> , 2021, 8, 162-168.	3.7	25
29	Toward a Complex Network of Risks for Psychosis: Combining Trauma, Cognitive Biases, Depression, and Psychotic-like Experiences on a Large Sample of Young Adults. <i>Schizophrenia Bulletin</i> , 2021, 47, 395-404.	2.3	15
30	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	6.0	57
31	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , 2021, 51, 212-218.	2.7	26
32	Processing speed and brain volume in individuals at clinical high-risk for psychosis with comorbid eating disorders: A brief report. <i>Schizophrenia Research</i> , 2021, 227, 92-94.	1.1	2
33	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e40.	1.8	17
34	Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. <i>Schizophrenia Research</i> , 2021, 228, 19-28.	1.1	11
35	Intervention strategies for ultra-high risk for psychosis: Progress in delaying the onset and reducing the impact of first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 228, 344-356.	1.1	19
36	Greater preference for eveningness is associated with negative symptoms in an ultra-high risk for psychosis sample. <i>Microbial Biotechnology</i> , 2021, 15, 1793-1798.	0.9	4

#	ARTICLE	IF	CITATIONS
37	The associations between migrant status and ethnicity and the identification of individuals at ultra-high risk for psychosis and transition to psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1923-1941.	1.6	8
38	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
39	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	2.8	44
40	The Indirect Effect of Trauma via Cognitive Biases and Self-Disturbances on Psychotic-Like Experiences. <i>Frontiers in Psychiatry</i> , 2021, 12, 611069.	1.3	5
41	Evidence Map of Mindfulness for Stages of Psychosis: State of the Literature and Implications for Future Research. <i>Mindfulness</i> , 2021, 12, 1860-1877.	1.6	6
42	Response to "Diagnostic uncertainty, antipsychotic dosing, and optimal psychosocial interventions: Unanswered questions in first-episode psychosis"™. <i>Schizophrenia Research</i> , 2021, 231, 1-2.	1.1	0
43	Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum. <i>Biological Psychiatry</i> , 2021, 89, S356.	0.7	2
44	Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. <i>Biological Psychiatry</i> , 2021, 89, S174.	0.7	0
45	Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. <i>Clinical Psychology Review</i> , 2021, 86, 102005.	6.0	52
46	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	0.7	5
47	Basic self-disturbance in subjects at clinical high risk for psychosis: Relationship with clinical and functional outcomes at one year follow-up. <i>Psychiatry Research</i> , 2021, 300, 113942.	1.7	3
48	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
49	<i>Toxoplasma gondii</i> , Herpesviridae and long-term risk of transition to first-episode psychosis in an ultra-high-risk sample. <i>Schizophrenia Research</i> , 2021, 233, 24-30.	1.1	1
50	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1475-1485.	1.8	0
51	My child's future mental health: Carer's engagement with risk identification in an intervention study for youth with at-risk mental states. <i>Microbial Biotechnology</i> , 2021, , .	0.9	1
52	Impact of Smoking Behavior on Cognitive Functioning in Persons at Risk for Psychosis and Healthy Controls: A Longitudinal Study. <i>European Psychiatry</i> , 2021, 64, 1-20.	0.1	2
53	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021, 10, .	2.8	7
54	The nomological network of anomalous self-experiences and schizotypal personality in a nonclinical sample.. <i>Psychology of Consciousness: Theory Research, and Practice</i> , 2021, 8, 235-247.	0.3	2

#	ARTICLE	IF	CITATIONS
55	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	6.0	40
56	Shared Decision Making With Young People at Ultra High Risk of Psychotic Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 683775.	1.3	3
57	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	1.1	6
58	Patientsâ€™™, carersâ€™™ and cliniciansâ€™™ attitudes towards alternative terms to describe the at-risk for psychosis state. <i>Schizophrenia Research</i> , 2021, 237, 69-75.	1.1	1
59	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
60	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
61	The <scp>MACâ€™P</scp> program: A pilot study of a mindfulness and compassion program for youth with psychotic experiences. <i>Microbial Biotechnology</i> , 2021, 15, 1326-1334.	0.9	6
62	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309.	1.7	4
63	The interplay between childhood trauma, cognitive biases, psychotic-like experiences and depression and their additive impact on predicting lifetime suicidal behavior in young adults. <i>Psychological Medicine</i> , 2020, 50, 116-124.	2.7	39
64	Relationship between allostatic load and clinical outcomes in youth at ultra-high risk for psychosis in the NEURAPRO study. <i>Schizophrenia Research</i> , 2020, 226, 38-43.	1.1	13
65	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 243-252.	0.7	48
66	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020, 226, 52-60.	1.1	8
67	The prognostic significance of attenuated psychotic symptoms in help-seeking youth. <i>Schizophrenia Research</i> , 2020, 215, 277-283.	1.1	11
68	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studiesâ€™™PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441.	2.3	56
69	The relation of basic selfâ€™disturbance to selfâ€™harm, eating disorder symptomatology and other clinical features: Exploration in an early psychosis sample. <i>Microbial Biotechnology</i> , 2020, 14, 275-282.	0.9	12
70	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	1.1	27
71	Prevalence of subthreshold positive symptoms in young people without psychotic disorders presenting to a youth mental health service. <i>Schizophrenia Research</i> , 2020, 215, 446-448.	1.1	3
72	The Prodrome of Psychotic Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2020, 29, 57-69.	1.0	9

#	ARTICLE	IF	CITATIONS
73	Perceptual biases and metacognition and their association with anomalous self experiences in first episode psychosis. <i>Consciousness and Cognition</i> , 2020, 77, 102847.	0.8	14
74	The neurophenomenology of early psychosis: An integrative empirical study. <i>Consciousness and Cognition</i> , 2020, 77, 102845.	0.8	51
75	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
76	Migrant status and identification as ultra-high risk for psychosis and transitioning to a psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 52-59.	2.2	15
77	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.	3.7	9
78	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020, 216, 255-261.	1.1	8
79	Dynamic prediction systems of transition to psychosis using joint modelling: extensions to the base system. <i>Schizophrenia Research</i> , 2020, 216, 207-212.	1.1	3
80	Transdiagnostic early intervention, prevention, and prediction in psychiatry. , 2020, , 27-37.		3
81	Prevalence, dimensionality and clinical relevance of self-disturbances and psychotic-like experiences in Polish young adults: a latent class analysis approach.. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1809.	1.1	9
82	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020, 124, 103527.	1.6	16
83	Automated Analysis of Responses on Verbal Fluency Tests in Schizophrenia Risk States. <i>Biological Psychiatry</i> , 2020, 87, S368.	0.7	0
84	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
85	Editorial: Early Intervention in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 574532.	1.3	5
86	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1095-1103.	1.6	13
87	The challenges of neuroimaging the self, perspective-taking and psychosis risk. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1037-1038.	1.3	0
88	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , 2020, 224, 116-125.	1.1	9
89	Has improved treatment contributed to the declining rate of transition to psychosis in ultra-high-risk cohorts?. <i>Schizophrenia Research</i> , 2020, , .	1.1	12
90	The potential impact of COVID-19 on psychosis: A rapid review of contemporary epidemic and pandemic research. <i>Schizophrenia Research</i> , 2020, 222, 79-87.	1.1	272

#	ARTICLE	IF	CITATIONS
91	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242.	4.8	153
92	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020, 220, 275-277.	1.1	3
93	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	45
94	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	1.1	8
95	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.1	14
96	Shortcomings of calculating risk for psychosis: Critical remarks on predictive modelling in psychosis risk research. <i>Microbial Biotechnology</i> , 2020, 14, 145-146.	0.9	0
97	Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2020, 11, 488.	1.3	3
98	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. <i>NeuroImage</i> , 2020, 220, 117127.	2.1	48
99	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
100	Clinical risk factors for psychosis. , 2020, , 249-268.		2
101	New paradigms to study psychosis risk. , 2020, , 399-416.		0
102	The placement of anomalous self-experiences within schizotypal personality in a nonclinical sample. <i>Schizophrenia Research</i> , 2020, 218, 219-225.	1.1	6
103	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , 2020, 289, 112909.	1.7	6
104	Basic self-disturbances are associated with Sense of Coherence in patients with psychotic disorders. <i>PLoS ONE</i> , 2020, 15, e0230956.	1.1	4
105	Clinical High Risk for Psychosis-Not Seeing the Trees for the Wood. <i>JAMA Psychiatry</i> , 2020, 77, 559.	6.0	11
106	Pluripotential Risk and Clinical Staging: Theoretical Considerations and Preliminary Data From a Transdiagnostic Risk Identification Approach. <i>Frontiers in Psychiatry</i> , 2020, 11, 553578.	1.3	30
107	Does reason for referral to an ultra-high risk clinic predict transition to psychosis?. <i>Microbial Biotechnology</i> , 2019, 13, 318-321.	0.9	7
108	At-risk studies and clinical antecedents of psychosis, bipolar disorder and depression: a scoping review in the context of clinical staging. <i>Psychological Medicine</i> , 2019, 49, 177-189.	2.7	55

#	ARTICLE	IF	CITATIONS
109	The approved Italian version of the comprehensive assessment of atâ€risk mental states (CAARMSâ€ITA): Field test and psychometric features. <i>Microbial Biotechnology</i> , 2019, 13, 810-817.	0.9	31
110	The construct validity of the Inventory of Psychoticâ€Like Anomalous Selfâ€Experiences (IPASE) as a measure of minimal selfâ€disturbance: Preliminary data. <i>Microbial Biotechnology</i> , 2019, 13, 686-691.	0.9	24
111	A Moving Target. , 2019, , 67-80.		0
112	Basic self-disturbances independently predict recovery in psychotic disorders: A seven year follow-up study. <i>Schizophrenia Research</i> , 2019, 212, 72-78.	1.1	12
113	Mindfulness and compassion for youth with psychotic symptoms: A description of a group program and a consumerâ€™s experience. <i>Psychosis</i> , 2019, 11, 342-349.	0.4	8
114	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 393.	1.3	22
115	Transdiagnostic psychiatry: premature closure on a crucial pathway to clinical utility for psychiatric diagnosis. <i>World Psychiatry</i> , 2019, 18, 359-360.	4.8	10
116	O5.1. GREY MATTER BRAIN CHANGES IN MEDICATED AND UNMEDICATED FIRST EPISODE PSYCHOSIS: A RANDOMISED PLACEBO-CONTROLLED TRIAL. <i>Schizophrenia Bulletin</i> , 2019, 45, S172-S173.	2.3	1
117	O13.7. PERSISTENT NEGATIVE SYMPTOMS IN INDIVIDUALS AT ULTRA HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S203-S203.	2.3	0
118	38.1 MIGRANTS FROM AFRICA TO AUSTRALIA HAVE AN INCREASED RISK OF DEVELOPING A PSYCHOTIC DISORDER BUT ARE UNDER-REPRESENTED IN ULTRA-HIGH RISK FOR PSYCHOSIS CLINICS. <i>Schizophrenia Bulletin</i> , 2019, 45, S149-S149.	2.3	1
119	Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. <i>Microbial Biotechnology</i> , 2019, 13, 1373-1381.	0.9	10
120	Staging model in psychiatry: Review of the evolution of electroencephalography abnormalities in major psychiatric disorders. <i>Microbial Biotechnology</i> , 2019, 13, 1319-1328.	0.9	22
121	Hallucinations Beyond Voices: A Conceptual Review of the Phenomenology of Altered Perception in Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, S67-S77.	2.3	66
122	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
123	The use of formal criteria to assess psychological models of hallucinations: a systematic review. <i>Psychosis</i> , 2019, 11, 238-247.	0.4	0
124	33.1 ETHICAL ISSUES IN EARLY INTERVENTION. <i>Schizophrenia Bulletin</i> , 2019, 45, S143-S143.	2.3	0
125	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning â€ Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
126	The relationship between childhood trauma and clinical characteristics in ultra-high risk for psychosis youth. <i>Psychosis</i> , 2019, 11, 28-41.	0.4	6

#	ARTICLE	IF	CITATIONS
127	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
128	Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2019, 76, 339.	6.0	8
129	Frontal slow wave resting EEG power is higher in individuals at Ultra High Risk for psychosis than in healthy controls but is not associated with negative symptoms or functioning. <i>Schizophrenia Research</i> , 2019, 208, 293-299.	1.1	6
130	Improving functional outcomes in early-stage bipolar disorder: The protocol for the REsearch into COgnitive and behavioural VERsatility trial. <i>Microbial Biotechnology</i> , 2019, 13, 1470-1479.	0.9	10
131	Investigation of peripheral complement factors across stages of psychosis. <i>Schizophrenia Research</i> , 2019, 204, 30-37.	1.1	50
132	Testing a neurophenomenological model of basic self disturbance in early psychosis. <i>World Psychiatry</i> , 2019, 18, 104-105.	4.8	23
133	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	1.1	46
134	A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019, 273, 394-401.	1.7	13
135	Current versus recently resolved attenuated psychotic symptoms: Same level of risk for transition to psychosis?. <i>Schizophrenia Research</i> , 2019, 204, 450-451.	1.1	3
136	Persistent negative symptoms in individuals at Ultra High Risk for psychosis. <i>Schizophrenia Research</i> , 2019, 206, 355-361.	1.1	39
137	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , 2019, 45, 1101-1111.	2.3	27
138	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	0.9	19
139	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	0.9	19
140	Perceptual abnormalities in an ultra-high risk for psychosis population relationship to trauma and co-morbid disorder. <i>Microbial Biotechnology</i> , 2019, 13, 231-240.	0.9	5
141	Broad clinical high-risk mental state (CHARMS): Methodology of a cohort study validating criteria for pluripotent risk. <i>Microbial Biotechnology</i> , 2019, 13, 379-386.	0.9	76
142	Attenuated Psychosis Syndromes Among Australian Youth and Young Adults: Early Identification and Intervention. , 2019, , 67-84.		0
143	Varieties of Self Disorder: A Bio-Pheno-Social Model of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 720-727.	2.3	101
144	T30. TIPPING POINTS – PREDICTING TRANSITIONS TO PSYCHOSIS IN AT-RISK YOUNG PEOPLE. <i>Schizophrenia Bulletin</i> , 2018, 44, S124-S125.	2.3	1

#	ARTICLE	IF	CITATIONS
145	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018, 197, 550-556.	1.1	54
146	Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. , 2018, , 167-181.		4
147	Prediction in mental health research and its limits (or why life can only be understood backwards but) Tj ETQq1 1 0.784314 rgBT /Ove 0.9		
148	Detail, dynamics and depth: useful correctives for some current research trends. <i>British Journal of Psychiatry</i> , 2018, 212, 262-264.	1.7	19
149	Youth mental health services in Italy: An achievable dream?. <i>Microbial Biotechnology</i> , 2018, 12, 433-443.	0.9	9
150	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
151	The role of self-disturbances and cognitive biases in the relationship between traumatic life events and psychosis proneness in a non-clinical sample. <i>Schizophrenia Research</i> , 2018, 193, 218-224.	1.1	41
152	Staged Treatment in Early Psychosis: A sequential multiple assignment randomised trial of interventions for ultra high risk of psychosis patients. <i>Microbial Biotechnology</i> , 2018, 12, 292-306.	0.9	52
153	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. <i>Schizophrenia Research</i> , 2018, 195, 543-548.	1.1	28
154	Impaired action self-monitoring and cognitive confidence among ultra-high risk for psychosis and first-episode psychosis patients. <i>European Psychiatry</i> , 2018, 47, 67-75.	0.1	29
155	A new method for analysing transition to psychosis: Joint modelling of timeâ€œtoâ€œevent outcome with timeâ€œdependent predictors. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	1.1	19
156	Self-disturbances, cognitive biases and insecure attachment as mechanisms of the relationship between traumatic life events and psychotic-like experiences in non-clinical adults â€œ A path analysis. <i>Psychiatry Research</i> , 2018, 259, 571-578.	1.7	39
157	Impaired mismatch negativity to frequency deviants in individuals at ultra-high risk for psychosis, and preliminary evidence for further impairment with transition to psychosis. <i>Schizophrenia Research</i> , 2018, 191, 95-100.	1.1	31
158	Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 192, 345-350.	1.1	5
159	Recent Meta-Analyses in the Clinical High Risk for Psychosis Population: Clinical Interpretation of Findings and Suggestions for Future Research. <i>Frontiers in Psychiatry</i> , 2018, 9, 502.	1.3	22
160	The impact of psychotic experiences in the early stages of mental health problems in young people. <i>BMC Psychiatry</i> , 2018, 18, 214.	1.1	18
161	Beyond the â€œat risk mental stateâ€œ-concept: transitioning to transdiagnostic psychiatry. <i>World Psychiatry</i> , 2018, 17, 133-142.	4.8	311
162	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disordersâ€œ”medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , 2018, 4, 11.	2.0	41

#	ARTICLE	IF	CITATIONS
163	Screening for the ultra-high risk state in a youth mental health service. <i>Schizophrenia Research</i> , 2018, 202, 401-403.	1.1	4
164	Stability in basic self-disturbances and diagnosis in a first treated psychosis: A seven year follow-up study. <i>Schizophrenia Research</i> , 2018, 202, 274-280.	1.1	16
165	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018, 202, 333-340.	1.1	18
166	Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. <i>Schizophrenia Research</i> , 2018, 202, 369-377.	1.1	99
167	Examining the association between social cognition and functioning in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 83-92.	1.3	29
168	NEURAPRO study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017, 11, 418-428.	0.9	55
169	Borderline personality pathology in young people at ultra high risk of developing a psychotic disorder. <i>Microbial Biotechnology</i> , 2017, 11, 208-214.	0.9	24
170	High levels of anomalous self-experience are associated with longer duration of untreated psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 133-138.	0.9	15
171	Are current labeling terms suitable for people who are at risk of psychosis?. <i>Schizophrenia Research</i> , 2017, 188, 172-177.	1.1	17
172	Negative Psychosis Prevention Trials Reply. <i>JAMA Psychiatry</i> , 2017, 74, 652.	6.0	3
173	Effect of ω -3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 19.	6.0	216
174	Moving From Static to Dynamic Models of the Onset of Mental Disorder. <i>JAMA Psychiatry</i> , 2017, 74, 528.	6.0	218
175	Long-term employment among people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 26-31.	1.1	28
176	Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 32-38.	1.1	58
177	Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2017, 47, 616-626.	2.7	41
178	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 292-299.	4.0	20
179	PET imaging of putative microglial activation in individuals at ultra-high risk for psychosis, recently diagnosed and chronically ill with schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1225-e1225.	2.4	70
180	Application of a mindfulness and compassion-based approach to the at-risk mental state. <i>Clinical Psychologist</i> , 2017, 21, 104-115.	0.5	17

#	ARTICLE	IF	CITATIONS
181	Towards integrating phenomenology and neurocognition: Possible neurocognitive correlates of basic self-disturbance in schizophrenia. <i>Current Problems of Psychiatry</i> , 2017, 18, 184-200.	0.1	13
182	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1041-1051.	1.3	17
183	Mediators Linking Childhood Adversities and Trauma to Suicidality in Individuals at Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017, 8, 242.	1.3	17
184	Distress in relation to attenuated psychotic symptoms in the ultra-high risk population is not associated with increased risk of psychotic disorder. <i>Microbial Biotechnology</i> , 2016, 10, 258-262.	0.9	18
185	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 43, sbw086.	2.3	21
186	White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. <i>BMC Psychiatry</i> , 2016, 16, 287.	1.1	38
187	Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. <i>Schizophrenia Research</i> , 2016, 174, 43-49.	1.1	47
188	Why We Need a Transdiagnostic Staging Approach to Emerging Psychopathology, Early Diagnosis, and Treatment. <i>JAMA Psychiatry</i> , 2016, 73, 191.	6.0	144
189	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016, 173, 152-158.	1.1	42
190	Declining transition rates to psychotic disorder in "ultra-high risk" clients: Investigation of a dilution effect. <i>Schizophrenia Research</i> , 2016, 170, 130-136.	1.1	87
191	Are UHR patients who present with hallucinations alone at lower risk of transition to psychosis?. <i>Psychiatry Research</i> , 2016, 235, 177-196.	1.7	12
192	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort?. <i>Psychiatry Research</i> , 2016, 236, 182-185.	1.7	20
193	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	6.0	354
194	Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2015, 45, 3453-3465.	2.7	51
195	Conventional and alternative preventive treatments in the first stages of schizophrenia. <i>European Journal of Psychiatry</i> , 2015, 29, 135-143.	0.7	1
196	Sources of clinical distress in young people at ultra high risk of psychosis. <i>Schizophrenia Research</i> , 2015, 165, 15-21.	1.1	50
197	The Self in Psychopathology. <i>Psychopathology</i> , 2015, 48, 275-277.	1.1	16
198	Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 169, 214-216.	1.1	14

#	ARTICLE	IF	CITATIONS
199	Basic Self-Disturbance in the Schizophrenia Spectrum: Taking Stock and Moving Forward. <i>Psychopathology</i> , 2015, 48, 301-309.	1.1	29
200	Olfactory identification deficits at identification as ultra-high risk for psychosis are associated with poor functional outcome. <i>Schizophrenia Research</i> , 2015, 161, 156-162.	1.1	24
201	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. <i>Schizophrenia Research</i> , 2015, 161, 150-155.	1.1	23
202	Prospective progression from high-prevalence disorders to bipolar disorder: Exploring characteristics of pre-illness stages. <i>Journal of Affective Disorders</i> , 2015, 183, 45-48.	2.0	33
203	Associations of obsessive-compulsive symptoms with clinical and neurocognitive features in schizophrenia according to stage of illness. <i>Psychiatry Research</i> , 2015, 226, 368-375.	1.7	16
204	Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2015, 77, 989-996.	0.7	46
205	Self-face recognition in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2015, 9, 126-132.	0.9	5
206	Declining transition rates to psychosis: the contribution of potential changes in referral pathways to an ultra-high risk service. <i>Microbial Biotechnology</i> , 2015, 9, 200-206.	0.9	63
207	Anomalous self-experience and childhood trauma in first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2015, 56, 35-41.	1.5	43
208	Outcomes of Nontransitioned Cases in a Sample at Ultra-High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2015, 172, 249-258.	4.0	235
209	The relationship between personality traits and psychotic like experiences in a large non-clinical adolescent sample. <i>Personality and Individual Differences</i> , 2015, 73, 92-97.	1.6	8
210	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
211	Disturbance of Minimal Self (Ipseity) in Schizophrenia: Clarification and Current Status. <i>Schizophrenia Bulletin</i> , 2014, 40, 479-482.	2.3	146
212	Validation of the Arabic version of the Comprehensive Assessment of T-Risk Mental States (CAARMS) in Tunisian adolescents and young adults. <i>Microbial Biotechnology</i> , 2014, 8, 147-154.	0.9	19
213	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014, 44, 489-498.	2.7	43
214	Attenuated Psychosis Syndrome: Don't Jump the Gun. <i>Psychopathology</i> , 2014, 47, 292-296.	1.1	23
215	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014, 153, 18-24.	1.1	24
216	SUBTHRESHOLD INTERVENTION TO REDUCE THE IMPACT OF EMERGING PSYCHOSIS AND RISK FOR STAGE PROGRESSION: RECENT AND FUTURE CLINICAL TRIALS. <i>Schizophrenia Research</i> , 2014, 153, S41-S42.	1.1	0

#	ARTICLE	IF	CITATIONS
217	Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. <i>Schizophrenia Research</i> , 2014, 153, 25-31.	1.1	51
218	What are the neurocognitive correlates of basic self-disturbance in schizophrenia?: Integrating phenomenology and neurocognition. <i>Schizophrenia Research</i> , 2014, 152, 20-27.	1.1	130
219	What are the neurocognitive correlates of basic self-disturbance in schizophrenia?: Integrating phenomenology and neurocognition. Part 1 (Source monitoring deficits). <i>Schizophrenia Research</i> , 2014, 152, 12-19.	1.1	138
220	The predictive validity of bipolar at-risk (prodromal) criteria in help-seeking adolescents and young adults: a prospective study. <i>Bipolar Disorders</i> , 2014, 16, 493-504.	1.1	103
221	Comorbid Depressive and Anxiety Disorders in 509 Individuals With an At-Risk Mental State: Impact on Psychopathology and Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 120-131.	2.3	499
222	Neuropsychological impairment: the disturbed effect of self-processing in patients with major depressive disorder. <i>Science Bulletin</i> , 2014, 59, 3595-3601.	1.7	0
223	Anomalous self-experiences contribute independently to social dysfunction in the early phases of schizophrenia and psychotic bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 475-482.	1.5	45
224	Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk "Prodromal" Population. <i>Schizophrenia Bulletin</i> , 2014, 40, 697-706.	2.3	108
225	Poster #T191 SOURCES OF CLINICAL DISTRESS IN YOUNG PEOPLE AT ULTRA HIGH RISK OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2014, 153, S356-S357.	1.1	2
226	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 93-99.	1.1	40
227	HISTORY OF TRAUMA IN THE ULTRA HIGH RISK FOR PSYCHOSIS POPULATION: FINDINGS FROM THE PACE CLINIC. <i>Schizophrenia Research</i> , 2014, 153, S43.	1.1	0
228	Not all first-episode psychosis is the same: preliminary evidence of greater basic self-disturbance in schizophrenia spectrum cases. <i>Microbial Biotechnology</i> , 2013, 7, 200-204.	0.9	55
229	History of trauma and the association with baseline symptoms in an Ultra-High Risk for psychosis cohort. <i>Psychiatry Research</i> , 2013, 210, 75-81.	1.7	41
230	Externalized attributional bias in the Ultra High Risk (UHR) for psychosis population. <i>Psychiatry Research</i> , 2013, 206, 200-205.	1.7	37
231	Neurocognitive functioning in the prodrome of mania—an exploratory study. <i>Journal of Affective Disorders</i> , 2013, 147, 441-445.	2.0	41
232	Affect recognition and functioning in putatively prodromal individuals. <i>Schizophrenia Research</i> , 2013, 147, 404-405.	1.1	10
233	Introspection and schizophrenia: A comparative investigation of anomalous self experiences. <i>Consciousness and Cognition</i> , 2013, 22, 853-867.	0.8	34
234	Development and Validation of a New Measure of Everyday Adolescent Functioning: The Multidimensional Adolescent Functioning Scale. <i>Journal of Adolescent Health</i> , 2013, 52, 195-200.	1.2	19

#	ARTICLE	IF	CITATIONS
235	Follow-up factor structure of schizotypy and its clinical associations in a help-seeking sample meeting ultra-high risk for psychosis criteria at baseline. <i>Comprehensive Psychiatry</i> , 2013, 54, 173-180.	1.5	30
236	Transition to first episode psychosis in ultra high risk populations: Does baseline functioning hold the key?. <i>Schizophrenia Research</i> , 2013, 143, 132-137.	1.1	33
237	Childhood trauma and psychosis: new perspectives on aetiology and treatment. <i>Microbial Biotechnology</i> , 2013, 7, 1-4.	0.9	34
238	Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. <i>Psychological Medicine</i> , 2013, 43, 2311-2325.	2.7	95
239	Anomalous self-experience in depersonalization and schizophrenia: A comparative investigation. <i>Consciousness and Cognition</i> , 2013, 22, 430-441.	0.8	101
240	Long-term Follow-up of a Group at Ultra High Risk (‘‘Prodromal’’) for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 793.	6.0	373
241	Cognitive-Behavioral Therapy for Schizophrenia: A Critical Evaluation of Its Theoretical Framework from a Clinical-Phenomenological Perspective. <i>Psychopathology</i> , 2013, 46, 249-265.	1.1	60
242	Does specific psychopathology predict development of psychosis in ultra high-risk (UHR) patients?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 380-390.	1.3	22
243	Varieties of self-disturbance: a prism through which to view mental disorder. <i>Microbial Biotechnology</i> , 2013, 7, 231-234.	0.9	10
244	Is basic self-disturbance in ultra-high risk for psychosis (‘‘prodromal’’) patients associated with borderline personality pathology?. <i>Microbial Biotechnology</i> , 2013, 7, 306-310.	0.9	34
245	Dynamic Association Between Interpersonal Functioning and Positive Symptom Dimensions of Psychosis Over Time: A Longitudinal Study of Healthy Adolescents. <i>Schizophrenia Bulletin</i> , 2013, 39, 179-185.	2.3	23
246	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013, 3, e251-e251.	2.4	31
247	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2013, 43, 2349-2360.	2.7	44
248	The Ultra-High Risk Concept—A Review. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 5-12.	0.9	75
249	Omega-3 Fatty Acid Supplementation in Adolescents with Borderline Personality Disorder and Ultra-High Risk Criteria for Psychosis: A Post Hoc Subgroup Analysis of a Double-blind, Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 402-408.	0.9	55
250	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 349-356.	1.1	128
251	Dr McGorry and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 1123.	1.1	1
252	I disturbi nucleari del sÃ e gli stati mentali a rischio: uno sguardo fenomenologico al paradigma della ricerca Ultra-High Risk. <i>Rivista Sperimentale Di Freniatria</i> , 2013, , 97-129.	0.1	2

#	ARTICLE	IF	CITATIONS
253	Basic Self-Disturbance Predicts Psychosis Onset in the Ultra High Risk for Psychosis "Prodromal" Population. <i>Schizophrenia Bulletin</i> , 2012, 38, 1277-1287.	2.3	236
254	Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. <i>Clinical Practice (London, England)</i> , 2012, 9, 669-682.	0.1	3
255	“At-risk”™ for psychosis research: where are we heading?. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 329-334.	1.8	33
256	Neuroprotective Effects of Low-dose Lithium in Individuals at Ultra-high Risk for Psychosis. A Longitudinal MRI/MRS Study. <i>Current Pharmaceutical Design</i> , 2012, 18, 570-575.	0.9	54
257	Rationale and First Results of Developing At-Risk (Prodromal) Criteria for Bipolar Disorder. <i>Current Pharmaceutical Design</i> , 2012, 18, 358-375.	0.9	70
258	The Ultra High Risk Approach to Define Psychosis Risk. <i>Current Pharmaceutical Design</i> , 2012, 18, 346-350.	0.9	20
259	Can We Detect Psychotic-like Experiences in the General Population?. <i>Current Pharmaceutical Design</i> , 2012, 18, 376-385.	0.9	44
260	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. <i>Psychiatry Research</i> , 2012, 199, 8-11.	1.7	8
261	Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1030-1039.	2.3	149
262	HOW EFFECTIVE ARE OMEGA-3 FATTY ACIDS FOR THE TREATMENT OF THE PSYCHOSIS PRODROME?. <i>Schizophrenia Research</i> , 2012, 136, S18.	1.1	0
263	Poster #197 FACTOR STRUCTURE OF SCHIZOTYPY AND ASSOCIATIONS WITH PSYCHOPATHOLOGY AND FUNCTIONING IN A GROUP PREVIOUSLY AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S256.	1.1	0
264	Social cognition in clinical “at risk” for psychosis and first episode psychosis populations. <i>Schizophrenia Research</i> , 2012, 141, 204-209.	1.1	96
265	Embracing patient choice. <i>British Journal of Psychiatry</i> , 2012, 201, 493-494.	1.7	1
266	Quality of information sources about mental disorders: a comparison of Wikipedia with centrally controlled web and printed sources. <i>Psychological Medicine</i> , 2012, 42, 1753-1762.	2.7	102
267	Psychotic experience subtypes, poor mental health status and help-seeking behaviour in a community sample of young adults. <i>Microbial Biotechnology</i> , 2012, 6, 300-308.	0.9	32
268	Markers of vulnerability to obsessive-compulsive disorder in an ultra-high risk sample of patients who developed psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 201-206.	0.9	17
269	Facial and vocal affect perception in people at ultra-high risk of psychosis, first-episode schizophrenia and healthy controls. <i>Microbial Biotechnology</i> , 2012, 6, 450-454.	0.9	57
270	Borderline personality features and development of psychosis in an “Ultra High Risk”™ (UHR) population: a case control study. <i>Microbial Biotechnology</i> , 2012, 6, 247-255.	0.9	27

#	ARTICLE	IF	CITATIONS
271	Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 34-39.	0.9	46
272	The structure of the ultra high risk mental state for psychosis. A latent class cluster analysis study. <i>European Psychiatry</i> , 2011, 26, 2087-2087.	0.1	1
273	The relationship between coping and subclinical psychotic experiences in adolescents from the general population – a longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 2535-2546.	2.7	63
274	Predictive validity of clinical variables in the “at risk” for psychosis population: International comparison with results from the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2011, 126, 51-57.	1.1	79
275	Ultra high risk (UHR) for psychosis criteria: Are there different levels of risk for transition to psychosis?. <i>Schizophrenia Research</i> , 2011, 125, 62-68.	1.1	71
276	The Comprehensive Assessment of At-Risk Mental States: From mapping the onset to mapping the structure. <i>Schizophrenia Research</i> , 2011, 127, 107-114.	1.1	45
277	Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011, 130, 277-281.	1.1	41
278	Neurocognitive predictors of functional outcome two to 13years after identification as ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2011, 132, 1-7.	1.1	182
279	Young people at ultra high risk for psychosis: research from the PACE clinic. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s143-s160.	0.9	15
280	Should a risk syndrome for first episode psychosis be included in the DSM-5?. <i>Current Opinion in Psychiatry</i> , 2011, 24, 128-133.	3.1	27
281	Young people at ultra high risk for psychosis: a research update. <i>Microbial Biotechnology</i> , 2011, 5, 52-57.	0.9	50
282	A longitudinal study of obsessive-compulsive disorder in individuals at ultra-high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 1140-1145.	1.5	45
283	Research: Phenomenology. , 2011, , 299-303.		3
284	Letter to the Editor: The need for drug-naive research in first-episode psychosis: a response to Moncrieff & Leo (). <i>Psychological Medicine</i> , 2011, 41, 1117-1118.	2.7	1
285	Randomized Controlled Trial of Interventions for Young People at Ultra High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 430-440.	1.1	128
286	Clinical Staging: A Heuristic and Practical Strategy for New Research and Better Health and Social Outcomes for Psychotic and Related Mood Disorders. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 486-497.	0.9	204
287	A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. <i>Journal of Affective Disorders</i> , 2010, 127, 316-320.	2.0	104
288	Experience of trauma and conversion to psychosis in an ultra-high-risk (prodromal) group. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 377-384.	2.2	154

#	ARTICLE	IF	CITATIONS
289	Can Clinicians Predict Psychosis in an Ultra High Risk Group?. Australian and New Zealand Journal of Psychiatry, 2010, 44, 625-630.	1.3	27
290	Unworlding, Perplexity and Disorders of Transpassibility: Between the Experiential and the Existential Side of Schizophrenic Vulnerability. Psychopathology, 2010, 43, 250-251.	1.1	3
291	Relating Schizotypy and Personality to the Phenomenology of Creativity. Schizophrenia Bulletin, 2010, 36, 388-399.	2.3	135
292	Randomized Comparison of Group Cognitive Behaviour Therapy and Group Psychoeducation in Acute Patients with Schizophrenia: Effects on Subjective Quality of Life. Australian and New Zealand Journal of Psychiatry, 2010, 44, 144-150.	1.3	44
293	EVIDENCE FOR ALTERED ASYMMETRY OF FRONTAL CORTEX T2 RELAXATION TIME IN PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Research, 2010, 117, 534.	1.1	0
294	EXPERIENCE OF TRAUMA AND CONVERSION TO PSYCHOTIC DISORDER IN INDIVIDUALS AT ULTRA HIGH RISK ("PRODROMAL") OF DEVELOPING FIRST EPISODE PSYCHOSIS. Schizophrenia Research, 2010, 117, 529-530.	1.1	0
295	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. Schizophrenia Research, 2010, 119, 1-10.	1.1	97
296	WHY TRANSITION TO PSYCHOSIS IS NOT THE WHOLE STORY - NEUROCOGNITIVE MARKERS OF TRANSITION AND POOR FUNCTIONAL OUTCOME SEVEN TO 14YEARS AFTER IDENTIFICATION AS ULTRA-HIGH RISK AT THE PACE CLINIC. Schizophrenia Research, 2010, 117, 174-175.	1.1	0
297	LONG TERM FOLLOW UP OF AN ULTRA HIGH RISK ("PRODROMAL") GROUP. Schizophrenia Research, 2010, 117, 179.	1.1	4
298	ANOMALOUS SELF-EXPERIENCE IN THE PRODROMAL PHASE OF SCHIZOPHRENIA AND OTHER PSYCHOTIC DISORDERS. Schizophrenia Research, 2010, 117, 306.	1.1	1
299	Psychotic-like experiences and correlation with distress and depressive symptoms in a community sample of adolescents and young adults. Schizophrenia Research, 2010, 119, 258-265.	1.1	235
300	The psychosis threshold in Ultra High Risk (prodromal) research: Is it valid?. Schizophrenia Research, 2010, 120, 1-6.	1.1	138
301	Should a "Risk Syndrome for Psychosis" be included in the DSMV?. Schizophrenia Research, 2010, 120, 7-15.	1.1	78
302	Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. NeuroImage, 2010, 52, 62-68.	2.1	111
303	Psychotic symptoms with sexual content in the "ultra high risk" for psychosis population: Frequency and association with sexual trauma. Psychiatry Research, 2010, 177, 84-91.	1.7	57
304	The Impact of Early Intervention in Schizophrenia. , 2010, , 299-316.		2
305	The Phenomenological Model of Psychotic Vulnerability and Its Possible Implications for Psychological Interventions in the Ultra-High Risk ("Prodromal") Population. Psychopathology, 2009, 42, 283-292.	1.1	52
306	Pseudoneurotic Schizophrenia Revisited. Australian and New Zealand Journal of Psychiatry, 2009, 43, 873-876.	1.3	7

#	ARTICLE	IF	CITATIONS
307	Medusa's Stare: A Case Study of Working With Self-Disturbance in the Early Phase of Schizophrenia. <i>Clinical Case Studies</i> , 2009, 8, 489-504.	0.5	42
308	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis: Study Design and Baseline Characteristics. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 818-829.	1.3	74
309	A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 807-817.	2.9	129
310	Does disturbance of self underlie social cognition deficits in schizophrenia and other psychotic disorders?. <i>Microbial Biotechnology</i> , 2009, 3, 83-93.	0.9	47
311	Psychotic-Like Experiences in a Community Sample of Adolescents: Implications for the Continuum Model of Psychosis and Prediction of Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 118-128.	1.3	309
312	Psychotic-like experiences as overdetermined phenomena: When do they increase risk for psychotic disorder?. <i>Schizophrenia Research</i> , 2009, 108, 303-304.	1.1	34
313	A Pilot Study of at-risk Criteria for Bipolar Disorders in Help Seeking Adolescents and Young Adults. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
314	How Does It Feel? The Development of the Experience of Creativity Questionnaire. <i>Creativity Research Journal</i> , 2009, 21, 43-53.	1.7	24
315	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	1.1	258
316	Validation of "prodromal" criteria to detect individuals at ultra high risk of psychosis: 2-year follow-up. <i>Schizophrenia Research</i> , 2008, 105, 10-17.	1.1	325
317	Summary of the 1st Schizophrenia International Research Society Conference oral sessions, Venice, Italy, June 21-25, 2008: The rapporteur reports. <i>Schizophrenia Research</i> , 2008, 105, 289-383.	1.1	5
318	Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. <i>Biological Psychiatry</i> , 2008, 64, 758-765.	0.7	169
319	P.1.e.016 Anatomical abnormalities of the anterior cingulate cortex before the onset of psychosis. <i>European Neuropsychopharmacology</i> , 2008, 18, S268-S269.	0.3	0
320	The Phenomenology of the Psychotic Break and Huxley's Trip: Substance Use and the Onset of Psychosis. <i>Psychopathology</i> , 2008, 41, 346-355.	1.1	14
321	Identifying the Ultra-High Risk (Prodromal) Population: Evaluation of Training Workshops with Mental Health Services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 236-243.	1.3	13
322	The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. <i>Schizophrenia Bulletin</i> , 2007, 34, 381-392.	2.3	121
323	Declining Transition Rate in Ultra High Risk (Prodromal) Services: Dilution or Reduction of Risk?. <i>Schizophrenia Bulletin</i> , 2007, 33, 673-681.	2.3	376
324	Its Own Reward: A Phenomenological Study of Artistic Creativity. <i>Journal of Phenomenological Psychology</i> , 2007, 38, 217-255.	0.7	33

#	ARTICLE	IF	CITATIONS
325	PACE: a specialised service for young people at risk of psychotic disorders. Medical Journal of Australia, 2007, 187, S43-6.	0.8	78
326	When things are not as they seem: detecting first-episode psychosis upon referral to ultra high risk (?prodromal?) clinics. Microbial Biotechnology, 2007, 1, 208-211.	0.9	16
327	FC2B CO-MORBIDITY IN UHR CLIENTS: INTAKE AND 12-MONTH AXIS I DIAGNOSES.. Schizophrenia Research, 2006, 86, S35.	1.1	1
328	0553 ASSESSING THOSE AT HIGH RISK OF PSYCHOTIC DISORDER –AN EXPERIENTIAL WORKSHOP USING THE COMPREHENSIVE ASSESSMENT OF AT RISK MENTAL STATES (CAARMS). Schizophrenia Research, 2006, 86, S82.	1.1	0
329	Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. Schizophrenia Research, 2006, 84, 57-66.	1.1	242
330	Basic self disturbance in the schizophrenia spectrum: a review and future directions. , 0, , 158-168.		6