

Reijo Sund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5395919/publications.pdf>

Version: 2024-02-01

173
papers

6,416
citations

94433

37
h-index

79698

73
g-index

186
all docs

186
docs citations

186
times ranked

9495
citing authors

#	ARTICLE	IF	CITATIONS
1	Quality of the Finnish Hospital Discharge Register: A systematic review. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 505-515.	2.3	887
2	Clinical picture and risk prediction of short-term mortality in cardiogenic shock. <i>European Journal of Heart Failure</i> , 2015, 17, 501-509.	7.1	520
3	Incidence of Type 1 Diabetes in Finland. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 427.	7.4	199
4	Intrahepatic cholestasis of pregnancy as an indicator of liver and biliary diseases: A population-based study. <i>Hepatology</i> , 2006, 43, 723-728.	7.3	192
5	Prognostic value of cystatin C in acute heart failure in relation to other markers of renal function and NT-proBNP. <i>European Heart Journal</i> , 2007, 28, 1841-1847.	2.2	189
6	Genetic and environmental effects on body mass index from infancy to the onset of adulthood: an individual-based pooled analysis of 45 twin cohorts participating in the COllaborative project of Development of Anthropometrical measures in Twins (CODATwins) study. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 371-379.	4.7	175
7	Substance-Induced Psychoses Converting Into Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e94-e99.	2.2	163
8	Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. <i>Lancet, The</i> , 2009, 373, 147-153.	13.7	148
9	Current real-life use of vasopressors and inotropes in cardiogenic shock - adrenaline use is associated with excess organ injury and mortality. <i>Critical Care</i> , 2016, 20, 208.	5.8	145
10	Pioglitazone and bladder cancer risk: a multipopulation pooled, cumulative exposure analysis. <i>Diabetologia</i> , 2015, 58, 493-504.	6.3	140
11	Cancer incidence of persons with down syndrome in Finland: A population-based study. <i>International Journal of Cancer</i> , 2006, 118, 1769-1772.	5.1	135
12	Genetic and environmental influences on height from infancy to early adulthood: An individual-based pooled analysis of 45 twin cohorts. <i>Scientific Reports</i> , 2016, 6, 28496.	3.3	133
13	Cancer incidence in persons with type 1 diabetes: a five-country study of 9,000 cancers in type 1 diabetic individuals. <i>Diabetologia</i> , 2016, 59, 980-988.	6.3	119
14	Sickness absence as a risk factor for job termination, unemployment, and disability pension among temporary and permanent employees. <i>Occupational and Environmental Medicine</i> , 2006, 63, 212-217.	2.8	116
15	Differences in genetic and environmental variation in adult BMI by sex, age, time period, and region: an individual-based pooled analysis of 40 twin cohorts. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 457-466.	4.7	107
16	Risk of Multiple Reoperations After Lumbar Discectomy. <i>Spine</i> , 2003, 28, 621-627.	2.0	106
17	Markers of renal function and acute kidney injury in acute heart failure: definitions and impact on outcomes of the cardiorenal syndrome. <i>European Heart Journal</i> , 2010, 31, 2791-2798.	2.2	105
18	Fewer Major Amputations Among Individuals With Diabetes in Finland in 1997-2007. <i>Diabetes Care</i> , 2010, 33, 2598-2603.	8.6	88

#	ARTICLE	IF	CITATIONS
19	Let's Move It™ a school-based multilevel intervention to increase physical activity and reduce sedentary behaviour among older adolescents in vocational secondary schools: a study protocol for a cluster-randomised trial. BMC Public Health, 2016, 16, 451.	2.9	81
20	Incidence of End-Stage Renal Disease in Patients With Type 1 Diabetes. Diabetes Care, 2018, 41, 434-439.	8.6	68
21	Comparing Properties of Audit Data and Routinely Collected Register Data in Case of Performance Assessment of Hip Fracture Treatment in Finland. Methods of Information in Medicine, 2007, 46, 558-566.	1.2	65
22	Quality effects of operative delay on mortality in hip fracture treatment. Quality and Safety in Health Care, 2005, 14, 371-377.	2.5	61
23	Temporal changes in the incidence of treated psychiatric and neurodevelopmental disorders during adolescence: an analysis of two national Finnish birth cohorts. Lancet Psychiatry, 2018, 5, 227-236.	7.4	60
24	Cemented or uncemented hemiarthroplasty for the treatment of femoral neck fractures?. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 49-53.	3.3	59
25	Genetic and environmental variation in educational attainment: an individual-based analysis of 28 twin cohorts. Scientific Reports, 2020, 10, 12681.	3.3	59
26	Association of current and former smoking with body mass index: A study of smoking discordant twin pairs from 21 twin cohorts. PLoS ONE, 2018, 13, e0200140.	2.5	57
27	The CODATwins Project: The Cohort Description of Collaborative Project of Development of Anthropometrical Measures in Twins to Study Macro-Environmental Variation in Genetic and Environmental Effects on Anthropometric Traits. Twin Research and Human Genetics, 2015, 18, 348-360.	0.6	55
28	A methodological approach for register-based evaluation of cost and outcomes in health care. Annals of Medicine, 2011, 43, S4-S13.	3.8	51
29	Post-hip fracture use of prescribed calcium plus vitamin D or vitamin D supplements and antiosteoporotic drugs is associated with lower mortality: A nationwide study in Finland. Journal of Bone and Mineral Research, 2011, 26, 1845-1853.	2.8	51
30	How voter turnout varies between different chronic conditions? A population-based register study. Journal of Epidemiology and Community Health, 2017, 71, 475-479.	3.7	51
31	Amputations and socioeconomic position among persons with diabetes mellitus, a population-based register study. BMJ Open, 2013, 3, e002395.	1.9	49
32	A Population-Based Study of Abdominal Aortic Aneurysm Treatment in Finland 2000 to 2014. Circulation, 2017, 136, 1726-1734.	1.6	47
33	Risk of pneumonia associated with incident benzodiazepine use among community-dwelling adults with Alzheimer disease. Cmaj, 2017, 189, E519-E529.	2.0	46
34	Hospitalizations and Deaths Associated with Clostridium difficile Infection, Finland, 1996-2004. Emerging Infectious Diseases, 2009, 15, 761-765.	4.3	44
35	Genetic and environmental influences on adult human height across birth cohorts from 1886 to 1994. ELife, 2016, 5, .	6.0	42
36	The mortality of young offenders sentenced to prison and its association with psychiatric disorders: a register study. European Journal of Public Health, 2006, 16, 193-197.	0.3	41

#	ARTICLE	IF	CITATIONS
37	Monitoring the performance of hip fracture treatment in Finland. <i>Annals of Medicine</i> , 2011, 43, S39-S46.	3.8	38
38	Extra- and intramedullary implants for the treatment of pertrochanteric fractures – Results from a Finnish National Database Study of 14,915 patients. <i>Injury</i> , 2012, 43, 2156-2160.	1.7	37
39	Socioeconomic equity in amenable mortality in Finland 1992–2008. <i>Social Science and Medicine</i> , 2012, 75, 905-913.	3.8	37
40	Cancer incidence among Finnish people with type 2 diabetes during 1989–2014. <i>European Journal of Epidemiology</i> , 2019, 34, 259-265.	5.7	37
41	Indicators for Comparing the Incidence of Diabetic Amputations: A Nationwide Population-based Register Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013, 46, 569-574.	1.5	36
42	Post-discharge suicides of inpatients with bipolar disorder in Finland. <i>Bipolar Disorders</i> , 2014, 16, 867-874.	1.9	34
43	Antipsychotic Use and Risk of Hospitalization or Death Due to Pneumonia in Persons With and Those Without Alzheimer Disease. <i>Chest</i> , 2016, 150, 1233-1241.	0.8	33
44	Risk factors for suicide in depression in Finland: first hospitalized patients followed up to 24 years. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 154-163.	4.5	33
45	Toe Pressure and Toe Brachial Index are Predictive of Cardiovascular Mortality, Overall Mortality, and Amputation Free Survival in Patients with Peripheral Artery Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 53, 696-703.	1.5	32
46	Regional and hospital variance in performance of total hip and knee replacements: a national population-based study. <i>Annals of Medicine</i> , 2011, 43, S31-S38.	3.8	31
47	Hypoalbuminemia is a frequent marker of increased mortality in cardiogenic shock. <i>PLoS ONE</i> , 2019, 14, e0217006.	2.5	31
48	The associations of indoor environment and psychosocial factors on the subjective evaluation of Indoor Air Quality among lower secondary school students: a multilevel analysis. <i>Indoor Air</i> , 2017, 27, 329-337.	4.3	30
49	Obesity is associated with early hip fracture risk in postmenopausal women: a 25-year follow-up. <i>Osteoporosis International</i> , 2021, 32, 769-777.	3.1	30
50	Parity, tubal sterilization, hysterectomy and risk of primary fallopian tube carcinoma in Finland, 1975–2004. <i>International Journal of Cancer</i> , 2007, 120, 1351-1354.	5.1	28
51	Modeling the volume-effectiveness relationship in the case of hip fracture treatment in Finland. <i>BMC Health Services Research</i> , 2010, 10, 238.	2.2	28
52	Randomised controlled feasibility study of a school-based multi-level intervention to increase physical activity and decrease sedentary behaviour among vocational school students. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 37.	4.6	27
53	Parental Education and Genetics of BMI from Infancy to Old Age: A Pooled Analysis of 29 Twin Cohorts. <i>Obesity</i> , 2019, 27, 855-865.	3.0	27
54	Risk of Hip Fracture in Benzodiazepine Users With and Without Alzheimer Disease. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 87.e15-87.e21.	2.5	26

#	ARTICLE	IF	CITATIONS
55	Utilisation of administrative registers using scientific knowledge discovery. <i>Intelligent Data Analysis</i> , 2003, 7, 501-519.	0.9	25
56	Cancer incidence among persons with fragile X syndrome in Finland: a population-based study. <i>Journal of Intellectual Disability Research</i> , 2009, 53, 85-90.	2.0	25
57	Prognosis of ovarian cancer in women with type 2 diabetes using metformin and other forms of antidiabetic medication or statins: a retrospective cohort study. <i>BMC Cancer</i> , 2018, 18, 767.	2.6	25
58	Cumulative Risk of End-Stage Renal Disease Among Patients With Type 2 Diabetes: A Nationwide Inception Cohort Study. <i>Diabetes Care</i> , 2019, 42, 539-544.	8.6	25
59	Zygoty Differences in Height and Body Mass Index of Twins From Infancy to Old Age: A Study of the CODATwins Project. <i>Twin Research and Human Genetics</i> , 2015, 18, 557-570.	0.6	24
60	Mortality Caused by Surgery for Degenerative Lumbar Spine. <i>Spine</i> , 2017, 42, 1080-1087.	2.0	24
61	Incidence of and Characteristics Associated With Long-term Benzodiazepine Use in Finland. <i>JAMA Network Open</i> , 2020, 3, e2019029.	5.9	24
62	The Sleep Revolution project: the concept and objectives. <i>Journal of Sleep Research</i> , 2022, 31, .	3.2	24
63	Diabetes and depression? Secular trends in the use of antidepressants among persons with diabetes in Finland in 1997-2007. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 338-343.	1.9	23
64	Association between birthweight and later body mass index: an individual-based pooled analysis of 27 twin cohorts participating in the CODATwins project. <i>International Journal of Epidemiology</i> , 2017, 46, 1488-1498.	1.9	22
65	Utilization of routinely collected administrative data in monitoring the incidence of aging dependent hip fracture. <i>Epidemiologic Perspectives and Innovations</i> , 2007, 4, 2.	7.0	21
66	Twin's Birth-Order Differences in Height and Body Mass Index From Birth to Old Age: A Pooled Study of 26 Twin Cohorts Participating in the CODATwins Project. <i>Twin Research and Human Genetics</i> , 2016, 19, 112-124.	0.6	21
67	Birth size and gestational age in opposite-sex twins as compared to same-sex twins: An individual-based pooled analysis of 21 cohorts. <i>Scientific Reports</i> , 2018, 8, 6300.	3.3	21
68	Cystatin C, NT-proBNP, and inflammatory markers in acute heart failure: insights into the cardiorenal syndrome. <i>Biomarkers</i> , 2011, 16, 302-310.	1.9	20
69	Short-term effects of the "Together at School" intervention program on children's socio-emotional skills: a cluster randomized controlled trial. <i>BMC Psychology</i> , 2016, 4, 27.	2.1	20
70	Antidiabetic medication, statins and the risk of endometrioid endometrial cancer in patients with type 2 diabetes. <i>Gynecologic Oncology</i> , 2017, 146, 636-641.	1.4	20
71	Associations between birth size and later height from infancy through adulthood: An individual based pooled analysis of 28 twin cohorts participating in the CODATwins project. <i>Early Human Development</i> , 2018, 120, 53-60.	1.8	20
72	"Together at school" - a school-based intervention program to promote socio-emotional skills and mental health in children: study protocol for a cluster randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 1042.	2.9	19

#	ARTICLE	IF	CITATIONS
73	Are statin trials in diabetes representative of real-world diabetes care: a population-based study on statin initiators in Finland. <i>BMJ Open</i> , 2014, 4, e005402-e005402.	1.9	19
74	Genetic and environmental factors affecting birth size variation: a pooled individual-based analysis of secular trends and global geographical differences using 26 twin cohorts. <i>International Journal of Epidemiology</i> , 2018, 47, 1195-1206.	1.9	19
75	The CODATwins Project: The Current Status and Recent Findings of COLlaborative Project of Development of Anthropometrical Measures in Twins. <i>Twin Research and Human Genetics</i> , 2019, 22, 800-808.	0.6	19
76	Association of Income With the Incidence Rates of First Psychiatric Hospital Admissions in Finland, 1996-2014. <i>JAMA Psychiatry</i> , 2020, 77, 274.	11.0	19
77	Quality, cost, and their trade-off in treating AMI and stroke patients in European hospitals. <i>Health Policy</i> , 2014, 117, 15-27.	3.0	17
78	Enhancing safety competencies of young adults: A randomized field trial (RCT). <i>Journal of Safety Research</i> , 2018, 67, 45-56.	3.6	17
79	Genetic and environmental influences on human height from infancy through adulthood at different levels of parental education. <i>Scientific Reports</i> , 2020, 10, 7974.	3.3	17
80	Use of Health Registers. , 2014, , 707-730.		17
81	Harmonization may be counterproductive—at least for parts of Europe where public health research operates effectively. <i>European Journal of Public Health</i> , 2011, 21, 686-687.	0.3	16
82	Risk factors for early readmission due to surgical complications after treatment of proximal femoral fractures “ A Finnish National Database study of 68,800 patients. <i>Injury</i> , 2019, 50, 403-408.	1.7	16
83	Evaluation of the FRAX Model for Hip Fracture Predictions in the Population-based Kuopio Osteoporosis Risk Factor and Prevention Study (OSTPRE). <i>Calcified Tissue International</i> , 2014, 95, 39-45.	3.1	15
84	Diagnostic conversion from unipolar depression to bipolar disorder, schizophrenia, or schizoaffective disorder: A nationwide prospective 15-year register study on 43,495 inpatients. <i>Bipolar Disorders</i> , 2020, 22, 582-592.	1.9	15
85	Decline in suicide mortality after psychiatric hospitalization for depression in Finland between 1991 and 2014. <i>World Psychiatry</i> , 2018, 17, 110-112.	10.4	14
86	Efficacy and safety of intravenous esmolol for cardiac protection in non-cardiac surgery. A systematic review and meta-analysis. <i>Annals of Medicine</i> , 2019, 51, 17-27.	3.8	14
87	Regional and gender-specific analyses give new perspectives for secular trend in hip fracture incidence. <i>Osteoporosis International</i> , 2021, 32, 1725-1733.	3.1	14
88	Association of Examination Rates with Children’s National Caries Indices in Finland. <i>Open Dentistry Journal</i> , 2009, 3, 59-67.	0.5	14
89	Utilization of inpatient care before and after hip fracture: a population-based study. <i>Osteoporosis International</i> , 2009, 20, 879-886.	3.1	13
90	How does a history of psychiatric hospital care influence access to coronary care: a cohort study. <i>BMJ Open</i> , 2012, 2, e000831.	1.9	13

#	ARTICLE	IF	CITATIONS
91	Incidence of osteoporotic fractures in elderly women and men in Finland during 2005–2006: a population-based study. <i>Scandinavian Journal of Surgery</i> , 2014, 103, 215-221.	2.6	13
92	Use of benzodiazepines and related drugs is associated with a risk of stroke among persons with Alzheimer's disease. <i>International Clinical Psychopharmacology</i> , 2017, 32, 135-141.	1.7	13
93	Title is missing!. <i>Spine</i> , 2003, 28, 621-627.	2.0	12
94	The type of acute heart failure and the costs of hospitalization. <i>International Journal of Cardiology</i> , 2010, 145, 103-105.	1.7	12
95	Indoor air problems and the perceived social climate in schools: A multilevel structural equation analysis. <i>Science of the Total Environment</i> , 2018, 624, 1504-1512.	8.0	12
96	Following total hip arthroplasty: femoral head component diameter of 32 mm or larger is associated with lower risk of dislocation in patients with a prior lumbar fusion. <i>Bone and Joint Journal</i> , 2020, 102-B, 1003-1009.	4.4	12
97	Survival after breast cancer in women with type 2 diabetes using antidiabetic medication and statins: a retrospective cohort study. <i>Acta Oncologica</i> , 2020, 59, 1110-1117.	1.8	12
98	Efficacy of disclosed food safety inspections in restaurants. <i>Food Control</i> , 2021, 123, 107775.	5.5	12
99	Monitoring the use of lipid-lowering medication among persons with newly diagnosed diabetes: a nationwide register-based study. <i>BMJ Open</i> , 2013, 3, e003414.	1.9	11
100	A Monte Carlo method to estimate the confidence intervals for the concentration index using aggregated population register data. <i>Health Services and Outcomes Research Methodology</i> , 2015, 15, 82-98.	1.8	11
101	The Missing Siblings of Infants Born Preterm. <i>Pediatrics</i> , 2018, 141, .	2.1	11
102	Methodological challenges in international performance measurement using patient-level administrative data. <i>Health Policy</i> , 2013, 112, 110-121.	3.0	10
103	Multiple complications among people with diabetes from Finland: an 18-year follow-up in 1994–2011. <i>BMJ Open Diabetes Research and Care</i> , 2016, 4, e000254.	2.8	10
104	Antidiabetic Medication, Statins and the Risk and Prognosis of Non-endometrioid Endometrial Cancer in Women with Type 2 Diabetes. <i>Anticancer Research</i> , 2018, 38, 4169-4178.	1.1	10
105	Visualisation and network analysis of physical activity and its determinants: Demonstrating opportunities in analysing baseline associations in the Let's Move It trial. <i>Health Psychology and Behavioral Medicine</i> , 2019, 7, 269-289.	1.8	10
106	From care to education and work? Education and employment trajectories in early adulthood by children in out-of-home care. <i>Child Abuse and Neglect</i> , 2019, 98, 104144.	2.6	10
107	Methodological challenges in using the Finnish Hospital Discharge Register for studying fire-related injuries leading to inpatient care. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 36.	3.0	9
108	Obstetric admissions to ICUs in Finland: A multicentre study. <i>Intensive and Critical Care Nursing</i> , 2016, 35, 38-44.	2.9	9

#	ARTICLE	IF	CITATIONS
109	Working people with type 1 diabetes in the Finnish population. BMC Public Health, 2017, 17, 805.	2.9	9
110	Cross-Validation of Arthroplasty Records Between Arthroplasty and Hospital Discharge Registers, Self-Reports, and Medical Records Among a Cohort of 14,220 Women. Journal of Arthroplasty, 2018, 33, 3649-3654.	3.1	9
111	Association of antidiabetic medication and statins with breast cancer incidence in women with type 2 diabetes. Breast Cancer Research and Treatment, 2019, 175, 741-748.	2.5	9
112	Toe pressure should be part of a vascular surgeon's first-line investigation in the assessment of lower extremity artery disease and cardiovascular risk of a patient. Journal of Vascular Surgery, 2021, 73, 641-649.e3.	1.1	9
113	Characteristics of Long-Term Femoral Neck Bone Loss in Postmenopausal Women: A 25-Year Follow-Up. Journal of Bone and Mineral Research, 2020, 37, 173-178.	2.8	9
114	Rethinking relative measures of poverty. Journal of European Social Policy, 2006, 16, 107-120.	2.8	8
115	Analysing the length of care episode after hip fracture: a nonparametric and a parametric Bayesian approach. Health Care Management Science, 2010, 13, 170-181.	2.6	8
116	Education in Twins and Their Parents Across Birth Cohorts Over 100 years: An Individual-Level Pooled Analysis of 42-Twin Cohorts. Twin Research and Human Genetics, 2017, 20, 395-405.	0.6	8
117	A fall in the previous 12 months predicts fracture in the subsequent 5 years in postmenopausal women. Osteoporosis International, 2020, 31, 839-847.	3.1	8
118	Detecting pathological features and predicting fracture risk from dual-energy X-ray absorptiometry images using deep learning. Bone Reports, 2021, 14, 101070.	0.4	8
119	Changing patterns of secondary preventive medication among newly diagnosed coronary heart disease patients with diabetes in Finland: A register-based study. Scandinavian Journal of Public Health, 2010, 38, 317-324.	2.3	7
120	Increased cancer mortality in diabetic people treated with insulin: a register-based follow-up study. BMC Health Services Research, 2013, 13, 267.	2.2	7
121	Risk of head and traumatic brain injuries associated with antidepressant use among community-dwelling persons with Alzheimer's disease: a nationwide matched cohort study. Alzheimer's Research and Therapy, 2017, 9, 59.	6.2	7
122	Maternal and neonatal characteristics in obstetric intensive care unit admissions. International Journal of Obstetric Anesthesia, 2020, 41, 65-70.	0.4	7
123	Retrospective Population-Based Cohort Study of Incidence, Complications, and Survival of 202 Operatively Treated Periprosthetic Femoral Fractures. Journal of Arthroplasty, 2021, 36, 2591-2596.	3.1	7
124	Maternal Smoking During Pregnancy and Offspring Head Growth in Comparison to Height and Weight Growth Up to 6 Years of Age: A Longitudinal Study. Clinical Epidemiology, 2021, Volume 13, 959-970.	3.0	7
125	Association between severe lumbar disc degeneration and self-reported occupational physical loading. Journal of Occupational Health, 2022, 64, e12316.	2.1	7
126	Cancer incidence among persons Prader-Willi syndrome in Finland. International Journal on Disability and Human Development, 2008, 7, 69-72.	0.2	6

#	ARTICLE	IF	CITATIONS
127	Multiple social disadvantage does it have an effect on amenable mortality: a brief report. <i>International Journal for Equity in Health</i> , 2014, 13, 67.	3.5	6
128	Tenure structure and perceived social disorder in post-WWII suburban housing estates: A multi-level study with a representative sample of estates. <i>Acta Sociologica</i> , 2018, 61, 246-262.	1.9	6
129	Improving the Recording of Diagnoses in Primary Care with Team Incentives: A Controlled Longitudinal Follow-Up Study. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	6
130	Obstetric patients' health-related quality of life before and after intensive care. <i>Australian Critical Care</i> , 2019, 32, 116-121.	1.3	6
131	Using individual study profiles of first-year students in two different disciplines to predict graduation time. <i>Studies in Higher Education</i> , 2020, 45, 2604-2618.	4.5	6
132	Out-of-home care placements of children and adolescents born preterm: A register-based cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2020, 34, 38-47.	1.7	6
133	Ankle fractures in Finland: 118,929 operatively treated between 1987 and 2019. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 327-333.	3.3	6
134	Comparing the financial risk of bed-day and DRG based pricing types using parametric and simulation methods. <i>Health Care Management Science</i> , 2003, 6, 67-74.	2.6	5
135	Association between birth weight and educational attainment: an individual-based pooled analysis of nine twin cohorts. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 832-837.	3.7	5
136	Randomised controlled trial (RCT) study design for a large-scale municipal fall prevention exercise programme in community-living older women: study protocol for the Kuopio Fall Prevention Study (KFPS). <i>BMJ Open</i> , 2019, 9, e028716.	1.9	5
137	Association of Metformin, Other Antidiabetic Medications, and Statins With Incidence of Colon Cancer in Patients With Type 2 Diabetes. <i>Clinical Colorectal Cancer</i> , 2021, 20, e113-e119.	2.3	5
138	An effective "weapon" for the weak? Digital media and interest groups' media success. <i>Information, Communication and Society</i> , 2022, 25, 258-277.	4.0	5
139	Cardiovascular and musculoskeletal health disorders associate with greater decreases in physical capability in older women. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 192.	1.9	5
140	Association of antidiabetic medication and statins with survival from ductal and lobular breast carcinoma in women with type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 10445.	3.3	5
141	The association between treated psychiatric and neurodevelopmental disorders and out-of-home care among Finnish children born in 1997. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1789-1798.	4.7	5
142	Length of Nutritional Transition Associates Negatively with Postnatal Growth in Very Low Birthweight Infants. <i>Nutrients</i> , 2021, 13, 3961.	4.1	5
143	The effect of COVID-19 lockdown on the incidence of emergency department visits due to injuries and the most typical fractures in 4 Finnish hospitals. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 360-366.	3.3	5
144	PERFECT "Conclusions and future developments. <i>Annals of Medicine</i> , 2011, 43, S54-S57.	3.8	4

#	ARTICLE	IF	CITATIONS
145	Treatment of depression in diagnosed diabetes: common cause or detection bias?. <i>Psychological Medicine</i> , 2014, 44, 1205-1212.	4.5	4
146	Health-related quality of life after obstetric intensive care admission: Comparison with the general population. <i>Journal of Critical Care</i> , 2018, 43, 276-280.	2.2	4
147	Role of musculoskeletal disorders in falls of postmenopausal women. <i>Osteoporosis International</i> , 2018, 29, 2419-2426.	3.1	4
148	The Efficacy of Carotid Surgery by Subgroups: The Concept of Stroke Prevention Potential. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 5-12.	1.5	4
149	A triple-chamber parenteral nutrition solution was associated with improved protein intake in very low birthweight infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1588-1594.	1.5	4
150	Urban RCT participants were healthier than non-participants or rural women. <i>Journal of Clinical Epidemiology</i> , 2021, 140, 44-55.	5.0	4
151	Quality of care and patient safety at healthcare institutions in Oman: quantitative study of the perspectives of patients and healthcare professionals. <i>BMC Health Services Research</i> , 2021, 21, 1109.	2.2	4
152	Impact of Service Supply, Need, and Municipal Factors on the Use of Residential Services for People With Intellectual Disabilities. <i>Mental Retardation</i> , 2004, 42, 95-105.	1.0	3
153	Pathways leading to coronary revascularisation among patients with diabetes in Finland: a longitudinal register-based study. <i>BMC Health Services Research</i> , 2011, 11, 180.	2.2	3
154	Hidden sources like saline flushes make a significant contribution to the fluid intake of very low birthweight infants during the first postnatal week. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 688-696.	1.5	3
155	Physical capability after total joint arthroplasty: long-term population-based follow-up study of 6,462 women. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 1-6.	3.3	3
156	"Effectiveness" in Finnish healthcare studies. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 64-74.	2.3	2
157	The role of cardiorenal biomarkers for risk stratification in the early follow-up after hospitalisation for acute heart failure. <i>Biomarkers</i> , 2013, 18, 525-531.	1.9	1
158	Depression, falls, and fractures. <i>Osteoporosis International</i> , 2020, 31, 1173-1174.	3.1	1
159	What works? The association of organisational structure, reforms and interventions on efficiency in treating hip fractures. <i>Social Science and Medicine</i> , 2021, 274, 113611.	3.8	1
160	Hospital treatment costs associated with incident complications in patients with type 2 diabetes—real-world study based on electronic patient information systems. <i>BMC Health Services Research</i> , 2022, 22, 469.	2.2	1
161	Manipulation under anesthesia after total knee arthroplasty: a retrospective study of 145 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 93, 583-587.	3.3	1
162	Pain medication purchases before and after total hip and knee arthroplasty: a register study of 329,743 arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 93, 534-541.	3.3	1

#	ARTICLE	IF	CITATIONS
163	Only modest resources are needed to improve treatment of hospitalised patients with chest pain or heart failure: rapid assessment is a safe and efficient strategy. <i>International Journal of Cardiology</i> , 2005, 100, 53-59.	1.7	0
164	Early follow-up of patients with acute heart failure by serial assessment of plasma NT-proBNP further discriminates outcome after hospital discharge. <i>International Journal of Cardiology</i> , 2007, 119, S8.	1.7	0
165	Medication among patients with type 1 diabetes and predialytic renal disease. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 510-515.	2.8	0
166	Solving Survo puzzles using matrix combinatorial products. <i>Journal of Statistical Computation and Simulation</i> , 2015, 85, 2666-2681.	1.2	0
167	Modelling the Time Taken to Experience a Type 2 Diabetes Related Complication Using a Survival Tree in Order to Advise General Practitioners. , 2016, , .		0
168	The Efficacy of Carotid Surgery by Subgroups: The Concept of Stroke Prevention Potential. <i>Journal of Vascular Surgery</i> , 2019, 70, 654.	1.1	0
169	Trends in operative ankle ligament surgery in Finland between 1986 and 2018. <i>Foot and Ankle Surgery</i> , 2021, 27, 252-255.	1.7	0
170	Blood pressure changes during the first 24 hours of life and the association with the persistence of a patent ductus arteriosus and occurrence of intraventricular haemorrhage. <i>PLoS ONE</i> , 2021, 16, e0260377.	2.5	0
171	Using multiple imputation and intervention-based scenarios to project the mobility of older adults. <i>BMC Geriatrics</i> , 2022, 22, 311.	2.7	0
172	Incidence and risk factors of spinal cord stimulation for persistent or recurrent pain after lumbar spine surgery: a population-based study. <i>Acta Neurochirurgica</i> , 0, , .	1.7	0
173	Administrative Records for Survey Methodology Edited by Asaph YoungChun, Michael D.Larsen, GabrieleDurrant, Jerome P.ReiterJohn Wiley and Sons, 2021, 384 pages, \$128.95 (hardcover) ISBN: 978â€1â€1192â€7204â€5. <i>International Statistical Review</i> , 0, , .	1.9	0