Reijo Sund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5395919/publications.pdf

Version: 2024-02-01

173 papers 6,416 citations

94433 37 h-index 79698 73 g-index

186 all docs 186
docs citations

186 times ranked 9495 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | An effective â€ [~] weaponâ€ [™] for the weak? Digital media and interest groupsâ€ [™] media success. Information, Communication and Society, 2022, 25, 258-277. | 4.0 | 5 |
| 2 | The association between treated psychiatric and neurodevelopmental disorders and out-of-home care among Finnish children born in 1997. European Child and Adolescent Psychiatry, 2022, 31, 1789-1798. | 4.7 | 5 |
| 3 | Association between severe lumbar disc degeneration and self-reported occupational physical loading. Journal of Occupational Health, 2022, 64, e12316. | 2.1 | 7 |
| 4 | Ankle fractures in Finland: 118,929 operatively treated between 1987 and 2019. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 327-333. | 3.3 | 6 |
| 5 | The effect of COVID-19 lockdown on the incidence of emergency department visits due to injuries and the most typical fractures in 4 Finnish hospitals. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 360-366. | 3.3 | 5 |
| 6 | Hospital treatment costs associated with incident complications in patients with type 2 diabetesâ€"real-world study based on electronic patient information systems. BMC Health Services Research, 2022, 22, 469. | 2.2 | 1 |
| 7 | Using multiple imputation and intervention-based scenarios to project the mobility of older adults. BMC Geriatrics, 2022, 22, 311. | 2.7 | O |
| 8 | The Sleep Revolution project: the concept and objectives. Journal of Sleep Research, 2022, 31, . | 3.2 | 24 |
| 9 | Association of Metformin, Other Antidiabetic Medications, and Statins With Incidence of Colon Cancer in Patients With Type 2 Diabetes. Clinical Colorectal Cancer, 2021, 20, e113-e119. | 2.3 | 5 |
| 10 | Trends in operative ankle ligament surgery in Finland between 1986 and 2018. Foot and Ankle Surgery, 2021, 27, 252-255. | 1.7 | 0 |
| 11 | Efficacy of disclosed food safety inspections in restaurants. Food Control, 2021, 123, 107775. | 5.5 | 12 |
| 12 | Obesity is associated with early hip fracture risk in postmenopausal women: a 25-year follow-up. Osteoporosis International, 2021, 32, 769-777. | 3.1 | 30 |
| 13 | Toe pressure should be part of a vascular surgeon's first-line investigation in the assessment of lower extremity artery disease and cardiovascular risk of a patient. Journal of Vascular Surgery, 2021, 73, 641-649.e3. | 1.1 | 9 |
| 14 | Cardiovascular and musculoskeletal health disorders associate with greater decreases in physical capability in older women. BMC Musculoskeletal Disorders, 2021, 22, 192. | 1.9 | 5 |
| 15 | Regional and gender-specific analyses give new perspectives for secular trend in hip fracture incidence. Osteoporosis International, 2021, 32, 1725-1733. | 3.1 | 14 |
| 16 | What works? The association of organisational structure, reforms and interventions on efficiency in treating hip fractures. Social Science and Medicine, 2021, 274, 113611. | 3.8 | 1 |
| 17 | Association of antidiabetic medication and statins with survival from ductal and lobular breast carcinoma in women with type 2 diabetes. Scientific Reports, 2021, 11, 10445. | 3.3 | 5 |
| 18 | Physical capability after total joint arthroplasty: long-term population-based follow-up study of 6,462 women. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 1-6. | 3.3 | 3 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Detecting pathological features and predicting fracture risk from dual-energy X-ray absorptiometry images using deep learning. Bone Reports, 2021, 14, 101070. | 0.4 | 8 |
| 20 | Retrospective Population-Based Cohort Study of Incidence, Complications, and Survival of 202 Operatively Treated Periprosthetic Femoral Fractures. Journal of Arthroplasty, 2021, 36, 2591-2596. | 3.1 | 7 |
| 21 | Urban RCT participants were healthier than non-participants or rural women. Journal of Clinical Epidemiology, 2021, 140, 44-55. | 5.0 | 4 |
| 22 | Quality of care and patient safety at healthcare institutions in Oman: quantitative study of the perspectives of patients and healthcare professionals. BMC Health Services Research, 2021, 21, 1109. | 2.2 | 4 |
| 23 | Maternal Smoking During Pregnancy and Offspring Head Growth in Comparison to Height and Weight Growth Up to 6 Years of Age: A Longitudinal Study. Clinical Epidemiology, 2021, Volume 13, 959-970. | 3.0 | 7 |
| 24 | Length of Nutritional Transition Associates Negatively with Postnatal Growth in Very Low Birthweight Infants. Nutrients, 2021, 13, 3961. | 4.1 | 5 |
| 25 | Blood pressure changes during the first 24 hours of life and the association with the persistence of a patent ductus arteriosus and occurrence of intraventricular haemorrhage. PLoS ONE, 2021, 16, e0260377. | 2.5 | 0 |
| 26 | Using individual study profiles of first-year students in two different disciplines to predict graduation time. Studies in Higher Education, 2020, 45, 2604-2618. | 4.5 | 6 |
| 27 | Maternal and neonatal characteristics in obstetric intensive care unit admissions. International Journal of Obstetric Anesthesia, 2020, 41, 65-70. | 0.4 | 7 |
| 28 | Hidden sources like saline flushes make a significant contribution to the fluid intake of very low birthweight infants during the first postnatal week. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 688-696. | 1.5 | 3 |
| 29 | A fall in the previous 12Âmonths predicts fracture in the subsequent 5Âyears in postmenopausal women. Osteoporosis International, 2020, 31, 839-847. | 3.1 | 8 |
| 30 | Association of Income With the Incidence Rates of First Psychiatric Hospital Admissions in Finland, 1996-2014. JAMA Psychiatry, 2020, 77, 274. | 11.0 | 19 |
| 31 | Outâ€ofâ€home care placements of children and adolescents born preterm: A registerâ€based cohort study. Paediatric and Perinatal Epidemiology, 2020, 34, 38-47. | 1.7 | 6 |
| 32 | Genetic and environmental variation in educational attainment: an individual-based analysis of 28 twin cohorts. Scientific Reports, 2020, 10, 12681. | 3.3 | 59 |
| 33 | Following total hip arthroplasty: femoral head component diameter of 32 mm or larger is associated with lower risk of dislocation in patients with a prior lumbar fusion. Bone and Joint Journal, 2020, 102-B, 1003-1009. | 4.4 | 12 |
| 34 | Incidence of and Characteristics Associated With Long-term Benzodiazepine Use in Finland. JAMA Network Open, 2020, 3, e2019029. | 5.9 | 24 |
| 35 | Diagnostic conversion from unipolar depression to bipolar disorder, schizophrenia, or schizoaffective disorder: A nationwide prospective 15â€year register study on 43Â495 inpatients. Bipolar Disorders, 2020, 22, 582-592. | 1.9 | 15 |
| 36 | Survival after breast cancer in women with type 2 diabetes using antidiabetic medication and statins: a retrospective cohort study. Acta Oncol \tilde{A}^3 gica, 2020, 59, 1110-1117. | 1.8 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Genetic and environmental influences on human height from infancy through adulthood at different levels of parental education. Scientific Reports, 2020, 10, 7974. | 3.3 | 17 |
| 38 | Depression, falls, and fractures. Osteoporosis International, 2020, 31, 1173-1174. | 3.1 | 1 |
| 39 | A tripleâ€chamber parenteral nutrition solution was associated with improved protein intake in very low birthweight infants. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1588-1594. | 1.5 | 4 |
| 40 | Characteristics of Long-Term Femoral Neck Bone Loss in Postmenopausal Women: A 25-Year Follow-Up. Journal of Bone and Mineral Research, 2020, 37, 173-178. | 2.8 | 9 |
| 41 | Visualisation and network analysis of physical activity and its determinants: Demonstrating opportunities in analysing baseline associations in the Let's Move It trial. Health Psychology and Behavioral Medicine, 2019, 7, 269-289. | 1.8 | 10 |
| 42 | The CODATwins Project: The Current Status and Recent Findings of COllaborative Project of Development of Anthropometrical Measures in Twins. Twin Research and Human Genetics, 2019, 22, 800-808. | 0.6 | 19 |
| 43 | From care to education and work? Education and employment trajectories in early adulthood by children in out-of-home care. Child Abuse and Neglect, 2019, 98, 104144. | 2.6 | 10 |
| 44 | The Efficacy of Carotid Surgery by Subgroups: The Concept of Stroke Prevention Potential. Journal of Vascular Surgery, 2019, 70, 654. | 1.1 | 0 |
| 45 | Cumulative Risk of End-Stage Renal Disease Among Patients With Type 2 Diabetes: A Nationwide Inception Cohort Study. Diabetes Care, 2019, 42, 539-544. | 8.6 | 25 |
| 46 | Randomised controlled trial (RCT) study design for a large-scale municipal fall prevention exercise programme in community-living older women: study protocol for the Kuopio Fall Prevention Study (KFPS). BMJ Open, 2019, 9, e028716. | 1.9 | 5 |
| 47 | The Efficacy of Carotid Surgery by Subgroups: The Concept of Stroke Prevention Potential. European Journal of Vascular and Endovascular Surgery, 2019, 58, 5-12. | 1.5 | 4 |
| 48 | Hypoalbuminemia is a frequent marker of increased mortality in cardiogenic shock. PLoS ONE, 2019, 14, e0217006. | 2.5 | 31 |
| 49 | Association of antidiabetic medication and statins with breast cancer incidence in women with type 2 diabetes. Breast Cancer Research and Treatment, 2019, 175, 741-748. | 2.5 | 9 |
| 50 | Parental Education and Genetics of BMI from Infancy to Old Age: A Pooled Analysis of 29 Twin Cohorts. Obesity, 2019, 27, 855-865. | 3.0 | 27 |
| 51 | Cancer incidence among Finnish people with type 2 diabetes during 1989–2014. European Journal of Epidemiology, 2019, 34, 259-265. | 5.7 | 37 |
| 52 | Risk factors for early readmission due to surgical complications after treatment of proximal femoral fractures – A Finnish National Database study of 68,800 patients. Injury, 2019, 50, 403-408. | 1.7 | 16 |
| 53 | Risk factors for suicide in depression in Finland: firstâ€hospitalized patients followed up to 24Âyears. Acta Psychiatrica Scandinavica, 2019, 139, 154-163. | 4.5 | 33 |
| 54 | Efficacy and safety of intravenous esmolol for cardiac protection in non-cardiac surgery. A systematic review and meta-analysis. Annals of Medicine, 2019, 51, 17-27. | 3.8 | 14 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Obstetric patients' health-related quality of life before and after intensive care. Australian Critical Care, 2019, 32, 116-121. | 1.3 | 6 |
| 56 | Birth size and gestational age in opposite-sex twins as compared to same-sex twins: An individual-based pooled analysis of 21 cohorts. Scientific Reports, 2018, 8, 6300. | 3.3 | 21 |
| 57 | Associations between birth size and later height from infancy through adulthood: An individual based pooled analysis of 28 twin cohorts participating in the CODATwins project. Early Human Development, 2018, 120, 53-60. | 1.8 | 20 |
| 58 | Temporal changes in the incidence of treated psychiatric and neurodevelopmental disorders during adolescence: an analysis of two national Finnish birth cohorts. Lancet Psychiatry,the, 2018, 5, 227-236. | 7.4 | 60 |
| 59 | Decline in suicide mortality after psychiatric hospitalization for depression in Finland between 1991 and 2014. World Psychiatry, 2018, 17, 110-112. | 10.4 | 14 |
| 60 | The Missing Siblings of Infants Born Preterm. Pediatrics, 2018, 141, . | 2.1 | 11 |
| 61 | Incidence of End-Stage Renal Disease in Patients With Type 1 Diabetes. Diabetes Care, 2018, 41, 434-439. | 8.6 | 68 |
| 62 | Indoor air problems and the perceived social climate in schools: A multilevel structural equation analysis. Science of the Total Environment, 2018, 624, 1504-1512. | 8.0 | 12 |
| 63 | Tenure structure and perceived social disorder in post-WWII suburban housing estates: A multi-level study with a representative sample of estates. Acta Sociologica, 2018, 61, 246-262. | 1.9 | 6 |
| 64 | Health-related quality of life after obstetric intensive care admission: Comparison with the general population. Journal of Critical Care, 2018, 43, 276-280. | 2.2 | 4 |
| 65 | Cross-Validation of Arthroplasty Records Between Arthroplasty and Hospital Discharge Registers, Self-Reports, and Medical Records Among a Cohort of 14,220 Women. Journal of Arthroplasty, 2018, 33, 3649-3654. | 3.1 | 9 |
| 66 | Enhancing safety competencies of young adults: A randomized field trial (RCT). Journal of Safety Research, 2018, 67, 45-56. | 3.6 | 17 |
| 67 | Genetic and environmental factors affecting birth size variation: a pooled individual-based analysis of secular trends and global geographical differences using 26 twin cohorts. International Journal of Epidemiology, 2018, 47, 1195-1206. | 1.9 | 19 |
| 68 | Antidiabetic Medication, Statins and the Risk and Prognosis of Non-endometrioid Endometrial Cancer in Women with Type 2 Diabetes. Anticancer Research, 2018, 38, 4169-4178. | 1.1 | 10 |
| 69 | Improving the Recording of Diagnoses in Primary Care with Team Incentives: A Controlled Longitudinal Follow-Up Study. BioMed Research International, 2018, 2018, 1-7. | 1.9 | 6 |
| 70 | Prognosis of ovarian cancer in women with type 2 diabetes using metformin and other forms of antidiabetic medication or statins: a retrospective cohort study. BMC Cancer, 2018, 18, 767. | 2.6 | 25 |
| 71 | Association of current and former smoking with body mass index: A study of smoking discordant twin pairs from 21 twin cohorts. PLoS ONE, 2018, 13, e0200140. | 2.5 | 57 |
| 72 | Role of musculoskeletal disorders in falls of postmenopausal women. Osteoporosis International, 2018, 29, 2419-2426. | 3.1 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Association between birth weight and educational attainment: an individual-based pooled analysis of nine twin cohorts. Journal of Epidemiology and Community Health, 2018, 72, 832-837. | 3.7 | 5 |
| 74 | The associations of indoor environment and psychosocial factors on the subjective evaluation of Indoor Air Quality among lower secondary school students: a multilevel analysis. Indoor Air, 2017, 27, 329-337. | 4.3 | 30 |
| 75 | How voter turnout varies between different chronic conditions? A population-based register study. Journal of Epidemiology and Community Health, 2017, 71, 475-479. | 3.7 | 51 |
| 76 | Risk of pneumonia associated with incident benzodiazepine use among community-dwelling adults with Alzheimer disease. Cmaj, 2017, 189, E519-E529. | 2.0 | 46 |
| 77 | Mortality Caused by Surgery for Degenerative Lumbar Spine. Spine, 2017, 42, 1080-1087. | 2.0 | 24 |
| 78 | Use of benzodiazepines and related drugs is associated with a risk of stroke among persons with Alzheimer's disease. International Clinical Psychopharmacology, 2017, 32, 135-141. | 1.7 | 13 |
| 79 | Randomised controlled feasibility study of a school-based multi-level intervention to increase physical activity and decrease sedentary behaviour among vocational school students. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 37. | 4.6 | 27 |
| 80 | Association between birthweight and later body mass index: an individual-based pooled analysis of 27 twin cohorts participating in the CODATwins project. International Journal of Epidemiology, 2017, 46, 1488-1498. | 1.9 | 22 |
| 81 | Toe Pressure and Toe Brachial Index are Predictive of Cardiovascular Mortality, Overall Mortality, and Amputation Free Survival in Patients with Peripheral Artery Disease. European Journal of Vascular and Endovascular Surgery, 2017, 53, 696-703. | 1.5 | 32 |
| 82 | Education in Twins and Their Parents Across Birth Cohorts Over 100 years: An Individual-Level Pooled Analysis of 42-Twin Cohorts. Twin Research and Human Genetics, 2017, 20, 395-405. | 0.6 | 8 |
| 83 | A Population-Based Study of Abdominal Aortic Aneurysm Treatment in Finland 2000 to 2014. Circulation, 2017, 136, 1726-1734. | 1.6 | 47 |
| 84 | Differences in genetic and environmental variation in adult BMI by sex, age, time period, and region: an individual-based pooled analysis of 40 twin cohorts. American Journal of Clinical Nutrition, 2017, 106, 457-466. | 4.7 | 107 |
| 85 | Antidiabetic medication, statins and the risk of endometrioid endometrial cancer in patients with type 2 diabetes. Gynecologic Oncology, 2017, 146, 636-641. | 1.4 | 20 |
| 86 | Risk of Hip Fracture in Benzodiazepine Users With and Without Alzheimer Disease. Journal of the American Medical Directors Association, 2017, 18, 87.e15-87.e21. | 2.5 | 26 |
| 87 | Working people with type 1 diabetes in the Finnish population. BMC Public Health, 2017, 17, 805. | 2.9 | 9 |
| 88 | Risk of head and traumatic brain injuries associated with antidepressant use among community-dwelling persons with Alzheimer's disease: a nationwide matched cohort study. Alzheimer's Research and Therapy, 2017, 9, 59. | 6.2 | 7 |
| 89 | Genetic and environmental influences on adult human height across birth cohorts from 1886 to 1994. ELife, 2016, 5, . | 6.0 | 42 |
| 90 | Current real-life use of vasopressors and inotropes in cardiogenic shock - adrenaline use is associated with excess organ injury and mortality. Critical Care, 2016, 20, 208. | 5.8 | 145 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Obstetric admissions to ICUs in Finland: A multicentre study. Intensive and Critical Care Nursing, 2016, 35, 38-44. | 2.9 | 9 |
| 92 | Twin's Birth-Order Differences in Height and Body Mass Index From Birth to Old Age: A Pooled Study of 26 Twin Cohorts Participating in the CODATwins Project. Twin Research and Human Genetics, 2016, 19, 112-124. | 0.6 | 21 |
| 93 | Genetic and environmental effects on body mass index from infancy to the onset of adulthood: an individual-based pooled analysis of 45 twin cohorts participating in the COllaborative project of Development of Anthropometrical measures in Twins (CODATwins) study. American Journal of Clinical Nutrition, 2016, 104, 371-379. | 4.7 | 175 |
| 94 | Modelling the Time Taken to Experience a Type 2 Diabetes Related Complication Using a Survival Tree in Order to Advise General Practitioners. , 2016 , , . | | 0 |
| 95 | Genetic and environmental influences on height from infancy to early adulthood: An individual-based pooled analysis of 45 twin cohorts. Scientific Reports, 2016, 6, 28496. | 3.3 | 133 |
| 96 | Short-term effects of the "Together at School―intervention program on children's socio-emotional skills: a cluster randomized controlled trial. BMC Psychology, 2016, 4, 27. | 2.1 | 20 |
| 97 | Multiple complications among people with diabetes from Finland: an 18-year follow-up in 1994–2011. BMJ Open Diabetes Research and Care, 2016, 4, e000254. | 2.8 | 10 |
| 98 | Antipsychotic Use and Risk of Hospitalization or Death Due to Pneumonia in Persons With and Those Without Alzheimer Disease. Chest, 2016, 150, 1233-1241. | 0.8 | 33 |
| 99 | â€`Let's Move It' – a school-based multilevel intervention to increase physical activity and reduce sedentary behaviour among older adolescents in vocational secondary schools: a study protocol for a cluster-randomised trial. BMC Public Health, 2016, 16, 451. | 2.9 | 81 |
| 100 | Cancer incidence in persons with type 1 diabetes: a five-country study of 9,000 cancers in type 1 diabetic individuals. Diabetologia, 2016, 59, 980-988. | 6.3 | 119 |
| 101 | Zygosity Differences in Height and Body Mass Index of Twins From Infancy to Old Age: A Study of the CODATwins Project. Twin Research and Human Genetics, 2015, 18, 557-570. | 0.6 | 24 |
| 102 | The CODATwins Project: The Cohort Description of Collaborative Project of Development of Anthropometrical Measures in Twins to Study Macro-Environmental Variation in Genetic and Environmental Effects on Anthropometric Traits. Twin Research and Human Genetics, 2015, 18, 348-360. | 0.6 | 55 |
| 103 | A Monte Carlo method to estimate the confidence intervals for the concentration index using aggregated population register data. Health Services and Outcomes Research Methodology, 2015, 15, 82-98. | 1.8 | 11 |
| 104 | Solving Survo puzzles using matrix combinatorial products. Journal of Statistical Computation and Simulation, 2015, 85, 2666-2681. | 1.2 | 0 |
| 105 | Clinical picture and risk prediction of shortâ€ŧerm mortality in cardiogenic shock. European Journal of Heart Failure, 2015, 17, 501-509. | 7.1 | 520 |
| 106 | Pioglitazone and bladder cancer risk: a multipopulation pooled, cumulative exposure analysis. Diabetologia, 2015, 58, 493-504. | 6.3 | 140 |
| 107 | "Together at school― a school-based intervention program to promote socio-emotional skills and mental health in children: study protocol for a cluster randomized controlled trial. BMC Public Health, 2014, 14, 1042. | 2.9 | 19 |
| 108 | Postâ€discharge suicides of inpatients with bipolar disorder in Finland. Bipolar Disorders, 2014, 16, 867-874. | 1.9 | 34 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Incidence of osteoporotic fractures in elderly women and men in Finland during 2005–2006: a population-based study. Scandinavian Journal of Surgery, 2014, 103, 215-221. | 2.6 | 13 |
| 110 | Treatment of depression in diagnosed diabetes: common cause or detection bias?. Psychological Medicine, 2014, 44, 1205-1212. | 4.5 | 4 |
| 111 | Cemented or uncemented hemiarthroplasty for the treatment of femoral neck fractures?. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 49-53. | 3.3 | 59 |
| 112 | Medication among patients with type 1 diabetes and predialytic renal disease. Diabetes Research and Clinical Practice, 2014, 103, 510-515. | 2.8 | 0 |
| 113 | Quality, cost, and their trade-off in treating AMI and stroke patients in European hospitals. Health Policy, 2014, 117, 15-27. | 3.0 | 17 |
| 114 | Evaluation of the FRAX Model for Hip Fracture Predictions in the Population-based Kuopio Osteoporosis Risk Factor and Prevention Study (OSTPRE). Calcified Tissue International, 2014, 95, 39-45. | 3.1 | 15 |
| 115 | Multiple social disadvantage does it have an effect on amenable mortality: a brief report. International Journal for Equity in Health, 2014, 13, 67. | 3.5 | 6 |
| 116 | Are statin trials in diabetes representative of real-world diabetes care: a population-based study on statin initiators in Finland. BMJ Open, 2014, 4, e005402-e005402. | 1.9 | 19 |
| 117 | Use of Health Registers. , 2014, , 707-730. | | 17 |
| 118 | Methodological challenges in using the Finnish Hospital Discharge Register for studying fire-related injuries leading to inpatient care. BMC Medical Informatics and Decision Making, 2013, 13, 36. | 3.0 | 9 |
| 119 | Increased cancer mortality in diabetic people treated with insulin: a register-based follow-up study. BMC Health Services Research, 2013, 13, 267. | 2.2 | 7 |
| 120 | Methodological challenges in international performance measurement using patient-level administrative data. Health Policy, 2013, 112, 110-121. | 3.0 | 10 |
| 121 | Indicators for Comparing the Incidence of Diabetic Amputations: AÂNationwide Population-based Register Study. European Journal of Vascular and Endovascular Surgery, 2013, 46, 569-574. | 1.5 | 36 |
| 122 | Amputations and socioeconomic position among persons with diabetes mellitus, a population-based register study. BMJ Open, 2013, 3, e002395. | 1.9 | 49 |
| 123 | Monitoring the use of lipid-lowering medication among persons with newly diagnosed diabetes: a nationwide register-based study. BMJ Open, 2013, 3, e003414. | 1.9 | 11 |
| 124 | The role of cardiorenal biomarkers for risk stratification in the early follow-up after hospitalisation for acute heart failure. Biomarkers, 2013, 18, 525-531. | 1.9 | 1 |
| 125 | Incidence of Type 1 Diabetes in Finland. JAMA - Journal of the American Medical Association, 2013, 310, 427. | 7.4 | 199 |
| 126 | Substance-Induced Psychoses Converting Into Schizophrenia. Journal of Clinical Psychiatry, 2013, 74, e94-e99. | 2.2 | 163 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Quality of the Finnish Hospital Discharge Register: A systematic review. Scandinavian Journal of Public Health, 2012, 40, 505-515. | 2.3 | 887 |
| 128 | How does a history of psychiatric hospital care influence access to coronary care: a cohort study. BMJ Open, 2012, 2, e000831. | 1.9 | 13 |
| 129 | Extra- and intramedullary implants for the treatment of pertrochanteric fractures – Results from a Finnish National Database Study of 14,915 patients. Injury, 2012, 43, 2156-2160. | 1.7 | 37 |
| 130 | Socioeconomic equity in amenable mortality in Finland 1992â€"2008. Social Science and Medicine, 2012, 75, 905-913. | 3.8 | 37 |
| 131 | Regional and hospital variance in performance of total hip and knee replacements: a national population-based study. Annals of Medicine, 2011, 43, S31-S38. | 3.8 | 31 |
| 132 | A methodological approach for register-based evaluation of cost and outcomes in health care. Annals of Medicine, 2011, 43, S4-S13. | 3.8 | 51 |
| 133 | Monitoring the performance of hip fracture treatment in Finland. Annals of Medicine, 2011, 43, S39-S46. | 3.8 | 38 |
| 134 | PERFECT – Conclusions and future developments. Annals of Medicine, 2011, 43, S54-S57. | 3.8 | 4 |
| 135 | Postâ€"hip fracture use of prescribed calcium plus vitamin D or vitamin D supplements and antiosteoporotic drugs is associated with lower mortality: A nationwide study in Finland. Journal of Bone and Mineral Research, 2011, 26, 1845-1853. | 2.8 | 51 |
| 136 | Pathways leading to coronary revascularisation among patients with diabetes in Finland: a longitudinal register-based study. BMC Health Services Research, 2011, 11, 180. | 2.2 | 3 |
| 137 | Diabetes and depression? Secular trends in the use of antidepressants among persons with diabetes in Finland in 1997–2007. Pharmacoepidemiology and Drug Safety, 2011, 20, 338-343. | 1.9 | 23 |
| 138 | Cystatin C, NT-proBNP, and inflammatory markers in acute heart failure: insights into the cardiorenal syndrome. Biomarkers, 2011, 16, 302-310. | 1.9 | 20 |
| 139 | Harmonization may be counterproductiveat least for parts of Europe where public health research operates effectively. European Journal of Public Health, 2011, 21, 686-687. | 0.3 | 16 |
| 140 | Analysing the length of care episode after hip fracture: a nonparametric and a parametric Bayesian approach. Health Care Management Science, 2010, 13, 170-181. | 2.6 | 8 |
| 141 | Modeling the volume-effectiveness relationship in the case of hip fracture treatment in Finland. BMC Health Services Research, 2010, 10, 238. | 2.2 | 28 |
| 142 | Markers of renal function and acute kidney injury in acute heart failure: definitions and impact on outcomes of the cardiorenal syndrome. European Heart Journal, 2010, 31, 2791-2798. | 2.2 | 105 |
| 143 | Fewer Major Amputations Among Individuals With Diabetes in Finland in 1997–2007. Diabetes Care, 2010, 33, 2598-2603. | 8.6 | 88 |
| 144 | Changing patterns of secondary preventive medication among newly diagnosed coronary heart disease patients with diabetes in Finland: A register-based study. Scandinavian Journal of Public Health, 2010, 38, 317-324. | 2.3 | 7 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 145 | The type of acute heart failure and the costs of hospitalization. International Journal of Cardiology, 2010, 145, 103-105. | 1.7 | 12 |
| 146 | Hospitalizations and Deaths Associated with <i>Clostridium difficile</i> Infection, Finland, 1996–20041. Emerging Infectious Diseases, 2009, 15, 761-765. | 4.3 | 44 |
| 147 | Cancer incidence among persons with fragile X syndrome in Finland: a populationâ€based study. Journal of Intellectual Disability Research, 2009, 53, 85-90. | 2.0 | 25 |
| 148 | Utilization of inpatient care before and after hip fracture: a population-based study. Osteoporosis International, 2009, 20, 879-886. | 3.1 | 13 |
| 149 | "Effectiveness" in Finnish healthcare studies. Scandinavian Journal of Public Health, 2009, 37, 64-74. | 2.3 | 2 |
| 150 | Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. Lancet, The, 2009, 373, 147-153. | 13.7 | 148 |
| 151 | Association of Examination Rates with Children's National Caries Indices in Finland. Open Dentistry Journal, 2009, 3, 59-67. | 0.5 | 14 |
| 152 | Cancer incidence among persons Prader-Willi syndrome in Finland. International Journal on Disability and Human Development, 2008, 7, 69-72. | 0.2 | 6 |
| 153 | Early follow-up of patients with acute heart failure by serial assessment of plasma NT-proBNP further discriminates outcome after hospital discharge. International Journal of Cardiology, 2007, 119, S8. | 1.7 | 0 |
| 154 | Prognostic value of cystatin C in acute heart failure in relation to other markers of renal function and NT-proBNP. European Heart Journal, 2007, 28, 1841-1847. | 2.2 | 189 |
| 155 | Comparing Properties of Audit Data and Routinely Collected Register Data in Case of Performance Assessment of Hip Fracture Treatment in Finland. Methods of Information in Medicine, 2007, 46, 558-566. | 1.2 | 65 |
| 156 | Parity, tubal sterilization, hysterectomy and risk of primary fallopian tube carcinoma in Finland, 1975–2004. International Journal of Cancer, 2007, 120, 1351-1354. | 5.1 | 28 |
| 157 | Utilization of routinely collected administrative data in monitoring the incidence of aging dependent hip fracture. Epidemiologic Perspectives and Innovations, 2007, 4, 2. | 7.0 | 21 |
| 158 | Intrahepatic cholestasis of pregnancy as an indicator of liver and biliary diseases: A population-based study. Hepatology, 2006, 43, 723-728. | 7.3 | 192 |
| 159 | Cancer incidence of persons with down syndrome in Finland: A populationâ€based study. International Journal of Cancer, 2006, 118, 1769-1772. | 5.1 | 135 |
| 160 | The mortality of young offenders sentenced to prison and its association with psychiatric disorders: a register study. European Journal of Public Health, 2006, 16, 193-197. | 0.3 | 41 |
| 161 | Sickness absence as a risk factor for job termination, unemployment, and disability pension among temporary and permanent employees. Occupational and Environmental Medicine, 2006, 63, 212-217. | 2.8 | 116 |
| 162 | Rethinking relative measures of poverty. Journal of European Social Policy, 2006, 16, 107-120. | 2.8 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Quality effects of operative delay on mortality in hip fracture treatment. Quality and Safety in Health Care, 2005, 14, 371-377. | 2.5 | 61 |
| 164 | Only modest resources are needed to improve treatment of hospitalised patients with chest pain or heart failure: rapid assessment is a safe and efficient strategy. International Journal of Cardiology, 2005, 100, 53-59. | 1.7 | 0 |
| 165 | Impact of Service Supply, Need, and Municipal Factors on the Use of Residential Services for People With Intellectual Disabilities. Mental Retardation, 2004, 42, 95-105. | 1.0 | 3 |
| 166 | Comparing the financial risk of bed-day and DRG based pricing types using parametric and simulation methods. Health Care Management Science, 2003, 6, 67-74. | 2.6 | 5 |
| 167 | Title is missing!. Spine, 2003, 28, 621-627. | 2.0 | 12 |
| 168 | Risk of Multiple Reoperations After Lumbar Discectomy. Spine, 2003, 28, 621-627. | 2.0 | 106 |
| 169 | Utilisation of administrative registers using scientific knowledge discovery. Intelligent Data Analysis, 2003, 7, 501-519. | 0.9 | 25 |
| 170 | Incidence and risk factors of spinal cord stimulation for persistent or recurrent pain after lumbar spine surgery: a population-based study. Acta Neurochirurgica, 0, , . | 1.7 | 0 |
| 171 | Manipulation under anesthesia after total knee arthroplasty: a retrospective study of 145 patients. Monthly Notices of the Royal Astronomical Society: Letters, 0, 93, 583-587. | 3.3 | 1 |
| 172 | Pain medication purchases before and after total hip and knee arthroplasty: a register study of 329,743 arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 0, 93, 534-541. | 3.3 | 1 |
| 173 | Administrative Records for Survey Methodology Edited by Asaph YoungChun, Michael D.Larsen, GabrieleDurrant, Jerome P.ReiterJohn Wiley and Sons, 2021, 384 pages, \$128.95 (hardcover) ISBN: 978â€1â€1192â€7204â€5. International Statistical Review, 0, , . | 1.9 | 0 |