
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5398789/publications.pdf Version: 2024-02-01



SHUCHUA CHEN

#	Article	IF	CITATIONS
1	Baseline and change in serum uric acid predict the progression from prehypertension to hypertension: a prospective cohort study. Journal of Human Hypertension, 2022, 36, 381-389.	2.2	1
2	Transitions in metabolic health status over time and risk of heart failure: A prospective study. Diabetes and Metabolism, 2022, 48, 101266.	2.9	7
3	Metabolic syndrome severity score and the progression of CKD. European Journal of Clinical Investigation, 2022, 52, e13646.	3.4	23
4	Joint association of modifiable lifestyle and metabolic health status with incidence of cardiovascular disease and all-cause mortality: a prospective cohort study. Endocrine, 2022, 75, 82-91.	2.3	3
5	Effect of changes in serum uric acid on the risk of stroke and its subtypes. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 167-175.	2.6	4
6	Metabolic Dysfunction-associated Fatty Liver Disease and Mortality Among Chinese Adults: a Prospective Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e745-e755.	3.6	40
7	Level of systolic blood pressure within the normal range and risk of cardiovascular events in the absence of risk factors in Chinese. Journal of Human Hypertension, 2022, 36, 933-939.	2.2	3
8	Blood manganese and nonalcoholic fatty liver disease: A cohort-based case-control study. Chemosphere, 2022, 287, 132316.	8.2	9
9	Effects of low-density lipoprotein cholesterol on cardiovascular disease and all-cause mortality in elderly patients (≥75 years old). Endocrine, 2022, 75, 418-426.	2.3	7
10	Lifetime risk of cardiovascular disease and life expectancy with and without cardiovascular disease according to changes in metabolic syndrome status. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 373-381.	2.6	6
11	Association of Impaired Fasting Glucose With Cardiovascular Disease in the Absence of Risk Factor. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e1710-e1718.	3.6	3
12	Adherence to the dietary approaches to stop hypertension diet and nonâ€alcoholic fatty liver disease. Liver International, 2022, 42, 809-819.	3.9	14
13	Moderate physical activity may not decrease the risk of cardiovascular disease in persistently overweight and obesity adults. Journal of Translational Medicine, 2022, 20, 45.	4.4	4
14	Effectiveness of a Workplace-Based, Multicomponent Hypertension Management Program in Real-World Practice: A Propensity-Matched Analysis. Hypertension, 2022, 79, 230-240.	2.7	13
15	Validation of a modified Caprini risk assessment model in lung cancer patients undergoing surgery: Results of a multicenter crossâ€sectional observational study. Journal of Surgical Oncology, 2022, , .	1.7	4
16	Time course of serum uric acid accumulation and the risk of diabetes mellitus. Nutrition and Diabetes, 2022, 12, 1.	3.2	8
17	U-Shaped Relationship of High-Density Lipoprotein Cholesterol and Incidence of Total, Ischemic and Hemorrhagic Stroke: A Prospective Cohort Study. Stroke, 2022, 53, 1624-1632.	2.0	19
18	<scp>BMI</scp> changes and the risk of lung cancer in male neverâ€smokers: A prospective cohort study. Cancer Medicine, 2022, 11, 1336-1346.	2.8	8

#	Article	IF	CITATIONS
19	Prediabetes and risk of stroke and its subtypes by hypertension status. Diabetes/Metabolism Research and Reviews, 2022, 38, e3521.	4.0	2
20	Development and Validation of Prediction Models for Hypertensive Nephropathy, the PANDORA Study. Frontiers in Cardiovascular Medicine, 2022, 9, 794768.	2.4	2
21	Association between fetal famine exposure and risk of type 2 diabetes: a prospective cohort study. Applied Physiology, Nutrition and Metabolism, 2022, 47, 321-327.	1.9	0
22	Câ€reactive protein trajectories and the risk of all cancer types: A prospective cohort study. International Journal of Cancer, 2022, 151, 297-307.	5.1	21
23	Distinct triglyceride-glucose trajectories are associated with different risks of incident cardiovascular disease in normal-weight adults. American Heart Journal, 2022, 248, 63-71.	2.7	11
24	Influencing factors of supernormal vascular aging in Chinese population. Journal of Hypertension, 2022, 40, 381-388.	0.5	2
25	Long-term risks for cardiovascular disease and mortality across the glycaemic spectrum in a male-predominant Chinese cohort aged 75Âyears or older: the Kailuan study. Age and Ageing, 2022, 51, .	1.6	4
26	Subclinical Atherosclerosis Could Increase the Risk of Hearing Impairment in Males: A Community-Based Cross-Sectional Survey of the Kailuan Study. Frontiers in Neuroscience, 2022, 16, 813628.	2.8	3
27	Evaluation of Carotid Artery Atherosclerosis and Arterial Stiffness in Cardiovascular Disease Risk: An Ongoing Prospective Study From the Kailuan Cohort. Frontiers in Cardiovascular Medicine, 2022, 9, 812652.	2.4	6
28	Incidence of multiple myeloma in Kailuan cohort: A prospective community-based study in China. Cancer Epidemiology, 2022, 78, 102168.	1.9	4
29	Hypertension, Arterial Stiffness, and Diabetes: a Prospective Cohort Study. Hypertension, 2022, 79, 1487-1496.	2.7	32
30	Association Between Statin Use and Progression of Arterial Stiffness Among Adults With High Atherosclerotic Risk. JAMA Network Open, 2022, 5, e2218323.	5.9	6
31	Control of Blood Pressure and Risk of Cardiovascular Disease and Mortality in Elderly Chinese: A Real-World Prospective Cohort Study. Hypertension, 2022, 79, 1866-1875.	2.7	3
32	Clinical significance of single and persistent elevation of serum high-sensitivity C-reactive protein levels for prediction of kidney outcomes in patients with impaired fasting glucose or diabetes mellitus. Journal of Nephrology, 2021, 34, 1179-1188.	2.0	4
33	Associations Between Nonalcoholic Fatty Liver Disease and Cancers in a Large Cohort in China. Clinical Gastroenterology and Hepatology, 2021, 19, 788-796.e4.	4.4	38
34	Distinct <scp>eGFR</scp> trajectories are associated with risk of myocardial infarction in people with diabetes or prediabetes. Journal of Diabetes, 2021, 13, 124-133.	1.8	5
35	Association between blood copper and nonalcoholic fatty liver disease according to sex. Clinical Nutrition, 2021, 40, 2045-2052.	5.0	25
36	Fetal exposure to the Great Chinese Famine and risk of ischemic stroke in midlife. European Journal of Neurology, 2021, 28, 1244-1252.	3.3	11

#	Article	IF	CITATIONS
37	Progression to fibrosing diffuse alveolar damage in a series of 30 minimally invasive autopsies with COVIDâ€19 pneumonia in Wuhan, China. Histopathology, 2021, 78, 542-555.	2.9	79
38	Triglycerides Mediate Body Mass Index and Nonalcoholic Fatty Liver Disease: A Population-Based Study. Obesity Facts, 2021, 14, 190-196.	3.4	16
39	Triglyceride-glucose index and the risk of stroke and its subtypes in the general population: an 11-year follow-up. Cardiovascular Diabetology, 2021, 20, 46.	6.8	71
40	Multi-organ proteomic landscape of COVID-19 autopsies. Cell, 2021, 184, 775-791.e14.	28.9	272
41	Alcohol consumption and risk of cardiovascular disease, cancer and mortality: a prospective cohort study. Nutrition Journal, 2021, 20, 13.	3.4	23
42	Antihypertensive treatment decrease stroke occurrence: a prospective cohort study. Journal of Hypertension, 2021, 39, 1652-1661.	0.5	2
43	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. ELife, 2021, 10, .	6.0	41
44	Visit-to-visit variability of serum uric acid measurements and the risk of all-cause mortality in the general population. Arthritis Research and Therapy, 2021, 23, 74.	3.5	8
45	Diabetes modifies the association of prehypertension with cardiovascular disease and allâ $\in c$ ause mortality. Journal of Clinical Hypertension, 2021, 23, 1221-1228.	2.0	4
46	Response to Chinese famine and ischemic stroke: The need to control for age differences and improve famine severity measurement. European Journal of Neurology, 2021, 28, e55-e56.	3.3	0
47	Change in triglyceride-glucose index predicts the risk of cardiovascular disease in the general population: a prospective cohort study. Cardiovascular Diabetology, 2021, 20, 113.	6.8	66
48	Association between preâ€diagnostic serum albumin and cancer risk: Results from a prospective populationâ€based study. Cancer Medicine, 2021, 10, 4054-4065.	2.8	20
49	Changes in serum uric acid and the risk of cardiovascular disease and all-cause mortality in the general population. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1401-1409.	2.6	10
50	Serum Uric Acid Is a Mediator of the Association Between Obesity and Incident Nonalcoholic Fatty Liver Disease: A Prospective Cohort Study. Frontiers in Endocrinology, 2021, 12, 657856.	3.5	9
51	Risk of arterial stiffness according to metabolically healthy obese phenotype: a combined cross-sectional and longitudinal study in kailuan cohort. Aging, 2021, 13, 15114-15125.	3.1	3
52	Individual and combined contributions of age-specific and sex-specific pulse pressure and brachial-ankle pulse wave velocity to the risk of new-onset diabetes mellitus. BMJ Open Diabetes Research and Care, 2021, 9, e001942.	2.8	3
53	Cumulative Serum Uric Acid and Its Time Course Are Associated With Risk of Myocardial Infarction and Allâ€Cause Mortality. Journal of the American Heart Association, 2021, 10, e020180.	3.7	20
54	Mediation effect of arterial stiffness on ideal cardiovascular health and stroke. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2382-2390.	2.6	4

#	Article	IF	CITATIONS
55	Association between egg consumption and arterial stiffness: a longitudinal study. Nutrition Journal, 2021, 20, 67.	3.4	5
56	Association between triglyceride-glucose index and risk of arterial stiffness: a cohort study. Cardiovascular Diabetology, 2021, 20, 146.	6.8	76
57	Dynamic Changes of Metabolic Syndrome Alter the Risks of Cardiovascular Diseases and All-Cause Mortality: Evidence From a Prospective Cohort Study. Frontiers in Cardiovascular Medicine, 2021, 8, 706999.	2.4	11
58	Systolic Blood Pressure Mediates Body Mass Index and Non-alcoholic Fatty Liver Disease: A Population-Based Study. , 2021, 32, 458-465.		4
59	Association of triglyceride–glucose index with intra- and extra-cranial arterial stenosis: a combined cross-sectional and longitudinal analysis. Endocrine, 2021, 74, 308-317.	2.3	5
60	Visit-to-visit variability in the measurements of metabolic syndrome components and the risk of all-cause mortality, cardiovascular disease, and arterial stiffness. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2895-2903.	2.6	7
61	Transitions in Metabolic Health and Associations With Arterial Stiffness Progression Across Body Mass Index Categories. Hypertension, 2021, 78, 1270-1277.	2.7	5
62	Baseline and Cumulative Blood Pressure in Predicting the Occurrence of Cardiovascular Events. Frontiers in Cardiovascular Medicine, 2021, 8, 735679.	2.4	7
63	Triglyceride–glucose index is associated with the risk of myocardial infarction: an 11-year prospective study in the Kailuan cohort. Cardiovascular Diabetology, 2021, 20, 19.	6.8	87
64	Isolated diastolic hypertension as defined by the 2017 American College of Cardiology/American Heart Association blood pressure guideline and incident cardiovascular events in Chinese. Journal of Hypertension, 2021, 39, 519-525.	0.5	17
65	Neck-to-height ratio and arterial stiffness in Chinese adults: cross-sectional associations in a community-based cohort. Journal of Hypertension, 2021, 39, 1195-1202.	0.5	4
66	Ideal Cardiovascular Health Metrics Modify the Association Between Exposure to Chinese Famine in Fetal and Cardiovascular Disease: A Prospective Cohort Study. Frontiers in Cardiovascular Medicine, 2021, 8, 751910.	2.4	7
67	Metabolic Factors Mediate the Association Between Serum Uric Acid to Serum Creatinine Ratio and Cardiovascular Disease. Journal of the American Heart Association, 2021, 10, e023054.	3.7	23
68	Ideal Cardiovascular Health Metric and Its Change With Lifetime Risk of Cardiovascular Diseases: A Prospective Cohort Study. Journal of the American Heart Association, 2021, 10, e022502.	3.7	15
69	Associations Between Healthy Lifestyle Trajectories and the Incidence of Cardiovascular Disease With All-Cause Mortality: A Large, Prospective, Chinese Cohort Study. Frontiers in Cardiovascular Medicine, 2021, 8, 790497.	2.4	10
70	Timeâ€averaged serum uric acid and 10â€year incident diabetic kidney disease: A prospective study from China. Journal of Diabetes, 2020, 12, 169-178.	1.8	5
71	Association between ideal cardiovascular health score trajectories and arterial stiffness: the Kailuan Study. Hypertension Research, 2020, 43, 140-147.	2.7	19
72	The Cumulative Exposure to High-Sensitivity C-Reactive Protein Predicts the Risk of Chronic Kidney Diseases. Kidney and Blood Pressure Research, 2020, 45, 84-94.	2.0	11

#	Article	IF	CITATIONS
73	Development of a risk score for colorectal cancer in Chinese males: A prospective cohort study. Cancer Medicine, 2020, 9, 816-823.	2.8	6
74	Arterial Stiffness Preceding Diabetes. Circulation Research, 2020, 127, 1491-1498.	4.5	119
75	Habitual Night Eating Was Positively Associated with Progress of Arterial Stiffness in Chinese Adults. Current Developments in Nutrition, 2020, 4, nzaa061_139.	0.3	0
76	Dynamics of Dâ€dimer in nonâ€small cell lung cancer patients receiving radical surgery and its association with postoperative venous thromboembolism. Thoracic Cancer, 2020, 11, 2483-2492.	1.9	10
77	Risk factors for venous thromboembolism and evaluation of the modified Caprini score in patients undergoing lung resection. Journal of Thoracic Disease, 2020, 12, 4805-4816.	1.4	11
78	Habitual Night Eating Was Positively Associated With Progress of Arterial Stiffness in Chinese Adults. Journal of the American Heart Association, 2020, 9, e016455.	3.7	17
79	Association between tea consumption and cognitive impairment in middle-aged and older adults. BMC Geriatrics, 2020, 20, 447.	2.7	10
80	Association of Age of Onset of Hypertension With CardiovascularÂDiseases and Mortality. Journal of the American College of Cardiology, 2020, 75, 2921-2930.	2.8	207
81	Pathological Findings in the Testes of COVID-19 Patients: Clinical Implications. European Urology Focus, 2020, 6, 1124-1129.	3.1	313
82	Combined effects of carotid plaques and hypertension on the risk of cardiovascular disease and all ause mortality. Clinical Cardiology, 2020, 43, 715-722.	1.8	12
83	Association of changes in lipids with risk of myocardial infarction among people without lipid-lowering therapy. Atherosclerosis, 2020, 301, 69-78.	0.8	5
84	Reply to "Ibuprofen and thromboembolism in SARS OV2― Journal of Thrombosis and Haemostasis, 2020, 18, 2427-2428.	3.8	1
85	Blood Pressure Classification of 2017 Associated With Cardiovascular Disease and Mortality in Young Chinese Adults. Hypertension, 2020, 76, 251-258.	2.7	33
86	Baseline CHADS2 Score and Risk of Cardiovascular Events in the Population Without Atrial Fibrillation. American Journal of Cardiology, 2020, 129, 30-35.	1.6	4
87	Self-reported snoring is associated with nonalcoholic fatty liver disease. Scientific Reports, 2020, 10, 9267.	3.3	3
88	Reduction in Serum High-Sensitivity C-Reactive Protein Favors Kidney Outcomes in Patients with Impaired Fasting Glucose or Diabetes. Journal of Diabetes Research, 2020, 2020, 1-7.	2.3	4
89	Risk prediction model for lung cancer incorporating metabolic markers: Development and internal validation in a Chinese population. Cancer Medicine, 2020, 9, 3983-3994.	2.8	13
90	Prevalence of venous thromboembolism in patients with severe novel coronavirus pneumonia. Journal of Thrombosis and Haemostasis, 2020, 18, 1421-1424.	3.8	1,482

#	Article	IF	CITATIONS
91	Associations between changes in serum uric acid and the risk of myocardial infarction. International Journal of Cardiology, 2020, 314, 25-31.	1.7	16
92	Repeated measurements of serum urate and mortality: a prospective cohort study of 152,358 individuals over 8Âyears of follow-up. Arthritis Research and Therapy, 2020, 22, 84.	3.5	15
93	All-cause mortality in metabolically healthy individuals was not predicted by overweight and obesity. JCI Insight, 2020, 5, .	5.0	24
94	Joint association of body mass index and central obesity with cardiovascular events and all-cause mortality in prediabetic population: A prospective cohort study. Obesity Research and Clinical Practice, 2019, 13, 453-461.	1.8	9
95	Alcohol Consumption and Risk of Cardiovascular Disease, Cancer and Mortality: A Prospective Cohort Study (OR17-07-19). Current Developments in Nutrition, 2019, 3, nzz039.OR17-07-19.	0.3	0
96	Stage 1 hypertension defined by the 2017 ACC/AHA Hypertension Guidelines and Risk of Cardiovascular Events: a Cohort Study from Northern China. Hypertension Research, 2019, 42, 1606-1615.	2.7	9
97	Cumulative alcohol consumption and stroke risk in men. Journal of Neurology, 2019, 266, 2112-2119.	3.6	15
98	The EGFR-rearranged adenocarcinoma is associated with a high rate of venous thromboembolism. Annals of Translational Medicine, 2019, 7, 724-724.	1.7	27
99	Clinical features and long-term outcomes of diabetic kidney disease – A prospective cohort study from China. Journal of Diabetes and Its Complications, 2019, 33, 39-45.	2.3	14
100	Prevalence of venous thromboembolism after lung surgery in China: a single-centre, prospective cohort study involving patients undergoing lung resections without perioperative venous thromboembolism prophylaxisâ€. European Journal of Cardio-thoracic Surgery, 2019, 55, 455-460.	1.4	41
101	Association Between Body Mass Index (BMI) and Brachial-Ankle Pulse Wave Velocity (baPWV) in Males with Hypertension: A Community-Based Cross-Section Study in North China. Medical Science Monitor, 2019, 25, 5241-5257.	1.1	23
102	Association between healthy vascular aging and the risk of the first stroke in a community-based Chinese cohort. Aging, 2019, 11, 5807-5816.	3.1	8
103	Proteinuria and risk of stroke in patients with hypertension: The Kailuan cohort study. Journal of Clinical Hypertension, 2018, 20, 765-774.	2.0	6
104	Relationship between systolic blood pressure and all-cause mortality: a prospective study in a cohort of Chinese adults. BMC Public Health, 2018, 18, 107.	2.9	10
105	A meta-analysis of nivolumab for the treatment of advanced non-small-cell lung cancer. OncoTargets and Therapy, 2018, Volume 11, 7691-7697.	2.0	6
106	Hematocrit and the incidence of stroke: a prospective, population-based cohort study. Therapeutics and Clinical Risk Management, 2018, Volume 14, 2081-2088.	2.0	19
107	Expression of TGF-beta receptor 1 and Smads in the tissues of primary spontaneous pneumothorax. Journal of Thoracic Disease, 2018, 10, 1765-1774.	1.4	1
108	The significance of perioperative coagulation and fibrinolysis related parameters after lung surgery for predicting venous thromboembolism: a prospective, single center study. Journal of Thoracic Disease, 2018, 10, 2223-2230.	1.4	27

#	Article	IF	CITATIONS
109	Association between the metabolically healthy obese phenotype and the risk of myocardial infarction: results from the Kailuan study. European Journal of Endocrinology, 2018, 179, 343-352.	3.7	24
110	Cumulative Resting Heart Rate Exposure and Risk of All-Cause Mortality: Results from the Kailuan Cohort Study. Scientific Reports, 2017, 7, 40212.	3.3	10
111	Association of blood pressure in the supine position with target organ damage in subjects over 60 years old. Journal of International Medical Research, 2017, 45, 123-133.	1.0	4
112	Association Between Carotid Atherosclerotic Plaque Calcification and Intraplaque Hemorrhage. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1228-1233.	2.4	48
113	Resting Heart Rate Trajectory Pattern Predicts Arterial Stiffness in a Community-Based Chinese Cohort. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 359-364.	2.4	55
114	Cumulative Exposure to Highâ€5ensitivity Câ€Reactive Protein Predicts the Risk of Cardiovascular Disease. Journal of the American Heart Association, 2017, 6, .	3.7	57
115	Association of Cumulative Exposure to Resting Heart Rate with Risk of Stroke in General Population: The Kailuan Cohort Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2501-2509.	1.6	14
116	Longitudinal Change in Fasting Blood Glucose and Myocardial Infarction Risk in a Population Without Diabetes. Diabetes Care, 2017, 40, 1565-1572.	8.6	132
117	Dipstick proteinuria and risk of myocardial infarction and all-cause mortality in diabetes or pre-diabetes: a population-based cohort study. Scientific Reports, 2017, 7, 11986.	3.3	5
118	Visitâ€toâ€Visit Variability of Fasting Plasma Glucose and the Risk of Cardiovascular Disease and All ause Mortality in the General Population. Journal of the American Heart Association, 2017, 6, .	3.7	51
119	Two‥ear Changes in Proteinuria and the Risk of Stroke in the Chinese Population: A Prospective Cohort Study. Journal of the American Heart Association, 2017, 6, .	3.7	12
120	No Association Between High-Sensitivity C-Reactive Protein and Carotid Intima-Media Progression: The APAC Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 252-259.	1.6	8
121	Estimated Glomerular Filtration Rate, Proteinuria, and Risk of Cardiovascular Diseases and All-cause Mortality in Diabetic Population: a Community-based Cohort Study. Scientific Reports, 2017, 7, 17948.	3.3	10
122	A preliminary exploration of the intravoxel incoherent motion applied in the preoperative evaluation of mediastinal lymph node metastasis of lung cancer. Journal of Thoracic Disease, 2017, 9, 1073-1080.	1.4	14
123	Changes in Proteinuria on the Risk of All-Cause Mortality in People with Diabetes or Prediabetes: A Prospective Cohort Study. Journal of Diabetes Research, 2017, 2017, 1-7.	2.3	3
124	Changes in proteinuria and the risk of myocardial infarction in people with diabetes or pre-diabetes: a prospective cohort study. Cardiovascular Diabetology, 2017, 16, 104.	6.8	17
125	Brachial-ankle pulse wave velocity and metabolic syndrome in general population: the APAC study. BMC Cardiovascular Disorders, 2016, 16, 228.	1.7	17
126	Risk scores for predicting incidence of type 2 diabetes in the Chinese population: the Kailuan prospective study. Scientific Reports, 2016, 6, 26548.	3.3	17

#	Article	IF	CITATIONS
127	A prospective study of impaired fasting glucose and type 2 diabetes in China. Medicine (United States), 2016, 95, e5350.	1.0	25
128	Cumulative Exposure to Ideal Cardiovascular Health and Incident Diabetes in a Chinese Population: The Kailuan Study. Journal of the American Heart Association, 2016, 5, .	3.7	28
129	Carotid intima-media thickness and cognitive function in a middle-aged and older adult community: a cross-sectional study. Journal of Neurology, 2016, 263, 2097-2104.	3.6	18
130	Higher Levels of Lipoprotein Associated Phospholipase A2 is associated with Increased Prevalence of Cognitive Impairment: the APAC Study. Scientific Reports, 2016, 6, 33073.	3.3	11
131	Genome Wide Association Study Identifies L3MBTL4 as a Novel Susceptibility Gene for Hypertension. Scientific Reports, 2016, 6, 30811.	3.3	15
132	Ideal Cardiovascular Health Metrics and Incident Hyperuricemia. Arthritis Care and Research, 2016, 68, 660-666.	3.4	14
133	Risk factors for probable REM sleep behavior disorder. Neurology, 2016, 86, 1306-1312.	1.1	80
134	Air pollution and fasting blood glucose: A longitudinal study in China. Science of the Total Environment, 2016, 541, 750-755.	8.0	38