

Mark Spigt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5401133/publications.pdf>

Version: 2024-02-01

70
papers

2,085
citations

304743

22
h-index

265206

42
g-index

75
all docs

75
docs citations

75
times ranked

3690
citing authors

#	ARTICLE	IF	CITATIONS
1	Measuring Engagement with Mental Health and Behavior Change Interventions: an Integrative Review of Methods and Instruments. <i>International Journal of Behavioral Medicine</i> , 2023, 30, 155-166.	1.7	10
2	Risk factors of anemia among preschool children in Ethiopia: a Bayesian geo-statistical model. <i>BMC Nutrition</i> , 2022, 8, 2.	1.6	7
3	Family Practice substance use disorder theme issue: commentary. <i>Family Practice</i> , 2022, , .	1.9	1
4	Physical activity level and associated factors among adult HIV patients in Ethiopia. <i>BMC Infectious Diseases</i> , 2022, 22, 123.	2.9	10
5	Understanding the risk perception of visceral leishmaniasis exposure and the acceptability of sandfly protection measures among migrant workers in the lowlands of Northwest Ethiopia: a health belief model perspective. <i>BMC Public Health</i> , 2022, 22, 989.	2.9	5
6	Anaemia and its determinants among young children aged 6â€“23 months in Ethiopia (2005â€“2016). <i>Maternal and Child Nutrition</i> , 2021, 17, e13082.	3.0	5
7	Geospatial inequality of anaemia among children in Ethiopia. <i>Geospatial Health</i> , 2021, 16, .	0.8	5
8	Phenotyping the shoulder patient based on ultrasound-detected pathologies: a cross-sectional study in general practice. <i>Family Practice</i> , 2021, 38, 313-320.	1.9	1
9	Complex wound care by a nurse practitioner in primary care: a quality improvement evaluation on healing rates, costs and patient satisfaction. <i>British Journal of Community Nursing</i> , 2021, 26, S14-S21.	0.4	1
10	Validity of urges to smoke measures in predicting smoking relapse during treatment in primary care. <i>Npj Primary Care Respiratory Medicine</i> , 2021, 31, 48.	2.6	4
11	Submitting the original participant information letter as supplementary material of a trial report is useful and can be easily implemented. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 151-153.	5.0	1
12	The experience of general practitioners with Very Brief Advice in the treatment of tobacco addiction. <i>Npj Primary Care Respiratory Medicine</i> , 2020, 30, 40.	2.6	3
13	The effect of atmospheric pressure on oxygen saturation and dyspnea: the TromsÃ, study. <i>International Journal of Biometeorology</i> , 2020, 64, 1103-1110.	3.0	6
14	Quality of Family Planning Counseling in Ethiopia:ÃTrends and determinants of information received by female modern contraceptive users, evidence from national survey data, (2014- 2018). <i>PLoS ONE</i> , 2020, 15, e0228714.	2.5	32
15	Associations between intestinal parasitic infections, anaemia, and diarrhoea among school aged children, and the impact of hand-washing and nail clipping. <i>BMC Research Notes</i> , 2020, 13, 1.	1.4	154
16	Details about informed consent procedures of randomized controlled trials should be reported transparently. <i>Journal of Clinical Epidemiology</i> , 2019, 109, 133-135.	5.0	6
17	Tuberculosis case detection by trained inmate peer educators in a resource-limited prison setting in Ethiopia: a cluster-randomised trial. <i>The Lancet Global Health</i> , 2019, 7, e482-e491.	6.3	15
18	Treatment outcomes and their trend among tuberculosis patients treated at peripheral health settings of Northern Ethiopia between 2009 and 2014: a registry-based retrospective analysis. <i>BMC Research Notes</i> , 2019, 12, 786.	1.4	9

#	ARTICLE	IF	CITATIONS
19	The concurrent validity of a Web-based self-report assessment for personality disorders. <i>Personality and Mental Health</i> , 2019, 13, 53-62.	1.2	5
20	The association between acute malnutrition and water, sanitation, and hygiene among children aged 6-59 months in rural Ethiopia. <i>Maternal and Child Nutrition</i> , 2019, 15, e12631.	3.0	47
21	PsyScan e-tool to support diagnosis and management of psychological problems in general practice: a randomised controlled trial. <i>British Journal of General Practice</i> , 2018, 68, e18-e27.	1.4	10
22	Designing mHealth for maternity services in primary health facilities in a low-income setting – lessons from a partially successful implementation. <i>BMC Medical Informatics and Decision Making</i> , 2018, 18, 96.	3.0	17
23	Quality of routine health data collected by health workers using smartphone at primary health care in Ethiopia. <i>International Journal of Medical Informatics</i> , 2017, 101, 9-14.	3.3	25
24	Effectiveness of intensive practice nurse counselling versus brief general practitioner advice, both combined with varenicline, for smoking cessation: a randomized pragmatic trial in primary care. <i>Addiction</i> , 2017, 112, 2237-2247.	3.3	21
25	Does proximity of women to facilities with better choice of contraceptives affect their contraceptive utilization in rural Ethiopia?. <i>PLoS ONE</i> , 2017, 12, e0187311.	2.5	46
26	Tuberculosis knowledge, attitudes, and practices among northern Ethiopian prisoners: Implications for TB control efforts. <i>PLoS ONE</i> , 2017, 12, e0174692.	2.5	30
27	Drop in lung function during asthma and COPD exacerbations – can it be assessed without spirometry?. <i>International Journal of COPD</i> , 2016, Volume 11, 3145-3152.	2.3	4
28	How do general practitioners implement decision-making regarding COPD patients with exacerbations? An international focus group study. <i>International Journal of COPD</i> , 2016, Volume 11, 3109-3119.	2.3	16
29	The Effects of a Locally Developed mHealth Intervention on Delivery and Postnatal Care Utilization; A Prospective Controlled Evaluation among Health Centres in Ethiopia. <i>PLoS ONE</i> , 2016, 11, e0158600.	2.5	60
30	The influence of father's child feeding knowledge and practices on children's dietary diversity: a study in urban and rural districts of northern Ethiopia, 2013. <i>Maternal and Child Nutrition</i> , 2016, 12, 473-483.	3.0	29
31	C-reactive protein point-of-care testing and antibiotic prescribing for acute respiratory tract infections in rural primary health centres of North Ethiopia: a cross-sectional study. <i>Npj Primary Care Respiratory Medicine</i> , 2016, 26, 15076.	2.6	10
32	Fathers' Perception, Practice, and Challenges in Young Child Care and Feeding in Ethiopia. <i>Food and Nutrition Bulletin</i> , 2016, 37, 329-339.	1.4	20
33	The concurrent validity of a new eDiagnostic system for mental disorders in primary care. <i>Family Practice</i> , 2016, 33, 607-616.	1.9	2
34	Measurement Properties of the Quebec Back Pain Disability Scale in Patients With Nonspecific Low Back Pain: Systematic Review. <i>Physical Therapy</i> , 2016, 96, 1816-1831.	2.4	30
35	Prospective, observational study comparing automated and visual point-of-care urinalysis in general practice. <i>BMJ Open</i> , 2016, 6, e011230.	1.9	11
36	Half of Pulmonary Tuberculosis Cases Were Left Undiagnosed in Prisons of the Tigray Region of Ethiopia: Implications for Tuberculosis Control. <i>PLoS ONE</i> , 2016, 11, e0149453.	2.5	27

#	ARTICLE	IF	CITATIONS
37	Efficacy of Handwashing with Soap and Nail Clipping on Intestinal Parasitic Infections in School-Aged Children: A Factorial Cluster Randomized Controlled Trial. <i>PLoS Medicine</i> , 2015, 12, e1001837.	8.4	76
38	Predictors of treatment with antibiotics and systemic corticosteroids for acute exacerbations of asthma and chronic obstructive pulmonary disease in primary care. <i>BMC Family Practice</i> , 2015, 16, 40.	2.9	11
39	How much do the physician review and InterVA model agree in determining causes of death? a comparative analysis of deaths in rural Ethiopia. <i>BMC Public Health</i> , 2015, 15, 669.	2.9	7
40	Utilization of Sexual and Reproductive Health Services in Ethiopia – Does it affect sexual activity among high school students?. <i>Sexual and Reproductive Healthcare</i> , 2015, 6, 14-18.	1.2	14
41	A simple formula for the calculation of sample size in pilot studies. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1375-1379.	5.0	305
42	Infant mortality and causes of infant deaths in rural Ethiopia: a population-based cohort of 3684 births. <i>BMC Public Health</i> , 2015, 15, 770.	2.9	39
43	How motivated are patients with type 2 diabetes to change their lifestyle? A survey among patients and healthcare professionals. <i>Primary Care Diabetes</i> , 2015, 9, 439-445.	1.8	19
44	Mobile health data collection at primary health care in Ethiopia: a feasible challenge. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 80-86.	5.0	53
45	Differential attrition in health behaviour change trials: A systematic review and meta-analysis. <i>Psychology and Health</i> , 2015, 30, 122-134.	2.2	87
46	Mortality Level and Predictors in a Rural Ethiopian Population: Community Based Longitudinal Study. <i>PLoS ONE</i> , 2014, 9, e93099.	2.5	8
47	Why tuberculosis service providers do not follow treatment guideline in Ethiopia: a qualitative study. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 88-93.	1.8	7
48	Response to Keriell-Gascou et al.: Higher efficiency and other alleged advantages are not inherent to the stepped wedge design. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 834-836.	5.0	8
49	Primary and secondary care clinicians' views on self-treatment of COPD exacerbations: A multinational qualitative study. <i>Patient Education and Counseling</i> , 2014, 96, 256-263.	2.2	13
50	Applying the InterVA-4 model to determine causes of death in rural Ethiopia. <i>Global Health Action</i> , 2014, 7, 25550.	1.9	16
51	Experiences of general practitioners, practice nurses, psychologists and patients with stepped collaborative care for depression: a focus group study in a large primary healthcare organization. <i>European Journal for Person Centered Healthcare</i> , 2014, 2, 170.	0.3	3
52	Practices and challenges of growth monitoring and promotion in Ethiopia: a qualitative study. <i>Journal of Health, Population and Nutrition</i> , 2014, 32, 441-51.	2.0	21
53	No differential attrition was found in randomized controlled trials published in general medical journals: a meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 948-954.	5.0	24
54	The stepped wedge design does not inherently have more power than a cluster randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1059-1060.	5.0	20

#	ARTICLE	IF	CITATIONS
55	Risk factors for intestinal parasitosis, anaemia, and malnutrition among school children in Ethiopia. <i>Pathogens and Global Health</i> , 2013, 107, 58-65.	2.3	68
56	The complexity of managing COPD exacerbations: a grounded theory study of European general practice. <i>BMJ Open</i> , 2013, 3, e003861.	1.9	22
57	Predictors of exacerbations of asthma and COPD during one year in primary care. <i>Family Practice</i> , 2013, 30, 621-628.	1.9	21
58	Meeting Community Health Worker Needs for Maternal Health Care Service Delivery Using Appropriate Mobile Technologies in Ethiopia. <i>PLoS ONE</i> , 2013, 8, e77563.	2.5	82
59	Comparing diagnostic delay in cancer: a cross-sectional study in three European countries with primary care-led health care systems. <i>Family Practice</i> , 2012, 29, 69-78.	1.9	17
60	A randomized trial on the effects of regular water intake in patients with recurrent headaches. <i>Family Practice</i> , 2012, 29, 370-375.	1.9	36
61	Using electronic medical records analysis to investigate the effectiveness of lifestyle programs in real-world primary care is challenging: a case study in diabetes mellitus. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 785-792.	5.0	14
62	Use of the stepped wedge design cannot be recommended: A critical appraisal and comparison with the classic cluster randomized controlled trial design. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1249-1252.	5.0	75
63	Researchers should convince policy makers to perform a classic cluster randomized controlled trial instead of a stepped wedge design when an intervention is rolled out. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1255-1256.	5.0	27
64	Pragmatic vs. explanatory: An adaptation of the PRECIS tool helps to judge the applicability of systematic reviews for daily practice. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1095-1101.	5.0	54
65	How to review a manuscript. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1385-1390.	5.0	37
66	The effect of screening on the prevalence of diagnosed type 2 diabetes in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 232-237.	1.5	6
67	The relationship between primary health care organization and quality of diabetes care. <i>European Journal of General Practice</i> , 2009, 15, 212-218.	2.0	14
68	Clusters of lifestyle behaviors: Results from the Dutch SMILE study. <i>Preventive Medicine</i> , 2008, 46, 203-208.	3.4	173
69	Is it possible to improve elderly male bladder function by having them drink more water? A randomized trial of effects of increased fluid intake/urine output on male lower urinary tract function. <i>Urology</i> , 2006, 68, 1031-1036.	1.0	18
70	Unmet need for mental health care within the Dutch population: exploring the role of GP. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.	1.6	0