

# Terry J Smith

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5401213/publications.pdf>

Version: 2024-02-01

250  
papers

14,623  
citations

15466

65  
h-index

25716

108  
g-index

280  
all docs

280  
docs citations

280  
times ranked

7638  
citing authors

#	ARTICLE	IF	CITATIONS
1	2021 update on thyroid-associated ophthalmopathy. Journal of Endocrinological Investigation, 2022, 45, 235-259.	1.8	44
2	Symptomatic and restorative therapies in neuromyelitis optica spectrum disorders. Journal of Neurology, 2022, 269, 1786-1801.	1.8	8
3	Teprotumumab Efficacy, Safety, and Durability in Longer-Duration Thyroid Eye Disease and Re-treatment. Ophthalmology, 2022, 129, 438-449.	2.5	64
4	It Takes Two to Tango: IGF-I and TSH Receptors in Thyroid Eye Disease. Journal of Clinical Endocrinology and Metabolism, 2022, 107, S1-S12.	1.8	17
5	Does Anatomic Region-Specific Gene Expression Underlie Thyroid Eye Disease?. Ophthalmic Plastic and Reconstructive Surgery, 2022, Publish Ahead of Print, .	0.4	0
6	Longitudinal Retinal Changes in <sc>MOGAD</sc>. Annals of Neurology, 2022, 92, 476-485.	2.8	20
7	Teprotumumab Divergently Alters Fibrocyte Gene Expression: Implications for Thyroid-associated Ophthalmopathy. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e4037-e4047.	1.8	2
8	Teprotumumab for Optic Neuropathy in Thyroid Eye Disease. JAMA Ophthalmology, 2021, 139, 244.	1.4	29
9	Slit2 Regulates Hyaluronan & Cytokine Synthesis in Fibrocytes: Potential Relevance to Thyroid-Associated Ophthalmopathy. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e20-e33.	1.8	16
10	Teprotumumab in Clinical Practice: Recommendations and Considerations From the OPTIC Trial Investigators. Journal of Neuro-Ophthalmology, 2021, 41, 461-468.	0.4	19
11	Lessons Learned from Targeting IGF-I Receptor in Thyroid-Associated Ophthalmopathy. Cells, 2021, 10, 383.	1.8	10
12	Insulin-Like Growth Factor Pathway and the Thyroid. Frontiers in Endocrinology, 2021, 12, 653627.	1.5	29
13	Teprotumumab for patients with active thyroid eye disease: a pooled data analysis, subgroup analyses, and off-treatment follow-up results from two randomised, double-masked, placebo-controlled, multicentre trials. Lancet Diabetes and Endocrinology, the, 2021, 9, 360-372.	5.5	91
14	Comment on the 2021 EUGOGO Clinical Practice Guidelines for the Medical Management of Gravesâ€™ Orbitopathy. European Journal of Endocrinology, 2021, 185, L13-L14.	1.9	9
15	Efficacy and Safety of Teprotumumab in Thyroid Eye Disease. Therapeutics and Clinical Risk Management, 2021, Volume 17, 1219-1230.	0.9	10
16	Therapeutic IGF-I receptor inhibition alters fibrocyte immune phenotype in thyroid-associated ophthalmopathy. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	20
17	Teprotumumab Treatment for Thyroid-Associated Ophthalmopathy. European Thyroid Journal, 2020, 9, 31-39.	1.2	5
18	Thyroid-associated ophthalmopathy: Emergence of teprotumumab as a promising medical therapy. Best Practice and Research in Clinical Endocrinology and Metabolism, 2020, 34, 101383.	2.2	10

#	ARTICLE	IF	CITATIONS
19	High-throughput investigation of molecular and cellular biomarkers in NMOSD. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020, 7, .	3.1	20
20	Slit2 May Underlie Divergent Induction by Thyrotropin of IL-23 and IL-12 in Human Fibrocytes. <i>Journal of Immunology</i> , 2020, 204, 1724-1735.	0.4	17
21	Teprotumumab as a Novel Therapy for Thyroid-Associated Ophthalmopathy. <i>Frontiers in Endocrinology</i> , 2020, 11, 610337.	1.5	4
22	Cohort profile: a collaborative multicentre study of retinal optical coherence tomography in 539 patients with neuromyelitis optica spectrum disorders (CROCTINO). <i>BMJ Open</i> , 2020, 10, e035397.	0.8	10
23	Teprotumumab: a novel therapeutic monoclonal antibody for thyroid-associated ophthalmopathy. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 645-649.	1.9	13
24	Teprotumumab in Thyroid-Associated Ophthalmopathy: Rationale for Therapeutic Insulin-Like Growth Factor-1 Receptor Inhibition. <i>Journal of Neuro-Ophthalmology</i> , 2020, 40, 74-83.	0.4	5
25	Teprotumumab for the Treatment of Active Thyroid Eye Disease. <i>New England Journal of Medicine</i> , 2020, 382, 341-352.	13.9	375
26	Challenges in Orphan Drug Development: Identification of Effective Therapy for Thyroid-Associated Ophthalmopathy. <i>Annual Review of Pharmacology and Toxicology</i> , 2019, 59, 129-148.	4.2	25
27	Neuromyelitis optica spectrum disorder. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2019, 6, e580.	3.1	92
28	Collaborative International Research in Clinical and Longitudinal Experience Study in NMOSD. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2019, 6, e583.	3.1	33
29	Insulin-like Growth Factor-I Receptor and Thyroid-Associated Ophthalmopathy. <i>Endocrine Reviews</i> , 2019, 40, 236-267.	8.9	117
30	Cerebrospinal fluid biomarkers for predicting development of multiple sclerosis in acute optic neuritis: a population-based prospective cohort study. <i>Journal of Neuroinflammation</i> , 2019, 16, 59.	3.1	39
31	Response to Letter to the Editor: "Elevated Serum Tetrac in Graves Disease: Potential Pathogenic Role in Thyroid-Associated Ophthalmopathy". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1077-1078.	1.8	0
32	HIF2A-LOX Pathway Promotes Fibrotic Tissue Remodeling in Thyroid-Associated Orbitopathy. <i>Endocrinology</i> , 2019, 160, 20-35.	1.4	65
33	Potential Roles of CD34+ Fibrocytes Masquerading as Orbital Fibroblasts in Thyroid-Associated Ophthalmopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 581-594.	1.8	27
34	Will biological agents supplant systemic glucocorticoids as the first-line treatment for thyroid-associated ophthalmopathy?. <i>European Journal of Endocrinology</i> , 2019, 181, D27-D43.	1.9	19
35	40 YEARS OF IGF1: IGF1 receptor and thyroid-associated ophthalmopathy. <i>Journal of Molecular Endocrinology</i> , 2018, 61, T29-T43.	1.1	50
36	Magnetic resonance imaging findings at the first episode of acute optic neuritis. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 20, 30-36.	0.9	23

#	ARTICLE	IF	CITATIONS
37	New advances in understanding thyroid-associated ophthalmopathy and the potential role for insulin-like growth factor-I receptor. <i>F1000Research</i> , 2018, 7, 134.	0.8	15
38	Is there potential for the approval of monoclonal antibodies to treat thyroid-associated ophthalmopathy?. <i>Expert Opinion on Orphan Drugs</i> , 2018, 6, 593-595.	0.5	7
39	Slit2 Modulates the Inflammatory Phenotype of Orbit-Infiltrating Fibrocytes in Gravesâ€™ Disease. <i>Journal of Immunology</i> , 2018, 200, 3942-3949.	0.4	31
40	CD34â€™ Orbital Fibroblasts From Patients With Thyroid-Associated Ophthalmopathy Modulate TNF-Î± Expression in CD34+ Fibroblasts and Fibrocytes. , 2018, 59, 2615.		18
41	Gravesâ€™ Ophthalmopathy. <i>Endocrinology</i> , 2018, , 451-488.	0.1	0
42	TSHR as a therapeutic target in Gravesâ€™ disease. <i>Expert Opinion on Therapeutic Targets</i> , 2017, 21, 427-432.	1.5	27
43	Gravesâ€™ Disease. <i>New England Journal of Medicine</i> , 2017, 376, 184-185.	13.9	42
44	Teprotumumab for Thyroid-Associated Ophthalmopathy. <i>New England Journal of Medicine</i> , 2017, 376, 1748-1761.	13.9	480
45	A population-based prospective study of optic neuritis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1893-1901.	1.4	81
46	Response to Krieger et al. re: â€œTSHR/IGF-1R Cross-Talk, Not IGF-1R Stimulating Antibodies, Mediates Graves' Ophthalmopathy Pathogenesisâ€•(Thyroid 2017;27:746â€“747). <i>Thyroid</i> , 2017, 27, 1458-1459.	2.4	10
47	De novo triiodothyronine formation from thyrocytes activated by thyroid-stimulating hormone. <i>Journal of Biological Chemistry</i> , 2017, 292, 15434-15444.	1.6	27
48	Elevated Serum Tetrac in Graves Disease: Potential Pathogenic Role in Thyroid-Associated Ophthalmopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 776-785.	1.8	11
49	CD40 Expression in Fibrocytes Is Induced by TSH: Potential Synergistic Immune Activation. <i>PLoS ONE</i> , 2016, 11, e0162994.	1.1	8
50	Rationale for therapeutic targeting insulin-like growth factor-1 receptor and bone marrow-derived fibrocytes in thyroid-associated ophthalmopathy. <i>Expert Review of Ophthalmology</i> , 2016, 11, 77-79.	0.3	5
51	Restoring immune tolerance in neuromyelitis optica. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016, 3, e277.	3.1	39
52	Restoring immune tolerance in neuromyelitis optica. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016, 3, e276.	3.1	35
53	Intersection of Chemokine and TSH Receptor Pathways in Human Fibrocytes: Emergence of CXCL-12/CXCR4 Cross Talk Potentially Relevant to Thyroid-Associated Ophthalmopathy. <i>Endocrinology</i> , 2016, 157, 3779-3787.	1.4	12
54	Thyrotropin and CD40L Stimulate Interleukin-12 Expression in Fibrocytes: Implications for Pathogenesis of Thyroid-Associated Ophthalmopathy. <i>Thyroid</i> , 2016, 26, 1768-1777.	2.4	17

#	ARTICLE	IF	CITATIONS
55	Aquaporin-4 IgG autoimmune syndrome and immunoreactivity associated with thyroid cancer. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016, 3, e252.	3.1	11
56	Gravesâ€™ Disease. <i>New England Journal of Medicine</i> , 2016, 375, 1552-1565.	13.9	847
57	Update on thyroid-associated Ophthalmopathy with a special emphasis on the ocular surface. <i>Clinical Diabetes and Endocrinology</i> , 2016, 2, 19.	1.3	23
58	Building the Case for Insulin-Like Growth Factor Receptor-I Involvement in Thyroid-Associated Ophthalmopathy. <i>Frontiers in Endocrinology</i> , 2016, 7, 167.	1.5	31
59	Gravesâ€™ Ophthalmopathy. <i>Endocrinology</i> , 2016, , 1-39.	0.1	0
60	Altered balance between self-reactive T helper (Th)17 cells and Th10 cells and between full-length forkhead box protein 3 (FoxP3) and FoxP3 splice variants in Hashimoto's thyroiditis. <i>Clinical and Experimental Immunology</i> , 2015, 180, 58-69.	1.1	40
61	Disrupted TSH Receptor Expression in Female Mouse Lung Fibroblasts Alters Subcellular IGF-1 Receptor Distribution. <i>Endocrinology</i> , 2015, 156, 4731-4740.	1.4	6
62	Characterization of Regulatory B Cells in Gravesâ€™ Disease and Hashimotoâ€™s Thyroiditis. <i>PLoS ONE</i> , 2015, 10, e0127949.	1.1	41
63	Risk Factors for Developing Thyroid-Associated Ophthalmopathy Among Individuals With Graves Disease. <i>JAMA Ophthalmology</i> , 2015, 133, 290.	1.4	120
64	Use of Advanced Magnetic Resonance Imaging Techniques in Neuromyelitis Optica Spectrum Disorder. <i>JAMA Neurology</i> , 2015, 72, 815.	4.5	59
65	TSH-receptor-expressing fibrocytes and thyroid-associated ophthalmopathy. <i>Nature Reviews Endocrinology</i> , 2015, 11, 171-181.	4.3	78
66	Challenges and opportunities in designing clinical trials for neuromyelitis optica. <i>Neurology</i> , 2015, 84, 1805-1815.	1.5	39
67	Pentraxin-3 Is a TSH-Inducible Protein in Human Fibrocytes and Orbital Fibroblasts. <i>Endocrinology</i> , 2015, 156, 4336-4344.	1.4	20
68	B lymphocytes in neuromyelitis optica. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015, 2, e104.	3.1	132
69	Update on biomarkers in neuromyelitis optica. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015, 2, e134.	3.1	104
70	Emerging Role of Fibrocytes in the Pathogenesis of Thyroid Eye Disease. , 2015, , 23-32.		0
71	Rituximab (Rituxan) Therapy for Severe Thyroid-Associated Ophthalmopathy Diminishes IGF-1R+ T Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1294-E1299.	1.8	19
72	Teprotumumab, an IGF-1R Blocking Monoclonal Antibody Inhibits TSH and IGF-1 Action in Fibrocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1635-E1640.	1.8	119

#	ARTICLE	IF	CITATIONS
73	PI3K/AKT Pathway Mediates Induction of IL-1RA by TSH in Fibrocytes: Modulation by PTEN. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3363-3372.	1.8	28
74	Cytokines as villains and potential therapeutic targets in thyroid-associated ophthalmopathy: from bench to bedside. <i>Expert Review of Ophthalmology</i> , 2014, 9, 227-234.	0.3	22
75	Regulation of IL-1 Receptor Antagonist by TSH in Fibrocytes and Orbital Fibroblasts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E625-E633.	1.8	28
76	Advances in Understanding Autoimmune Pituitary Disease: Standardized Methods for Autoantibody Detection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1589-1592.	1.8	1
77	Expression of Thyrotropin Receptor, Thyroglobulin, Sodium-Iodide Symporter, and Thyroperoxidase by Fibrocytes Depends on AIRE. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1236-E1244.	1.8	52
78	Current Concepts in the Molecular Pathogenesis of Thyroid-Associated Ophthalmopathy. , 2014, 55, 1735.		181
79	Human Fibrocytes Express Multiple Antigens Associated With Autoimmune Endocrine Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E796-E803.	1.8	18
80	Is IGF-1 Receptor a Target for Autoantibody Generation in Graves' Disease?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 515-518.	1.8	30
81	Divergent Expression of IL-1 Receptor Antagonists in CD34+ Fibrocytes and Orbital Fibroblasts in Thyroid-associated Ophthalmopathy: Contribution of Fibrocytes to Orbital Inflammation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2783-2790.	1.8	24
82	Thyrotropin Regulates IL-6 Expression in CD34+ Fibrocytes: Clear Delineation of Its cAMP-Independent Actions. <i>PLoS ONE</i> , 2013, 8, e75100.	1.1	50
83	Histopathology of Brow Fat in Thyroid-Associated Orbitopathy. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2012, 28, 27-29.	0.4	24
84	Human fibrocytes coexpress thyroglobulin and thyrotropin receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7427-7432.	3.3	77
85	Increased Expression of TSH Receptor by Fibrocytes in Thyroid-Associated Ophthalmopathy Leads to Chemokine Production. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E740-E746.	1.8	72
86	Treating the thyroid in the presence of Graves' ophthalmopathy. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2012, 26, 313-324.	2.2	30
87	Role of insulin-like growth factor-1 (IGF-1) pathway in the pathogenesis of Graves' orbitopathy. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2012, 26, 291-302.	2.2	97
88	Integrative Continuum: Accelerating Therapeutic Advances in Rare Autoimmune Diseases. <i>Annual Review of Pharmacology and Toxicology</i> , 2012, 52, 523-547.	4.2	8
89	Nuclear Targeting of IGF-1 Receptor in Orbital Fibroblasts from Graves' Disease: Apparent Role of ADAM17. <i>PLoS ONE</i> , 2012, 7, e34173.	1.1	21
90	Interleukin-6 Production in CD40-Engaged Fibrocytes in Thyroid-Associated Ophthalmopathy: Involvement of Akt and NF- $\kappa$ B. , 2012, 53, 7746.		56

#	ARTICLE	IF	CITATIONS
91	Thyroid Eye Disease: Towards an Evidence Base for Treatment in the 21st Century. <i>Current Neurology and Neuroscience Reports</i> , 2012, 12, 318-324.	2.0	36
92	Pathogenesis and Medical Management of Thyroid Eye Disease. , 2012, , 1213-1223.		0
93	Targeted biological therapies for Graves' disease and thyroid-associated ophthalmopathy. Focus on B cell depletion with Rituximab. <i>Clinical Endocrinology</i> , 2011, 74, 1-8.	1.2	46
94	Fibroblasts Expressing the Thyrotropin Receptor Overarch Thyroid and Orbit in Graves' Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3827-3837.	1.8	48
95	Does selenium supplementation improve Graves ophthalmopathy?. <i>Nature Reviews Endocrinology</i> , 2011, 7, 505-506.	4.3	6
96	Other Potential Therapeutic Targets in Thyroid Orbitopathy. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2011, 11, 112-117.	0.5	0
97	Divergent Sp1 Protein Levels May Underlie Differential Expression of UDP-Glucose Dehydrogenase by Fibroblasts. <i>Journal of Biological Chemistry</i> , 2011, 286, 24487-24499.	1.6	26
98	Orbital fibrosis in a mouse model of Graves' disease induced by genetic immunization of thyrotropin receptor cDNA. <i>Journal of Endocrinology</i> , 2011, 210, 369-377.	1.2	63
99	The Putative Role of Fibrocytes in the Pathogenesis of Graves' Disease. , 2011, , 271-284.		0
100	Potential role for bone marrow-derived fibrocytes in the orbital fibroblast heterogeneity associated with thyroid-associated ophthalmopathy. <i>Clinical and Experimental Immunology</i> , 2010, 162, 24-31.	1.1	22
101	PGE2 Induces IL-6 in Orbital Fibroblasts through EP2 Receptors and Increased Gene Promoter Activity: Implications to Thyroid-Associated Ophthalmopathy. <i>PLoS ONE</i> , 2010, 5, e15296.	1.1	36
102	Transforming growth factor $\beta 1$ and laminin-111 cooperate in the induction of interleukin-16 expression in synovial fibroblasts from patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 270-275.	0.5	18
103	Insulin-Like Growth Factor-I Regulation of Immune Function: A Potential Therapeutic Target in Autoimmune Diseases?. <i>Pharmacological Reviews</i> , 2010, 62, 199-236.	7.1	226
104	Increased Generation of Fibrocytes in Thyroid-Associated Ophthalmopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 430-438.	1.8	199
105	Pathogenesis of Graves' orbitopathy: A 2010 update. <i>Journal of Endocrinological Investigation</i> , 2010, 33, 414-421.	1.8	81
106	Rituximab Treatment of Patients with Severe, Corticosteroid-Resistant Thyroid-Associated Ophthalmopathy. <i>Ophthalmology</i> , 2010, 117, 133-139.e2.	2.5	159
107	Immunopathogenesis of Thyroid Eye Disease: Emerging Paradigms. <i>Survey of Ophthalmology</i> , 2010, 55, 215-226.	1.7	97
108	Orbital Fibroblasts from Patients with Thyroid-Associated Ophthalmopathy Overexpress CD40: CD154 Hyperinduces IL-6, IL-8, and MCP-1. , 2009, 50, 2262.		121

#	ARTICLE	IF	CITATIONS
109	Divergent Frequencies of IGF-I Receptor-Expressing Blood Lymphocytes in Monozygotic Twin Pairs Discordant for Gravesâ€™ Disease: Evidence for a Phenotypic Signature Ascribable to Nongenetic Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1797-1802.	1.8	12
110	Characterization of the anaemia associated with Gravesâ€™ disease. <i>Clinical Endocrinology</i> , 2009, 70, 781-787.	1.2	34
111	Development of Criteria for Evaluating Clinical Response in Thyroid Eye Disease Using a Modified Delphi Technique. <i>JAMA Ophthalmology</i> , 2009, 127, 1155.	2.6	30
112	Regulation of Lymphocyte Function by PPAR $\gamma$ : Relevance to Thyroid Eye Disease-Related Inflammation. <i>PPAR Research</i> , 2008, 2008, 1-12.	1.1	27
113	Cytokines, Graves' Disease, and Thyroid-Associated Ophthalmopathy. <i>Thyroid</i> , 2008, 18, 953-958.	2.4	108
114	Evidence for an Association between Thyroid-Stimulating Hormone and Insulin-Like Growth Factor 1 Receptors: A Tale of Two Antigens Implicated in Gravesâ€™ Disease. <i>Journal of Immunology</i> , 2008, 181, 4397-4405.	0.4	272
115	B Cells from Patients with Gravesâ€™ Disease Aberrantly Express the IGF-1 Receptor: Implications for Disease Pathogenesis. <i>Journal of Immunology</i> , 2008, 181, 5768-5774.	0.4	104
116	Immune Mechanisms in Thyroid Eye Disease. <i>Thyroid</i> , 2008, 18, 959-965.	2.4	140
117	Unique Attributes of Orbital Fibroblasts and Global Alterations in IGF-1 Receptor Signaling Could Explain Thyroid-Associated Ophthalmopathy. <i>Thyroid</i> , 2008, 18, 983-988.	2.4	93
118	Biologic Therapeutics in Thyroid-Associated Ophthalmopathy: Translating Disease Mechanism into Therapy. <i>Thyroid</i> , 2008, 18, 967-971.	2.4	48
119	Recent insights into the pathogenesis and management of thyroid-associated ophthalmopathy. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2008, 15, 446-452.	1.2	29
120	Pathophysiology of Graves' Orbitopathy. , 2008, , 2913-2926.		3
121	TGF $\beta$ enhances the laminin $\alpha$ -induced production of IL $\beta$ in RA synovial fibroblasts by elevation of beta $1$ integrin expression. <i>FASEB Journal</i> , 2008, 22, 664.13.	0.2	0
122	Jak2 Dampens the Induction by IL-1 $\beta$ of Prostaglandin Endoperoxide H Synthase 2 Expression in Human Orbital Fibroblasts: Evidence for Divergent Influence on the Prostaglandin E2 Biosynthetic Pathway. <i>Journal of Immunology</i> , 2007, 179, 7147-7156.	0.4	6
123	B Cell Depletion in Gravesâ€™ Disease: The Right Answer to the Wrong Question?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1620-1622.	1.8	11
124	Hyaluronan Accumulation in Thyroid Tissue: Evidence for Contributions from Epithelial Cells and Fibroblasts. <i>Endocrinology</i> , 2007, 148, 54-62.	1.4	36
125	Aberrant Expression of the Insulin-Like Growth Factor-1 Receptor by T Cells from Patients with Gravesâ€™ Disease May Carry Functional Consequences for Disease Pathogenesis. <i>Journal of Immunology</i> , 2007, 178, 3281-3287.	0.4	129
126	Is a common therapy for autoimmune disease possible?. <i>Future Rheumatology</i> , 2007, 2, 333-335.	0.2	0



#	ARTICLE	IF	CITATIONS
127	Circulating mononuclear cells from euthyroid patients with thyroid-associated ophthalmopathy exhibit characteristic phenotypes. <i>Clinical and Experimental Immunology</i> , 2007, 148, 64-71.	1.1	20
128	Immunoglobulin G from Patients with Gravesâ€™ Disease Induces Interleukin-16 and RANTES Expression in Cultured Human Thyrocytes: A Putative Mechanism for T-Cell Infiltration of the Thyroid in Autoimmune Disease. <i>Endocrinology</i> , 2006, 147, 1941-1949.	1.4	49
129	Molecular Pathology of Müllerâ€™s Muscle in Gravesâ€™ Ophthalmopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1159-1167.	1.8	33
130	T Helper Type 1 and Type 2 Cytokines Exert Divergent Influence on the Induction of Prostaglandin E2 and Hyaluronan Synthesis by Interleukin-1Î² in Orbital Fibroblasts: Implications for the Pathogenesis of Thyroid-Associated Ophthalmopathy. <i>Endocrinology</i> , 2006, 147, 13-19.	1.4	89
131	Interleukin-6 release from human abdominal adipose cells is regulated by thyroid-stimulating hormone: effect of adipocyte differentiation and anatomic depot. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E1140-E1144.	1.8	55
132	Interleukin-4 Induces 15-Lipoxygenase-1 Expression in Human Orbital Fibroblasts from Patients with Graves Disease. <i>Journal of Biological Chemistry</i> , 2006, 281, 18296-18306.	1.6	38
133	Monoclonal Pathogenic Antibodies to the Thyroid-Stimulating Hormone Receptor in Gravesâ€™ Disease with Potent Thyroid-Stimulating Activity but Differential Blocking Activity Activate Multiple Signaling Pathways. <i>Journal of Immunology</i> , 2006, 176, 5084-5092.	0.4	61
134	More Than Structural Cells, Fibroblasts Create and Orchestrate the Tumor Microenvironment. <i>Immunological Investigations</i> , 2006, 35, 297-325.	1.0	99
135	Functional Assessment of Fibroblast Heterogeneity by the Cell-Surface Glycoprotein Thy-1. , 2006, , 32-39.		1
136	IL-1 Induces Lower sIL-1ra and Higher icIL-1ra IL-1ra Protein Expression in Orbital vs. Dermal Fibroblasts. <i>FASEB Journal</i> , 2006, 20, A640.	0.2	0
137	Isolation and Phenotypic Characterization of Lung Fibroblasts. , 2005, 117, 115-127.		63
138	Insights into the role of fibroblasts in human autoimmune diseases. <i>Clinical and Experimental Immunology</i> , 2005, 141, 388-397.	1.1	88
139	Rosiglitazone-Induced Proptosis. <i>JAMA Ophthalmology</i> , 2005, 123, 119.	2.6	33
140	Induction by IL-1Î² of Tissue Inhibitor of Metalloproteinase-1 in Human Orbital Fibroblasts: Modulation of Gene Promoter Activity by IL-4 and IFN-Î³. <i>Journal of Immunology</i> , 2005, 174, 3072-3079.	0.4	49
141	IL-1Î² Induces IL-6 Expression in Human Orbital Fibroblasts: Identification of an Anatomic-Site Specific Phenotypic Attribute Relevant to Thyroid-Associated Ophthalmopathy. <i>Journal of Immunology</i> , 2005, 175, 1310-1319.	0.4	115
142	Immunoglobulins from Patients with Gravesâ€™ Disease Induce Hyaluronan Synthesis in Their Orbital Fibroblasts through the Self-Antigen, Insulin-Like Growth Factor-I Receptor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5076-5080.	1.8	222
143	Synovial Fibroblasts from Patients with Rheumatoid Arthritis, Like Fibroblasts from Gravesâ€™ Disease, Express High Levels of IL-16 When Treated with Igs against Insulin-Like Growth Factor-1 Receptor. <i>Journal of Immunology</i> , 2004, 173, 3564-3569.	0.4	67
144	A novel ELISpot method for adherent cells. <i>Journal of Immunological Methods</i> , 2004, 291, 63-70.	0.6	16

#	ARTICLE	IF	CITATIONS
145	Novel aspects of orbital fibroblast pathology. <i>Journal of Endocrinological Investigation</i> , 2004, 27, 246-253.	1.8	54
146	Thy-1 Expression in Human Fibroblast Subsets Defines Myofibroblastic or Lipofibroblastic Phenotypes. <i>American Journal of Pathology</i> , 2003, 163, 1291-1300.	1.9	237
147	Current Perspective on the Pathogenesis of Graves's™ Disease and Ophthalmopathy. <i>Endocrine Reviews</i> , 2003, 24, 802-835.	8.9	415
148	Immunoglobulin Activation of T Cell Chemoattractant Expression in Fibroblasts from Patients with Graves's™ Disease Is Mediated Through the Insulin-Like Growth Factor I Receptor Pathway. <i>Journal of Immunology</i> , 2003, 170, 6348-6354.	0.4	246
149	Cytokine-Induced Lymphocyte Chemoattraction from Cultured Human Thyrocytes: Evidence for Interleukin-16 and Regulated upon Activation, Normal T Cell Expressed, and Secreted Expression. <i>Endocrinology</i> , 2003, 144, 2856-2864.	1.4	17
150	The Putative Role of Fibroblasts in the Pathogenesis of Graves' Disease: Evidence for the Involvement of the Insulin-like Growth Factor-1 Receptor in Fibroblast Activation. <i>Autoimmunity</i> , 2003, 36, 409-415.	1.2	61
151	Robust induction of PGHS-2 by IL-1 in orbital fibroblasts results from low levels of IL-1 receptor antagonist expression. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 284, C1429-C1437.	2.1	22
152	Unique properties of orbital connective tissue underlie its involvement in Graves' disease. <i>Minerva Endocrinologica</i> , 2003, 28, 213-22.	1.7	8
153	Orbital Fibroblasts Exhibit a Novel Pattern of Responses to Proinflammatory Cytokines: Potential Basis for the Pathogenesis of Thyroid-Associated Ophthalmopathy. <i>Thyroid</i> , 2002, 12, 197-203.	2.4	67
154	Igs from Patients with Graves's™ Disease Induce the Expression of T Cell Chemoattractants in Their Fibroblasts. <i>Journal of Immunology</i> , 2002, 168, 942-950.	0.4	153
155	Insights Into the Pathogenesis of Thyroid-Associated Orbitopathy. <i>JAMA Ophthalmology</i> , 2002, 120, 380.	2.6	146
156	Up-regulation of Prostaglandin E2 Synthesis by Interleukin-1 $\beta$ in Human Orbital Fibroblasts Involves Coordinate Induction of Prostaglandin-Endoperoxide H Synthase-2 and Glutathione-dependent Prostaglandin E2 Synthase Expression. <i>Journal of Biological Chemistry</i> , 2002, 277, 16355-16364.	1.6	142
157	Orbital Fibroblast Heterogeneity May Determine the Clinical Presentation of Thyroid-Associated Ophthalmopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 385-392.	1.8	190
158	Cytoplasmic Prostaglandin E2 Synthase Is Dominantly Expressed in Cultured KAT-50 Thyrocytes, Cells That Express Constitutive Prostaglandin-endoperoxide H Synthase-2. <i>Journal of Biological Chemistry</i> , 2002, 277, 36897-36903.	1.6	14
159	Fibroblast biology in thyroid diseases. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2002, 9, 393-400.	0.6	16
160	Fibroblast subsets in the human orbit: Thy-1+ and Thy-1- subpopulations exhibit distinct phenotypes. <i>European Journal of Immunology</i> , 2002, 32, 477-485.	1.6	138
161	Prostaglandin endoperoxide H synthase expression in human thyroid epithelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 280, C701-C708.	2.1	19
162	Advanced breast biopsy instrumentation (ABBI) and management of nonpalpable breast abnormalities: a community hospital experience. <i>Breast</i> , 2001, 10, 421-426.	0.9	3

#	ARTICLE	IF	CITATIONS
163	Fibroblasts as Sentinel Cells. <i>Chest</i> , 2001, 120, S53-S55.	0.4	58
164	Participation of Orbital Fibroblasts in the Inflammation of Graves'™ Ophthalmopathy. <i>Growth Hormone</i> , 2001, , 83-98.	0.2	1
165	Functional TSH receptor in human abdominal preadipocytes and orbital fibroblasts. <i>American Journal of Physiology - Cell Physiology</i> , 2000, 279, C335-C340.	2.1	122
166	Cultured Human Fibroblasts Express Constitutive IL-16 mRNA: Cytokine Induction of Active IL-16 Protein Synthesis Through a Caspase-3-Dependent Mechanism. <i>Journal of Immunology</i> , 2000, 164, 3806-3814.	0.4	96
167	Peroxisome Proliferator Activator Receptor- $\beta$ Agonists and 15-Deoxy- $\Delta^{12,14}$ -PGJ <sub>2</sub> Induce Apoptosis in Normal and Malignant B-Lineage Cells. <i>Journal of Immunology</i> , 2000, 165, 6941-6948.	0.4	148
168	Graves'™ Dermopathy. <i>Growth Hormone</i> , 2000, , 289-300.	0.2	0
169	Leukoregulin upregulation of prostaglandin endoperoxide H synthase-2 expression in human orbital fibroblasts. <i>American Journal of Physiology - Cell Physiology</i> , 1999, 277, C1075-C1085.	2.1	47
170	Expression of Hyaluronan Synthase Messenger Ribonucleic Acids and Their Induction by Interleukin- $1\beta$ in Human Orbital Fibroblasts: Potential Insight into the Molecular Pathogenesis of Thyroid-Associated Ophthalmopathy <sup>1</sup> . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 4079-4084.	1.8	89
171	The putative role of prostaglandin endoperoxide H synthase-2 in the pathogenesis of thyroid-associated orbitopathy. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1999, 107, S160-S163.	0.6	14
172	HMC-1 Mast Cells Activate Human Orbital Fibroblasts in Coculture: Evidence for Up-Regulation of Prostaglandin E <sub>2</sub> and Hyaluronan Synthesis*. <i>Endocrinology</i> , 1999, 140, 3518-3525.	1.4	50
173	Prostaglandin-endoperoxide H Synthase-2 Expression in Human Thyroid Epithelium. <i>Journal of Biological Chemistry</i> , 1999, 274, 15622-15632.	1.6	30
174	CD40 Expression in Human Thyroid Tissue: Evidence for Involvement of Multiple Cell Types in Autoimmune and Neoplastic Diseases. <i>Thyroid</i> , 1999, 9, 749-755.	2.4	65
175	The Effect of Cigarette Smoke Constituents on the Expression of HLA-DR in Orbital Fibroblasts Derived from Patients with Graves Ophthalmopathy. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 1999, 15, 260-271.	0.4	44
176	Assessment of Rapid Morphological Changes Associated with Elevated cAMP Levels in Human Orbital Fibroblasts. <i>Experimental Cell Research</i> , 1998, 245, 360-367.	1.2	43
177	CYCLOOXYGENASES AS THE PRINCIPAL TARGETS FOR THE ACTIONS OF NSAIDs. <i>Rheumatic Disease Clinics of North America</i> , 1998, 24, 501-523.	0.8	38
178	Activation of Human Orbital Fibroblasts through CD40 Engagement Results in a Dramatic Induction of Hyaluronan Synthesis and Prostaglandin Endoperoxide H Synthase-2 Expression. <i>Journal of Biological Chemistry</i> , 1998, 273, 29615-29625.	1.6	175
179	Molecular Cloning and Characterization of the Human and Mouse UDP-Glucose Dehydrogenase Genes. <i>Journal of Biological Chemistry</i> , 1998, 273, 25117-25124.	1.6	133
180	Leukoregulin induction of protein expression in human orbital fibroblasts: Evidence for anatomical site-restricted cytokine-target cell interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 8904-8909.	3.3	65

#	ARTICLE	IF	CITATIONS
181	Human orbital fibroblasts are activated through CD40 to induce proinflammatory cytokine production. American Journal of Physiology - Cell Physiology, 1998, 274, C707-C714.	2.1	140
182	Cytokine-mediated PGE <sub>2</sub> expression in human colonic fibroblasts. American Journal of Physiology - Cell Physiology, 1998, 275, C988-C994.	2.1	54
183	CD40 engagement up-regulates cyclooxygenase-2 expression and prostaglandin E2 production in human lung fibroblasts. Journal of Immunology, 1998, 160, 1053-7.	0.4	98
184	Human Thyroid Fibroblasts Exhibit a Distinctive Phenotype in Culture: Characteristic Ganglioside Profile and Functional CD40 Expression*. Endocrinology, 1997, 138, 5576-5588.	1.4	36
185	Fibroblasts as sentinel cells. Synthesis of chemokines and regulation of inflammation. American Journal of Pathology, 1997, 151, 317-22.	1.9	415
186	n-Butyrate induces plasminogen activator inhibitor type 1 messenger RNA in cultured Hep G2 cells. Hepatology, 1996, 23, 866-871.	3.6	22
187	Leukoregulin Induction of Prostaglandin-Endoperoxide H Synthase-2 in Human Orbital Fibroblasts. Journal of Biological Chemistry, 1996, 271, 22718-22728.	1.6	94
188	The putative role of cytokine-orbital fibroblast interactions in the pathogenesis of thyroid-associated ophthalmopathy. Orbit, 1996, 15, 137-146.	0.5	1
189	Evidence of adipocyte differentiation in human orbital fibroblasts in primary culture.. Journal of Clinical Endocrinology and Metabolism, 1996, 81, 3428-3431.	1.8	141
190	n-Butyrate induces plasminogen activator inhibitor type 1 messenger RNA in cultured Hep G2 cells. Hepatology, 1996, 23, 866-871.	3.6	6
191	Evidence of adipocyte differentiation in human orbital fibroblasts in primary culture. Journal of Clinical Endocrinology and Metabolism, 1996, 81, 3428-3431.	1.8	98
192	Leukoregulin induction of prostaglandin-endoperoxide H synthase-2 in human orbital fibroblasts. An in vitro model for connective tissue inflammation. Journal of Biological Chemistry, 1996, 271, 22718-28.	1.6	26
193	Leukoregulin induces plasminogen activator inhibitor type 1 in human orbital fibroblasts. American Journal of Physiology - Cell Physiology, 1995, 269, C359-C366.	2.1	30
194	Leukoregulin is a potent inducer of hyaluronan synthesis in cultured human orbital fibroblasts. American Journal of Physiology - Cell Physiology, 1995, 268, C382-C388.	2.1	108
195	Human orbital fibroblasts in culture express ganglioside profiles distinct from those in dermal fibroblasts.. Journal of Clinical Endocrinology and Metabolism, 1995, 80, 2668-2674.	1.8	19
196	Prostaglandin E2 alters human orbital fibroblast shape through a mechanism involving the generation of cyclic adenosine monophosphate.. Journal of Clinical Endocrinology and Metabolism, 1995, 80, 3553-3560.	1.8	20
197	Evidence for cellular heterogeneity in primary cultures of human orbital fibroblasts.. Journal of Clinical Endocrinology and Metabolism, 1995, 80, 2620-2625.	1.8	100
198	Evidence for cellular heterogeneity in primary cultures of human orbital fibroblasts. Journal of Clinical Endocrinology and Metabolism, 1995, 80, 2620-2625.	1.8	82

#	ARTICLE	IF	CITATIONS
199	Transforming growth factor-beta induces plasminogen activator inhibitor type-1 in cultured human orbital fibroblasts. Investigative Ophthalmology and Visual Science, 1995, 36, 1411-9.	3.3	23
200	Ultrastructure of cultured human orbital fibroblasts. Cell and Tissue Research, 1994, 278, 629-631.	1.5	15
201	Retinoic acid inhibition of thyroxine binding to human transthyretin. Biochimica Et Biophysica Acta - General Subjects, 1994, 1199, 76-80.	1.1	31
202	Prostaglandin E2 elicits a morphological change in cultured orbital fibroblasts from patients with Graves ophthalmopathy.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 5094-5098.	3.3	67
203	Interferon Gamma Regulation of De Novo Protein Synthesis in Human Dermal Fibroblasts in Culture Is Anatomic Site Dependent. Journal of Investigative Dermatology, 1993, 100, 288-292.	0.3	31
204	Pleotrophic action of interferon gamma in human orbital fibroblasts. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 1993, 1181, 23-30.	1.8	20
205	Bidimensional gel electrophoretic analysis of protein synthesis and response to interferon- $\gamma$ in cultured human dermal fibroblasts. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 1993, 1181, 300-306.	1.8	14
206	Human orbital fibroblasts in culture bind and respond to endothelin. American Journal of Physiology - Cell Physiology, 1993, 265, C138-C142.	2.1	28
207	Stereochemical requirements for the modulation by retinoic acid of thyroid hormone activation of Ca <sup>2+</sup> -ATPase and binding at the human erythrocyte membrane. Biochemical Journal, 1992, 284, 583-587.	1.7	19
208	Interferon-gamma is an inducer of plasminogen activator inhibitor type 1 in human orbital fibroblasts. American Journal of Physiology - Cell Physiology, 1992, 263, C24-C29.	2.1	75
209	Regulation by glucocorticoids of interferon gamma-induced HLA-DR antigen expression in cultured human orbital fibroblasts. Clinical Endocrinology, 1992, 37, 59-63.	1.2	19
210	Induction of heme oxygenase mRNA by cobalt protoporphyrin in rat liver. Biochimica Et Biophysica Acta - General Subjects, 1991, 1073, 221-224.	1.1	8
211	Retinoic acid can enhance the stimulation by thyroid hormone of heme oxygenase activity in the liver of thyroidectomized rats. Biochimica Et Biophysica Acta - General Subjects, 1991, 1075, 119-122.	1.1	12
212	Sex-dependent inhibition by retinoic acid of thyroid-hormone action on rabbit reticulocyte Ca <sup>2+</sup> -ATPase activity. Biochemical Journal, 1991, 273, 489-492.	1.7	0
213	Structure-activity relationships of retinoids as inhibitors of calmodulin-dependent human erythrocyte Ca <sup>2+</sup> -ATPase activity and calmodulin binding to membranes. Biochemical Journal, 1991, 277, 603-606.	1.7	6
214	Isolation and characterization of a novel liver-derived immunoinhibitory factor. Hepatology, 1991, 14, 888-894.	3.6	7
215	Increased Induction of HLA-DR by Interferon- $\gamma$ in Cultured Fibroblasts Derived from Patients with Graves's™ Ophthalmopathy and Pretibial Dermopathy*. Journal of Clinical Endocrinology and Metabolism, 1991, 73, 307-313.	1.8	99
216	STIMULATION OF GLYCOSAMINOGLYCAN ACCUMULATION BY INTERFERON GAMMA IN CULTURED HUMAN RETROOCULAR FIBROBLASTS. Journal of Clinical Endocrinology and Metabolism, 1991, 72, 1169-1171.	1.8	134

#	ARTICLE	IF	CITATIONS
217	Phylogenetic distribution and function of arylalkylamineN-acetyltransferase. <i>BioEssays</i> , 1990, 12, 30-33.	1.2	28
218	Retinoic Acid Inhibition of Hyaluronate Synthesis in Cultured Human Skin Fibroblasts*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990, 70, 655-660.	1.8	17
219	Transcriptional regulation of the liver beta-galactoside alpha 2,6-sialyltransferase by glucocorticoids.. <i>Journal of Biological Chemistry</i> , 1990, 265, 17849-17853.	1.6	63
220	Retinoic acid inhibits calmodulin binding to human erythrocyte membranes and reduces membrane Ca2(+)-adenosine triphosphatase activity.. <i>Journal of Clinical Investigation</i> , 1990, 85, 1999-2003.	3.9	8
221	Transcriptional regulation of the liver beta-galactoside alpha 2,6-sialyltransferase by glucocorticoids. <i>Journal of Biological Chemistry</i> , 1990, 265, 17849-53.	1.6	51
222	Presence of Antibodies in the Sera of Patients with Graves' Disease Recognizing a 23 Kilodalton Fibroblast Protein*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 69, 622-628.	1.8	76
223	Hormonal Regulation of Hyaluronate Synthesis in Cultured Human Fibroblasts: Evidence for Differences between Retroocular and Dermal Fibroblasts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 69, 1019-1023.	1.8	110
224	Retinoic acid blockade of imidazole-induced tyrosinase expression in B16 melanoma cultures: Similar effects of the active retinoid and triiodothyronine. <i>Biochemical and Biophysical Research Communications</i> , 1989, 162, 288-293.	1.0	7
225	Connective Tissue, Glycosaminoglycans, and Diseases the Thyroid*. <i>Endocrine Reviews</i> , 1989, 10, 366-391.	8.9	294
226	Retinole Acid Is a Modulator of Thyroid Hormone Activation of Ca2+-ATPase in the Human Erythrocyte Membrane. <i>Journal of Biological Chemistry</i> , 1989, 264, 687-689.	1.6	33
227	Retinoic acid is a modulator of thyroid hormone activation of Ca2+-ATPase in the human erythrocyte membrane. <i>Journal of Biological Chemistry</i> , 1989, 264, 687-9.	1.6	25
228	Inhibition of imidazole-induced tyrosinase activity by estradiol and estriol in cultured B 16/C3 melanoma cells. <i>Journal of Cellular Physiology</i> , 1988, 134, 497-502.	2.0	6
229	The effect of regression towards the mean on visual disability rating scales. <i>Documenta Ophthalmologica</i> , 1988, 70, 331-337.	1.0	1
230	N-butyrate increases c-erb A oncogene expression in human colon fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1988, 150, 259-262.	1.0	4
231	Glucocorticoid regulation of glycosaminoglycan synthesis in cultured human skin fibroblasts: Evidence for a receptor-mediated mechanism involving effects on specific de novo protein synthesis. <i>Metabolism: Clinical and Experimental</i> , 1988, 37, 179-184.	1.5	35
232	3,3,5-L-triiodothyronine but not L-thyroxine can block the induction of tyrosinase by imidazole in cultured B16 melanoma cells. <i>Biochemical and Biophysical Research Communications</i> , 1988, 155, 1293-1296.	1.0	2
233	Thyroid Hormone Regulation of Heme Synthesis in Rat Liver*. <i>Endocrinology</i> , 1988, 122, 1964-1967.	1.4	10
234	Multi-hormonal regulation of tyrosinase expression in B16/C3 melanoma cells in culture. <i>Progress in Clinical and Biological Research</i> , 1988, 262, 241-55.	0.2	2

#	ARTICLE	IF	CITATIONS
235	Effect of testosterone on imidazole-induced tyrosinase expression in B16 melanoma cell culture. Cancer Research, 1988, 48, 3586-90.	0.4	7
236	Thyroid and Glucocorticoid Hormone Regulation of specific Protein Abundance in Cultured Human Skin Fibroblasts. Endocrine Research, 1987, 13, 61-67.	0.6	3
237	n-Butyrate inhibition of hyaluronate synthesis in cultured human fibroblasts.. Journal of Clinical Investigation, 1987, 79, 1493-1497.	3.9	31
238	Triiodothyronine Repression of Imidazole-Induced Tyrosinase Expression in B16 Melanoma Cells*. Endocrinology, 1986, 119, 2118-2123.	1.4	7
239	Glucocorticoid Regulation of Glycosaminoglycan Accumulation in Murine Fibroblasts. Endocrine Research, 1985, 11, 171-179.	0.6	0
240	Dexamethasone regulation of glycosaminoglycan synthesis in cultured human skin fibroblasts. Similar effects of glucocorticoid and thyroid hormones.. Journal of Clinical Investigation, 1984, 74, 2157-2163.	3.9	98
241	The consequences of inappropriate treatment because of failure to recognize the syndrome of pituitary and peripheral tissue resistance to thyroid hormone. Metabolism: Clinical and Experimental, 1983, 32, 822-834.	1.5	55
242	Thyroid hormone regulation of heme oxidation in the liver.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 7537-7541.	3.3	18
243	Nuclear Binding of [ <sup>125</sup> I]Triiodothyronine in Dispersed Cultured Skin Fibroblasts from Patients with Resistance to Thyroid Hormone*. Journal of Clinical Endocrinology and Metabolism, 1982, 55, 502-510.	1.8	39
244	Regulation of Glycosaminoglycan Synthesis by Thyroid Hormone in Vitro. Journal of Clinical Investigation, 1982, 70, 1066-1073.	3.9	108
245	THE EFFECT OF THYROID HORMONE ON GLYCOSAMINOGLYCAN ACCUMULATION IN HUMAN SKIN FIBROBLASTS. Endocrinology, 1981, 108, 2397-2399.	1.4	33
246	Glucocorticoids enhance glucose uptake and affect differentiation and beta-adrenergic responsiveness in muscle cell cultures. Cell Differentiation, 1981, 10, 101-107.	1.3	8
247	Ultrastructural features of osmotic shock in mussel gill cilia. Journal of Ultrastructure Research, 1977, 60, 34-43.	1.4	6
248	Human Thyroid Fibroblasts Exhibit a Distinctive Phenotype in Culture: Characteristic Ganglioside Profile and Functional CD40 Expression. , 0, .		14
249	HMC-1 Mast Cells Activate Human Orbital Fibroblasts in Coculture: Evidence for Up-Regulation of Prostaglandin E2 and Hyaluronan Synthesis. , 0, .		16
250	Letter to the editor regarding Bartalena et al. 2022. Journal of Endocrinological Investigation, 0, , .	1.8	1