Karen A Bjorndal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5404189/publications.pdf

Version: 2024-02-01

38742 18130 15,602 139 50 120 citations h-index g-index papers 140 140 140 11282 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Litter ingestion and entanglement in green turtles: An analysis of two decades of stranding events in the NE Atlantic. Environmental Pollution, 2022, 298, 118796.	7.5	12
2	Tracking green turtle nesting trends at a remote oceanic rookery. Marine Biology, 2022, 169, 1.	1.5	2
3	Diet of Dermatemys mawii, an Aquatic Turtle That Relies Heavily on Terrestrial Vegetation. Chelonian Conservation and Biology, 2022, 21, .	0.6	1
4	Hydrogen isotope assimilation and discrimination in green turtles. Journal of Experimental Biology, 2021, 224, .	1.7	3
5	Recovery of a cultivation grazer: A mechanism for compensatory growth of <i>Thalassia testudinum</i> in a Caribbean seagrass meadow grazed by green turtles. Journal of Ecology, 2021, 109, 3031-3045.	4.0	15
6	Divergence and hybridization in sea turtles: Inferences from genome data show evidence of ancient gene flow between species. Molecular Ecology, 2021, 30, 6178-6192.	3.9	24
7	Role of ingesta particle size in the green turtle grazing strategy, ontogenetic diet shifts, and responses to seagrass declines. Marine Biology, 2021, 168, 1.	1.5	8
8	Seagrass ecosystem metabolic carbon capture in response to green turtle grazing across Caribbean meadows. Journal of Ecology, 2020, 108, 1101-1114.	4.0	14
9	Simulated green turtle grazing affects benthic infauna abundance and community composition but not diversity in a Thalassia testudinum seagrass meadow. Journal of Experimental Marine Biology and Ecology, 2020, 522, 151266.	1.5	7
10	Recovery of a large herbivore changes regulation of seagrass productivity in a naturally grazed Caribbean ecosystem. Ecology, 2020, 101, e03180.	3.2	12
11	Turtles and Tortoises Are in Trouble. Current Biology, 2020, 30, R721-R735.	3.9	166
12	Identifying patterns in foraging-area origins in breeding aggregations of migratory species: Loggerhead turtles in the Northwest Atlantic. PLoS ONE, 2020, 15, e0231325.	2.5	5
13	Population recovery changes population composition at a major southern Caribbean juvenile developmental habitat for the green turtle, Chelonia mydas. Scientific Reports, 2019, 9, 14392.	3.3	14
14	Relative abundance of oceanic juvenile loggerhead sea turtles in relation to nest production at source rookeries: implications for recruitment dynamics. Scientific Reports, 2019, 9, 13019.	3.3	12
15	Swirling in the ocean: Immature loggerhead turtles seasonally target old anticyclonic eddies at the fringe of the North Atlantic gyre. Progress in Oceanography, 2019, 175, 345-358.	3.2	25
16	Rates of Sediment Resuspension and Erosion Following Green Turtle Grazing in a Shallow Caribbean Thalassia testudinum Meadow. Ecosystems, 2019, 22, 1787-1802.	3.4	13
17	Hitchhiking the high seas: Global genomics of rafting crabs. Ecology and Evolution, 2019, 9, 957-974.	1.9	11
18	Effects of green turtle grazing on seagrass and macroalgae diversity vary spatially among seagrass meadows. Aquatic Botany, 2019, 152, 10-15.	1.6	16

#	Article	IF	Citations
19	Phylogeny, biogeography and methodology: a meta-analytic perspective on heterogeneity in adult marine turtle survival rates. Scientific Reports, 2018, 8, 5852.	3.3	19
20	Blood analytes of oceanic-juvenile loggerhead sea turtles (Caretta caretta) from Azorean waters: reference intervals, size-relevant correlations and comparisons to neritic loggerheads from western Atlantic coastal waters., 2018, 6, coy006.		22
21	Effects of hybridization on sea turtle fitness. Conservation Genetics, 2018, 19, 1311-1322.	1.5	11
22	Comparison of reproductive output of hybrid sea turtles and parental species. Marine Biology, 2017, 164, 1.	1.5	16
23	Plastic ingestion in oceanic-stage loggerhead sea turtles (Caretta caretta) off the North Atlantic subtropical gyre. Marine Pollution Bulletin, 2017, 121, 222-229.	5.0	102
24	Ecological regime shift drives declining growth rates of sea turtles throughout the West Atlantic. Global Change Biology, 2017, 23, 4556-4568.	9.5	59
25	Blue carbon stores in tropical seagrass meadows maintained under green turtle grazing. Scientific Reports, 2017, 7, 13545.	3.3	26
26	Somatic growth dynamics of West Atlantic hawksbill sea turtles: a spatioâ€temporal perspective. Ecosphere, 2016, 7, e01279.	2.2	36
27	Long-term resource use and foraging specialization in male loggerhead turtles. Marine Biology, 2016, 163, 1.	1.5	23
28	Biomarkers reveal sea turtles remained in oiled areas following the Deepwater Horizon oil spill. Ecological Applications, 2016, 26, 2145-2155.	3.8	30
29	Deeper Mitochondrial Sequencing Reveals Cryptic Diversity and Structure in Brazilian Green Turtle Rookeries. Chelonian Conservation and Biology, 2015, 14, 167.	0.6	25
30	Somatic Growth Rates of Green Turtles (Chelonia mydas) and Hawksbills (Eretmochelys imbricata) in the Gal \tilde{A}_i pagos Islands. Journal of Herpetology, 2015, 49, 641-648.	0.5	11
31	Age and size at maturation- and adult-stage duration for loggerhead sea turtles in the western North Atlantic. Marine Biology, 2015, 162, 1749-1767.	1.5	61
32	Determining origin in a migratory marine vertebrate: a novel method to integrate stable isotopes and satellite tracking. Ecological Applications, 2015, 25, 320-335.	3.8	70
33	Bridging Developmental Boundaries: Lifelong Dietary Patterns Modulate Life Histories in a Parthenogenetic Insect. PLoS ONE, 2014, 9, e111654.	2.5	3
34	Mother-egg stable isotope conversions and effects of lipid extraction and ethanol preservation on loggerhead eggs., 2014, 2, cou049-cou049.		21
35	Foraging areas differentially affect reproductive output and interpretation of trends in abundance of loggerhead turtles. Marine Biology, 2014, 161, 585-598.	1.5	53
36	Winter Diets of Immature Green Turtles (Chelonia mydas) on a Northern Feeding Ground: Integrating Stomach Contents and Stable Isotope Analyses. Estuaries and Coasts, 2014, 37, 986-994.	2.2	43

#	Article	IF	CITATIONS
37	Stable isotopic comparison between loggerhead sea turtle tissues. Rapid Communications in Mass Spectrometry, 2014, 28, 2059-2064.	1.5	23
38	From refugia to rookeries: Phylogeography of Atlantic green turtles. Journal of Experimental Marine Biology and Ecology, 2014, 461, 306-316.	1.5	39
39	Hitchhikers reveal cryptic host behavior: new insights from the association between Planes major and sea turtles in the Pacific Ocean. Marine Biology, 2014, 161, 2167-2178.	1.5	20
40	Social monogamy in the crab Planes major, a facultative symbiont of loggerhead sea turtles. Journal of Experimental Marine Biology and Ecology, 2014, 461, 124-132.	1.5	13
41	Identifying oceanic foraging grounds of sea turtles in the Atlantic using lead isotopes. Marine Biology, 2014, 161, 2269-2278.	1.5	9
42	Geographic Patterns of Genetic Variation in a Broadly Distributed Marine Vertebrate: New Insights into Loggerhead Turtle Stock Structure from Expanded Mitochondrial DNA Sequences. PLoS ONE, 2014, 9, e85956.	2.5	93
43	Threshold to maturity in a long-lived reptile: interactions of age, size, and growth. Marine Biology, 2013, 160, 607-616.	1.5	65
44	Temporal consistency and individual specialization in resource use by green turtles in successive life stages. Oecologia, 2013, 173, 767-777.	2.0	76
45	Temporal, spatial, and body size effects on growth rates of loggerhead sea turtles (Caretta caretta) in the Northwest Atlantic. Marine Biology, 2013, 160, 2711-2721.	1.5	49
46	Accounting for Imperfect Detection Is Critical for Inferring Marine Turtle Nesting Population Trends. PLoS ONE, 2013, 8, e62326.	2.5	49
47	Inherent Variation in Stable Isotope Values and Discrimination Factors in Two Life Stages of Green Turtles. Physiological and Biochemical Zoology, 2012, 85, 431-441.	1.5	55
48	Assignment of nesting loggerhead turtles to their foraging areas in the Northwest Atlantic using stable isotopes. Ecosphere, 2012, 3, 1-18.	2.2	50
49	Distribution of foraging habitats of male loggerhead turtles (Caretta caretta) as revealed by stable isotopes and satellite telemetry. Marine Biology, 2012, 159, 1255-1267.	1.5	50
50	Marineâ€derived Nutrients from Green Turtle Nests Subsidize Terrestrial Beach Ecosystems. Biotropica, 2012, 44, 294-301.	1.6	22
51	Mitogenomic sequences better resolve stock structure of southern Greater Caribbean green turtle rookeries. Molecular Ecology, 2012, 21, 2330-2340.	3.9	79
52	Sympatry in grapsoid crabs (genera Planes and Plagusia) from olive ridley sea turtles (Lepidochelys) Tj ETQq0 0 0 1699-1708.	rgBT /Ove 1.5	erlock 10 Tf 5 16
53	Better Science Needed for Restoration in the Gulf of Mexico. Science, 2011, 331, 537-538.	12.6	67
54	Global Conservation Priorities for Marine Turtles. PLoS ONE, 2011, 6, e24510.	2.5	389

#	Article	IF	Citations
55	Polymodal foraging in adult female loggerheads (Caretta caretta). Marine Biology, 2010, 157, 113-121.	1.5	78
56	Hawksbill sea turtles in seagrass pastures: success in a peripheral habitat. Marine Biology, 2010, 157, 135-145.	1.5	81
57	Regional Management Units for Marine Turtles: A Novel Framework for Prioritizing Conservation and Research across Multiple Scales. PLoS ONE, 2010, 5, e15465.	2.5	483
58	Individual specialists in a generalist population: results from a long-term stable isotope series. Biology Letters, 2010, 6, 711-714.	2.3	199
59	Effect of repeated tissue sampling on growth rates of juvenile loggerhead turtles Caretta caretta. Diseases of Aquatic Organisms, 2010, 88, 271-273.	1.0	14
60	Biochemical indices as correlates of recent growth in juvenile green turtles (Chelonia mydas). Journal of Experimental Marine Biology and Ecology, 2009, 376, 59-67.	1.5	10
61	Metabolic rate depression is induced by caloric restriction and correlates with rate of development and lifespan in a parthenogenetic insect. Experimental Gerontology, 2009, 44, 413-419.	2.8	21
62	Nestâ€Site Selection in Individual Loggerhead Turtles and Consequences for Doomedâ€Egg Relocation. Conservation Biology, 2009, 23, 72-80.	4.7	53
63	Compensatory responses to food restriction in juvenile green turtles (Chelonia mydas). Ecology, 2009, 90, 2524-2534.	3.2	24
64	Effects of growth and tissue type on the kinetics of 13C and 15N incorporation in a rapidly growing ectotherm. Oecologia, 2008, 155, 651-663.	2.0	185
65	Encouraging outlook for recovery of a once severely exploited marine megaherbivore. Global Ecology and Biogeography, 2008, 17, 297-304.	5.8	207
66	Annual variation in source contributions to a mixed stock: implications for quantifying connectivity. Molecular Ecology, 2008, 17, 2185-2193.	3.9	52
67	Effects of Preservation Method on Stable Carbon and Nitrogen Isotope Values. Physiological and Biochemical Zoology, 2008, 81, 688-693.	1.5	141
68	Carapace epibionts of loggerhead turtles (<i>Caretta caretta</i>) nesting at Canaveral National Seashore, Florida. Journal of Natural History, 2008, 42, 1095-1102.	0.5	37
69	Distribution patterns of epibionts on the carapace of loggerhead turtles, Caretta caretta. Marine Biodiversity Records, 2008, 1, .	1.2	21
70	The  lost years' of green turtles: using stable isotopes to study cryptic lifestages. Biology Letters, 2007, 3, 712-714.	2.3	231
71	Incorporating multiple mixed stocks in mixed stock analysis: â€̃many-to-many' analyses. Molecular Ecology, 2007, 16, 685-695.	3.9	122
72	Simulated green turtle grazing affects nutrient composition of the seagrass Thalassia testudinum. Marine Biology, 2007, 150, 1083-1092.	1.5	77

#	Article	IF	Citations
73	Movement Patterns of Green Turtles (Chelonia mydas) in Cuba and Adjacent Caribbean Waters Inferred from Flipper Tag Recaptures. Journal of Herpetology, 2006, 40, 22-34.	0.5	22
74	Population Structure and Diversity of Brazilian Green Turtle Rookeries Based on Mitochondrial DNA Sequences. Chelonian Conservation and Biology, 2006, 5, 262-268.	0.6	41
75	Gastrointestinal Fermentation in Greater Sirens (Siren lacertina). Journal of Herpetology, 2006, 40, 112-117.	0.5	11
76	Nonadditive interactions between animal and plant diet items in an omnivorous freshwater turtle Trachemys scripta. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2006, 144, 77-85.	1.6	13
77	Connectivity and wide-ranging species in the ocean. , 2006, , 213-232.		7
78	Ontogenetic Diet Shifts and Digestive Constraints in the Omnivorous Freshwater Turtle Trachemys scripta. Physiological and Biochemical Zoology, 2006, 79, 150-158.	1.5	55
79	EVALUATING TRENDS IN ABUNDANCE OF IMMATURE GREEN TURTLES, CHELONIA MYDAS, IN THE GREATER CARIBBEAN. , 2005, 15, 304-314.		75
80	Intraspecific application of the mid-domain effect model: spatial and temporal nest distributions of green turtles, Chelonia mydas, at Tortuguero, Costa Rica. Ecology Letters, 2005, 8, 918-924.	6.4	22
81	Effects of the nematodeGyrinicola batrachiensis on development, gut morphology, and fermentation in bullfrog tadpoles (Rana catesbeiana): a novel mutualism. Journal of Experimental Zoology Part A, Comparative Experimental Biology, 2005, 303A, 704-712.	1.3	27
82	Population structure and genetic diversity in green turtles nesting at Tortuguero, Costa Rica, based on mitochondrial DNA control region sequences. Marine Biology, 2005, 147, 1449-1457.	1.5	59
83	Microbial Fermentation in Juvenile and Adult Pond Slider Turtles, Trachemys scripta. Journal of Herpetology, 2005, 39, 321-324.	0.5	9
84	Symbiotic Fermentation, Digesta Passage, and Gastrointestinal Morphology in Bullfrog Tadpoles (Rana) Tj ETQqQ	0 0 rgBT	/Oyerlock 10
85	Diet and Fecundity of Columbus Crabs, Planes Minutus, Associated with Oceanic-Stage Loggerhead Sea Turtles, Caretta Caretta, and Inanimate Flotsam. Journal of Crustacean Biology, 2004, 24, 350-355.	0.8	24
86	Natal homing in juvenile loggerhead turtles (Caretta caretta). Molecular Ecology, 2004, 13, 3797-3808.	3.9	149
87	Global Trajectories of the Long-Term Decline of Coral Reef Ecosystems. Science, 2003, 301, 955-958.	12.6	1,634
88	COMPENSATORY GROWTH IN OCEANIC LOGGERHEAD SEA TURTLES: RESPONSE TO A STOCHASTIC ENVIRONMENT. Ecology, 2003, 84, 1237-1249.	3.2	120
89	SEA TURTLE STOCK ESTIMATION USING GENETIC MARKERS: ACCOUNTING FOR SAMPLING ERROR OF RARE GENOTYPES., 2003, 13, 763-775.		42
90	Roles of Sea Turtles in Marine Ecosystems. Marine Biology, 2002, , 259-273.	0.1	45

#	Article	IF	Citations
91	Annual variation in nesting numbers of marine turtles: the effect of sea surface temperature on re-migration intervals. Ecology Letters, 2002, 5, 742-746.	6.4	126
92	Application of Protein-to-Fiber Ratios to Predict Colobine Abundance on Different Spatial Scales. International Journal of Primatology, 2002, 23, 283-310.	1.9	187
93	Historical Overfishing and the Recent Collapse of Coastal Ecosystems. Science, 2001, 293, 629-637.	12.6	5,242
94	Green Turtle Somatic Growth Model: Evidence Fordensity Dependence. , 2000, 10, 269.		19
95	Relation of Temperature, Moisture, Salinity, and Slope to Nest Site Selection in Loggerhead Sea Turtles. Copeia, 2000, 2000, 119-119.	1.3	180
96	GREEN TURTLE SOMATIC GROWTH MODEL: EVIDENCE FOR DENSITY DEPENDENCE. , 2000, 10, 269-282.		135
97	SEA TURTLES AS BIOLOGICAL TRANSPORTERS OF NUTRIENTS AND ENERGY FROM MARINE TO TERRESTRIAL ECOSYSTEMS. Ecology, 2000, 81, 2305-2313.	3.2	151
98	GREEN TURTLE SOMATIC GROWTH MODEL: EVIDENCE FOR DENSITY DEPENDENCE. , 2000, 10, 269.		1
99	Twenty-Six Years of Green Turtle Nesting at Tortuguero, Costa Rica: An Encouraging Trend. Conservation Biology, 1999, 13, 126-134.	4.7	136
100	Conservation Implications of Dietary Dilution from Debris Ingestion: Sublethal Effects in Post-Hatchling Loggerhead Sea Turtles. Conservation Biology, 1999, 13, 925-929.	4.7	158
101	Response to Dietary Dilution in an Omnivorous Freshwater Turtle: Implications for Ontogenetic Dietary Shifts. Physiological and Biochemical Zoology, 1999, 72, 101-108.	1.5	27
102	TRANSATLANTIC DEVELOPMENTAL MIGRATIONS OF LOGGERHEAD SEA TURTLES DEMONSTRATED BY mtDNA SEQUENCE ANALYSIS. , 1998, 8, 1-7.		185
103	TRANSATLANTIC DEVELOPMENTAL MIGRATIONS OF LOGGERHEAD SEA TURTLES DEMONSTRATED BY mtDNA SEQUENCE ANALYSIS., 1998, 8, 1.		2
104	Fermentation in Reptiles and Amphibians. , 1997, , 199-230.		33
105	Plasma Corticosterone Concentrations Associated with Acute Captivity Stress in Wild Loggerhead Sea Turtles (Caretta caretta). General and Comparative Endocrinology, 1996, 104, 312-320.	1.8	91
106	Effects of Organized Turtle Watches on Loggerhead (Caretta caretta) Nesting Behavior and Hatchling Production in Florida. Conservation Biology, 1996, 10, 570-577.	4.7	39
107	Probability of Tag Loss in Green Turtles Nesting at Tortuguero, Costa Rica. Journal of Herpetology, 1996, 30, 566.	0.5	20
108	Effects of Beach Nourishment on Sea Turtles: Review and Research Initiatives. Restoration Ecology, 1995, 3, 95-104.	2.9	65

#	Article	IF	CITATIONS
109	Size-Dependent, Sex-Dependent, and Seasonal Changes in Insulin-like Growth Factor I in the Loggerhead Sea Turtle (Caretta caretta). General and Comparative Endocrinology, 1995, 98, 219-226.	1.8	18
110	Identification of Sex in Hatchling Loggerhead Turtles (Caretta caretta) by Analysis of Steroid Concentrations in Chorioallantoic/Amniotic Fluid. General and Comparative Endocrinology, 1995, 99, 204-210.	1.8	53
111	Estimation of Green Turtle (Chelonia mydas) Growth Rates from Length-Frequency Analysis. Copeia, 1995, 1995, 71.	1.3	16
112	Support for Natal Homing in Green Turtles from Mitochondrial DNA Sequences. Copeia, 1994, 1994, 34.	1.3	102
113	Molecular evolution and population genetics of Greater Caribbean green turtles (Chelonia mydas) as inferred from mitochondrial DNA control region sequences. Genetica, 1994, 94, 57-66.	1.1	54
114	Ingestion of marine debris by juvenile sea turtles in coastal Florida habitats. Marine Pollution Bulletin, 1994, 28, 154-158.	5.0	213
115	Decline of the Nesting Population of Hawksbill Turtles at Tortuguero, Costa Rica. Conservation Biology, 1993, 7, 925-927.	4.7	16
116	Digestive Efficiencies in Herbivorous and Omnivorous Freshwater Turtles on Plant Diets: Do Herbivores Have a Nutritional Advantage?. Physiological Zoology, 1993, 66, 384-395.	1.5	35
117	Spatial Distribution of Green Turtle (Chelonia mydas) Nests at Tortuguero, Costa Rica. Copeia, 1992, 1992, 45.	1.3	44
118	BLOOD PROFILES FOR A WILD POPULATION OF GREEN TURTLES (CHELONIA MYDAS) IN THE SOUTHERN BAHAMAS: SIZE-SPECIFIC AND SEX-SPECIFIC RELATIONSHIPS. Journal of Wildlife Diseases, 1992, 28, 407-413.	0.8	160
119	Body Size and Digestive Efficiency in a Herbivorous Freshwater Turtle: Advantages of Small Bite Size. Physiological Zoology, 1992, 65, 1028-1039.	1.5	36
120	Diet Mixing: Nonadditive Interactions of Diet Items in an Omnivorous Freshwater Turtle. Ecology, 1991, 72, 1234-1241.	3.2	93
121	Influences of artificial lighting on the seaward orientation of hatchling loggerhead turtles Caretta caretta. Biological Conservation, 1991, 55, 139-149.	4.1	97
122	Plasma estradiol- $17\hat{l}^2$, progesterone, prostaglandin F, and prostaglandin E2 concentrations during natural oviposition in the loggerhead turtle (Caretta caretta). General and Comparative Endocrinology, 1991, 82, 121-130.	1.8	33
123	Digestive Fermentation in Herbivores: Effect of Food Particle Size. Physiological Zoology, 1990, 63, 710-721.	1.5	112
124	Digestive Processing in a Herbivorous Freshwater Turtle: Consequences of Small-Intestine Fermentation. Physiological Zoology, 1990, 63, 1232-1247.	1.5	49
125	Flexibility of digestive responses in two generalist herbivores, the tortoises Geochelone carbonaria and Geochelone denticulata. Oecologia, 1989, 78, 317-321.	2.0	57
126	Growth Rates of Immature Green Turtles, Chelonia mydas, on Feeding Grounds in the Southern Bahamas. Copeia, 1988, 1988, 555.	1.3	102

#	Article	lF	Citations
127	Digestive Efficiency in a Temperate Herbivorous Reptile, Gopherus polyphemus. Copeia, 1987, 1987, 714.	1.3	42
128	Effect of Solitary vs Group Feeding on Intake in Pseudemys nelsoni. Copeia, 1986, 1986, 234.	1.3	13
129	Nutritional Ecology of Sea Turtles. Copeia, 1985, 1985, 736.	1.3	184
130	Reproductive biology of the Hawksbill Eretmochelys imbricata at Tortuguero, Costa Rica, with notes on the ecology of the species in the caribbean. Biological Conservation, 1985, 34, 353-368.	4.1	70
131	Role of Larger Herbivores in Seagrass Communities. Estuaries and Coasts, 1984, 7, 351.	1.7	281
132	Sea turtles nesting at Melbourne Beach, Florida, I. Size, growth and reproductive biology. Biological Conservation, 1983, 26, 65-77.	4.1	80
133	Seaturtles nesting at Melbourne beach, Florida, II. Post-nesting movements of Caretta caretta. Biological Conservation, 1983, 26, 79-90.	4.1	47
134	Evidence for short-circuiting of the detritus cycle of seagrass beds by the green turtle, Chelonia mydas L Journal of Experimental Marine Biology and Ecology, 1982, 62, 173-183.	1.5	50
135	Demography of the Breeding Population of the Green Turtle, Chelonia mydas, at Tortuguero, Costa Rica. Copeia, 1980, 1980, 525.	1.3	22
136	Urine concentrations of ammonia, urea and uric acid in the green turtle, Chelonia mydas. Comparative Biochemistry and Physiology A, Comparative Physiology, 1979, 63, 509-510.	0.6	3
137	Cellulose digestion and volatile fatty acid production in the green turtle, Chelonia mydas. Comparative Biochemistry and Physiology A, Comparative Physiology, 1979, 63, 127-133.	0.6	97
138	In Vitro Observations on the Binding of Vitamin B12 by Serum Proteins and the Effect of Cells on the Process. Experimental Biology and Medicine, 1974, 146, 438-441.	2.4	4
139	Air-Breathing Visitors to Seamounts: Sea Turtles. , 0, , 239-244.		16