

Yoon-Bo Shim, 이윤보

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5408461/publications.pdf>

Version: 2024-02-01

272
papers

11,921
citations

19657

61
h-index

38395

95
g-index

275
all docs

275
docs citations

275
times ranked

11560
citing authors

#	ARTICLE	IF	CITATIONS
1	Fe ₃ N decorated S/N doped carbon derived from a coordinated polymer as a bifunctional electrocatalyst for oxygen reduction and catecholamines oxidation. Carbon, 2022, 187, 1-12.	10.3	19
2	Disposable amperometric immunosensor with a dual monomers-based bioconjugate for granzyme B detection in blood and cancer progress monitoring of patients. Biosensors and Bioelectronics, 2022, 198, 113846.	10.1	10
3	Catalytic SrMoO ₄ nanoparticles and conducting polymer composite sensor for monitoring of K ⁺ -induced dopamine release from neuronal cells. Journal of Materials Chemistry B, 2022, 10, 728-736.	5.8	5
4	Spectroelectrochemical and Electrochromic Characterization of a Conductive Polymer Bearing Both Electron Donor and Acceptor Groups. Journal of the Electrochemical Society, 2022, 169, 020555.	2.9	4
5	Pair of chiral 2D silver(enantiomers): chiral recognition of L- and D-histidine via differential pulse voltammetry. Dalton Transactions, 2022, , .	3.3	4
6	Exosomal microRNAs array sensor with a bioconjugate composed of p53 protein and hydrazine for the specific lung cancer detection. Biosensors and Bioelectronics, 2022, 207, 114149.	10.1	16
7	Heteroatoms doped carbon decorated with tiny amount Pt nanoparticles as a bifunctional catalyst for hydrogen and chlorine generation from seawater. Carbon, 2022, 196, 621-632.	10.3	9
8	Fabrication of silver-grafted silica nano hybrids via aminosilane-inspired surface functionalization for enhanced electrochemical performance towards gastric cancer biomarker. Applied Surface Science, 2021, 541, 148517.	6.1	4
9	A novel DNA binding protein-based platform for electrochemical detection of miRNA. Analyst, The, 2021, 146, 5496-5501.	3.5	7
10	Hydrogen Evolution and Oxygen Reduction Reactions in Acidic Media Catalyzed by Pd ₄ S Decorated N/S Doped Carbon Derived from Pd Coordination Polymer. Small, 2021, 17, e2007511.	10.0	22
11	Design of Electrochemically Reduced Graphene Oxide/Titanium Disulfide Nanocomposite Sensor for Selective Determination of Ascorbic Acid. ACS Applied Nano Materials, 2021, 4, 10077-10089.	5.0	17
12	Fast Aptamer Generation Method Based on the Electrodynamical Microfluidic Channel and Evaluation of Aptamer Sensor Performance. Analytical Chemistry, 2021, 93, 1416-1422.	6.5	4
13	Enhanced Electrocatalytic Activities of In Situ Produced Pd/S/N-Doped Carbon in Oxygen Reduction and Hydrogen Evolution Reactions. ACS Applied Energy Materials, 2021, 4, 575-585.	5.1	20
14	A Sensor for Serotonin and Dopamine Detection in Cancer Cells Line Based on the Conducting Polymer/Pd Complex Composite. Electroanalysis, 2020, 32, 520-527.	2.9	16
15	Sensitive Detection of Motor Neuron Disease Derived Exosomal miRNA Using Electrocatalytic Activity of Gold-Loaded Superparamagnetic Ferric Oxide Nanocubes. ChemElectroChem, 2020, 7, 3459-3467.	3.4	16
16	Nanozyme-based electrochemical biosensors for disease biomarker detection. Analyst, The, 2020, 145, 4398-4420.	3.5	121
17	Microneedle array sensor for monitoring glucose in single cell using glucose oxidase-bonded polyterthiophene coated on AuZn oxide layer. Sensors and Actuators B: Chemical, 2020, 320, 128416.	7.8	21
18	Nano-biosensor for the in vitro lactate detection using bi-functionalized conducting polymer/N, S-doped carbon; the effect of CHC inhibitor on lactate level in cancer cell lines. Biosensors and Bioelectronics, 2020, 155, 112094.	10.1	25

#	ARTICLE	IF	CITATIONS
19	MicroRNAs in ovarian cancer and recent advances in the development of microRNA-based biosensors. <i>Analyst</i> , The, 2020, 145, 2038-2057.	3.5	42
20	Microfluidic neurotransmitters sensor in blood plasma with mediator-immobilized conducting polymer/N, S-doped porous carbon composite. <i>Sensors and Actuators B: Chemical</i> , 2020, 313, 128017.	7.8	30
21	Chiral Pd ₆ L ₈ Nanocube Pairs: Recognition of Chiral Amino Acids via Electrochemistry. <i>Inorganic Chemistry</i> , 2020, 59, 5808-5812.	4.0	9
22	A Disposable Amperometric Immunosensor for the Monitoring of Granzyme B in Blood Plasma Samples of Cancer Patients. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 2815-2815.	0.0	0
23	(Keynote) Biosensor and Bioreactor Performance of a Chemically Modified Electrodynamic Microfluidic Channel. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 2781-2781.	0.0	0
24	Separation detection of hemoglobin and glycated hemoglobin fractions in blood using the electrochemical microfluidic channel with a conductive polymer composite sensor. <i>Biosensors and Bioelectronics</i> , 2019, 142, 111515.	10.1	22
25	Chromium(VI) sensor based on catalytic reduction using the nanoporous layer of poly(aminopyrimidyl-terthiophene) and AuNi composite. <i>Sensors and Actuators B: Chemical</i> , 2019, 301, 127151.	7.8	10
26	Revisiting fluorescent carbon nanodots for environmental, biomedical applications and puzzle about fluorophore impurities. <i>Nano Structures Nano Objects</i> , 2019, 20, 100391.	3.5	9
27	Electrodynamic Force Derived in-Channel Separation and Detection of Au Nanoparticles Using an Electrochemical AC Microfluidic Channel. <i>Analytical Chemistry</i> , 2019, 91, 14109-14116.	6.5	7
28	Separation detection of different circulating tumor cells in the blood using an electrochemical microfluidic channel modified with a lipid-bonded conducting polymer. <i>Biosensors and Bioelectronics</i> , 2019, 146, 111746.	10.1	27
29	Comparison of enzymatic and non-enzymatic glucose sensors based on hierarchical Au-Ni alloy with conductive polymer. <i>Biosensors and Bioelectronics</i> , 2019, 130, 48-54.	10.1	181
30	Au decorated core-shell structured Au@Pt for the glucose oxidation reaction. <i>Sensors and Actuators B: Chemical</i> , 2019, 278, 88-96.	7.8	71
31	Simultaneous detection of ATP metabolites in human plasma and urine based on palladium nanoparticle and poly(bromocresol green) composite sensor. <i>Biosensors and Bioelectronics</i> , 2019, 126, 758-766.	10.1	19
32	Continuous glucose monitoring using a microneedle array sensor coupled with a wireless signal transmitter. <i>Sensors and Actuators B: Chemical</i> , 2019, 281, 14-21.	7.8	76
33	Host-Guest Conversion: Transformation of Diiodomethane within 1D-Ensemble Suprachannels into Triiodide-Iodine Channel via Photoreaction. <i>Crystal Growth and Design</i> , 2018, 18, 1956-1960.	3.0	4
34	Performance comparison between multienzymes loaded single and dual electrodes for the simultaneous electrochemical detection of adenosine and metabolites in cancerous cells. <i>Biosensors and Bioelectronics</i> , 2018, 109, 263-271.	10.1	12
35	Detection of Rocuronium in Whole Blood Using a Lipid-bonded Conducting Polymer and Porous Carbon Composite Electrode. <i>Electroanalysis</i> , 2018, 30, 1425-1431.	2.9	4
36	Development of a bifunctional nanobiosensor for screening and detection of chemokine ligand in colorectal cancer cell line. <i>Biosensors and Bioelectronics</i> , 2018, 100, 396-403.	10.1	42

#	ARTICLE	IF	CITATIONS
37	Conducting polymer-based electrochemical biosensors for neurotransmitters: A review. <i>Biosensors and Bioelectronics</i> , 2018, 102, 540-552.	10.1	292
38	A selective glucose sensor based on direct oxidation on a bimetal catalyst with a molecular imprinted polymer. <i>Biosensors and Bioelectronics</i> , 2018, 99, 471-478.	10.1	69
39	Microwave Assisted Synthesis of Hybrid Cu ₂ O Microcubes for Photocatalysis and Electrocatalysis. <i>Materials Today: Proceedings</i> , 2018, 5, 16390-16393.	1.8	11
40	Antimicrobial Properties of Sonochemically Treated Graphene Oxides Sheets. <i>Materials Today: Proceedings</i> , 2018, 5, 16669-16674.	1.8	1
41	Chiral Cyclodimeric Zinc(II) Complexes: Enantio-recognition via Differential Pulse Voltammetry. <i>Crystal Growth and Design</i> , 2018, 18, 6266-6272.	3.0	6
42	Ultrasensitive dual probe immunosensor for the monitoring of nicotine induced-brain derived neurotrophic factor released from cancer cells. <i>Biosensors and Bioelectronics</i> , 2018, 116, 108-115.	10.1	63
43	Magnetic force assisted electrochemical sensor for the detection of thrombin with aptamer-antibody sandwich formation. <i>Biosensors and Bioelectronics</i> , 2018, 117, 480-486.	10.1	69
44	Nicotine and tyrosine detection in blood and urine samples using taurine/reactive blue-immobilized conducting polymer composite. <i>Sensors and Actuators B: Chemical</i> , 2018, 275, 284-291.	7.8	9
45	Highly sensitive amperometric detection of cardiac troponin I using sandwich aptamers and screen-printed carbon electrodes. <i>Talanta</i> , 2017, 165, 442-448.	5.5	99
46	Detection of Nitric Oxide from Living Cells Using Polymeric Zinc Organic Framework-Derived Zinc Oxide Composite with Conducting Polymer. <i>Small</i> , 2017, 13, 1700502.	10.0	57
47	A potentiometric non-enzymatic glucose sensor using a molecularly imprinted layer bonded on a conducting polymer. <i>Biosensors and Bioelectronics</i> , 2017, 91, 276-283.	10.1	118
48	A disposable amperometric dual-sensor for the detection of hemoglobin and glycated hemoglobin in a finger prick blood sample. <i>Biosensors and Bioelectronics</i> , 2017, 91, 128-135.	10.1	67
49	Applications of conducting polymer composites to electrochemical sensors: A review. <i>Applied Materials Today</i> , 2017, 9, 419-433.	4.3	394
50	Electrochemical Detection of Hemoglobin: A Review. <i>Electroanalysis</i> , 2017, 29, 2190-2199.	2.9	33
51	Detection of Ca ²⁺ -induced acetylcholine released from leukemic T-cells using an amperometric microfluidic sensor. <i>Biosensors and Bioelectronics</i> , 2017, 98, 364-370.	10.1	39
52	Template Free Preparation of Heteroatoms Doped Carbon Spheres with Trace Fe for Efficient Oxygen Reduction Reaction and Supercapacitor. <i>Advanced Energy Materials</i> , 2017, 7, 1602002.	19.5	160
53	Graphene/conducting polymer nano-composite loaded screen printed carbon sensor for simultaneous determination of dopamine and 5-hydroxytryptamine. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 993-1002.	7.8	117
54	Long-life Heavy Metal Ions Sensor Based on Graphene Oxide-Anchored Conducting Polymer. <i>Electroanalysis</i> , 2017, 29, 514-520.	2.9	22

#	ARTICLE	IF	CITATIONS
55	Amperometric sensing of HIF1 α expressed in cancer cells and the effect of hypoxic mimicking agents. Biosensors and Bioelectronics, 2016, 83, 312-318.	10.1	22
56	Sensitive NADH detection in a tumorigenic cell line using a nano-biosensor based on the organic complex formation. Biosensors and Bioelectronics, 2016, 85, 488-495.	10.1	19
57	Dealloyed AuNi Dendrite Anchored on a Functionalized Conducting Polymer for Improved Catalytic Oxygen Reduction and Hydrogen Peroxide Sensing in Living Cells. Advanced Functional Materials, 2016, 26, 1590-1601.	14.9	85
58	Electroanalysis: Faster Processing and Greater Service. Electroanalysis, 2016, 28, 3-3.	2.9	0
59	Enhanced electrochemical sensing of leukemia cells using drug/lipid co-immobilized on the conducting polymer layer. Biosensors and Bioelectronics, 2016, 86, 33-40.	10.1	19
60	An amperometric nanobiosensor using a biocompatible conjugate for early detection of metastatic cancer cells in biological fluid. Biosensors and Bioelectronics, 2016, 85, 883-890.	10.1	70
61	Human hair-derived hollow carbon microfibers for electrochemical sensing. Carbon, 2016, 107, 872-877.	10.3	40
62	Catalytic activity of polymerized self-assembled artificial enzyme nanoparticles: applications to microfluidic channel-glucose biofuel cells and sensors. Journal of Materials Chemistry A, 2016, 4, 2720-2728.	10.3	26
63	Disposable all-solid-state pH and glucose sensors based on conductive polymer covered hierarchical AuZn oxide. Biosensors and Bioelectronics, 2016, 79, 165-172.	10.1	67
64	Gas Ion Implanted Electrode Prepared By the Electron Cyclotron Resonance Ion Source and Catalytic Effects. ECS Meeting Abstracts, 2016, , .	0.0	0
65	(Invited) Microfluidic Dual Sensors for In Vivo Measurement of Superoxide and Glutamate. ECS Meeting Abstracts, 2016, , .	0.0	0
66	Detection of Heavy Metal Ions Using a Long-Life Electrochemical Sensor Containing Conducting Polymer-Graphene Oxide Composite. ECS Meeting Abstracts, 2016, , .	0.0	0
67	The Electrochemical Nitrite Ion Sensor Using a Neuroglobin Bonded on Conducting Polymer. ECS Meeting Abstracts, 2016, , .	0.0	0
68	Microarray Needle Sensor Composite Conducting Polymer Coated on Au/Zn Oxide Layer for Continuous Glucose Detection in Cells. ECS Meeting Abstracts, 2016, , .	0.0	0
69	A Simple and Fast SELEX Using an Alternating Current Potential Modulated Microfluidic Channel and an Evaluation of Sensing Ability of Aptamers. ECS Meeting Abstracts, 2016, , .	0.0	0
70	Thrombin Detection with Tetrabromophenolphthalein Ethyl Ester Adsorbed on Aptamer-attached Conductive Polymer. Journal of the Korean Electrochemical Society, 2016, 19, 134-140.	0.1	0
71	Implantable nonenzymatic glucose/O ₂ micro film fuel cells assembled with hierarchical AuZn electrodes. Chemical Communications, 2015, 51, 6659-6662.	4.1	11
72	Thanks for Your Support, and Looking Ahead. Electroanalysis, 2015, 27, 2-2.	2.9	0

#	ARTICLE	IF	CITATIONS
73	Facile potentiostatic preparation of functionalized polyterthiophene-anchored graphene oxide as a metal-free electrocatalyst for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5426-5433.	10.3	35
74	Bioinformatic Techniques on Marine Genomics. , 2015, , 295-306.		0
75	Simultaneous analysis of dopamine and 5-hydroxyindoleacetic acid at nanogold modified screen printed carbon electrodes. <i>Sensors and Actuators B: Chemical</i> , 2015, 213, 72-81.	7.8	34
76	Ultrasensitive cytosensing based on an aptamer modified nanobiosensor with a bioconjugate: Detection of human non-small-cell lung cancer cells. <i>Biosensors and Bioelectronics</i> , 2015, 74, 594-600.	10.1	64
77	Analysis of Phthalate Esters in Mammalian Cell Culture Using a Microfluidic Channel Coupled with an Electrochemical Sensor. <i>Analytical Chemistry</i> , 2015, 87, 7069-7077.	6.5	18
78	Simultaneous determination of ascorbic acid, dopamine, uric acid and folic acid based on activated graphene/MWCNT nanocomposite loaded Au nanoclusters. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 659-665.	7.8	146
79	An amperometric nanobiosensor for the selective detection of K ⁺ -induced dopamine released from living cells. <i>Biosensors and Bioelectronics</i> , 2015, 68, 421-428.	10.1	74
80	Dopamine D4 receptors linked to protein kinase G are required for changes in dopamine release followed by locomotor activity after repeated cocaine administration. <i>Experimental Brain Research</i> , 2015, 233, 1511-1518.	1.5	7
81	Ultrasensitive detection of drug resistant cancer cells in biological matrixes using an amperometric nanobiosensor. <i>Biosensors and Bioelectronics</i> , 2015, 70, 418-425.	10.1	78
82	Glutaraldehyde sandwiched amino functionalized polymer based aptasensor for the determination and quantification of chloramphenicol. <i>RSC Advances</i> , 2015, 5, 69356-69364.	3.6	19
83	A disposable chronocoulometric sensor for heavy metal ions using a diamino-terthiophene-modified electrode doped with graphene oxide. <i>Analytica Chimica Acta</i> , 2015, 892, 77-84.	5.4	52
84	Catalytic properties of Au and Pd nanoparticles decorated on Cu ₂ O microcubes for aerobic benzyl alcohol oxidation and Suzuki-Miyaura coupling reactions in water. <i>Applied Catalysis A: General</i> , 2014, 476, 72-77.	4.3	20
85	Nonenzymatic H ₂ O ₂ sensing based on silver nanoparticles capped polyterthiophene/MWCNT nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2014, 201, 51-58.	7.8	58
86	Chiral Recognition of Proline Enantiomers by the Catalytic Oxygen Reduction and Formation of Cu(II)-Polymer Complex Crystals. <i>Electroanalysis</i> , 2014, 26, 2110-2117.	2.9	2
87	A novel nanogold-single wall carbon nanotube modified sensor for the electrochemical determination of 8-hydroxyguanine, a diabetes risk biomarker. <i>Bioelectrochemistry</i> , 2014, 99, 24-29.	4.6	13
88	Voltammetric analysis of anti-arthritis drug, ascorbic acid, tyrosine, and uric acid using a graphene decorated-functionalized conductive polymer electrode. <i>Electrochimica Acta</i> , 2014, 139, 315-322.	5.2	20
89	Selective nonenzymatic bilirubin detection in blood samples using a Nafion/Mn-Cu sensor. <i>Biosensors and Bioelectronics</i> , 2014, 61, 554-561.	10.1	41
90	Polyrotaxaned versus Interdigitated Super-Arrays of Loop-and-Chain Strands: Role of the Anion in Formation of Silver(0) Particles. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 5530-5535.	2.0	2

#	ARTICLE	IF	CITATIONS
91	Protein Kinase G Regulates Dopamine Release, β -FosB Expression, and Locomotor Activity After Repeated Cocaine Administration: Involvement of Dopamine D2 Receptors. <i>Neurochemical Research</i> , 2013, 38, 1424-1433.	3.3	15
92	Protein kinase G linked to dopamine D3 receptors in the dorsal striatum controls dopamine release, β -FosB expression and locomotor activity after repeated cocaine administration. <i>Neuroscience Letters</i> , 2013, 541, 120-125.	2.1	9
93	Microwave-Assisted One-Pot Synthesis of Metal-Free Nitrogen and Phosphorus Dual-Doped Nanocarbon for Electrocatalysis and Cell Imaging. <i>Particle and Particle Systems Characterization</i> , 2013, 30, 557-564.	2.3	70
94	Electron-Transfer Mediator for a NAD-Glucose Dehydrogenase-Based Glucose Sensor. <i>Analytical Chemistry</i> , 2013, 85, 11643-11649.	6.5	68
95	Chromatography-Based Determination of Anabolic Steroids in Biological Fluids: Future Prospects Using Electrochemistry and Miniaturized Microchip Device. <i>Chromatographia</i> , 2013, 76, 1439-1448.	1.3	3
96	Advanced stent coating for drug delivery and in vivo biocompatibility. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	1.9	14
97	An All Solid State Potentiometric Sensor for Monohydrogen Phosphate Ions. <i>Electroanalysis</i> , 2013, 25, 1864-1870.	2.9	17
98	Ultrasensitive and Selective Electrochemical Diagnosis of Breast Cancer Based on a Hydrazine-Au Nanoparticle-Aptamer Bioconjugate. <i>Analytical Chemistry</i> , 2013, 85, 1058-1064.	6.5	277
99	Cancer cell detection based on the interaction between an anticancer drug and cell membrane components. <i>Chemical Communications</i> , 2013, 49, 1900.	4.1	87
100	Spectroelectrochemical and electrochromic behaviors of newly synthesized poly[$2,2'$ -bis(2-aminopyrimidyl)-5,5'-terthiophene]. <i>Electrochimica Acta</i> , 2013, 104, 322-329.	5.2	23
101	Detection of norfloxacin and monitoring its effect on caffeine catabolism in urine samples. <i>Biosensors and Bioelectronics</i> , 2013, 47, 307-312.	10.1	49
102	A review on determination of steroids in biological samples exploiting nanobio-electroanalytical methods. <i>Analytica Chimica Acta</i> , 2013, 762, 14-24.	5.4	65
103	Disposable Amperometric Glycated Hemoglobin Sensor for the Finger Prick Blood Test. <i>Analytical Chemistry</i> , 2013, 85, 6536-6543.	6.5	67
104	Construction of right-handed-, left-handed-, and racemic helical coordination polymers. Enantioselective recognition using chiral helical crystals. <i>Chemical Communications</i> , 2013, 49, 4000.	4.1	30
105	Investigation on the downregulation of dopamine by acetaminophen administration based on their simultaneous determination in urine. <i>Biosensors and Bioelectronics</i> , 2013, 39, 139-144.	10.1	77
106	Simultaneous detection of antibacterial sulfonamides in a microfluidic device with amperometry. <i>Biosensors and Bioelectronics</i> , 2013, 39, 204-209.	10.1	43
107	Applications of Conductive Polymers to Electrochemical Sensors and Energy Conversion Electrodes. <i>Journal of Electrochemical Science and Technology</i> , 2013, 4, 125-139.	2.2	6
108	A Selective Catalytic Oxidation of Ascorbic Acid at the Aminopyrimidyl Functionalized-Conductive Polymer Electrode. <i>Electroanalysis</i> , 2013, 25, 1178-1184.	2.9	11

#	ARTICLE	IF	CITATIONS
127	A novel Mg(II)-selective sensor based on 5,10,15,20-tetrakis(2-furyl)-21,23-dithiaporphyrin as an electroactive material. <i>Journal of Electroanalytical Chemistry</i> , 2011, 661, 25-30.	3.8	16
128	Interactions of Dopamine D1 and N-methyl-D-Aspartate Receptors Are Required for Acute Cocaine-Evoked Nitric Oxide Efflux in the Dorsal Striatum. <i>Experimental Neurobiology</i> , 2011, 20, 116-122.	1.6	11
129	Comparison of solar cell performance of conducting polymer dyes with different functional groups. <i>Journal of Power Sources</i> , 2011, 196, 8874-8880.	7.8	22
130	Separation and simultaneous detection of anticancer drugs in a microfluidic device with an amperometric biosensor. <i>Biosensors and Bioelectronics</i> , 2011, 28, 326-332.	10.1	61
131	Ag(I)-cysteamine complex based electrochemical stripping immunoassay: Ultrasensitive human IgG detection. <i>Biosensors and Bioelectronics</i> , 2011, 26, 4429-4435.	10.1	28
132	A Glucose Sensor Based on an Aminophenyl Boronic Acid Bonded Conducting Polymer. <i>Electroanalysis</i> , 2011, 23, 2036-2041.	2.9	34
133	Detection of daunomycin using phosphatidylserine and aptamer co-immobilized on Au nanoparticles deposited conducting polymer. <i>Biosensors and Bioelectronics</i> , 2011, 26, 4442-4449.	10.1	137
134	Electrochemical Polymerization of Ruthenium(II) Complex and Application to Acetaminophen Analysis. <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 1341-1345.	1.9	9
135	Repeated cocaine administration increases nitric oxide efflux in the rat dorsal striatum. <i>Psychopharmacology</i> , 2010, 208, 245-256.	3.1	30
136	Amplification strategy based on gold nanoparticle-decorated carbon nanotubes for neomycin immunosensors. <i>Biosensors and Bioelectronics</i> , 2010, 26, 1002-1008.	10.1	71
137	Electrochromic and electrochemical properties of 3-pyridinyl and 1,10-phenanthroline bearing poly(2,5-di(2-thienyl)-1H-pyrrole) derivatives. <i>Solar Energy Materials and Solar Cells</i> , 2010, 94, 1286-1292.	6.2	68
138	Direct Electrochemistry of Cholesterol Oxidase Immobilized on a Conducting Polymer: Application for a Cholesterol Biosensor. <i>Electroanalysis</i> , 2010, 22, 21-25.	2.9	48
139	Improved Performance of an Amperometric Biosensor with Polydiaminonaphthalene on Electrochemically Deposited Au Nanoparticles. <i>Electroanalysis</i> , 2010, 22, 632-638.	2.9	15
140	An Amperometric Immunosensor for IgG Based on Conducting Polymer and Carbon Nanotube-Linked Hydrazine Label. <i>Electroanalysis</i> , 2010, 22, 2908-2914.	2.9	15
141	Total analysis of endocrine disruptors in a microchip with gold nanoparticles. <i>Electrophoresis</i> , 2010, 31, 3053-3060.	2.4	28
142	Electron transfer kinetics and morphology of cytochrome c at the biomimetic phospholipid layers. <i>Journal of Electroanalytical Chemistry</i> , 2010, 644, 36-43.	3.8	9
143	Conjugated polymers and an iron complex as electrocatalytic materials for an enzyme-based biofuel cell. <i>Biosensors and Bioelectronics</i> , 2010, 25, 1735-1741.	10.1	24
144	An amperometric chloramphenicol immunosensor based on cadmium sulfide nanoparticles modified-dendrimer bonded conducting polymer. <i>Biosensors and Bioelectronics</i> , 2010, 25, 1781-1788.	10.1	98

#	ARTICLE	IF	CITATIONS
145	Triggering the redox reaction of cytochrome c on a biomimetic layer and elimination of interferences for NADH detection. <i>Biomaterials</i> , 2010, 31, 7827-7835.	11.4	33
146	A selective nitric oxide nanocomposite biosensor based on direct electron transfer of microperoxidase: Removal of interferences by co-immobilized enzymes. <i>Biosensors and Bioelectronics</i> , 2010, 26, 1080-1086.	10.1	50
147	Characterisation of Platinum Nanoparticles Electrodeposited on Carbon Felt. <i>Journal of Scientific Research</i> , 2010, 2, 303-312.	0.3	5
148	Carbon fiber supported platinum nanoparticles for electrooxidation of methanol and phenol. <i>Journal of Alloys and Compounds</i> , 2010, 494, 463-467.	5.5	10
149	Synthesis, electrochemical, and spectroelectrochemical properties of conductive poly-[2,5-di-(2-thienyl)-1H-pyrrole-1-(p-benzoic acid)]. <i>Synthetic Metals</i> , 2010, 160, 413-418.	3.9	34
150	An all-solid-state monohydrogen phosphate sensor based on a macrocyclic ionophore. <i>Talanta</i> , 2010, 82, 1107-1112.	5.5	26
151	A One-Step Continuous Synthesis of Carbon-Supported Pt Catalysts Using a Flame for the Preparation of the Fuel Electrode. <i>Langmuir</i> , 2010, 26, 11212-11216.	3.5	33
152	Electrochemical Detection of Peroxynitrite Using a Biosensor Based on a Conducting Polymer π -Manganese Ion Complex. <i>Analytical Chemistry</i> , 2010, 82, 10075-10082.	6.5	47
153	Simultaneous electrochemical detection of both PSMA (+) and PSMA ($\hat{\alpha}$) prostate cancer cells using an RNA/peptide dual-aptamer probe. <i>Chemical Communications</i> , 2010, 46, 5566.	4.1	64
154	Simultaneous Detection of Cd (II), Pb (II), Cu (II), and Hg (II) Ions in Dye Waste Water Using a Boron Doped Diamond Electrode with DPASV. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 140-145.	1.9	32
155	Electrochemical and Spectroelectrochemical Behaviors of Vitamin K ₁ /Lipid Modified Electrodes and the Formation of Radical Anion in Aqueous Media. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 3133-3138.	1.9	8
156	An amperometric immunosensor based on carbon nanotube embedded conducting polymer. , 2009, , .		0
157	Fabrication of a biomimetic membrane with biomaterials-attached conducting polymer: application to a NADH sensor. , 2009, , .		1
158	Electrophoretic total analysis of trace tetracycline antibiotics in a microchip with amperometry. <i>Electrophoresis</i> , 2009, 30, 3219-3227.	2.4	22
159	Selective determination of dopamine with a cibacron blue/poly-1,5-diaminonaphthalene composite film. <i>Analytica Chimica Acta</i> , 2009, 650, 247-253.	5.4	62
160	Effect of additives in PEO/PAA/PMAA composite solid polymer electrolytes on the ionic conductivity and Li ion battery performance. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 1573-1578.	2.9	31
161	The determination of the redox potentials of the radical species of a conductive polymer with a spectroelectrochemical technique. <i>Journal of Electroanalytical Chemistry</i> , 2009, 628, 16-20.	3.8	14
162	Enhanced electrocatalytic reduction of oxygen with a molecule having multi-quinone moieties adsorbed in the nanofiber film. <i>Journal of Electroanalytical Chemistry</i> , 2009, 632, 102-108.	3.8	17

#	ARTICLE	IF	CITATIONS
163	Monitoring the activation of neuronal nitric oxide synthase in brain tissue and cells with a potentiometric immunosensor. <i>Biosensors and Bioelectronics</i> , 2009, 25, 211-217.	10.1	10
164	Immunosensors for detection of Annexin II and MUC5AC for early diagnosis of lung cancer. <i>Biosensors and Bioelectronics</i> , 2009, 25, 456-462.	10.1	80
165	A lactate biosensor based on lactate dehydrogenase/nicotinamide adenine dinucleotide (oxidized) Tj ETQq1 1 0.784314 rgBT /Overlo <i>Biochemistry</i> , 2009, 384, 159-165.	2.4	121
166	A novel cobalt(II)-selective potentiometric sensor based on p-(4-n-butylphenylazo)calix[4]arene. <i>Talanta</i> , 2009, 77, 1057-1062.	5.5	44
167	Gold Nanoparticles Doped Conducting Polymer Nanorod Electrodes: Ferrocene Catalyzed Aptamer-Based Thrombin Immunosensor. <i>Analytical Chemistry</i> , 2009, 81, 6604-6611.	6.5	155
168	Preparation of Dendritic Copper Nanostructures and Their Characterization for Electroreduction. <i>Journal of Physical Chemistry C</i> , 2009, 113, 15891-15896.	3.1	106
169	Development of Extraction and Analytical Methods of Nitrite Ion from Food Samples: Microchip Electrophoresis with a Modified Electrode. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4051-4057.	5.2	21
170	Formation of Layered Bi ₅ Ti ₃ FeO ₁₅ Perovskite in Bi ₂ O ₃ -TiO ₂ -Fe ₂ O ₃ Containing System. <i>Bulletin of the Korean Chemical Society</i> , 2009, 30, 3011-3015.	1.9	2
171	Label-Free Detection of Bisphenol A Using a Potentiometric Immunosensor. <i>Electroanalysis</i> , 2008, 20, 30-37.	2.9	54
172	A Solid State Polymer-Coated Electrode Containing a Chiral Crown Ether Derivative for Enantioselective Detection of Phenylglycine Methyl Ester Isomer. <i>Electroanalysis</i> , 2008, 20, 1293-1299.	2.9	6
173	Electrophoretic analysis of food dyes using a miniaturized microfluidic system. <i>Electrophoresis</i> , 2008, 29, 1910-1917.	2.4	56
174	An amperometric bilirubin biosensor based on a conductive poly-terthiophene-Mn(II) complex. <i>Biosensors and Bioelectronics</i> , 2008, 23, 857-864.	10.1	59
175	A cytochrome c modified-conducting polymer microelectrode for monitoring in vivo changes in nitric oxide. <i>Biosensors and Bioelectronics</i> , 2008, 23, 1374-1381.	10.1	61
176	An amperometric immunosensor for osteoproteogerin based on gold nanoparticles deposited conducting polymer. <i>Biosensors and Bioelectronics</i> , 2008, 23, 1595-1601.	10.1	28
177	A simple and direct electrochemical detection of interferon- β using its RNA and DNA aptamers. <i>Biosensors and Bioelectronics</i> , 2008, 23, 1819-1824.	10.1	101
178	Fabrication of disposable sensors for biomolecule detection using hydrazine electrocatalyst. <i>Analytical Biochemistry</i> , 2008, 379, 170-175.	2.4	27
179	Novel cyclopenta[def]phenanthrene based blue emitting oligomers for OLEDs. <i>Tetrahedron Letters</i> , 2008, 49, 3582-3587.	1.4	16
180	Repeated cocaine administration increases N-methyl-d-aspartate NR1 subunit, extracellular signal-regulated kinase and cyclic AMP response element-binding protein phosphorylation and glutamate release in the rat dorsal striatum. <i>European Journal of Pharmacology</i> , 2008, 590, 157-162.	3.5	17

#	ARTICLE	IF	CITATIONS
181	Direct Electrochemistry of Laccase Immobilized on Au Nanoparticles Encapsulated-Dendrimer Bonded Conducting Polymer: Application for a Catechin Sensor. <i>Analytical Chemistry</i> , 2008, 80, 8020-8027.	6.5	136
182	Electrochemical Sensors Based on Organic Conjugated Polymers. <i>Sensors</i> , 2008, 8, 118-141.	3.8	395
183	Water Sensor for a Nonaqueous Solvent with Poly(1,5-diaminonaphthalene) Nanofibers. <i>Analytical Chemistry</i> , 2008, 80, 5307-5311.	6.5	39
184	Characterization of Protein-Attached Conducting Polymer Monolayer. <i>Langmuir</i> , 2008, 24, 1087-1093.	3.5	29
185	Detection for folding of the thrombin binding aptamer using label-free electrochemical methods. <i>BMB Reports</i> , 2008, 41, 126-131.	2.4	14
186	Impedance Characteristics of the Gel Type VRLA Battery at the Various State-of-Charge. <i>Journal of the Korean Electrochemical Society</i> , 2008, 11, 33-36.	0.1	0
187	Cocaine increases endoplasmic reticulum stress protein expression in striatal neurons. <i>Neuroscience</i> , 2007, 145, 621-630.	2.3	33
188	A sensitive and reliable quantification method for Bisphenol A based on modified competitive ELISA method. <i>Chemosphere</i> , 2007, 68, 1204-1209.	8.2	63
189	Hydrazine-Catalyzed Ultrasensitive Detection of DNA and Proteins. <i>Analytical Chemistry</i> , 2007, 79, 6886-6890.	6.5	80
190	An all-solid-state reference electrode based on the layer-by-layer polymer coating. <i>Analyst</i> , 2007, 132, 906.	3.5	39
191	Trace Analysis of DNA: Preconcentration, Separation, and Electrochemical Detection in Microchip Electrophoresis Using Au Nanoparticles. <i>Analytical Chemistry</i> , 2007, 79, 3724-3733.	6.5	107
192	Xanthine Sensors Based on Anodic and Cathodic Detection of Enzymatically Generated Hydrogen Peroxide. <i>Electroanalysis</i> , 2007, 19, 631-637.	2.9	46
193	Pt-Nanoparticle Incorporated Carbon Paste Electrode for the Determination of Cu(II) Ion by Anodic Stripping Voltammetry. <i>Electroanalysis</i> , 2007, 19, 1160-1166.	2.9	22
194	An impedimetric immunosensor for the label-free detection of bisphenol A. <i>Biosensors and Bioelectronics</i> , 2007, 22, 2464-2470.	10.1	111
195	Superoxide radical sensing using a cytochrome c3 immobilized conducting polymer electrode. <i>Biosensors and Bioelectronics</i> , 2007, 23, 161-167.	10.1	16
196	Lipid-bonded Conducting Polymer Layers for a Model Biomembrane: Application to Superoxide Biosensors. <i>Analytical Chemistry</i> , 2006, 78, 52-60.	6.5	51
197	Direct Analysis of Trace Phenolics with a Microchip: In-Channel Sample Preconcentration, Separation, and Electrochemical Detection. <i>Analytical Chemistry</i> , 2006, 78, 6809-6817.	6.5	60
198	Synthesis and Characterization of Regiosymmetric Poly(3,4-propylenedioxythiophene) Derivative. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 444, 129-135.	0.9	23

#	ARTICLE	IF	CITATIONS
199	Electrochemical synthesis and characterization of poly[3-(4-formyl-3-hydroxyphenyl)-5,2,5-terthiophene] film. <i>Synthetic Metals</i> , 2006, 156, 65-69.	3.9	10
200	The biosensor based on the pyruvate oxidase modified conducting polymer for phosphate ions determinations. <i>Biosensors and Bioelectronics</i> , 2006, 21, 1116-1124.	10.1	126
201	Effect of organic acids and nano-sized ceramic doping on PEO-based solid polymer electrolytes. <i>Journal of Power Sources</i> , 2006, 160, 674-680.	7.8	35
202	Electrochemical Detection of ClO ₂ , BrO ₂ , and IO ₃ at a Phosphomolybdic Acid Linked 3-Aminopropyl-Trimethoxysilane Modified Electrode. <i>Electroanalysis</i> , 2006, 18, 993-1000.	2.9	17
203	Analysis of polymerase chain reaction amplifications through phosphate detection using an enzyme-based microbiosensor in a microfluidic device. <i>Electrophoresis</i> , 2006, 27, 2951-2959.	2.4	20
204	Simultaneous analysis of nitrate and nitrite in a microfluidic device with a Cu-complex-modified electrode. <i>Electrophoresis</i> , 2006, 27, 4545-4554.	2.4	49
205	Electrochemical detection of mismatched DNA using a MutS probe. <i>Nucleic Acids Research</i> , 2006, 34, e75-e75.	14.5	49
206	A separation-free amperometric immunosensor for vitellogenin based on screen-printed carbon arrays modified with a conductive polymer. <i>Biosensors and Bioelectronics</i> , 2005, 20, 1780-1787.	10.1	61
207	The potential use of hydrazine as an alternative to peroxidase in a biosensor: comparison between hydrazine and HRP-based glucose sensors. <i>Biosensors and Bioelectronics</i> , 2005, 21, 257-265.	10.1	29
208	Functionalized Conducting Polymer as an Enzyme-Immobilizing Substrate: An Amperometric Glutamate Microbiosensor for in Vivo Measurements. <i>Analytical Chemistry</i> , 2005, 77, 4854-4860.	6.5	165
209	Stability Enhancement of All-Solid-State H ⁺ ISEs with Cross-Linked Silicon-Urethane Matrices. <i>Electroanalysis</i> , 2005, 17, 641-647.	2.9	9
210	Determination of Selenium with a Poly(1,8-diamino-naphthalene)-Modified Electrode. <i>Electroanalysis</i> , 2005, 17, 1952-1958.	2.9	30
211	Square-Wave Voltammetric Detection of Dopamine at a Copper-(3-Mercaptopropyl) Trimethoxy Silane Complex Modified Electrode. <i>Electroanalysis</i> , 2005, 17, 2231-2238.	2.9	21
212	Microchip capillary electrophoresis with a cellulose-DNA-modified screen-printed electrode for the analysis of neurotransmitters. <i>Electrophoresis</i> , 2005, 26, 3043-3052.	2.4	40
213	Detection of polymerase chain reaction fragments using a conducting polymer-modified screen-printed electrode in a microfluidic device. <i>Electrophoresis</i> , 2005, 26, 4656-4663.	2.4	31
214	Simultaneous immobilization of cobalt tetrasulfonated phthalocyanine during electropolymerization of pyrrole in presence of surfactants: a study of film morphology and its conductivity. <i>Synthetic Metals</i> , 2005, 150, 165-173.	3.9	20
215	Detection of protein-DNA interaction with a DNA probe: distinction between single-strand and double-strand DNA-protein interaction. <i>Nucleic Acids Research</i> , 2004, 32, e110-e110.	14.5	39
216	A performance comparison of choline biosensors: anodic or cathodic detections of H ₂ O ₂ generated by enzyme immobilized on a conducting polymer. <i>Biosensors and Bioelectronics</i> , 2004, 19, 1565-1571.	10.1	70

#	ARTICLE	IF	CITATIONS
235	Determination of Hg ²⁺ Ions Using the Specific Reaction with a Picolinic Acid N-Oxide Modified Electrode. <i>Chemistry Letters</i> , 2002, 31, 54-55.	1.3	4
236	Electrocatalytic Reduction of Molecular Oxygen Using a Poly(terthiophene carboxylic acid) Appended by 1,5-Diaminonaphthalene Copper Complex. <i>Journal of the Electrochemical Society</i> , 2002, 149, E265.	2.9	19
237	Simple preparation of terthiophene-3-carboxylic acid and characterization of its polymer. <i>Synthetic Metals</i> , 2002, 126, 105-110.	3.9	60
238	An Amperometric Sensor for Hydrogen Peroxide Based on a (3-Mercaptopropyl)trimethoxysilane Self-Assembled Layer Containing Hydrazine. <i>Electroanalysis</i> , 2002, 14, 704.	2.9	25
239	In-Situ ESR Detection of Radical Species of p-Benzoquinone in Aqueous Media. <i>Electroanalysis</i> , 2002, 14, 1501-1507.	2.9	14
240	Redetermination of (6R,7S,9S,11S)-(δ^+)-sparteinium monoperchlorate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o733-o734.	0.4	4
241	Determination of Hg ²⁺ Ions Using Electrodes Modified with Dithia-Podands Having Different End Alkyl Chain Lengths. <i>Electroanalysis</i> , 2001, 13, 1003-1007.	2.9	11
242	Electrochemical and in situ UV-visible spectroscopic behavior of cytochrome c at a cardiolipin-modified electrode. <i>Journal of Electroanalytical Chemistry</i> , 2001, 514, 67-74.	3.8	24
243	Direct DNA Hybridization Detection Based on the Oligonucleotide-Functionalized Conductive Polymer. <i>Analytical Chemistry</i> , 2001, 73, 5629-5632.	6.5	229
244	Determination of Hg ²⁺ Ions Using Electrodes Modified with Dithia-Podands Having Different End Alkyl Chain Lengths. , 2001, 13, 1003.		1
245	Reduction of p-benzoquinone on lipid-modified electrodes: effect of the alkyl chain length of lipids on the electron transfer reactions. <i>Journal of Electroanalytical Chemistry</i> , 2000, 484, 131-136.	3.8	5
246	Synthesis and physical properties of μ_2 -bis[Co ₂ (CO) ₆ { η^4 - η^2 : η^2 -C(R) η^1 C}] oligothiophenes. <i>Journal of Organometallic Chemistry</i> , 2000, 599, 232-237.	1.8	23
247	Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of erythro-[(η^5 -C ₅ H ₅) ₂ Mo ₂ (O) ₂ (η^4 -O){ η^4 - η^2 : η^2 -C(Ph) η^1 C}[C ₄ H ₅ (C ₄ H ₃ S-2) ₂ -2,5}]. <i>Journal of Organometallic Chemistry</i> , 2000, 608, 133-138.	1.8	18
248	Humidity Sensor Using Chemically Synthesized Poly(1,5-diaminonaphthalene) Doped with Carbon. <i>Journal of the Electrochemical Society</i> , 2000, 147, 381.	2.9	43
249	Voltammetric determination of the iodide ion with a quinine copper(II) complex modified carbon paste electrode. <i>Journal of Electroanalytical Chemistry</i> , 1999, 463, 16-23.	3.8	37
250	Amperometric Determination of Calcium Ion with an Alizarin/Nafion Modified Electrode. <i>Electroanalysis</i> , 1999, 11, 885-890.	2.9	6
251	Polyterthiophene appended by transition-metal cluster: electropolymerization of 3-carboxy-5,2-dithienyl-terthiophene. <i>Synthetic Metals</i> , 1999, 105, 9-12.	3.9	14
252	Cathodic properties of a lithium-ion secondary battery using LiCoO ₂ prepared by a complex formation reaction. <i>Journal of Power Sources</i> , 1998, 70, 70-77.	7.8	38

#	ARTICLE	IF	CITATIONS
253	Polyterthiophene-bearing pendant organomolybdenum complexes: electropolymerization of erythro-[Mo ₂ (C ₅ H ₅) ₂ (CO) ₄]. Journal of the Chemical Society Dalton Transactions, 1998, , 1893-1898.		18
254	Spectroelectrochemical studies of p-benzoquinone reduction in aqueous media. Journal of Electroanalytical Chemistry, 1997, 425, 201-207.	3.8	56
255	Analysis of some metabolites of organic solvents in urine by high-performance liquid chromatography with β -cyclodextrin. Biomedical Applications, 1997, 694, 367-374.	1.7	13
256	Redox reaction of benzoquinone on a lipid coated glassy carbon electrode. Journal of Electroanalytical Chemistry, 1997, 438, 113-119.	3.8	25
257	Characterization of electrochemically prepared polyaminopyridines. Electroanalysis, 1996, 8, 44-48.	2.9	17
258	Cull-poly (dithiooxamide) film coated anion selective electrode. Electroanalysis, 1996, 8, 356-361.	2.9	5
259	Anodic differential pulse voltammetric analysis of iodide with a cinchonine-modified carbon paste electrode. Electroanalysis, 1996, 8, 680-684.	2.9	17
260	Electrochemical and electroreflectance spectroscopic study of copper tetrakis(n-butoxy) Tj ETQq0 0 0 rBt /Overlock 10 Tf 50 462 Td (c	2.9	9
261	Determination of mercury and silver at a modified carbon paste electrode containing glyoxal bis(2-hydroxyanil). Electroanalysis, 1995, 7, 1171-1176.	2.9	16
262	Electropolymerization and spectroelectrochemical characterization of poly(1,5-diaminonaphthalene). Synthetic Metals, 1995, 69, 561-562.	3.9	26
263	Simultaneous determination of lead, copper, and mercury at a modified carbon paste eletrode containing humic acid. Electroanalysis, 1994, 6, 887-893.	2.9	46
264	Determination of copper(I) ion with a chemically modified carbon paste electrode based on di(2-imino-cyclopentylidene mercaptomethyl) disulfide. Electroanalysis, 1993, 5, 421-426.	2.9	18
265	Degradation of Electrochemically Prepared Polypyrrole in Aqueous Sulfuric Acid. Journal of the Electrochemical Society, 1993, 140, 609-614.	2.9	66
266	Degradation Kinetics of Polypyrrole Films. Journal of the Electrochemical Society, 1993, 140, 2749-2752.	2.9	44
267	Electrochemical Characterization of Poly(1,8-diaminonaphthalene): A Functionalized Polymer. Journal of the Electrochemical Society, 1992, 139, 3507-3514.	2.9	67
268	Double potential step chronoamperometry and related pulse techniques at spherical electrodes. Journal of Electroanalytical Chemistry, 1992, 341, 15-34.	3.8	6
269	Double-potential-step chronoamperometry in the study of amalgam-forming and non-amalgam-forming systems at spherical electrodes (HMDE and DME). Analysis of the discrepancies between experimental results and theoretical predictions for amalgam formation. Journal of Electroanalytical Chemistry, 1992, 341, 209-225.	3.8	3
270	Electrochemistry of conductive polymer X: Polyaniline-based potentiometric sensor for dissolved oxygen. Electroanalysis, 1991, 3, 31-36.	2.9	24

#	ARTICLE	IF	CITATIONS
271	Electrochemistry of Conductive Polymers VIII: In Situ Spectroelectrochemical Studies of Polyaniline Growth Mechanisms. <i>Journal of the Electrochemical Society</i> , 1990, 137, 538-544.	2.9	235
272	Electrochemistry of conductive polymers VII. Autocatalytic rate constant for polyaniline growth. <i>Synthetic Metals</i> , 1989, 29, 169-174.	3.9	62