

# Bradley M Tebo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5411476/publications.pdf>

Version: 2024-02-01

157  
papers

13,195  
citations

15504

65  
h-index

24258

110  
g-index

163  
all docs

163  
docs citations

163  
times ranked

8491  
citing authors

#	ARTICLE	IF	CITATIONS
1	Marine microbial Mn(II) oxidation mediates Cr(III) oxidation and isotope fractionation. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 297, 101-119.	3.9	34
2	Metallo-inhibition of Mnx, a bacterial manganese multicopper oxidase complex. <i>Journal of Inorganic Biochemistry</i> , 2021, 224, 111547.	3.5	3
3	Novel manganese cycling at very low ionic strengths in the Columbia River Estuary. <i>Water Research</i> , 2021, 207, 117801.	11.3	7
4	Distribution and concentration of soluble manganese(II), soluble reactive Mn(III)-L, and particulate MnO <sub>2</sub> in the Northwest Atlantic Ocean. <i>Marine Chemistry</i> , 2020, 226, 103858.	2.3	13
5	Biogenic and Synthetic MnO <sub>2</sub> Nanoparticles: Size and Growth Probed with Absorption and Raman Spectroscopies and Dynamic Light Scattering. <i>Environmental Science &amp; Technology</i> , 2019, 53, 4185-4197.	10.0	63
6	The Speciation and Mobility of Mn and Fe in Estuarine Sediments. <i>Aquatic Geochemistry</i> , 2019, 25, 3-26.	1.3	30
7	Concentrations of reactive Mn(III)-L and MnO <sub>2</sub> in estuarine and marine waters determined using spectrophotometry and the leuco base, leucoberberlin blue. <i>Talanta</i> , 2019, 200, 91-99.	5.5	33
8	Distribution of desferrioxamine-B-extractable soluble manganese(III) and particulate MnO <sub>2</sub> in the St. Lawrence Estuary, Canada. <i>Marine Chemistry</i> , 2019, 208, 70-82.	2.3	11
9	Surface Induced Dissociation Coupled with High Resolution Mass Spectrometry Unveils Heterogeneity of a 211 kDa Multicopper Oxidase Protein Complex. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 723-733.	2.8	19
10	Dissolved Mn(III) in water treatment works: Prevalence and significance. <i>Water Research</i> , 2018, 140, 181-190.	11.3	27
11	Probing Electron Transfer in the Manganese-Oxide-Forming MnxEFG Protein Complex using Fourier Transformed AC Voltammetry: Understanding the Oxidative Priming Effect. <i>ChemElectroChem</i> , 2018, 5, 872-876.	3.4	2
12	Mn(III) species formed by the multi-copper oxidase MnxG investigated by electron paramagnetic resonance spectroscopy. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 1093-1104.	2.6	8
13	Reduction of Manganese Oxides: Thermodynamic, Kinetic and Mechanistic Considerations for One-Versus Two-Electron Transfer Steps. <i>Aquatic Geochemistry</i> , 2018, 24, 257-277.	1.3	28
14	Oxidative Formation and Removal of Complexed Mn(III) by <i>Pseudomonas</i> Species. <i>Frontiers in Microbiology</i> , 2018, 9, 560.	3.5	22
15	<i>Pseudomonas laurentiana</i> sp. nov., an Mn(III)-oxidizing Bacterium Isolated from the St. Lawrence Estuary. <i>Pharmacognosy Communications</i> , 2018, 8, 153-157.	0.5	12
16	Substrate specificity and copper loading of the manganese-oxidizing multicopper oxidase Mnx from <i>Bacillus</i> sp. PL-12. <i>Metallomics</i> , 2017, 9, 183-191.	2.4	17
17	Copper Binding Sites in the Manganese-Oxidizing Mnx Protein Complex Investigated by Electron Paramagnetic Resonance Spectroscopy. <i>Journal of the American Chemical Society</i> , 2017, 139, 8868-8877.	13.7	14
18	Soluble Mn(III)-L complexes are abundant in oxygenated waters and stabilized by humic ligands. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 199, 238-246.	3.9	135

#	ARTICLE	IF	CITATIONS
19	Biogenic manganese oxide nanoparticle formation by a multimeric multicopper oxidase Mnx. <i>Nature Communications</i> , 2017, 8, 746.	12.8	65
20	Tunable Biogenic Manganese Oxides. <i>Chemistry - A European Journal</i> , 2017, 23, 13482-13492.	3.3	8
21	Mn(II) Oxidation by the Multicopper Oxidase Complex Mnx: A Coordinated Two-Stage Mn(II)/(III) and Mn(III)/(IV) Mechanism. <i>Journal of the American Chemical Society</i> , 2017, 139, 11381-11391.	13.7	58
22	Oxidative and reductive processes contributing to manganese cycling at oxic-anoxic interfaces. <i>Marine Chemistry</i> , 2017, 195, 122-128.	2.3	49
23	Mn(II) Oxidation by the Multicopper Oxidase Complex Mnx: A Binuclear Activation Mechanism. <i>Journal of the American Chemical Society</i> , 2017, 139, 11369-11380.	13.7	39
24	Biogenic Manganese Oxide Mineralization is Enhanced by an Oxidative Priming Mechanism for the Multicopper Oxidase, MnxEFG. <i>Chemistry - A European Journal</i> , 2017, 23, 1346-1352.	3.3	12
25	Submarine Basaltic Glass Colonization by the Heterotrophic Fe(II)-Oxidizing and Siderophore-Producing Deep-Sea Bacterium <i>Pseudomonas stutzeri</i> VS-10: The Potential Role of Basalt in Enhancing Growth. <i>Frontiers in Microbiology</i> , 2017, 8, 363.	3.5	41
26	Silica Biomineralization of <i>Calothrix</i> -Dominated Biofacies from Queen's Laundry Hot-Spring, Yellowstone National Park, USA. <i>Frontiers in Environmental Science</i> , 2016, 4, .	3.3	15
27	The Role of Bacterial Spores in Metal Cycling and Their Potential Application in Metal Contaminant Bioremediation. <i>Microbiology Spectrum</i> , 2016, 4, .	3.0	7
28	Identification of a Third Mn(II) Oxidase Enzyme in <i>Pseudomonas putida</i> GB-1. <i>Applied and Environmental Microbiology</i> , 2016, 82, 3774-3782.	3.1	56
29	Kinetics of Mn(II) oxidation by spores of the marine <i>Bacillus</i> sp. SG-1. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 189, 58-69.	3.9	31
30	Metagenomic evidence for reciprocal particle exchange between the mainstem estuary and lateral bay sediments of the lower Columbia River. <i>Frontiers in Microbiology</i> , 2015, 6, 1074.	3.5	11
31	Evidence for the presence of strong Mn(III)-binding ligands in the water column of the Chesapeake Bay. <i>Marine Chemistry</i> , 2015, 171, 58-66.	2.3	81
32	Cryptic Cross-Linkages Among Biogeochemical Cycles: Novel Insights from Reactive Intermediates. <i>Elements</i> , 2015, 11, 409-414.	0.5	35
33	Microbial communities in dark oligotrophic volcanic ice cave ecosystems of Mt. Erebus, Antarctica. <i>Frontiers in Microbiology</i> , 2015, 6, 179.	3.5	120
34	Multicopper manganese oxidase accessory proteins bind Cu and heme. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 1853-1859.	2.3	24
35	Mn(II) Binding and Subsequent Oxidation by the Multicopper Oxidase MnxG Investigated by Electron Paramagnetic Resonance Spectroscopy. <i>Journal of the American Chemical Society</i> , 2015, 137, 10563-10575.	13.7	17
36	Pyoverdine synthesis by the Mn(II)-oxidizing bacterium <i>Pseudomonas putida</i> GB-1. <i>Frontiers in Microbiology</i> , 2014, 5, 202.	3.5	22

#	ARTICLE	IF	CITATIONS
37	Effects of exogenous pyoverdines on Fe availability and their impacts on Mn(II) oxidation by <i>Pseudomonas putida</i> GB-1. <i>Frontiers in Microbiology</i> , 2014, 5, 301.	3.5	11
38	Effects of Mn(II) on UO <sub>2</sub> Dissolution under Anoxic and Oxic Conditions. <i>Environmental Science &amp; Technology</i> , 2014, 48, 5546-5554.	10.0	36
39	Oxidative Remobilization of Technetium Sequestered by Sulfide-Transformed Nano Zerovalent Iron. <i>Environmental Science &amp; Technology</i> , 2014, 48, 7409-7417.	10.0	73
40	Oxidative UO <sub>2</sub> Dissolution Induced by Soluble Mn(III). <i>Environmental Science &amp; Technology</i> , 2014, 48, 289-298.	10.0	92
41	Reductive Sequestration of Per technetate ( <sup>99</sup> TcO <sub>4</sub> <sup>-</sup> ) by Nano Zerovalent Iron (nZVI) Transformed by Abiotic Sulfide. <i>Environmental Science &amp; Technology</i> , 2013, 47, 5302-5310.	10.0	162
42	Dark Carbon Fixation in the Columbia River's Estuarine Turbidity Maxima: Molecular Characterization of Red-Type <i>cbbL</i> Genes and Measurement of DIC Uptake Rates in Response to Added Electron Donors. <i>Estuaries and Coasts</i> , 2013, 36, 1073-1083.	2.2	16
43	Mn(II,III) oxidation and MnO <sub>2</sub> mineralization by an expressed bacterial multicopper oxidase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11731-11735.	7.1	137
44	Hidden in plain sight: discovery of sheath-forming, iron-oxidizing <i>Zetaproteobacteria</i> at Loihi Seamount, Hawaii, USA. <i>FEMS Microbiology Ecology</i> , 2013, 85, 116-127.	2.7	78
45	Elimination of Manganese(II,III) Oxidation in <i>Pseudomonas putida</i> GB-1 by a Double Knockout of Two Putative Multicopper Oxidase Genes. <i>Applied and Environmental Microbiology</i> , 2013, 79, 357-366.	3.1	95
46	Uraninite oxidation and dissolution induced by manganese oxide: A redox reaction between two insoluble minerals. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 100, 24-40.	3.9	91
47	The effect of Ca <sup>2+</sup> ions and ionic strength on Mn(II) oxidation by spores of the marine <i>Bacillus</i> sp. SG-1. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 101, 1-11.	3.9	22
48	Adsorption of Uranium(VI) to Manganese Oxides: X-ray Absorption Spectroscopy and Surface Complexation Modeling. <i>Environmental Science &amp; Technology</i> , 2013, 47, 850-858.	10.0	187
49	Abundant Porewater Mn(III) Is a Major Component of the Sedimentary Redox System. <i>Science</i> , 2013, 341, 875-878.	12.6	222
50	Impact of Microbial Mn Oxidation on the Remobilization of Bioreduced U(IV). <i>Environmental Science &amp; Technology</i> , 2013, 47, 3606-3613.	10.0	18
51	The molecular biogeochemistry of manganese(II) oxidation. <i>Biochemical Society Transactions</i> , 2012, 40, 1244-1248.	3.4	95
52	Structural dependence of Mn complexation by siderophores: Donor group dependence on complex stability and reactivity. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 88, 106-119.	3.9	67
53	Multicopper oxidase involvement in both Mn(II) and Mn(III) oxidation during bacterial formation of MnO <sub>2</sub> . <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 1151-1158.	2.6	51
54	Ubiquitous Dissolved Inorganic Carbon Assimilation by Marine Bacteria in the Pacific Northwest Coastal Ocean as Determined by Stable Isotope Probing. <i>PLoS ONE</i> , 2012, 7, e46695.	2.5	45

#	ARTICLE	IF	CITATIONS
55	Searching for Biosignatures Using Electron Paramagnetic Resonance (EPR) Analysis of Manganese Oxides. <i>Astrobiology</i> , 2011, 11, 775-786.	3.0	37
56	Uranium speciation and stability after reductive immobilization in aquifer sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 6497-6510.	3.9	112
57	Simultaneous determination of soluble manganese(III), manganese(II) and total manganese in natural (pore)waters. <i>Talanta</i> , 2011, 84, 374-381.	5.5	108
58	Culturable <i>Rhodobacter</i> and <i>Shewanella</i> species are abundant in estuarine turbidity maxima of the Columbia River. <i>Environmental Microbiology</i> , 2011, 13, 589-603.	3.8	32
59	Analysis of <i>in situ</i> manganese(II) oxidation in the Columbia River and offshore plume: linking <i>Aurantimonas</i> and the associated microbial community to an active biogeochemical cycle. <i>Environmental Microbiology</i> , 2011, 13, 1561-1576.	3.8	34
60	Ultra-diffuse hydrothermal venting supports Fe-oxidizing bacteria and massive uranium deposition at 5000m off Hawaii. <i>ISME Journal</i> , 2011, 5, 1748-1758.	9.8	97
61	Relocation effects of dredged marine sediments on mercury geochemistry: Venice lagoon, Italy. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 93, 7-13.	2.1	11
62	Mn(II) oxidation in <i>Pseudomonas putida</i> GB-1 is influenced by flagella synthesis and surface substrate. <i>Archives of Microbiology</i> , 2011, 193, 605-614.	2.2	20
63	Biodiversity and Emerging Biogeography of the Neutrophilic Iron-Oxidizing Zetaproteobacteria. <i>Applied and Environmental Microbiology</i> , 2011, 77, 5445-5457.	3.1	125
64	Bacteriogenic Manganese Oxides. <i>Accounts of Chemical Research</i> , 2010, 43, 2-9.	15.6	213
65	Microbial diversity and biogeochemistry of the Guaymas Basin deep-sea hydrothermal plume. <i>Environmental Microbiology</i> , 2010, 12, 1334-1347.	3.8	105
66	Identification of a Two-Component Regulatory Pathway Essential for Mn(II) Oxidation in <i>Pseudomonas putida</i> GB-1. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1224-1231.	3.1	52
67	The Molecular Geomicrobiology of Bacterial Manganese(II) Oxidation. , 2010, , 285-308.		57
68	Mercury Speciation in Marine Sediments under Sulfate-Limited Conditions. <i>Environmental Science &amp; Technology</i> , 2010, 44, 3752-3757.	10.0	26
69	Mn(II) Oxidation Is Catalyzed by Heme Peroxidases in <i>Aurantimonas manganooxydans</i> Strain SI85-9A1 and <i>Erythrobacter</i> sp. Strain SD-21. <i>Applied and Environmental Microbiology</i> , 2009, 75, 4130-4138.	3.1	122
70	Utilization of Substrate Components during Basaltic Glass Colonization by <i>Pseudomonas</i> and <i>Shewanella</i> Isolates. <i>Geomicrobiology Journal</i> , 2009, 26, 648-656.	2.0	30
71	A seafloor microbial biome hosted within incipient ferromanganese crusts. <i>Nature Geoscience</i> , 2009, 2, 872-876.	12.9	87
72	An interlaboratory comparison of 16S rRNA gene-based terminal restriction fragment length polymorphism and sequencing methods for assessing microbial diversity of seafloor basalts. <i>Environmental Microbiology</i> , 2009, 11, 1728-1735.	3.8	32

#	ARTICLE	IF	CITATIONS
73	Loihichelins Aâ~F, a Suite of Amphiphilic Siderophores Produced by the Marine Bacterium Halomonas LOB-5. <i>Journal of Natural Products</i> , 2009, 72, 884-888.	3.0	90
74	Rapid, oxygen-dependent microbial Mn(II) oxidation kinetics at sub-micromolar oxygen concentrations in the Black Sea suboxic zone. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 1878-1889.	3.9	97
75	Citation for presentation of the 2008 Clair C. Patterson Award to Bill Sunda. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, S10.	3.9	0
76	Enzymatic microbial Mn(II) oxidation and Mn biooxide production in the Guaymas Basin deep-sea hydrothermal plume. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 6517-6530.	3.9	85
77	Limitations and benefits of ARISA intra-genomic diversity fingerprinting. <i>Journal of Microbiological Methods</i> , 2009, 78, 111-118.	1.6	33
78	<i>Aurantimonas manganooxydans</i> , sp. nov. and <i>Aurantimonas litoralis</i> , sp. nov.: Mn(II) Oxidizing Representatives of a Globally Distributed Clade of alpha-Proteobacteria from the Order Rhizobiales. <i>Geomicrobiology Journal</i> , 2009, 26, 189-198.	2.0	54
79	Microbial Ecology of Fe (hydr)oxide Mats and Basaltic Rock from Vailulu'u Seamount, American Samoa. <i>Geomicrobiology Journal</i> , 2009, 26, 581-596.	2.0	70
80	Sulfide and iron control on mercury speciation in anoxic estuarine sediment slurries. <i>Marine Chemistry</i> , 2008, 111, 214-220.	2.3	52
81	Biogenic Uraninite Nanoparticles and Their Importance for Uranium Remediation. <i>Elements</i> , 2008, 4, 407-412.	0.5	148
82	Indirect UO <sub>2</sub> Oxidation by Mn(II)-oxidizing Spores of <i>Bacillus</i> sp. Strain SG-1 and the Effect of U and Mn Concentrations. <i>Environmental Science &amp; Technology</i> , 2008, 42, 8709-8714.	10.0	45
83	<i>Pseudomonas marincola</i> sp. nov., isolated from marine environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 706-710.	1.7	38
84	Genomic Insights into Mn(II) Oxidation by the Marine Alphaproteobacterium <i>Aurantimonas</i> sp. Strain SI85-9A1. <i>Applied and Environmental Microbiology</i> , 2008, 74, 2646-2658.	3.1	77
85	Direct Identification of a Bacterial Manganese(II) Oxidase, the Multicopper Oxidase MnxG, from Spores of Several Different Marine <i>Bacillus</i> Species. <i>Applied and Environmental Microbiology</i> , 2008, 74, 1527-1534.	3.1	141
86	Imaging and Analyses of Iron-oxidizing Bacteria on Basalt Glass by methods of FIB-SEM and HRTEM. <i>Microscopy and Microanalysis</i> , 2008, 14, 1560-1561.	0.4	0
87	Indirect Oxidation of Co(II) in the Presence of the Marine Mn(II)-Oxidizing Bacterium <i>Bacillus</i> sp. Strain SG-1. <i>Applied and Environmental Microbiology</i> , 2007, 73, 6905-6909.	3.1	56
88	Inter-relationships of MnO <sub>2</sub> precipitation, siderophore-Mn(III) complex formation, siderophore degradation, and iron limitation in Mn(II)-oxidizing bacterial cultures. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 5672-5683.	3.9	54
89	Toxicity of Cr(III) to <i>Shewanella</i> sp. Strain MR-4 during Cr(VI) Reduction. <i>Environmental Science &amp; Technology</i> , 2007, 41, 214-220.	10.0	106
90	Cr(III) Is Indirectly Oxidized by the Mn(II)-Oxidizing Bacterium <i>Bacillus</i> sp. Strain SG-1. <i>Environmental Science &amp; Technology</i> , 2007, 41, 528-533.	10.0	88

#	ARTICLE	IF	CITATIONS
91	BIOGEOCHEMICAL FACTORS AFFECTING MERCURY METHYLATION IN SEDIMENTS OF THE VENICE LAGOON, ITALY. <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 655.	4.3	66
92	In vitro studies indicate a quinone is involved in bacterial Mn(II) oxidation. <i>Archives of Microbiology</i> , 2007, 189, 59-69.	2.2	47
93	Formation of manganese oxide minerals by bacteria. , 2007, , 173-196.		0
94	Determination of Uranyl Incorporation into Biogenic Manganese Oxides Using X-ray Absorption Spectroscopy and Scattering. <i>Environmental Science &amp; Technology</i> , 2006, 40, 771-777.	10.0	81
95	Soluble Mn(III) in Suboxic Zones. <i>Science</i> , 2006, 313, 1955-1957.	12.6	281
96	Documenting the suboxic zone of the Black Sea via high-resolution real-time redox profiling. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2006, 53, 1740-1755.	1.4	40
97	Processes controlling the redox budget for the oxic/anoxic water column of the Black Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2006, 53, 1817-1841.	1.4	59
98	Manganese(II)-Oxidizing Bacillus Spores in Guaymas Basin Hydrothermal Sediments and Plumes. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3184-3190.	3.1	103
99	Vailulu'u Seamount, Samoa: Life and death on an active submarine volcano. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 6448-6453.	7.1	81
100	EXAFS, XANES and In-Situ SRXRD Characterization of Biogenic Manganese Oxides Produced in Sea Water. <i>Physica Scripta</i> , 2005, , 888.	2.5	20
101	Evidence for the presence of Mn(III) intermediates in the bacterial oxidation of Mn(II). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 5558-5563.	7.1	287
102	Global Transcriptional Profiling of <i>Shewanella oneidensis</i> MR-1 during Cr(VI) and U(VI) Reduction. <i>Applied and Environmental Microbiology</i> , 2005, 71, 7453-7460.	3.1	139
103	Diverse Mn(II)-Oxidizing Bacteria Isolated from Submarine Basalts at Loihi Seamount. <i>Geomicrobiology Journal</i> , 2005, 22, 127-139.	2.0	195
104	Introduction: Advances in the Geomicrobiology and Biogeochemistry of Manganese and Iron Oxidation. <i>Geomicrobiology Journal</i> , 2005, 22, 77-78.	2.0	5
105	Cr(III) Oxidation and Cr Toxicity in Cultures of the Manganese(II)-Oxidizing <i>Pseudomonas putida</i> Strain GB-1. <i>Geomicrobiology Journal</i> , 2005, 22, 151-159.	2.0	51
106	Structural Influences of Sodium and Calcium Ions on the Biogenic Manganese Oxides Produced by the Marine <i>Bacillus</i> Sp., Strain SG-1. <i>Geomicrobiology Journal</i> , 2005, 22, 181-193.	2.0	56
107	Geomicrobiology of manganese(II) oxidation. <i>Trends in Microbiology</i> , 2005, 13, 421-428.	7.7	606
108	Biotic and abiotic products of Mn(II) oxidation by spores of the marine <i>Bacillus</i> sp. strain SG-1. <i>American Mineralogist</i> , 2005, 90, 143-154.	1.9	237

#	ARTICLE	IF	CITATIONS
109	Structural characterization of biogenic Mn oxides produced in seawater by the marine bacillus sp. strain SG-1. <i>American Mineralogist</i> , 2005, 90, 1342-1357.	1.9	243
110	Pressure effects on <i>Clostridium</i> strains isolated from a cold deep-sea environment. <i>Extremophiles</i> , 2004, 8, 169-173.	2.3	19
111	Manganese(III) binding to a pyoverdine siderophore produced by a manganese(II)-oxidizing bacterium. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 4809-4820.	3.9	119
112	BIOGENIC MANGANESE OXIDES: Properties and Mechanisms of Formation. <i>Annual Review of Earth and Planetary Sciences</i> , 2004, 32, 287-328.	11.0	1,081
113	The oceanic crust as a bioreactor. <i>Geophysical Monograph Series</i> , 2004, , 325-341.	0.1	17
114	Cometabolism of Cr(VI) by <i>Shewanella oneidensis</i> MR-1 produces cell-associated reduced chromium and inhibits growth. <i>Biotechnology and Bioengineering</i> , 2003, 83, 627-637.	3.3	151
115	Natural Attenuation of Cr(VI) Contamination in Laboratory Mesocosms. <i>Geomicrobiology Journal</i> , 2003, 20, 389-401.	2.0	10
116	Cr(VI) Reduction by Sulfidogenic and Nonsulfidogenic Microbial Consortia. <i>Applied and Environmental Microbiology</i> , 2003, 69, 1847-1853.	3.1	64
117	Lateral injection of oxygen with the Bosphorus plume's "fingers" of oxidizing potential in the Black Sea. <i>Limnology and Oceanography</i> , 2003, 48, 2369-2376.	3.1	110
118	Enzymatic Manganese(II) Oxidation by Metabolically Dormant Spores of Diverse <i>Bacillus</i> Species. <i>Applied and Environmental Microbiology</i> , 2002, 68, 874-880.	3.1	184
119	Sulfur Disproportionation by the Facultative Anaerobe <i>Pantoea agglomerans</i> SP1 as a Mechanism for Chromium(VI) Reduction. <i>Geomicrobiology Journal</i> , 2002, 19, 121-132.	2.0	24
120	Localization of Mn(II)-oxidizing activity and the putative multicopper oxidase, MnxG, to the exosporium of the marine <i>Bacillus</i> sp. strain SG-1. <i>Archives of Microbiology</i> , 2002, 178, 450-456.	2.2	94
121	A Large Gene Cluster Encoding Several Magnetosome Proteins Is Conserved in Different Species of Magnetotactic Bacteria. <i>Applied and Environmental Microbiology</i> , 2001, 67, 4573-4582.	3.1	269
122	cumA Multicopper Oxidase Genes from Diverse Mn(II)-Oxidizing and Non-Mn(II)-Oxidizing <i>Pseudomonas</i> Strains. <i>Applied and Environmental Microbiology</i> , 2001, 67, 4272-4278.	3.1	107
123	Enzymatic Manganese(II) Oxidation by a Marine $\alpha$ -Proteobacterium. <i>Applied and Environmental Microbiology</i> , 2001, 67, 4024-4029.	3.1	142
124	Dissimilatory Metal Reduction by the Facultative Anaerobe <i>Pantoea agglomerans</i> SP1. <i>Applied and Environmental Microbiology</i> , 2000, 66, 543-548.	3.1	144
125	In situ characterization of Mn(II) oxidation by spores of the marine <i>Bacillus</i> sp. strain SG-1. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 2775-2778.	3.9	151
126	In situ sulfide removal and CO <sub>2</sub> fixation rates at deep-sea hydrothermal vents and the oxic/anoxic interface in Framvaren Fjord, Norway. <i>Marine Chemistry</i> , 1999, 66, 201-213.	2.3	28



#	ARTICLE	IF	CITATIONS
127	Sulfate-reducing bacterium grows with Cr(VI), U(VI), Mn(IV), and Fe(III) as electron acceptors. FEMS Microbiology Letters, 1998, 162, 193-198.	1.8	394
128	Manganese Oxidation by Spores of the Marine Bacillus sp. Strain SG-1. , 1998, , 177-180.		2
129	Sulfate-reducing bacterium grows with Cr(VI), U(VI), Mn(IV), and Fe(III) as electron acceptors. FEMS Microbiology Letters, 1998, 162, 193-198.	1.8	9
130	<i>c</i> -Type Cytochromes and Manganese Oxidation in <i>Pseudomonas putida</i> MnB1. Applied and Environmental Microbiology, 1998, 64, 3549-3555.	3.1	90
131	Surface Charge Properties of and Cu(II) Adsorption by Spores of the Marine <i>Bacillus</i> sp. Strain SG-1. Applied and Environmental Microbiology, 1998, 64, 1123-1129.	3.1	119
132	Chapter 7. BACTERIALLY MEDIATED MINERAL FORMATION: INSIGHTS INTO MANGANESE(II) OXIDATION FROM MOLECULAR GENETIC AND BIOCHEMICAL STUDIES. , 1997, , 225-266.		70
133	Identification and characterization of a gene cluster involved in manganese oxidation by spores of the marine Bacillus sp. strain SG-1. Journal of Bacteriology, 1996, 178, 3517-3530.	2.2	157
134	Unusual ribulose-1,5-bisphosphate carboxylase/oxygenase genes from a marine manganese-oxidizing bacterium. Microbiology (United Kingdom), 1996, 142, 2549-2559.	1.8	44
135	Manganese mineral formation by bacterial spores of the marine Bacillus, strain SG-1: Evidence for the direct oxidation of Mn(II) to Mn(IV). Geochimica Et Cosmochimica Acta, 1995, 59, 4393-4408.	3.9	186
136	Oxygen isotope analyses of chemically and microbially produced manganese oxides and manganates. Geochimica Et Cosmochimica Acta, 1995, 59, 4409-4425.	3.9	63
137	Cobalt(II) Oxidation by the Marine Manganese(II)-Oxidizing <i>Bacillus</i> sp. Strain SG-1. Applied and Environmental Microbiology, 1994, 60, 2949-2957.	3.1	79
138	Manganese scavenging and oxidation at hydrothermal vents and in vent plumes. Geochimica Et Cosmochimica Acta, 1993, 57, 3907-3923.	3.9	98
139	Genetic analysis of the marine manganese-oxidizing Bacillus sp. strain SG-1: protoplast transformation, Tn917 mutagenesis, and identification of chromosomal loci involved in manganese oxidation. Journal of Bacteriology, 1993, 175, 7594-7603.	2.2	56
140	Isotopic fractionation of dissolved ammonium at the oxygen-hydrogen sulfide interface in anoxic waters. Geophysical Research Letters, 1991, 18, 649-652.	4.0	34
141	Manganese(II) oxidation in the suboxic zone of the Black Sea. Deep-sea Research Part A, Oceanographic Research Papers, 1991, 38, S883-S905.	1.5	188
142	Occurrence and Mechanisms of Microbial Oxidation of Manganese. Advances in Applied Microbiology, 1988, 33, 279-318.	2.4	224
143	The abundance and biological activity of manganese-oxidizing bacteria and Metallogenium-like morphotypes in Lake Washington, USA. FEMS Microbiology Letters, 1987, 45, 21-29.	1.8	23
144	Microbial manganese(II) oxidation in the marine environment: a quantitative study. Biogeochemistry, 1986, 2, 149-161.	3.5	68

#	ARTICLE	IF	CITATIONS
145	Effect of Oxygen Tension, Mn(II) Concentration, and Temperature on the Microbially Catalyzed Mn(II) Oxidation Rate in a Marine Fjord. <i>Applied and Environmental Microbiology</i> , 1985, 50, 1268-1273.	3.1	76
146	Contribution by symbiotically luminous fishes to the occurrence and bioluminescence of luminous bacteria in seawater. <i>Microbial Ecology</i> , 1984, 10, 69-77.	2.8	34
147	Luminous bacteria of a monocentrid fish ( <i>Monocentris japonicus</i> ) and two anomalopid fishes ( <i>Photoblepharon palpebratus</i> and <i>Kryptophanaron alfredi</i> ): population sizes and growth within the light organs, and rates of release into the seawater. <i>Marine Biology</i> , 1984, 78, 249-254.	1.5	53
148	Microbial mediation of Mn(II) and Co(II) precipitation at the O <sub>2</sub> /H <sub>2</sub> S interfaces in two anoxic fjords. <i>Limnology and Oceanography</i> , 1984, 29, 1247-1258.	3.1	131
149	Use of Poisons in Determination of Microbial Manganese Binding Rates in Seawater. <i>Applied and Environmental Microbiology</i> , 1984, 47, 740-745.	3.1	83
150	Environmental oxidation rate of manganese(II): bacterial catalysis. <i>Geochimica Et Cosmochimica Acta</i> , 1982, 46, 1073-1079.	3.9	235
151	CO-EVOLUTION OF LUMINOUS BACTERIA AND THEIR EUKARYOTIC HOSTS. <i>Annals of the New York Academy of Sciences</i> , 1981, 361, 76-91.	3.8	5
152	CO-EVOLUTION OF LUMINOUS BACTERIA AND THEIR EUKARYOTIC HOSTS. <i>Annals of the New York Academy of Sciences</i> , 1981, 361, 76-91.	3.8	15
153	Characterization of <i>Alteromonas hanedai</i> (sp. nov.), a nonfermentative luminous species of marine origin. <i>Current Microbiology</i> , 1980, 3, 311-315.	2.2	68
154	Structural features of manganese precipitating bacteria. <i>Origins of Life and Evolution of Biospheres</i> , 1980, 10, 117-126.	0.6	37
155	Luminous bacteria and light emitting fish: Ultrastructure of the symbiosis. <i>BioSystems</i> , 1979, 11, 269-280.	2.0	40
156	The Role of Bacterial Spores in Metal Cycling and Their Potential Application in Metal Contaminant Bioremediation. , 0, , 367-386.		0
157	Direct and Indirect Processes Leading to Uranium(IV) Oxidation. , 0, , 139-156.		1