

# Hans-Ulrich Wittchen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5416396/publications.pdf>

Version: 2024-02-01

606  
papers

68,772  
citations

511  
128  
h-index

947  
239  
g-index

665  
all docs

665  
docs citations

665  
times ranked

47341  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping Research Domain Criteria using a transdiagnostic mini-RDoC assessment in mental disorders: a confirmatory factor analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 527-539.	3.2	7
2	Depressive symptom complexes of community-dwelling older adults: a latent network model. <i>Molecular Psychiatry</i> , 2022, 27, 1075-1082.	7.9	9
3	Long-Term Cognitive Decline Related to the Motor Phenotype in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2022, 12, 905-916.	2.8	7
4	Progression of externalizing disorders into anxiety disorders: Longitudinal transitions in the first three decades of life. <i>Journal of Anxiety Disorders</i> , 2022, 86, 102533.	3.2	7
5	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190.	7.9	58
6	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Association—The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 594-603.	4.3	26
7	Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2021, 44, 105-120.	0.7	5
8	Vagal control of the heart decreases during increasing imminence of interoceptive threat in patients with panic disorder and agoraphobia. <i>Scientific Reports</i> , 2021, 11, 7960.	3.3	7
9	Efficacy of temporally intensified exposure for anxiety disorders: A multicenter randomized clinical trial. <i>Depression and Anxiety</i> , 2021, 38, 1169-1181.	4.1	19
10	Transfer of exposure therapy effects to a threat context not considered during treatment in patients with panic disorder and agoraphobia: Implications for potential mechanisms of change. <i>Behaviour Research and Therapy</i> , 2021, 142, 103886.	3.1	5
11	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110257.	2.3	7
12	Neural adaptation of cingulate and insular activity during delayed fear extinction: A replicable pattern across assessment sites and repeated measurements. <i>NeuroImage</i> , 2021, 237, 118157.	4.2	13
13	Extrapulmonary symptoms of patients with asthma treated in specialist pulmonary care. <i>Journal of Psychosomatic Research</i> , 2021, 148, 110538.	2.6	4
14	Help-Seeking Behavior and Treatment Barriers in Anxiety Disorders: Results from a Representative German Community Survey. <i>Community Mental Health Journal</i> , 2021, 57, 1505-1517.	2.0	20
15	Stronger Prejudices Are Associated With Decreased Model-Based Control. <i>Frontiers in Psychology</i> , 2021, 12, 767022.	2.1	0
16	Specific traumatic events elevate the risk of a suicide attempt in a 10-year longitudinal community study on adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 179-186.	4.7	11
17	Dissociating neural learning signals in human sign- and goal-trackers. <i>Nature Human Behaviour</i> , 2020, 4, 201-214.	12.0	51
18	Augmenting extinction learning with d-cycloserine reduces return of fear: a randomized, placebo-controlled fMRI study. <i>Neuropsychopharmacology</i> , 2020, 45, 499-506.	5.4	17

#	ARTICLE	IF	CITATIONS
19	The course of panic disorder during the peripartum period and the risk for adverse child development: A prospective-longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 266, 722-730.	4.1	11
20	Prospective prediction of suicide attempts in community adolescents and young adults, using regression methods and machine learning. <i>Journal of Affective Disorders</i> , 2020, 265, 570-578.	4.1	34
21	Changes in psychopathological symptoms during pregnancy and after delivery: A prospective-longitudinal study in women with and without anxiety and depressive disorders prior to pregnancy. <i>Journal of Affective Disorders</i> , 2020, 263, 480-490.	4.1	9
22	Effect of CBT on Biased Semantic Network in Panic Disorder: A Multicenter fMRI Study Using Semantic Priming. <i>American Journal of Psychiatry</i> , 2020, 177, 254-264.	7.2	19
23	Fundamental frequency during cognitive preparation and its impact on therapy outcome for panic disorder with Agoraphobia. <i>Behaviour Research and Therapy</i> , 2020, 135, 103728.	3.1	2
24	The Relationship Between Paternal and Maternal Depression During the Perinatal Period: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020, 11, 563287.	2.6	45
25	The modulating impact of cigarette smoking on brain structure in panic disorder: a voxel-based morphometry study. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 849-859.	3.0	7
26	The clinical characterization of the adult patient with depression aimed at personalization of management. <i>World Psychiatry</i> , 2020, 19, 269-293.	10.4	174
27	Maternal personality, social support, and changes in depressive, anxiety, and stress symptoms during pregnancy and after delivery: A prospective-longitudinal study. <i>PLoS ONE</i> , 2020, 15, e0237609.	2.5	42
28	Neural correlates of NOS1 ex1f-VNTR allelic variation in panic disorder and agoraphobia during fear conditioning and extinction in fMRI. <i>NeuroImage: Clinical</i> , 2020, 27, 102268.	2.7	1
29	An investigation of genetic variability of DNA methyltransferases DNMT3A and 3B does not provide evidence for a major role in the pathogenesis of panic disorder and dimensional anxiety phenotypes. <i>Journal of Neural Transmission</i> , 2020, 127, 1527-1537.	2.8	2
30	Test-retest reliability of the computer-assisted DIA-X-5 interview for mental disorders. <i>BMC Psychiatry</i> , 2020, 20, 280.	2.6	22
31	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 61.	2.4	28
32	A multimodal neuroimaging classifier for alcohol dependence. <i>Scientific Reports</i> , 2020, 10, 298.	3.3	17
33	<i>International Journal of Methods in Psychiatric Research</i> transitions to open access. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1817.	2.1	0
34	Do lifetime anxiety disorders (anxiety liability) and pregnancy-related anxiety predict complications during pregnancy and delivery?. <i>Early Human Development</i> , 2020, 144, 105022.	1.8	18
35	Diagnostische Prozesse in der Klinischen Psychologie und Psychotherapie. , 2020, , 519-555.		0
36	Klinisch-psychologische und psychotherapeutische Verfahren: Ein Äæberblick. , 2020, , 377-395.		0

#	ARTICLE	IF	CITATIONS
37	Depressive Störungen: Major Depression und Persistierende Depressive Störung (Dysthymie). , 2020, , 1027-1072.		0
38	Kognitive Trainings. , 2020, , 683-694.		0
39	Epidemiologische Beiträge zur Klinischen Psychologie. , 2020, , 57-112.		2
40	Diagnostische Klassifikation psychischer Störungen. , 2020, , 29-56.		0
41	Pavlovian-To-Instrumental Transfer and Alcohol Consumption in Young Male Social Drinkers: Behavioral, Neural and Polygenic Correlates. Journal of Clinical Medicine, 2019, 8, 1188.	2.4	24
42	Neural Response Patterns During Pavlovian-to-Instrumental Transfer Predict Alcohol Relapse and Young Adult Drinking. Biological Psychiatry, 2019, 86, 857-863.	1.3	20
43	Predictors and outcomes of suicidal ideation during peripartum period. Journal of Affective Disorders, 2019, 257, 518-526.	4.1	32
44	Association of rs7688285 allelic variation coding for GLRB with fear reactivity and exposure-based therapy in patients with panic disorder and agoraphobia. European Neuropsychopharmacology, 2019, 29, 1138-1151.	0.7	4
45	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. PLoS ONE, 2019, 14, e0224871.	2.5	8
46	Association of NPSR1 gene variation and neural activity in patients with panic disorder and agoraphobia and healthy controls. NeuroImage: Clinical, 2019, 24, 102029.	2.7	8
47	Cardiovascular risk algorithms in primary care: Results from the DETECT study. Scientific Reports, 2019, 9, 1101.	3.3	15
48	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. Translational Psychiatry, 2019, 9, 150.	4.8	35
49	No association between Parkinson disease and autoantibodies against NMDA-type glutamate receptors. Translational Neurodegeneration, 2019, 8, 11.	8.0	10
50	A comparison of <i>DSM</i> 5 and <i>DSM</i> IV agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	4.1	22
51	Orexin in the anxiety spectrum: association of a HCRTR1 polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. Translational Psychiatry, 2019, 9, 75.	4.8	29
52	Perception of alcohol policies by consumers of unrecorded alcohol - an exploratory qualitative interview study with patients of alcohol treatment facilities in Russia. Substance Abuse Treatment, Prevention, and Policy, 2019, 14, 53.	2.2	10
53	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. Bipolar Disorders, 2019, 21, 437-448.	1.9	20
54	The impact of depressive comorbidity on neural plasticity following cognitive-behavioral therapy in panic disorder with agoraphobia. Journal of Affective Disorders, 2019, 245, 451-460.	4.1	12

#	ARTICLE	IF	CITATIONS
55	Clinical and Neurofunctional Substrates of Cognitive Behavioral Therapy on Secondary Social Anxiety Disorder in Primary Panic Disorder: A Longitudinal fMRI Study. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 48-51.	8.8	1
56	Characterizing the nature of emotional-associative learning deficits in panic disorder: An fMRI study on fear conditioning, extinction training and recall. <i>European Neuropsychopharmacology</i> , 2019, 29, 306-318.	0.7	19
57	Cognitive decline in Parkinson's disease: the impact of the motor phenotype on cognition. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 171-179.	1.9	54
58	Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the MAOA gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 161-170.	3.2	4
59	The role of gender and anxiety in the association between somatic diseases and depression: findings from three combined epidemiological studies in primary care. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 321-332.	3.9	4
60	The role of meaning in life in community-dwelling older adults with depression and relationship to other risk factors. <i>Aging and Mental Health</i> , 2019, 23, 100-106.	2.8	33
61	Effects of alcohol intoxication on self-reported drinking patterns, expectancies, motives and personality: a randomized controlled experimental study. <i>Addiction Biology</i> , 2019, 24, 522-530.	2.6	2
62	Neural correlates of instrumental responding in the context of alcohol-related cues index disorder severity and relapse risk. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 295-308.	3.2	30
63	Running for extinction? Aerobic exercise as an augmentation of exposure therapy in panic disorder with agoraphobia. <i>Journal of Psychiatric Research</i> , 2018, 101, 34-41.	3.1	24
64	The Generalized Anxiety Disorder Screener (GAD-7) and the anxiety module of the Hospital and Depression Scale (HADS-A) as screening tools for generalized anxiety disorder among cancer patients. <i>Psycho-Oncology</i> , 2018, 27, 1509-1516.	2.3	104
65	Obsessive-compulsive disorder and the risk of subsequent mental disorders: A community study of adolescents and young adults. <i>Depression and Anxiety</i> , 2018, 35, 339-345.	4.1	20
66	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). <i>Psycho-Oncology</i> , 2018, 27, 1802-1809.	2.3	61
67	Decoding diagnosis and lifetime consumption in alcohol dependence from grey matter pattern information. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 252-262.	4.5	18
68	Trauma, attentional dysregulation, and the development of posttraumatic stress: An investigation of risk pathways. <i>Behaviour Research and Therapy</i> , 2018, 102, 60-66.	3.1	20
69	Predisposing, enabling, and need factors of service utilization in the elderly with mental health problems. <i>International Psychogeriatrics</i> , 2018, 30, 1027-1037.	1.0	23
70	Longitudinal change instead of baseline testosterone predicts depressive symptoms. <i>Psychoneuroendocrinology</i> , 2018, 89, 7-12.	2.7	22
71	Identification of heavy drinking in the 10-item AUDIT: Results from a prospective study among 18-21 years old non-dependent German males. <i>Journal of Substance Abuse Treatment</i> , 2018, 86, 94-101.	2.8	6
72	Pretreatment Cardiac Vagal Tone Predicts Dropout from and Residual Symptoms after Exposure Therapy in Patients with Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 187-189.	8.8	23

#	ARTICLE	IF	CITATIONS
73	Biological stress indicators as risk markers for increased alcohol use following traumatic experiences. <i>Addiction Biology</i> , 2018, 23, 281-290.	2.6	12
74	Incident mental disorders in the aftermath of traumatic events: A prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , 2018, 227, 82-89.	4.1	36
75	Networks of phobic fear: Functional connectivity shifts in two subtypes of specific phobia. <i>Neuroscience Letters</i> , 2018, 662, 167-172.	2.1	8
76	Sociodemographic, clinical, and functional long-term outcomes in adolescents and young adults with mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 6-17.	4.5	60
77	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 174-185.	1.2	99
78	Self-reported volitional control in adolescents and young adults from a community cohort: Associations with current, past and future mental disorders. <i>Psychiatry Research</i> , 2018, 260, 292-299.	3.3	2
79	Editorial. <i>Current Opinion in Psychiatry</i> , 2018, 31, 1-2.	6.3	1
80	Cognitive functioning in the general population: Factor structure and association with mental disorders – The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1 – MH). <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	2.1	6
81	The role of behavioral inhibition, perceived parental rearing, and adverse life events in adolescents and young adults with incident obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2018, 19, 116-123.	1.5	7
82	Testosterone is not associated with traits of optimism or pessimism: Observational evidence from the prospective DETECT study. <i>PLoS ONE</i> , 2018, 13, e0207870.	2.5	1
83	Effects of Cognitive Behavioral Therapy on Neural Processing of Agoraphobia-Specific Stimuli in Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 350-365.	8.8	7
84	“Throwing out the baby with the bathwater”? Conceptual and methodological limitations of the HiTOP approach. <i>World Psychiatry</i> , 2018, 17, 298-299.	10.4	18
85	Adjusted Troponin I for Improved Evaluation of Patients with Chest Pain. <i>Scientific Reports</i> , 2018, 8, 8087.	3.3	6
86	The socioeconomic profile of alcohol-attributable mortality in South Africa: a modelling study. <i>BMC Medicine</i> , 2018, 16, 97.	5.5	28
87	Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. <i>Journal of Behavioral Addictions</i> , 2018, 7, 556-561.	3.7	214
88	Stability, reliability, and validity of the THINC-it screening tool for cognitive impairment in depression: A psychometric exploration in healthy volunteers. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1736.	2.1	27
89	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018, 13, e0196574.	2.5	24
90	Maternal anxiety and depressive disorders prior to, during and after pregnancy and infant interaction behaviors during the Face-to-Face Still Face Paradigm at 4 months postpartum: A prospective-longitudinal study. <i>Early Human Development</i> , 2018, 122, 45-53.	1.8	16

#	ARTICLE	IF	CITATIONS
91	Is Cannabis Use Treatment Also Indicated for Patients with Low to Moderate Polysubstance Use. European Addiction Research, 2018, 24, 79-87.	2.4	7
92	Utilization of professional psychological care in a large German sample of cancer patients. Psycho-Oncology, 2017, 26, 537-543.	2.3	84
93	Drinking patterns and harm of unrecorded alcohol in Russia: a qualitative interview study. Addiction Research and Theory, 2017, 25, 310-317.	1.9	17
94	Increasing valued behaviors precedes reduction in suffering: Findings from a randomized controlled trial using ACT. Behaviour Research and Therapy, 2017, 91, 64-71.	3.1	68
95	Chronic kidney disease in primary care in Germany. Zeitschrift Fur Gesundheitswissenschaften, 2017, 25, 223-230.	1.6	10
96	GLRB allelic variation associated with agoraphobic cognitions, increased startle response and fear network activation: a potential neurogenetic pathway to panic disorder. Molecular Psychiatry, 2017, 22, 1431-1439.	7.9	47
97	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	18
98	The role of maternal anxiety and depressive disorders prior to and during pregnancy and perinatal psychopathological symptoms for early infant diseases and drug administration. Early Human Development, 2017, 109, 7-14.	1.8	13
99	Assessment of alcoholic standard drinks using the Munich composite international diagnostic interview (M-CIDI): An evaluation and subsequent revision. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	9
100	Anxiety disorders. Nature Reviews Disease Primers, 2017, 3, 17024.	30.5	345
101	Optimizing exposure-based CBT for anxiety disorders via enhanced extinction: Design and methods of a multicentre randomized clinical trial. International Journal of Methods in Psychiatric Research, 2017, 26, e1560.	2.1	37
102	Six-Year Outcome of Opioid Maintenance Treatment in Heroin-Dependent Patients: Results from a Naturalistic Study in a Nationally Representative Sample. European Addiction Research, 2017, 23, 97-105.	2.4	47
103	Prevalence and severity of mental disorders in military personnel: a standardised comparison with civilians. Epidemiology and Psychiatric Sciences, 2017, 26, 199-208.	3.9	32
104	Prevalence of mental disorders in elderly people: The European MentDis_ICF65+ study. British Journal of Psychiatry, 2017, 210, 125-131.	2.8	261
105	Genome Wide Association Results of Alcoholic Use Disorder Patients And Healthy Controls. European Neuropsychopharmacology, 2017, 27, S411.	0.7	0
106	Familial hypercholesterolemia in primary care in Germany. Diabetes and cardiovascular risk evaluation: Targets and Essential Data for Commitment of Treatment (DETECT) study. Atherosclerosis, 2017, 266, 24-30.	0.8	26
107	A 10-year prospective-longitudinal study of daily hassles and incident psychopathology among adolescents and young adults: interactions with gender, perceived coping efficacy, and negative life events. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1353-1362.	3.1	28
108	Infant, maternal, and familial predictors and correlates of regulatory problems in early infancy: The differential role of infant temperament and maternal anxiety and depression. Early Human Development, 2017, 115, 23-31.	1.8	66



#	ARTICLE	IF	CITATIONS
109	Modulation of defensive reactivity by GLRB allelic variation: converging evidence from an intermediate phenotype approach. <i>Translational Psychiatry</i> , 2017, 7, e1227-e1227.	4.8	12
110	Prevalence, Duration and Severity of Parkinson's Disease in Germany: A Combined Meta-Analysis from Literature Data and Outpatient Samples. <i>European Neurology</i> , 2017, 78, 128-136.	1.4	16
111	Quantitative neurobiological evidence for accelerated brain aging in alcohol dependence. <i>Translational Psychiatry</i> , 2017, 7, 1279.	4.8	57
112	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , 2017, 123, 4236-4243.	4.1	92
113	Improved risk stratification in prevention by use of a panel of selected circulating microRNAs. <i>Scientific Reports</i> , 2017, 7, 4511.	3.3	22
114	Lifetime prevalence of mental disorders among first and second generation individuals with Turkish migration backgrounds in Germany. <i>BMC Psychiatry</i> , 2017, 17, 177.	2.6	22
115	Changes of valued behaviors and functioning during an Acceptance and Commitment Therapy Intervention. <i>Journal of Contextual Behavioral Science</i> , 2017, 6, 63-70.	2.6	27
116	Development and feasibility of the computerized Turkish edition of the Composite International Diagnostic Interview [DIA-X/CIDI version 2.8(TR)]. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	5
117	Support Vector Machine Analysis of Functional Magnetic Resonance Imaging of Interoception Does Not Reliably Predict Individual Outcomes of Cognitive Behavioral Therapy in Panic Disorder with Agoraphobia. <i>Frontiers in Psychiatry</i> , 2017, 8, 99.	2.6	24
118	Acculturation and other risk factors of depressive disorders in individuals with Turkish migration backgrounds. <i>BMC Psychiatry</i> , 2017, 17, 264.	2.6	20
119	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , 2017, 17, 366.	2.6	11
120	The THINC-Integrated Tool (THINC-it) Screening Assessment for Cognitive Dysfunction. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 873-881.	2.2	100
121	Asthma Trigger Reports Are Associated with Low Quality of Life, Exacerbations, and Emergency Treatments. <i>Annals of the American Thoracic Society</i> , 2016, 13, 204-211.	3.2	32
122	ATTENTIONAL BIAS TEMPORAL DYNAMICS PREDICT POSTTRAUMATIC STRESS SYMPTOMS: A PROSPECTIVE-LONGITUDINAL STUDY AMONG SOLDIERS. <i>Depression and Anxiety</i> , 2016, 33, 630-639.	4.1	44
123	IMPACT OF SPECIFIC PHOBIA ON THE RISK OF ONSET OF MENTAL DISORDERS: A 10-YEAR PROSPECTIVE-LONGITUDINAL COMMUNITY STUDY OF ADOLESCENTS AND YOUNG ADULTS. <i>Depression and Anxiety</i> , 2016, 33, 667-675.	4.1	50
124	Pavlovian-to-instrumental transfer effects in the nucleus accumbens relate to relapse in alcohol dependence. <i>Addiction Biology</i> , 2016, 21, 719-731.	2.6	136
125	Subtypes of mild cognitive impairment in patients with Parkinson's disease: evidence from the LANDSCAPE study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1099-1105.	1.9	76
126	Verbal memory declines more in female patients with Parkinson's disease: the importance of gender-corrected normative data. <i>Psychological Medicine</i> , 2016, 46, 2275-2286.	4.5	14



#	ARTICLE	IF	CITATIONS
127	Apolipoprotein E $\epsilon$ 4 does not affect cognitive performance in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 29, 112-116.	2.2	22
128	Risk factors for fearful spells, panic attacks and panic disorder in a community cohort of adolescents and young adults. <i>Journal of Affective Disorders</i> , 2016, 193, 305-308.	4.1	10
129	A prospective-longitudinal study on the association of anxiety disorders prior to pregnancy and pregnancy- and child-related fears. <i>Journal of Anxiety Disorders</i> , 2016, 40, 58-66.	3.2	40
130	MAOA gene hypomethylation in panic disorder—reversibility of an epigenetic risk pattern by psychotherapy. <i>Translational Psychiatry</i> , 2016, 6, e773-e773.	4.8	138
131	Neurobiological markers predicting treatment response in anxiety disorders: A systematic review and implications for clinical application. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 66, 143-162.	6.1	101
132	The economic costs of mental disorders. <i>EMBO Reports</i> , 2016, 17, 1245-1249.	4.5	488
133	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 289-296.	8.8	111
134	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016, 245, 267-275.	3.3	25
135	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , 2016, 16, 223.	2.6	20
136	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , 2016, 33, 153-161.	4.1	40
137	Maternal anxiety versus depressive disorders: specific relations to infants' crying, feeding and sleeping problems. <i>Child: Care, Health and Development</i> , 2016, 42, 231-245.	1.7	105
138	Evidence for two different ICD-11 posttraumatic stress disorders in a community sample of adolescents and young adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 317-328.	3.2	111
139	Neural correlates of individual differences in anxiety sensitivity: an fMRI study using semantic priming. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1245-1254.	3.0	16
140	Family functioning mediates the association between parental depression and low self-esteem in adolescents. <i>Journal of Affective Disorders</i> , 2016, 203, 184-189.	4.1	21
141	Panic disorder with agoraphobia from a behavioral neuroscience perspective: Applying the research principles formulated by the Research Domain Criteria (RDoC) initiative. <i>Psychophysiology</i> , 2016, 53, 312-322.	2.4	65
142	Does low coping efficacy mediate the association between negative life events and incident psychopathology? A prospective-longitudinal community study among adolescents and young adults. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 171-180.	3.9	21
143	Prevalence, incidence, and natural course of anorexia and bulimia nervosa among adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 903-918.	4.7	168
144	Obesity and Abdominal Fat Markers in Patients with a History of Stroke and Transient Ischemic Attacks. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1141-1147.	1.6	13

#	ARTICLE	IF	CITATIONS
145	Peripartum changes in social support among women with and without anxiety and depressive disorders prior to pregnancy: a prospective-longitudinal study. Archives of Women's Mental Health, 2016, 19, 943-952.	2.6	24
146	Sexual Problems During Pregnancy and After Delivery Among Women with and Without Anxiety and Depressive Disorders Prior to Pregnancy: A Prospective-Longitudinal Study. Journal of Sexual Medicine, 2016, 13, 95-104.	0.6	27
147	Facing the fear â€“ clinical and neural effects of cognitive behavioural and pharmacotherapy in panic disorder with agoraphobia. European Neuropsychopharmacology, 2016, 26, 431-444.	0.7	19
148	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. Journal of Psychosomatic Research, 2016, 81, 24-30.	2.6	116
149	Peripartum changes in partnership quality among women with and without anxiety and depressive disorders prior to pregnancy: a prospective-longitudinal study. Archives of Women's Mental Health, 2016, 19, 281-290.	2.6	15
150	Allelic variation in CRHR1 predisposes to panic disorder: evidence for biased fear processing. Molecular Psychiatry, 2016, 21, 813-822.	7.9	54
151	Satisfaction with information and unmet information needs in men and women with cancer. Journal of Cancer Survivorship, 2016, 10, 62-70.	2.9	175
152	Pr�valenz und Behandlungsraten von St�rungen durch Alkoholkonsum in der prim�r�rztlichen Versorgung in Deutschland. Sucht, 2016, 62, 233-243.	0.2	10
153	Overlooking Informal Dementia Caregivers' Burden. Research in Gerontological Nursing, 2016, 9, 167-174.	0.6	22
154	Die Effekte interozeptiver Expositions�bungen in der Kognitiven Verhaltenstherapie von Panikst�rung mit Agoraphobie. Verhaltenstherapie, 2015, 25, 268-276.	0.4	6
155	Measuring symptoms and diagnosing mental disorders in the elderly community: the testâ€“retest reliability of the CIDI65+. International Journal of Methods in Psychiatric Research, 2015, 24, 116-129.	2.1	35
156	Stability of Recalled Parental Rearing Behavior in a Community Sample of Adolescents and Young Adults. Journal of Research on Adolescence, 2015, 25, 614-621.	3.7	7
157	Epigenetic variation in the serotonin transporter gene predicts resting state functional connectivity strength within the salienceâ€“network. Human Brain Mapping, 2015, 36, 4361-4371.	3.6	18
158	Twelveâ€“months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults â€“ Mental Health Module (DEGS1â€“MH): a methodological addendum and correction. International Journal of Methods in Psychiatric Research, 2015, 24, 305-313.	2.1	110
159	<i>RGS2</i> genetic variation: Association analysis with panic disorder and dimensional as well as intermediate phenotypes of anxiety. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 211-222.	1.7	26
160	The role of behavioral inhibition and parenting for an unfavorable emotional trauma response and <scp>PTSD</scp>. Acta Psychiatrica Scandinavica, 2015, 131, 279-289.	4.5	10
161	Psychotherapy and Mental Health as a Psychological Science Discipline. Verhaltenstherapie, 2015, 25, 98-109.	0.4	7
162	People with Alcohol Use Disorders in Specialized Care in Eight Different European Countries. Alcohol and Alcoholism, 2015, 50, 310-318.	1.6	45

#	ARTICLE	IF	CITATIONS
163	Reduced sleep quality and depression associate with decreased quality of life in patients with pituitary adenomas. <i>European Journal of Endocrinology</i> , 2015, 172, 733-743.	3.7	36
164	General Practitioners Recognizing Alcohol Dependence: A Large Cross-Sectional Study in 6 European Countries. <i>Annals of Family Medicine</i> , 2015, 13, 28-32.	1.9	80
165	Reply to C.E. Paiva et al. <i>Journal of Clinical Oncology</i> , 2015, 33, 1517-1517.	1.6	0
166	Reply to J. Dekker et al. <i>Journal of Clinical Oncology</i> , 2015, 33, 2828-2828.	1.6	0
167	Associations between lifetime PTSD symptoms and current substance use disorders using a five-factor model of PTSD. <i>Journal of Anxiety Disorders</i> , 2015, 29, 93-100.	3.2	8
168	Neurostructural correlates of two subtypes of specific phobia: A voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 168-175.	1.8	29
169	Stress exposure and the risk for the onset of alcohol use disorders and nicotine dependence in deployed military personnel: The role of prior internalizing disorders. <i>Addictive Behaviors</i> , 2015, 43, 89-96.	3.0	9
170	5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 399-406.	3.2	21
171	Associations of anxiety disorders, depressive disorders and body weight with hypertension during pregnancy. <i>Archives of Women's Mental Health</i> , 2015, 18, 473-483.	2.6	26
172	Predictors of changes in daily alcohol consumption in the aftermath of military deployment. <i>Drug and Alcohol Dependence</i> , 2015, 147, 175-182.	3.2	20
173	Usefulness of Measuring Both Body Mass Index and Waist Circumference for the Estimation of Visceral Adiposity and Related Cardiometabolic Risk Profile (from the INSPIRE ME IAA Study). <i>American Journal of Cardiology</i> , 2015, 115, 307-315.	1.6	141
174	Treating Treatment-Resistant Patients with Panic Disorder and Agoraphobia Using Psychotherapy: A Randomized Controlled Switching Trial. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 100-109.	8.8	73
175	Diagnostic classification of specific phobia subtypes using structural MRI data: a machine-learning approach. <i>Journal of Neural Transmission</i> , 2015, 122, 123-134.	2.8	29
176	Therapygenetics: anterior cingulate cortexâ€œamygdala coupling is associated with 5-HTTLPR and treatment response in panic disorder with agoraphobia. <i>Journal of Neural Transmission</i> , 2015, 122, 135-144.	2.8	31
177	Mental Disorders, <i>Epidemiology of.</i> , 2015,, 179-186.		4
178	Hair cortisol concentrations and cortisol stress reactivity predict PTSD symptom increase after trauma exposure during military deployment. <i>Psychoneuroendocrinology</i> , 2015, 59, 123-133.	2.7	119
179	Separating depressive comorbidity from panic disorder: A combined functional magnetic resonance imaging and machine learning approach. <i>Journal of Affective Disorders</i> , 2015, 184, 182-192.	4.1	45
180	Predicting Treatment Response to Cognitive Behavioral Therapy in Panic Disorder With Agoraphobia by Integrating Local Neural Information. <i>JAMA Psychiatry</i> , 2015, 72, 68.	11.0	110

#	ARTICLE	IF	CITATIONS
181	Disturbed sleep as risk factor for the subsequent onset of bipolar disorder – Data from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2015, 68, 76-82.	3.1	71
182	Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. <i>BMC Psychiatry</i> , 2015, 15, 77.	2.6	37
183	Is trait resilience characterized by specific patterns of attentional bias to emotional stimuli and attentional control?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 133-139.	1.2	29
184	The –Early Developmental Stages of Psychopathology (EDSP) study–™: a 20-year review of methods and findings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 851-866.	3.1	83
185	Risk factors and course patterns of anxiety and depressive disorders during pregnancy and after delivery: A prospective-longitudinal study. <i>Journal of Affective Disorders</i> , 2015, 175, 385-395.	4.1	246
186	Danger and loss events and the incidence of anxiety and depressive disorders: a prospective-longitudinal community study of adolescents and young adults. <i>Psychological Medicine</i> , 2015, 45, 153-163.	4.5	30
187	Dimensional structure of bodily panic attack symptoms and their specific connections to panic cognitions, anxiety sensitivity and claustrophobic fears. <i>Psychological Medicine</i> , 2015, 45, 1675-1685.	4.5	17
188	The role of the mother–child relationship for anxiety disorders and depression: results from a prospective-longitudinal study in adolescents and their mothers. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 451-461.	4.7	19
189	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , the, 2015, 2, 1036-1042.	7.4	158
190	Functional Disability and Quality of Life Decrements in Mental Disorders: Results From the Mental Health Module of the German Health Interview and Examination Survey for Adults (Dogs1-Mh). <i>European Psychiatry</i> , 2015, 30, 793-800.	0.2	35
191	Visceral, subcutaneous abdominal adiposity and liver fat content distribution in normal glucose tolerance, impaired fasting glucose and/or impaired glucose tolerance. <i>International Journal of Obesity</i> , 2015, 39, 495-501.	3.4	42
192	Dimensional psychiatry: reward dysfunction and depressive mood across psychiatric disorders. <i>Psychopharmacology</i> , 2015, 232, 331-341.	3.1	159
193	Probing the Interoceptive Network by Listening to Heartbeats: An fMRI Study. <i>PLoS ONE</i> , 2015, 10, e0133164.	2.5	24
194	Wieviel Psychologie steckt in der Psychotherapie?. <i>Verhaltenstherapie</i> , 2015, 25, 90-91.	0.4	2
195	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities.. <i>Journal of Clinical Oncology</i> , 2015, 33, 9552-9552.	1.6	0
196	Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2014, 9, e100409.	2.5	162
197	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 10915-10939.	2.6	20
198	Towards Horizon 2020: challenges and advances for clinical mental health research – outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1057.	2.2	20

#	ARTICLE	IF	CITATIONS
199	Does help-seeking alter the risk for incident psychopathology in adolescents and young adults with and without fearful spells or panic attacks? Findings from a 10-year prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , 2014, 169, 221-227.	4.1	9
200	Anxious and non-anxious forms of major depression: familial, personality and symptom characteristics. <i>Psychological Medicine</i> , 2014, 44, 1223-1234.	4.5	52
201	Four-Week Prevalence of Mental Disorders in Patients With Cancer Across Major Tumor Entities. <i>Journal of Clinical Oncology</i> , 2014, 32, 3540-3546.	1.6	514
202	Fear Processing in Dental Phobia during Crossmodal Symptom Provocation: An fMRI Study. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	26
203	The functional $\alpha^{1019C/G}$ HTR1A polymorphism and mechanisms of fear. <i>Translational Psychiatry</i> , 2014, 4, e490-e490.	4.8	37
204	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 304-319.	2.1	393
205	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 28-40.	2.1	38
206	Editorial. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, v-vi.	2.1	3
207	Emerging clinical trends and perspectives on comorbid patterns of mental disorders in research. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 92-101.	2.1	25
208	Motor impairment, depression, dementia: Which forms the impression of disease severity in Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 1365-1370.	2.2	8
209	Self-reported utilization of mental health services in the adult German population – evidence for unmet needs? Results of the DEGS1-Mental Health Module (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 289-303.	2.1	207
210	The psychological perspective on mental health and mental disorder research: introduction to the ROAMER work package 5 consensus document. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 15-27.	2.1	17
211	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	2.1	109
212	Maternal anxiety disorders predict excessive infant crying: a prospective longitudinal study. <i>Archives of Disease in Childhood</i> , 2014, 99, 800-806.	1.9	50
213	Anticipating agoraphobic situations: the neural correlates of panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2014, 44, 2385-2396.	4.5	34
214	Prognostic value of reported chest pain for cardiovascular risk stratification in primary care. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 727-738.	1.8	2
215	GENDER-SPECIFIC ASSOCIATION OF VARIANTS IN THE <i>AKR1C1</i> GENE WITH DIMENSIONAL ANXIETY IN PATIENTS WITH PANIC DISORDER: ADDITIONAL EVIDENCE FOR THE IMPORTANCE OF NEUROSTEROIDS IN ANXIETY?. <i>Depression and Anxiety</i> , 2014, 31, 843-850.	4.1	15
216	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.7	152

#	ARTICLE	IF	CITATIONS
217	Neural substrates of defensive reactivity in two subtypes of specific phobia. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1668-1675.	3.0	27
218	The role of safety behaviors in exposure-based treatment for panic disorder and agoraphobia: Associations to symptom severity, treatment course, and outcome. <i>Journal of Anxiety Disorders</i> , 2014, 28, 836-844.	3.2	30
219	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: A revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2014, 28, 403-439.	4.0	511
220	Associations of fearful spells and panic attacks with incident anxiety, depressive, and substance use disorders: A 10-year prospective-longitudinal community study of adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2014, 55, 8-14.	3.1	41
221	CANDIS treatment program for cannabis use disorders: Findings from a randomized multi-site translational trial. <i>Drug and Alcohol Dependence</i> , 2014, 134, 185-193.	3.2	60
222	Substance use and substance use disorders in recently deployed and never deployed soldiers. <i>Drug and Alcohol Dependence</i> , 2014, 134, 128-135.	3.2	29
223	Characteristics of initial fearful spells and their associations with DSM-IV panic attacks and panic disorder in adolescents and young adults from the community. <i>Journal of Affective Disorders</i> , 2014, 165, 95-102.	4.1	13
224	MAOA and mechanisms of panic disorder revisited: from bench to molecular psychotherapy. <i>Molecular Psychiatry</i> , 2014, 19, 122-128.	7.9	89
225	Timing matters: Change depends on the stage of treatment in cognitive behavioral therapy for panic disorder with agoraphobia.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 141-153.	2.0	41
226	Test-retest reliability and sensitivity to change of the dimensional anxiety scales for DSM-5. <i>CNS Spectrums</i> , 2014, 19, 256-267.	1.2	30
227	Altered top-down and bottom-up processing of fear conditioning in panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2014, 44, 381-394.	4.5	52
228	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. <i>BMC Psychiatry</i> , 2013, 13, 62.	2.6	31
229	Prognostic value of NT-pro-BNP and hs-CRP for risk stratification in primary care: results from the population-based DETECT study. <i>Clinical Research in Cardiology</i> , 2013, 102, 259-268.	3.3	28
230	Premenstrual symptoms are associated with psychological and physical symptoms in early pregnancy. <i>Archives of Women's Mental Health</i> , 2013, 16, 109-115.	2.6	8
231	Long-term stability of cognitive behavioral therapy effects for panic disorder with agoraphobia: A two-year follow-up study. <i>Behaviour Research and Therapy</i> , 2013, 51, 830-839.	3.1	47
232	Maternal anxiety disorders prior to conception, psychopathology during pregnancy and early infants' development: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , 2013, 16, 549-560.	2.6	47
233	Neural Substrates of Treatment Response to Cognitive-Behavioral Therapy in Panic Disorder With Agoraphobia. <i>American Journal of Psychiatry</i> , 2013, 170, 1345-1355.	7.2	120
234	The best next drug in the course of generalized anxiety disorders: the 'PN-GAD-algorithm'. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 78-89.	2.4	8



#	ARTICLE	IF	CITATIONS
235	Mental disorders and smoking trajectories: A 10-year prospective study among adolescents and young adults in the community. <i>Drug and Alcohol Dependence</i> , 2013, 130, 201-207.	3.2	12
236	Composite International Diagnostic Interview screening scales for DSM-IV anxiety and mood disorders. <i>Psychological Medicine</i> , 2013, 43, 1625-1637.	4.5	161
237	Effect of Cognitive-Behavioral Therapy on Neural Correlates of Fear Conditioning in Panic Disorder. <i>Biological Psychiatry</i> , 2013, 73, 93-101.	1.3	137
238	Clock Drawing Test. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013, 26, 151-157.	2.3	5
239	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1a€MH). <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 83-99.	2.1	86
240	The Diagnosis and Treatment of Generalized Anxiety Disorder. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , 2013, 110, 300-9; quiz 310.	0.9	47
241	Rates of Mental Disorders Among German Soldiers Deployed to Afghanistan: Increased Risk of PTSD or of Mental Disorders In General?. <i>Journal of Depression &amp; Anxiety</i> , 2013, 02, .	0.1	14
242	Enhanced Sympathetic Arousal in Response to fMRI Scanning Correlates with Task Induced Activations and Deactivations. <i>PLoS ONE</i> , 2013, 8, e72576.	2.5	26
243	In Reply. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , 2013, 110, 610-1.	0.9	0
244	Abstinence Orientation and Treatment Practice: An Analysis of German Settings Providing Opioid Maintenance Therapy. <i>Substance Use and Misuse</i> , 2012, 47, 22-30.	1.4	3
245	Resting heart rate as a tool for risk stratification in primary care. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 275-284.	1.8	14
246	Risk factors associated with the metabolic syndrome in abdominal obesity. <i>Clinical Obesity</i> , 2012, 2, 142-149.	2.0	0
247	Circulating Troponin As Measured by a Sensitive Assay for Cardiovascular Risk Assessment in Primary Prevention. <i>Clinical Chemistry</i> , 2012, 58, 200-208.	3.2	29
248	Omalizumab versus â€˜Usual Careâ€™™: Results from a Naturalistic Longitudinal Study in Routine Care. <i>International Archives of Allergy and Immunology</i> , 2012, 159, 83-93.	2.1	11
249	Depression Does Not Affect the Treatment Outcome of CBT for Panic and Agoraphobia: Results from a Multicenter Randomized Trial. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 161-172.	8.8	36
250	The Burden of Mood Disorders. <i>Science</i> , 2012, 338, 15-15.	12.6	53
251	Alzheimerâ€™s Disease: Differences of Transdermal versus Oral Treatment on Caregiving Time. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 468-480.	1.3	9
252	P.4.a.014 The role of depression in the treatment outcomes of a multicenter randomized trial of CBT for panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , 2012, 22, S365.	0.7	0



#	ARTICLE	IF	CITATIONS
253	P.4.a.016 What happens in the brain after successful vs. non-successful CBT treatment? A multicenter fMRI study on panic disorder with agoraphobia. European Neuropsychopharmacology, 2012, 22, S366-S367.	0.7	0
254	Binary regression: Total gain in positive and negative predictive values. Biometrical Journal, 2012, 54, 808-823.	1.0	0
255	Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. International Journal of Methods in Psychiatric Research, 2012, 21, 169-184.	2.1	2,042
256	A dimensional approach to measuring anxiety for DSM-5. International Journal of Methods in Psychiatric Research, 2012, 21, 258-272.	2.1	99
257	Efficacy of a targeted cognitive-behavioral treatment program for cannabis use disorders (CANDIS*). European Neuropsychopharmacology, 2012, 22, 267-280.	0.7	49
258	Depression and care-dependency in Parkinson's disease: Results from a nationwide study of 1449 outpatients. Parkinsonism and Related Disorders, 2012, 18, 598-601.	2.2	24
259	Improved prediction of all-cause mortality by a combination of serum total testosterone and insulin-like growth factor I in adult men. Steroids, 2012, 77, 52-58.	1.8	9
260	Characterizing the association between parenting and adolescent social phobia. Journal of Anxiety Disorders, 2012, 26, 608-616.	3.2	68
261	The relevance of age at first alcohol and nicotine use for initiation of cannabis use and progression to cannabis use disorders. Drug and Alcohol Dependence, 2012, 123, 48-56.	3.2	52
262	Meta-analysis argues for a female-specific role of MAOA-VNTR in panic disorder in four European populations. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 786-793.	1.7	63
263	PSYCHOMETRIC PROPERTIES OF THE DIMENSIONAL ANXIETY SCALES FOR DSM-V IN AN UNSELECTED SAMPLE OF GERMAN TREATMENT SEEKING PATIENTS. Depression and Anxiety, 2012, 29, 1014-1024.	4.1	57
264	The natural course of social anxiety disorder among adolescents and young adults. Acta Psychiatrica Scandinavica, 2012, 126, 411-425.	4.5	135
265	Dynamics of Defensive Reactivity in Patients with Panic Disorder and Agoraphobia: Implications for the Etiology of Panic Disorder. Biological Psychiatry, 2012, 72, 512-520.	1.3	69
266	Impact of complications and comorbidities on treatment costs and health-related quality of life of patients with Parkinson's disease. Journal of the Neurological Sciences, 2012, 314, 41-47.	0.6	46
267	Introduction: Rethinking the Model - Refining the Method. , 2012, , 1-8.		1
268	Gender Differences in Associations of Glutamate Decarboxylase 1 Gene (GAD1) Variants with Panic Disorder. PLoS ONE, 2012, 7, e37651.	2.5	20
269	International Journal of Methods in Psychiatric Research goes online. International Journal of Methods in Psychiatric Research, 2012, 21, 2-4.	2.1	1
270	Prevalence, incidence and determinants of PTSD and other mental disorders: design and methods of the PID-PTSD+ study. International Journal of Methods in Psychiatric Research, 2012, 21, 98-116.	2.1	29

#	ARTICLE	IF	CITATIONS
271	RE-EXAMINING THE DIFFERENTIAL FAMILIAL LIABILITY OF AGORAPHOBIA AND PANIC DISORDER. <i>Depression and Anxiety</i> , 2012, 29, 931-938.	4.1	2
272	The economic cost of brain disorders in Europe. <i>European Journal of Neurology</i> , 2012, 19, 155-162.	3.3	1,163
273	Criminal Behavior in Opioid-Dependent Patients Before and During Maintenance Therapy: 6-Year Follow-Up of a Nationally Representative Cohort Sample. <i>Journal of Forensic Sciences</i> , 2012, 57, 1524-1530.	1.6	24
274	The association between social phobia, social anxiety cognitions and paranoid symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 213-227.	4.5	47
275	Adversity and psychosis: a 10-year prospective study investigating synergism between early and recent adversity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 388-399.	4.5	88
276	Within and between session changes in subjective and neuroendocrine stress parameters during magnetic resonance imaging: A controlled scanner training study. <i>Psychoneuroendocrinology</i> , 2012, 37, 1299-1308.	2.7	48
277	Changes in the Prevalence, Treatment and Control of Hypertension in Germany? A Clinical-Epidemiological Study of 50.000 Primary Care Patients. <i>PLoS ONE</i> , 2012, 7, e52229.	2.5	32
278	Traumatic Experiences and Posttraumatic Stress Disorder in Soldiers Following Deployment Abroad. <i>Deutsches Ärzteblatt International</i> , 2012, 109, 559-68.	0.9	77
279	Affective Dysregulation and Reality Distortion: A 10-Year Prospective Study of Their Association and Clinical Relevance. <i>Schizophrenia Bulletin</i> , 2011, 37, 561-571.	4.3	132
280	Comparative effects of pregabalin on anxiety and sleep disturbance: Results of a path analysis. <i>European Psychiatry</i> , 2011, 26, 184-184.	0.2	0
281	How specific is specific phobia? Different neural response patterns in two subtypes of specific phobia. <i>NeuroImage</i> , 2011, 56, 363-372.	4.2	82
282	Non-replication of interaction between cannabis use and trauma in predicting psychosis. <i>Schizophrenia Research</i> , 2011, 131, 262-263.	2.0	20
283	Trajectory Classes of Decline in Health-Related Quality of Life in Parkinson's Disease: A Pilot Study. <i>Value in Health</i> , 2011, 14, 329-338.	0.3	9
284	The scanner as a stressor: Evidence from subjective and neuroendocrine stress parameters in the time course of a functional magnetic resonance imaging session. <i>International Journal of Psychophysiology</i> , 2011, 79, 118-126.	1.0	103
285	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 718-779.	0.7	1,253
286	(Don't) panic in the scanner! How panic patients with agoraphobia experience a functional magnetic resonance imaging session. <i>European Neuropsychopharmacology</i> , 2011, 21, 516-525.	0.7	21
287	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 655-679.	0.7	2,930
288	Six-Year Mortality Rates of Patients in Methadone and Buprenorphine Maintenance Therapy. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 678-680.	1.4	23

#	ARTICLE	IF	CITATIONS
289	Evidence That Onset of Clinical Psychosis Is an Outcome of Progressively More Persistent Subclinical Psychotic Experiences: An 8-Year Cohort Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 84-93.	4.3	350
290	Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 406-420.	2.0	189
291	"Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT": Correction to Gloster et al. (2011).. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 652-652.	2.0	3
292	Effects of growth hormone replacement within the KIMS survey on estimated cardiovascular risk and predictors of risk reduction in patients with growth hormone deficiency. <i>Clinical Endocrinology</i> , 2011, 75, 825-830.	2.4	28
293	Associations between use of cocaine, amphetamines, or psychedelics and psychotic symptoms in a community sample. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 466-474.	4.5	21
294	Symptom provocation in dental anxiety using cross-phobic video stimulation. <i>European Journal of Oral Sciences</i> , 2011, 119, 61-68.	1.5	16
295	Neuropeptide S receptor gene-converging evidence for a role in panic disorder. <i>Molecular Psychiatry</i> , 2011, 16, 938-948.	7.9	157
296	Type 2 diabetes mellitus and medications for type 2 diabetes mellitus are associated with risk for and mortality from cancer in a German primary care cohort. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 1363-1371.	3.4	79
297	Social fear and social phobia types among community youth: Differential clinical features and vulnerability factors. <i>Journal of Psychiatric Research</i> , 2011, 45, 111-120.	3.1	77
298	The diagnostic threshold of generalized anxiety disorder in the community: A developmental perspective. <i>Journal of Psychiatric Research</i> , 2011, 45, 962-972.	3.1	33
299	Smoking cessation in primary care - a randomized controlled trial of bupropione, nicotine replacements, <scp>CBT</scp> and a minimal intervention. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 28-39.	2.1	29
300	The DETECT adherence score - structure and psychometric exploration of a novel approach to measure adherence to drug and non-drug interventions in primary care. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 82-92.	2.1	1
301	The effects of latent variables in the development of comorbidity among common mental disorders. <i>Depression and Anxiety</i> , 2011, 28, 29-39.	4.1	60
302	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d738-d738.	2.3	241
303	Health-Related Quality of Life in Patients with a History of Myocardial Infarction and Stroke. <i>Cerebrovascular Diseases</i> , 2011, 31, 68-76.	1.7	17
304	Prediction of incident diabetes mellitus by baseline IGF1 levels. <i>European Journal of Endocrinology</i> , 2011, 164, 223-229.	3.7	60
305	Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study. <i>Psychological Medicine</i> , 2011, 41, 2121-2129.	4.5	57
306	The role of mental disorders in the risk and speed of transition to alcohol use disorders among community youth. <i>Psychological Medicine</i> , 2011, 41, 1073-1085.	4.5	44

#	ARTICLE	IF	CITATIONS
307	Parkinson's Disease and Dementia: A Longitudinal Study (DEMPARK). <i>Neuroepidemiology</i> , 2011, 37, 168-176.	2.3	47
308	Controlled and uncontrolled allergic asthma in routine respiratory specialist care – a clinical epidemiological study in Germany. <i>Current Medical Research and Opinion</i> , 2011, 27, 1835-1847.	1.9	15
309	Measuring Abdominal Obesity: Effects of Height on Distribution of Cardiometabolic Risk Factors Risk Using Waist Circumference and Waist-to-Height Ratio. <i>Diabetes Care</i> , 2011, 34, e7-e7.	8.6	104
310	Familial risk factors in social anxiety disorder: calling for a family-oriented approach for targeted prevention and early intervention. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 857-871.	4.7	30
311	Pain associated with specific anxiety and depressive disorders in a nationally representative population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 89-104.	3.1	88
312	Frequency of dementia, depression, and other neuropsychiatric symptoms in 1,449 outpatients with Parkinson's disease. <i>Journal of Neurology</i> , 2010, 257, 1073-1082.	3.6	216
313	Women-specific mental disorders in DSM-V: are we failing again?. <i>Archives of Women's Mental Health</i> , 2010, 13, 51-55.	2.6	7
314	Adverse anthropometric risk profile in biochemically controlled acromegalic patients: comparison with an age- and gender-matched primary care population. <i>Pituitary</i> , 2010, 13, 207-214.	2.9	11
315	A striking pattern of cortisol non-responsiveness to psychosocial stress in patients with panic disorder with concurrent normal cortisol awakening responses. <i>Psychoneuroendocrinology</i> , 2010, 35, 414-421.	2.7	115
316	Anxiety disorders before birth and self-perceived distress during pregnancy: Associations with maternal depression and obstetric, neonatal and early childhood outcomes. <i>Early Human Development</i> , 2010, 86, 305-310.	1.8	185
317	Panic disorder: a review of DSM-IV panic disorder and proposals for DSM-V. <i>Depression and Anxiety</i> , 2010, 27, 93-112.	4.1	131
318	Specific phobia: a review of DSM-IV specific phobia and preliminary recommendations for DSM-V. <i>Depression and Anxiety</i> , 2010, 27, 148-167.	4.1	197
319	Screening for serious mental illness: methodological studies of the K6 screening scale. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 1-3.	2.1	62
320	Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 255-266.	4.5	66
321	ESTIMATING HARMFUL EFFECTS OF CANNABIS AND USE FOR POLICY MAKERS SHIFTING FROM ONE MISTAKE TO THE NEXT?. <i>Addiction</i> , 2010, 105, 1334-1335.	3.3	2
322	Triglycerides and Stroke Risk Prediction: Lessons from a Prospective Cohort Study in German Primary Care Patients. <i>Frontiers in Neurology</i> , 2010, 1, 148.	2.4	2
323	Occurrence Risk and Structure of Depression in Parkinson Disease With and Without Dementia: Results From the GEPAD Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010, 23, 27-34.	2.3	69
324	Incidence and Risk Patterns of Anxiety and Depressive Disorders and Categorization of Generalized Anxiety Disorder. <i>Archives of General Psychiatry</i> , 2010, 67, 47.	12.3	373

#	ARTICLE	IF	CITATIONS
325	Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. <i>Psychological Medicine</i> , 2010, 40, 289-299.	4.5	57
326	Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , 2010, 196, 102-108.	2.8	92
327	The Predictive Value of Different Measures of Obesity for Incident Cardiovascular Events and Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1777-1785.	3.6	357
328	Diabetes in Primary Care: Prospective Associations between Depression, Nonadherence and Glycemic Control. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 172-178.	8.8	92
329	Early Expression of Negative/Disorganized Symptoms Predicting Psychotic Experiences and Subsequent Clinical Psychosis: A 10-Year Study. <i>American Journal of Psychiatry</i> , 2010, 167, 1075-1082.	7.2	159
330	EVIDENCE FOR THE BEHAVIORAL SENSITIZATION HYPOTHESIS OF PSYCHOSIS: AN 8-YEAR LONGITUDINAL COHORT STUDY INVESTIGATING THE EFFECTS OF CASCADING PSYCHOLOGICAL STRESSORS ON PSYCHOSIS OUTCOME. <i>Schizophrenia Research</i> , 2010, 117, 183.	2.0	0
331	Agoraphobia: a review of the diagnostic classificatory position and criteria. <i>Depression and Anxiety</i> , 2010, 27, 113-133.	4.1	119
332	Pregabalin reduces sleep disturbance in patients with generalized anxiety disorder via both direct and indirect mechanisms. <i>European Journal of Psychiatry</i> , 2010, 24, .	1.3	14
333	Epidemiology of Anxiety Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2009, , 21-35.	1.7	275
334	A new meta-structure of mental disorders: a helpful step into the future or a harmful step back to the past?. <i>Psychological Medicine</i> , 2009, 39, 2083-2089.	4.5	19
335	Reduced memory and attention performance in a population-based sample of young adults with a moderate lifetime use of cannabis, ecstasy and alcohol. <i>Journal of Psychopharmacology</i> , 2009, 23, 495-509.	4.0	54
336	Common and Distinct Amygdala-Function Perturbations in Depressed vs Anxious Adolescents. <i>Archives of General Psychiatry</i> , 2009, 66, 275.	12.3	232
337	Ethanol administration dampens the prolactin response to psychosocial stress exposure in sons of alcohol-dependent fathers. <i>Psychoneuroendocrinology</i> , 2009, 34, 996-1003.	2.7	13
338	oA novel nonparametric approach for estimating cut-offs in continuous risk indicators with application to diabetes epidemiology. <i>BMC Medical Research Methodology</i> , 2009, 9, 63.	3.1	18
339	Is moderate substance use associated with altered executive functioning in a populationâ€based sample of young adults?. <i>Human Psychopharmacology</i> , 2009, 24, 650-665.	1.5	35
340	The role of parental psychopathology and family environment for social phobia in the first three decades of life. <i>Depression and Anxiety</i> , 2009, 26, 363-370.	4.1	86
341	Subtypes of panic attacks: a critical review of the empirical literature. <i>Depression and Anxiety</i> , 2009, 26, 878-887.	4.1	63
342	Computerized ambulatory monitoring in psychiatry: a multiâ€site collaborative study of acceptability, compliance, and reactivity. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 48-57.	2.1	107

#	ARTICLE	IF	CITATIONS
343	The structure of common mental disorders: A replication study in a community sample of adolescents and young adults. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 204-220.	2.1	71
344	The structure of mental disorders re-examined: Is it developmentally stable and robust against additions?. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 189-203.	2.1	49
345	Associations of familial risk factors with social fears and social phobia: evidence for the continuum hypothesis in social anxiety disorder?. <i>Journal of Neural Transmission</i> , 2009, 116, 639-648.	2.8	61
346	New women-specific diagnostic modules: the Composite International Diagnostic Interview for Women (CIDI-VENUS). <i>Archives of Women's Mental Health</i> , 2009, 12, 281-289.	2.6	54
347	Psychopathological changes and quality of life in hepatitis C virus-infected, opioid-dependent patients during maintenance therapy. <i>Addiction</i> , 2009, 104, 630-640.	3.3	27
348	Prevalence of low male testosterone levels in primary care in Germany: cross-sectional results from the DETECT study. <i>Clinical Endocrinology</i> , 2009, 70, 446-454.	2.4	41
349	Prevalence of mental disorders in acromegaly: a cross-sectional study in 81 acromegalic patients. <i>Clinical Endocrinology</i> , 2009, 71, 691-701.	2.4	77
350	A typology of cannabis-related problems among individuals with repeated illegal drug use in the first three decades of life: Evidence for heterogeneity and different treatment needs. <i>Drug and Alcohol Dependence</i> , 2009, 102, 151-157.	3.2	35
351	Association between generalized anxiety levels and pain in a community sample: Evidence for diagnostic specificity. <i>Journal of Anxiety Disorders</i> , 2009, 23, 684-693.	3.2	70
352	Do parental psychopathology and unfavorable family environment predict the persistence of social phobia?. <i>Journal of Anxiety Disorders</i> , 2009, 23, 986-994.	3.2	44
353	The short- and long-term effect of duloxetine on painful physical symptoms in patients with generalized anxiety disorder: Results from three clinical trials. <i>Journal of Anxiety Disorders</i> , 2009, 23, 1064-1071.	3.2	22
354	Posttraumatic Stress Disorder and Obesity. <i>American Journal of Preventive Medicine</i> , 2009, 36, 1-8.	3.0	142
355	The Position of Anxiety Disorders in Structural Models of Mental Disorders. <i>Psychiatric Clinics of North America</i> , 2009, 32, 465-481.	1.3	13
356	Developments in the Treatment and Diagnosis of Anxiety Disorders. <i>Psychiatric Clinics of North America</i> , 2009, 32, xiii-xix.	1.3	11
357	Heterogeneity of DSM-IV Major Depressive Disorder as a Consequence of Subthreshold Bipolarity. <i>Archives of General Psychiatry</i> , 2009, 66, 1341.	12.3	225
358	Komorbiditätsstrukturen bei Angststörungen – Häufigkeit und mögliche Implikationen. , 2009, , 433-447.		3
359	Patterns of healthcare utilization in patients with generalized anxiety disorder in general practice in Germany. <i>European Journal of Psychiatry</i> , 2009, 23, .	1.3	12
360	Posttraumatic stress disorder: diagnostic and epidemiological perspectives. <i>CNS Spectrums</i> , 2009, 14, 5-12.	1.2	59



#	ARTICLE	IF	CITATIONS
361	Cape Town consensus on posttraumatic stress disorder. <i>CNS Spectrums</i> , 2009, 14, 52-8.	1.2	30
362	Prevalence of mental health problems among children and adolescents in Germany: results of the BELLA study within the National Health Interview and Examination Survey. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 22-33.	4.7	243
363	How impaired are children and adolescents by mental health problems? Results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 42-51.	4.7	70
364	Cognitive impairment in 873 patients with idiopathic Parkinson's disease. <i>Journal of Neurology</i> , 2008, 255, 255-264.	3.6	242
365	Psychometric properties of the Retrospective Self Report of Inhibition (RSRI) in a representative German sample. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 80-88.	2.1	23
366	Understanding addiction – mediators and moderators of behaviour change processes: an introduction. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, S1-S3.	2.1	3
367	Why people change? The role of cognitive-control processes in the onset and cessation of substance abuse disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, S4-S15.	2.1	49
368	Post-disaster mental health need assessment surveys - the challenge of improved future research. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, S1-S5.	2.1	18
369	Human and economic burden of generalized anxiety disorder. <i>Depression and Anxiety</i> , 2008, 25, 72-90.	4.1	358
370	Differential familial liability of panic disorder and agoraphobia. <i>Depression and Anxiety</i> , 2008, 25, 422-434.	4.1	22
371	Effectiveness of day hospital treatment for anorexia nervosa and bulimia nervosa. <i>European Eating Disorders Review</i> , 2008, 16, 341-351.	4.1	55
372	The natural course of cannabis use, abuse and dependence during the first decades of life. <i>Addiction</i> , 2008, 103, 439-449.	3.3	162
373	CANNABIS USE – DO WE HAVE SOLUTIONS? A REPLY TO MACLEOD. <i>Addiction</i> , 2008, 103, 1575-1575.	3.3	3
374	Risk and speed of transitions to first alcohol dependence symptoms in adolescents: a 10-year longitudinal community study in Germany. <i>Addiction</i> , 2008, 103, 1638-1647.	3.3	50
375	The Interplay of Familial Depression Liability and Adverse Events in Predicting the First Onset of Depression During a 10-Year Follow-up. <i>Biological Psychiatry</i> , 2008, 63, 406-414.	1.3	60
376	Screening for cognitive deficits in Parkinson's disease with the Parkinson neuropsychometric dementia assessment (PANDA) instrument. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 93-101.	2.2	191
377	Feasibility and outcome of substitution treatment of heroin-dependent patients in specialized substitution centers and primary care facilities in Germany: A naturalistic study in 2694 patients. <i>Drug and Alcohol Dependence</i> , 2008, 95, 245-257.	3.2	83
378	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008, 18, 535-549.	0.7	131



#	ARTICLE	IF	CITATIONS
379	Duloxetine treatment for relapse prevention in adults with generalized anxiety disorder: A double-blind placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2008, 18, 673-681.	0.7	64
380	Agoraphobia and Panic. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 147-157.	8.8	103
381	Establishing non-inferiority in treatment trials in psychiatry â€” guidelines from an Expert Consensus Meeting. <i>Journal of Psychopharmacology</i> , 2008, 22, 409-416.	4.0	24
382	Anxiety disorders in mothers and their children: Prospective longitudinal community study. <i>British Journal of Psychiatry</i> , 2008, 192, 308-309.	2.8	77
383	Long-term efficacy of pregabalin in generalized anxiety disorder. <i>International Clinical Psychopharmacology</i> , 2008, 23, 18-28.	1.7	108
384	Epidemiology of Anxiety Disorders. , 2008, , .		4
385	PrÄvalenz und Versorgung von Diabetes mellitus und Herz-Kreislauf- Erkrankungen: DETECT â€” eine bundesweite Versorgungsstudie an 1/4ber 55.000 Hausarztpatienten. , 2008, , 315-328.		1
386	Rauchen und NikotinabhÄngigkeit in Deutschland. <i>Zeitschrift FÄ¼r Klinische Psychologie Und Psychotherapie</i> , 2008, 37, 1-14.	0.3	8
387	Incidence of Social Anxiety Disorder and the Consistent Risk for Secondary Depression in the First Three Decades of Life. <i>Archives of General Psychiatry</i> , 2007, 64, 903.	12.3	577
388	Increased 12-Month Prevalence Rates of Mental Disorders in Patients with Chronic Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 354-360.	8.8	220
389	Frequency of albuminuria in primary care: a cross-sectional study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 107-113.	2.8	25
390	Childhood Separation Anxiety and the Risk of Subsequent Psychopathology: Results from a Community Study. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 47-56.	8.8	145
391	Accuracy of Anthropometric Indicators of Obesity to Predict Cardiovascular Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 589-594.	3.6	230
392	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis pronenessâ€”persistence model. <i>Psychological Medicine</i> , 2007, 37, 513.	4.5	231
393	Physical activity and prevalence and incidence of mental disorders in adolescents and young adults. <i>Psychological Medicine</i> , 2007, 37, 1657-1666.	4.5	222
394	Using screening tools to identify neuropathic pain. <i>Pain</i> , 2007, 127, 199-203.	4.2	462
395	Cannabis use and cannabis use disorders and their relationship to mental disorders: A 10-year prospective-longitudinal community study in adolescents. <i>Drug and Alcohol Dependence</i> , 2007, 88, S60-S70.	3.2	266
396	Broadening the definition of generalized anxiety disorder: Effects on prevalence and associations with other disorders in the National Comorbidity Survey Replication. <i>Journal of Anxiety Disorders</i> , 2007, 21, 662-676.	3.2	125

#	ARTICLE	IF	CITATIONS
397	Unmet needs in the diagnosis and treatment of dyslipidemia in the primary care setting in Germany. <i>Atherosclerosis</i> , 2007, 190, 397-407.	0.8	33
398	Clinical diagnostic criteria for premenstrual syndrome and guidelines for their quantification for research studies. <i>Gynecological Endocrinology</i> , 2007, 23, 123-130.	1.7	135
399	International Day for the Evaluation of Abdominal Obesity (IDEA). <i>Circulation</i> , 2007, 116, 1942-1951.	1.6	599
400	Estimating causal effects from observational data with a model for multiple bias. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 77-87.	2.1	13
401	Supplementary dimensional assessment in anxiety disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, S52-S64.	2.1	90
402	Methodological approaches in the assessment of interferon- $\alpha$ -induced depression in patients with chronic hepatitis C – a critical review. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 186-201.	2.1	47
403	Pregabalin in the Treatment of Generalised Anxiety Disorder. <i>CNS Drugs</i> , 2006, 20, 694-695.	5.9	1
404	Patients' feedback after computer-assisted diagnostic interviews for mental disorders. <i>Psychotherapy Research</i> , 2006, 16, 357-363.	1.8	27
405	Obesity and risk of myocardial infarction: the INTERHEART study. <i>Lancet</i> , The, 2006, 367, 1052.	13.7	32
406	The Accuracy of Prevalence Estimations for Suicide Attempts. How Reliably Do Adolescents and Young Adults Report Their Suicide Attempts?. <i>Archives of Suicide Research</i> , 2006, 10, 253-263.	2.3	36
407	Prevalence of Generalized Anxiety Disorder in General Practice in Denmark, Finland, Norway, and Sweden. <i>Psychiatric Services</i> , 2006, 57, 1738-1744.	2.0	84
408	International Day for the Evaluation of Abdominal obesity: rationale and design of a primary care study on the prevalence of abdominal obesity and associated factors in 63 countries. <i>Country Review Ukraine</i> , 2006, 8, B26-B33.	0.8	17
409	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , 2006, 36, 407-415.	4.5	67
410	One-year Mortality Rates of Patients Receiving Methadone and Buprenorphine Maintenance Therapy. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 657-660.	1.4	55
411	DSM-IV pain disorder in the general population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 187-196.	3.2	78
412	Where have they been? Service use of regular substance users with and without abuse and dependence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 470-479.	3.1	18
413	Dependence symptoms in young cannabis users? A prospective epidemiological study. <i>Journal of Psychiatric Research</i> , 2006, 40, 394-403.	3.1	54
414	Clinical characteristics of Major Depressive Disorder run in families – A community study of 933 mothers and their children. <i>Journal of Psychiatric Research</i> , 2006, 40, 283-292.	3.1	18

#	ARTICLE	IF	CITATIONS
415	Experiences with psychotherapy for depression in routine care: a naturalistic patient survey in Germany. <i>Clinical Psychology and Psychotherapy</i> , 2006, 13, 414-421.	2.7	19
416	Editorial: small journal - but significant impact!. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 105-106.	2.1	0
417	Impact of psychological trauma on the development of psychotic symptoms: relationship with psychosis proneness. <i>British Journal of Psychiatry</i> , 2006, 188, 527-533.	2.8	274
418	Substance Use and Substance Use Disorders in a Community Sample of Adolescents and Young Adults: Incidence, Age Effects and Patterns of Use. <i>European Addiction Research</i> , 2006, 12, 187-196.	2.4	52
419	High Cholesterol, Triglycerides, and Body-Mass Index in Suicide Attempters. <i>Archives of Suicide Research</i> , 2006, 10, 1-9.	2.3	63
420	Cross-National Comparisons of Co-Morbidities between Substance Use Disorders and Mental Disorders. , 2006, , 447-472.		3
421	Rethinking the duration requirement for generalized anxiety disorder: evidence from the National Comorbidity Survey Replication. <i>Psychological Medicine</i> , 2005, 35, 1073-1082.	4.5	213
422	Should excessive worry be required for a diagnosis of generalized anxiety disorder? Results from the US National Comorbidity Survey Replication. <i>Psychological Medicine</i> , 2005, 35, 1761-1772.	4.5	136
423	Cost of disorders of the brain in Europe. <i>European Journal of Neurology</i> , 2005, 12, 1-27.	3.3	714
424	Buprenorphine and methadone in the treatment of opioid dependence: methods and design of the COBRA study. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 14-28.	2.1	16
425	The use of weights to account for non-response and drop-out. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 291-299.	3.1	95
426	Calculating control variables with age at onset data to adjust for conditions prior to exposure. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 731-736.	3.1	7
427	?Anxietas Tibiarum?. <i>Journal of Neurology</i> , 2005, 252, 67-71.	3.6	228
428	Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>BMJ: British Medical Journal</i> , 2005, 330, 11.	2.3	627
429	Maternal Suicidality and Risk of Suicidality in Offspring: Findings From a Community Study. <i>American Journal of Psychiatry</i> , 2005, 162, 1665-1671.	7.2	79
430	Longitudinal Course of Posttraumatic Stress Disorder and Posttraumatic Stress Disorder Symptoms in a Community Sample of Adolescents and Young Adults. <i>American Journal of Psychiatry</i> , 2005, 162, 1320-1327.	7.2	225
431	Size and burden of social phobia in Europe. <i>European Neuropsychopharmacology</i> , 2005, 15, 453-462.	0.7	287
432	The epidemiology of panic disorder and agoraphobia in Europe. <i>European Neuropsychopharmacology</i> , 2005, 15, 435-443.	0.7	180

#	ARTICLE	IF	CITATIONS
433	Prevalence and burden of bipolar disorders in European countries. <i>European Neuropsychopharmacology</i> , 2005, 15, 425-434.	0.7	282
434	Size and burden of mental disorders in Europe—a critical review and appraisal of 27 studies. <i>European Neuropsychopharmacology</i> , 2005, 15, 357-376.	0.7	1,179
435	Mania, Hypomania, and Suicidality: Findings from a Prospective Community Study. <i>Archives of Suicide Research</i> , 2005, 9, 267-278.	2.3	17
436	Cardiovascular risk factors in primary care: methods and baseline prevalence rates — the DETECT program. <i>Current Medical Research and Opinion</i> , 2005, 21, 619-629.	1.9	106
437	Pathways into ecstasy use: The role of prior cannabis use and ecstasy availability. <i>Drug and Alcohol Dependence</i> , 2005, 79, 331-341.	3.2	31
438	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2005, 19, 567-596.	4.0	537
439	Effect of Ethanol on Hypothalamic—Pituitary—Adrenal System Response to Psychosocial Stress in Sons of Alcohol-Dependent Fathers. <i>Neuropsychopharmacology</i> , 2004, 29, 1156-1165.	5.4	108
440	Panic Attack as a Risk Factor for Severe Psychopathology. <i>American Journal of Psychiatry</i> , 2004, 161, 2207-2214.	7.2	124
441	Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). <i>Psychological Medicine</i> , 2004, 34, 597-611.	4.5	1,006
442	Continued Needs for Epidemiological Studies of Mental Disorders in the Community. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 197-206.	8.8	27
443	HYDRA: possible determinants of unsatisfactory hypertension control in German primary care patients. <i>Blood Pressure</i> , 2004, 13, 80-88.	1.5	26
444	How prevalent is smoking and nicotine dependence in primary care in Germany?. <i>Addiction</i> , 2004, 99, 1586-1598.	3.3	79
445	Early maternal stress and health behaviours and offspring expression of psychosis in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 356-364.	4.5	47
446	Recognition and management of overweight and obesity in primary care in Germany. <i>International Journal of Obesity</i> , 2004, 28, 1299-1308.	3.4	70
447	Effects of Ethanol Administration and Induction of Anxiety-Related Affective States on the Acoustic Startle Reflex in Sons of Alcohol-Dependent Fathers. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 424-432.	2.4	22
448	Arginine vasopressin and adrenocorticotropin secretion in response to psychosocial stress is attenuated by ethanol in sons of alcohol-dependent fathers. <i>Journal of Psychiatric Research</i> , 2004, 38, 385-393.	3.1	33
449	Does urbanicity shift the population expression of psychosis?. <i>Journal of Psychiatric Research</i> , 2004, 38, 613-618.	3.1	69
450	Mixed anxiety—depression in a 1 year follow-up study: shift to other diagnoses or remission?. <i>Journal of Affective Disorders</i> , 2004, 79, 235-239.	4.1	67

#	ARTICLE	IF	CITATIONS
451	Social Phobia in an Italian region: do Italian studies show lower frequencies than community surveys conducted in other European countries?. BMC Psychiatry, 2004, 4, 31.	2.6	9
452	Correction to the paper "How association chain graphs can model pathways into disorders". International Journal of Methods in Psychiatric Research, 2004, 13, 54-55.	2.1	1
453	The aetiological continuum of psychosis. , 2004, , 342-366.		3
454	Hypertension in overweight and obese primary care patients is highly prevalent and poorly controlled. American Journal of Hypertension, 2004, 17, 904-910.	2.0	251
455	High prevalence and poor control of hypertension in primary care. Journal of Hypertension, 2004, 22, 479-486.	0.5	130
456	What Characteristics of Primary Anxiety Disorders Predict Subsequent Major Depressive Disorder?. Journal of Clinical Psychiatry, 2004, 65, 618-626.	2.2	221
457	Risk Factors for Premenstrual Dysphoric Disorder in a Community Sample of Young Women. Journal of Clinical Psychiatry, 2004, 65, 1314-1322.	2.2	128
458	Episodios depresivos: ¿hay datos para un rol causal de los trastornos de ansiedad primarios?. European Psychiatry (Ed Española), 2004, 11, 84-93.	0.0	0
459	Risk factors for depression at 12-month follow-up in adult primary health care patients with major depression: an international prospective study. Journal of Affective Disorders, 2003, 76, 157-169.	4.1	99
460	Prevalence of psychiatric disorders in an onset cohort of adults with type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2003, 19, 216-222.	4.0	49
461	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) surveys. International Journal of Methods in Psychiatric Research, 2003, 12, 3-21.	2.1	857
462	Association chain graphs: modelling etiological pathways. International Journal of Methods in Psychiatric Research, 2003, 12, 77-84.	2.1	5
463	Aims, design and methods of the Smoking and Nicotine Dependence Awareness and Screening (SNICAS) study. International Journal of Methods in Psychiatric Research, 2003, 12, 208-228.	2.1	6
464	Family and high-risk studies of social anxiety disorder. Acta Psychiatrica Scandinavica, 2003, 108, 28-37.	4.5	51
465	Are patients with pituitary adenomas at an increased risk of mental disorders?. Acta Psychiatrica Scandinavica, 2003, 107, 60-68.	4.5	16
466	Abuse and dependence potential for the non-benzodiazepine hypnotics zolpidem and zopiclone: a review of case reports and epidemiological data. Addiction, 2003, 98, 1371-1378.	3.3	347
467	Sex differences in psychosis: normal or pathological?. Schizophrenia Research, 2003, 62, 45-49.	2.0	78
468	Depressive episodes"evidence for a causal role of primary anxiety disorders?. European Psychiatry, 2003, 18, 384-393.	0.2	142

#	ARTICLE	IF	CITATIONS
469	Maternal Smoking and Smoking in Adolescents: A Prospective Community Study of Adolescents and Their Mothers. <i>European Addiction Research</i> , 2003, 9, 120-130.	2.4	69
470	Primary anxiety disorders and the development of subsequent alcohol use disorders: a 4-year community study of adolescents and young adults. <i>Psychological Medicine</i> , 2003, 33, 1211-1222.	4.5	313
471	The Prevalence Of Treated And Untreated Mental Disorders In Five Countries. <i>Health Affairs</i> , 2003, 22, 122-133.	5.2	266
472	Natural course and burden of bipolar disorders. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 145-154.	2.1	56
473	Recurrent brief depressive disorder reinvestigated: a community sample of adolescents and young adults. <i>Psychological Medicine</i> , 2003, 33, 407-418.	4.5	37
474	Smoking Increases the Risk of Panic. <i>Archives of General Psychiatry</i> , 2003, 60, 692.	12.3	187
475	Mental disorders in primary care. <i>Dialogues in Clinical Neuroscience</i> , 2003, 5, 115-128.	3.7	103
476	El curso natural de los trastornos y s�ndromes somatomorfos del DSM-IV entre los adolescentes y los adultos j�venes: un estudio comunitario prospectivo longitudinal. <i>European Psychiatry</i> (Ed) Tj ETQq0 0 0 rgBT (Overlockd 10 Tf 50 4		
477	Parental alcohol use disorders and alcohol use and disorders in offspring: a community study. <i>Psychological Medicine</i> , 2002, 32, 63-78.	4.5	172
478	Generalized anxiety disorder: comorbidity, comparative biology and treatment. <i>International Journal of Neuropsychopharmacology</i> , 2002, 5, 315-325.	2.1	102
479	Parental Major Depression and the Risk of Depression and Other Mental Disorders in Offspring. <i>Archives of General Psychiatry</i> , 2002, 59, 365.	12.3	423
480	Risk factors for new depressive episodes in primary health care: an international prospective 12-month follow-up study. <i>Psychological Medicine</i> , 2002, 32, 595-607.	4.5	25
481	Prevalence, incidence and stability of premenstrual dysphoric disorder in the community. <i>Psychological Medicine</i> , 2002, 32, 119-132.	4.5	455
482	Life events and changes in the course of depression in young adults. <i>European Psychiatry</i> , 2002, 17, 241-253.	0.2	85
483	The natural course of DSM-IV somatoform disorders and syndromes among adolescents and young adults: a prospective-longitudinal community study. <i>European Psychiatry</i> , 2002, 17, 321-331.	0.2	118
484	Use, abuse and dependence of ecstasy and related drugs in adolescents and young adults��a transient phenomenon? Results from a longitudinal community study. <i>Drug and Alcohol Dependence</i> , 2002, 66, 147-159.	3.2	122
485	What predicts incident use of cannabis and progression to abuse and dependence?. <i>Drug and Alcohol Dependence</i> , 2002, 68, 49-64.	3.2	253
486	Mental disorders in ecstasy users: a prospective-longitudinal investigation. <i>Drug and Alcohol Dependence</i> , 2002, 68, 195-207.	3.2	142

#	ARTICLE	IF	CITATIONS
487	Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. <i>Drug and Alcohol Dependence</i> , 2002, 68, 285-297.	3.2	200
488	Parental depression and depression in offspring: evidence for familial characteristics and subtypes?. <i>Journal of Psychiatric Research</i> , 2002, 36, 237-246.	3.1	33
489	Complex segregation analysis of restless legs syndrome provides evidence for an autosomal dominant mode of inheritance in early age at onset families. <i>Annals of Neurology</i> , 2002, 52, 297-302.	5.3	229
490	Estimating the prevalence of mental and somatic disorders in the community: aims and methods of the German National Health Interview and Examination Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 1-18.	2.1	146
491	Distinguishing generalized anxiety disorder from major depression: prevalence and impairment from current pure and comorbid disorders in the US and Ontario. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 99-111.	2.1	58
492	Patterns of incidence and psychiatric risk factors for traumatic events. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 143-153.	2.1	49
493	Prevalence, recognition and management of depression in primary care in Germany: the Depression 2000 study. <i>Human Psychopharmacology</i> , 2002, 17, S1-S11.	1.5	144
494	Generalized anxiety disorder: prevalence, burden, and cost to society. <i>Depression and Anxiety</i> , 2002, 16, 162-171.	4.1	580
495	Test-retest reliability of self-reported age at onset of selected psychiatric diagnoses in general health care. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 117-125.	4.5	21
496	Generalized anxiety and depression in primary care: prevalence, recognition, and management. <i>Journal of Clinical Psychiatry</i> , 2002, 63 Suppl 8, 24-34.	2.2	145
497	Patterns and correlates of generalized anxiety disorder in community samples. <i>Journal of Clinical Psychiatry</i> , 2002, 63 Suppl 8, 4-10.	2.2	28
498	The Epidemiology of Generalized Anxiety Disorder. <i>Psychiatric Clinics of North America</i> , 2001, 24, 19-39.	1.3	256
499	The natural course of cannabis use, abuse and dependence over four years: a longitudinal community study of adolescents and young adults. <i>Drug and Alcohol Dependence</i> , 2001, 64, 347-361.	3.2	150
500	EPIDEMIOLOGY, PATTERNS OF COMORBIDITY, AND ASSOCIATED DISABILITIES OF SOCIAL PHOBIA. <i>Psychiatric Clinics of North America</i> , 2001, 24, 617-641.	1.3	112
501	Prevalence and recognition of depressive syndromes in German primary care settings: poorly recognized and treated?. <i>International Clinical Psychopharmacology</i> , 2001, 16, 121-135.	1.7	131
502	Generalized anxiety disorder "a risk factor for depression?. <i>International Journal of Methods in Psychiatric Research</i> , 2001, 10, 52-57.	2.1	14
503	One-year prevalence of subthreshold and threshold DSM-IV generalized anxiety disorder in a nationally representative sample. <i>Depression and Anxiety</i> , 2001, 13, 78-88.	4.1	299
504	Comorbidity and mixed anxiety-depressive disorder: clinical curiosity or pathophysiological need?. <i>Human Psychopharmacology</i> , 2001, 16, S21-S30.	1.5	27



#	ARTICLE	IF	CITATIONS
505	The present and future of clinical psychology in Germany. <i>Epidemiologia E Psichiatria Sociale</i> , 2001, 10, 139-143.	0.9	0
506	Elterliche Alkoholbelastung und die Entwicklung von Suchtproblemen bei ihren Kindern - Ergebnisse der prospektiv-longitudinalen EDSP-Studie. <i>Suchttherapie</i> , 2001, 2, 125-136.	0.1	4
507	Social Anxiety Disorder and the Risk of Depression. <i>Archives of General Psychiatry</i> , 2001, 58, 251.	12.3	443
508	Gender differences in adolescents and young adults with suicidal behaviour. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 332-339.	4.5	124
509	The many faces of social anxiety disorder. <i>International Clinical Psychopharmacology</i> , 2000, 15, S7-S12.	1.7	20
510	Why do primary care doctors diagnose depression when diagnostic criteria are not met?. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 110-120.	2.1	23
511	Epidemiological research in mental disorders: lessons for the next decade of research - the NAPE Lecture 1999. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 2-10.	4.5	41
512	Traumatic events and posttraumatic stress disorder in the community: prevalence, risk factors and comorbidity. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 46-59.	4.5	760
513	Somatoform syndromes and disorders in a representative population sample of adolescents and young adults: prevalence, comorbidity and impairments. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 194-208.	4.5	93
514	Rates of psychiatric disorders in a clinical study group of adolescents with extreme obesity and in obese adolescents ascertained via a population based study. <i>International Journal of Obesity</i> , 2000, 24, 1707-1714.	3.4	285
515	Social phobia: diagnosis and epidemiology, neurobiology and pharmacology, comorbidity and treatment. <i>Journal of Affective Disorders</i> , 2000, 60, 61-74.	4.1	118
516	Met and unmet need for interventions in community cases with anxiety disorders. , 2000, , 256-276.		12
517	Lifetime panic-depression comorbidity in the National Comorbidity Survey. <i>British Journal of Psychiatry</i> , 2000, 176, 229-235.	2.8	364
518	Parental Psychopathology, Parenting Styles, and the Risk of Social Phobia in Offspring. <i>Archives of General Psychiatry</i> , 2000, 57, 859.	12.3	377
519	The Early Developmental Stages of Psychopathology Study (EDSP): A Methodological Update. <i>European Addiction Research</i> , 2000, 6, 170-182.	2.4	188
520	The waxing and waning of mental disorders: Evaluating the stability of syndromes of mental disorders in the population. <i>Comprehensive Psychiatry</i> , 2000, 41, 122-132.	3.1	105
521	Are social fears and DSM-IV social anxiety disorder associated with smoking and nicotine dependence in adolescents and young adults?. <i>European Psychiatry</i> , 2000, 15, 67-74.	0.2	182
522	Social phobia in the community: relationship between diagnostic threshold and prevalence. <i>European Psychiatry</i> , 2000, 15, 25-28.	0.2	33

#	ARTICLE	IF	CITATIONS
523	A European perspective on social anxiety disorder. <i>European Psychiatry</i> , 2000, 15, 5-16.	0.2	95
524	Komorbiditätsstrukturen bei Angststörungen – Häufigkeit und mögliche Implikationen. , 2000, , 329-345.		1
525	Patterns of cannabis use, abuse and dependence over time: incidence, progression and stability in a sample of 1228 adolescents. <i>Addiction</i> , 1999, 94, 1663-1678.	3.3	116
526	Covariates of cannabis use progression in a representative population sample of adolescents: a prospective examination of vulnerability and risk factors. <i>Addiction</i> , 1999, 94, 1679-1694.	3.3	86
527	Prevalence, 20-month incidence and outcome of unipolar depressive disorders in a community sample of adolescents. <i>Psychological Medicine</i> , 1999, 29, 655-668.	4.5	105
528	Prevalence of suicide ideation and suicide attempts in nine countries. <i>Psychological Medicine</i> , 1999, 29, 9-17.	4.5	511
529	Social fears and social phobia in a community sample of adolescents and young adults: prevalence, risk factors and co-morbidity. <i>Psychological Medicine</i> , 1999, 29, 309-323.	4.5	593
530	Lifetime co-morbidities between social phobia and mood disorders in the US National Comorbidity Survey. <i>Psychological Medicine</i> , 1999, 29, 555-567.	4.5	365
531	Diagnosing mental disorders in the community. A difference that matters?. <i>Psychological Medicine</i> , 1999, 29, 1021-1027.	4.5	72
532	Toward the Identification of Core Psychopathological Processes?. <i>Archives of General Psychiatry</i> , 1999, 56, 929.	12.3	42
533	Impairment in Pure and Comorbid Generalized Anxiety Disorder and Major Depression at 12 Months in Two National Surveys. <i>American Journal of Psychiatry</i> , 1999, 156, 1915-1923.	7.2	353
534	Dsm-iv panic attacks and panic disorder in a community sample of adolescents and young adults: how specific are panic attacks?. <i>Journal of Psychiatric Research</i> , 1998, 32, 335-345.	3.1	147
535	Methodological studies of the Composite International Diagnostic Interview (CIDI) in the US national comorbidity survey (NCS). <i>International Journal of Methods in Psychiatric Research</i> , 1998, 7, 33-55.	2.1	445
536	To what degree does the Composite International Diagnostic Interview (CIDI) correctly identify DSM-IV disorders? Testing validity issues in a clinical sample. <i>International Journal of Methods in Psychiatric Research</i> , 1998, 7, 142-155.	2.1	243
537	The World Health Organization Composite International Diagnostic Interview short-form (CIDI-SF). <i>International Journal of Methods in Psychiatric Research</i> , 1998, 7, 171-185.	2.1	1,806
538	Comorbidity patterns in adolescents and young adults with suicide attempts. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998, 248, 87-95.	3.2	136
539	Test-retest reliability of the computerized DSM-IV version of the Munich-Composite International Diagnostic Interview (M-CIDI). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998, 33, 568-578.	3.1	595
540	DSM-IV alcohol disorders in a general population sample of adolescents and young adults. <i>Addiction</i> , 1998, 93, 1065-1077.	3.3	86

#	ARTICLE	IF	CITATIONS
541	Comorbidity of substance use disorders with mood and anxiety disorders. Addictive Behaviors, 1998, 23, 893-907.	3.0	674
542	Specific fears and phobias. British Journal of Psychiatry, 1998, 173, 212-217.	2.8	185
543	Substance Use, Abuse and Dependence in Germany. European Addiction Research, 1998, 4, 8-17.	2.4	35
544	Prevalence of Use, Abuse and Dependence of Illicit Drugs among Adolescents and Young Adults in a Community Sample. European Addiction Research, 1998, 4, 58-66.	2.4	58
545	The EDSP: Setting the Stage!. European Addiction Research, 1998, 4, 5-7.	2.4	9
546	Use, Abuse and Dependence of Prescription Drugs in Adolescents and Young Adults. European Addiction Research, 1998, 4, 67-74.	2.4	19
547	Smoking and Nicotine Dependence. European Addiction Research, 1998, 4, 42-49.	2.4	80
548	Early Developmental Stages of Psychopathology Study (EDSP): Objectives and Design. European Addiction Research, 1998, 4, 18-27.	2.4	218
549	Structure, Content and Reliability of the Munich-Composite International Diagnostic Interview (M-CIDI) Substance Use Sections. European Addiction Research, 1998, 4, 28-41.	2.4	210
550	Is the Use of Ecstasy and Hallucinogens Increasing?. European Addiction Research, 1998, 4, 75-82.	2.4	95
551	Patterns of Use and Their Relationship to DSM-IV Abuse and Dependence of Alcohol among Adolescents and Young Adults. European Addiction Research, 1998, 4, 50-57.	2.4	42
552	The Relationship of Agoraphobia and Panic in a Community Sample of Adolescents and Young Adults. Archives of General Psychiatry, 1998, 55, 1017.	12.3	120
553	Lifetime Panic-Depression Comorbidity in the National Comorbidity Survey. Archives of General Psychiatry, 1998, 55, 801.	12.3	274
554	Prevalence of mental disorders and psychosocial impairments in adolescents and young adults. Psychological Medicine, 1998, 28, 109-126.	4.5	726
555	Screening for anxiety disorders. British Journal of Psychiatry, 1998, 173, 10-17.	2.8	78
556	Recognition and management of anxiety syndromes. British Journal of Psychiatry, 1998, 173, 1-3.	2.8	6
557	The US National Comorbidity Survey: overview and future directions. Epidemiologia E Psichiatria Sociale, 1997, 6, 4-16.	0.9	65
558	Depression Comorbid with Anxiety: Results from the WHO Study on Psychological Disorders in Primary Health Care. British Journal of Psychiatry, 1996, 168, 38-43.	2.8	481

#	ARTICLE	IF	CITATIONS
559	What is Comorbidity – Fact or Artefact?. British Journal of Psychiatry, 1996, 168, 7-8.	2.8	45
560	Comorbidity and Boundaries of Affective Disorders with Anxiety Disorders and Substance Misuse: Results of an International Task Force. British Journal of Psychiatry, 1996, 168, 58-67.	2.8	237
561	Critical Issues in the Evaluation of Comorbidity of Psychiatric Disorders. British Journal of Psychiatry, 1996, 168, 9-16.	2.8	138
562	Reliability and procedural validity of UM-CIDI DSM-III-R phobic disorders. Psychological Medicine, 1996, 26, 1169-1177.	4.5	138
563	Mental illness in a representative sample of homeless men in Munich, Germany. European Archives of Psychiatry and Clinical Neuroscience, 1996, 246, 185-196.	3.2	67
564	Implications of comorbidity: lessons from epidemiological studies. Epidemiologia E Psichiatria Sociale, 1996, 5, 114-125.	0.9	0
565	Comorbidity of Mental Disorders and Substance Use Disorders. European Addiction Research, 1996, 2, 36-47.	2.4	53
566	The Composite International Diagnostic Interview: An Instrument for Measuring Mental Health Outcome?. , 1996, , 179-187.		4
567	Komorbiditätsstrukturen bei Angststörungen Häufigkeit und mögliche Implikationen. , 1996, , 217-233.		6
568	Clinical practice, measurement and information technology. Psychological Medicine, 1995, 25, 443-446.	4.5	10
569	Reliability and clinical validity of UM-CIDI DSM-III-R generalized anxiety disorder. Journal of Psychiatric Research, 1995, 29, 95-110.	3.1	163
570	Comorbidity of mood disorders – diagnosis and treatment. Depression, 1995, 3, 131-133.	0.6	7
571	Lifetime Risk of Depression. British Journal of Psychiatry, 1994, 165, 16-22.	2.8	131
572	DSM-III-R Generalized Anxiety Disorder in the National Comorbidity Survey. Archives of General Psychiatry, 1994, 51, 355.	12.3	800
573	Suicidal ideation and suicide attempts: Comorbidity with depression, anxiety disorders, and substance abuse disorder. European Archives of Psychiatry and Clinical Neuroscience, 1994, 244, 93-98.	3.2	145
574	Diagnosing major depression in the elderly: Evidence for response bias in standardized diagnostic interviews?. Journal of Psychiatric Research, 1994, 28, 147-164.	3.1	173
575	Reliability and validity studies of the WHO-Composite International Diagnostic Interview (CIDI): A critical review. Journal of Psychiatric Research, 1994, 28, 57-84.	3.1	2,123
576	Epidemiology of panic disorder: Progress and unresolved issues. Journal of Psychiatric Research, 1993, 27, 47-68.	3.1	93

#	ARTICLE	IF	CITATIONS
577	Sex differences in rates of depression: cross-national perspectives. <i>Journal of Affective Disorders</i> , 1993, 29, 77-84.	4.1	492
578	Panikattacken mit frühem und spätem Beginn: Unterschiedliche pathogenetische Mechanismen?. <i>Verhaltenstherapie</i> , 1993, 3, 296-303.	0.4	10
579	Instruments for the assessment of substance use disorders. <i>Current Opinion in Psychiatry</i> , 1992, 5, 412-419.	6.3	7
580	Lifetime and six-month prevalence of mental disorders in the Munich follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992, 241, 247-258.	3.2	384
581	Lifetime and 6-month prevalence of abuse and dependence of alcohol in the Munich follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992, 241, 273-282.	3.2	40
582	Anxiety Disorders: Similarities and Differences of Comorbidity in Treated and Untreated Groups. <i>British Journal of Psychiatry</i> , 1991, 159, 23-33.	2.8	99
583	Cross-cultural Feasibility, Reliability and Sources of Variance of the Composite International Diagnostic Interview (CIDI). <i>British Journal of Psychiatry</i> , 1991, 159, 645-653.	2.8	731
584	The CIDI-Core Substance Abuse and Dependence Questions: Cross-cultural and Nosological Issues. <i>British Journal of Psychiatry</i> , 1991, 159, 653-658.	2.8	196
585	Care strategies for schizophrenic patients in a transcultural comparison. <i>Comprehensive Psychiatry</i> , 1990, 31, 398-408.	3.1	6
586	Anxiety and depression in a community sample: The influence of comorbidity on social functioning. <i>Journal of Affective Disorders</i> , 1990, 18, 137-144.	4.1	69
587	The Classification of Functional Psychoses and its Implications for Prognosis. <i>British Journal of Psychiatry</i> , 1989, 154, 467-472.	2.8	58
588	Anxiety and depression: Comorbidity, psychopathology, and social functioning. <i>Comprehensive Psychiatry</i> , 1989, 30, 420-433.	3.1	44
589	Reliability of life event assessments: test-retest reliability and fall-off effects of the Munich interview for the assessment of life events and conditions. <i>Journal of Affective Disorders</i> , 1989, 16, 77-91.	4.1	46
590	Recall and Dating of Psychiatric Symptoms. <i>Archives of General Psychiatry</i> , 1989, 46, 437.	12.3	220
591	The frequency of social dysfunction in a general population sample and in patients with mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1988, 23, 17-29.	3.1	30
592	Procedural validity of standardized symptom questions for the assessment of psychotic symptoms—A comparison of the DIS with two clinical methods. <i>Comprehensive Psychiatry</i> , 1988, 29, 309-322.	3.1	66
593	Psychopathological and social outcome in schizophrenia versus affective/schizoaffective psychoses and prediction of poor outcome in schizophrenia Results from a 5 year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 1988, 77, 379-389.	4.5	69
594	Major Affective Disorder in Anorexia Nervosa and Bulimia. <i>British Journal of Psychiatry</i> , 1987, 151, 785-789.	2.8	126

#	ARTICLE	IF	CITATIONS
595	Risk of Rehospitalization of Psychotic Patients. Psychopathology, 1987, 20, 48-60.	1.5	26
596	Anxiety disorders: A long-term prospective and retrospective follow-up study of former inpatients suffering from an anxiety neurosis or phobia. Acta Psychiatrica Scandinavica, 1987, 76, 36-47.	4.5	36
597	Diagnostic Reliability of Anxiety Disorders. , 1986, , 7-17.		4
598	Epidemiology of Panic Attacks and Panic Disorders. , 1986, , 18-28.		46
599	Professional psychology and private health services: Developing trends in the Federal Republic of Germany.. American Psychologist, 1986, 41, 306-308.	4.2	7
600	A Comparison of Two Diagnostic Methods. Archives of General Psychiatry, 1985, 42, 677.	12.3	121
601	Depressive neurosis. Acta Psychiatrica Scandinavica, 1985, 71, 237-248.	4.5	50
602	The social interview schedule (SIS) ? content, structure and reliability. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1985, 20, 115-124.	1.1	33
603	Psychotherapy services and the prevalence of mental disorders in urban and rural areas. Archiv Fur Psychiatrie Und Nervenkrankheiten, 1983, 233, 39-57.	0.6	5
604	Some problems concerning the reliability and structure of the scales in the Inpatient Multidimensional Psychiatric Scale (IMPS). Archiv Fur Psychiatrie Und Nervenkrankheiten, 1982, 232, 395-406.	0.6	14
605	Clinical psychology and psychotherapy: A survey of the present state of professionalization in 23 countries.. American Psychologist, 1980, 35, 16-25.	4.2	9
606	Clinical psychology and psychotherapy: A survey of the present state of professionalization in 23 countries.. American Psychologist, 1980, 35, 16-25.	4.2	7