

Patricia Price

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5416596/publications.pdf>

Version: 2024-02-01

77
papers

1,648
citations

471509

17
h-index

315739

38
g-index

77
all docs

77
docs citations

77
times ranked

2323
citing authors

#	ARTICLE	IF	CITATIONS
1	CD161 expression defines new human $\hat{3}\hat{1}$ T cell subsets. <i>Immunity and Ageing</i> , 2022, 19, 11.	4.2	3
2	Which NK cell populations mark the high burden of CMV present in all HIV patients beginning ART in Indonesia?. <i>AIDS Research and Therapy</i> , 2022, 19, 16.	1.7	2
3	Sequencing of the Viral UL111a Gene Directly from Clinical Specimens Reveals Variants of HCMV-Encoded IL-10 That Are Associated with Altered Immune Responses to HCMV. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4644.	4.1	3
4	A TNF Block Genotype may Influence CMV Retinitis in HIV Patients without Affecting Systemic Viral Replication. <i>Current HIV Research</i> , 2021, 19, 96-99.	0.5	1
5	Understanding the effects of CMV on $\hat{3}\hat{1}$ T-cell populations in HIV patients starting antiretroviral therapy. <i>Clinical Immunology</i> , 2021, 226, 108696.	3.2	2
6	Neurocognitive outcomes in Indonesians living with HIV are influenced by polymorphisms in the gene encoding purinergic P2X receptor 7. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 13, 100220.	2.5	1
7	Challenging the Conventional Interpretation of HCMV Seronegativity. <i>Microorganisms</i> , 2021, 9, 2382.	3.6	2
8	Cytomegalovirus may influence vascular endothelial health in Indonesian HIV-infected patients after 5 years on ART. <i>AIDS Research and Therapy</i> , 2021, 18, 83.	1.7	1
9	Determinants of cognitive health in Indonesian HIV patients beginning antiretroviral therapy. <i>Journal of NeuroVirology</i> , 2020, 26, 32-40.	2.1	12
10	Periodontitis and Cytomegalovirus Associate With Atherosclerosis Among HIV Patients After 5 Years on ART. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 195-200.	2.1	3
11	Cytomegalovirus burden improves a predictive model identifying measures of vascular risk in renal transplant recipients and healthy adults. <i>Journal of Medical Virology</i> , 2020, 92, 3650-3657.	5.0	7
12	Brief Report: Demographic and Genetic Associations With Markers of Small and Large Fiber Sensory Neuropathy in HIV Patients Treated Without Stavudine. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 612-616.	2.1	4
13	Polymorphisms in CAMKK2 associate with susceptibility to sensory neuropathy in HIV patients treated without stavudine. <i>Journal of NeuroVirology</i> , 2019, 25, 814-824.	2.1	8
14	Factors Affecting the Health of Retinal Vessels in Human Immunodeficiency Virus Patients Beginning Anti-Retroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 529-535.	1.1	6
15	A high burden of cytomegalovirus marks poor vascular health in transplant recipients more clearly than in the general population. <i>Clinical and Translational Immunology</i> , 2019, 8, e1043.	3.8	16
16	Characterization of Natural Killer Cells in HIV Patients Beginning Therapy with a High Burden of Cytomegalovirus. <i>Immunological Investigations</i> , 2019, 48, 345-354.	2.0	4
17	Neuropathic pain in HIV patients receiving ART without stavudine in an Indonesia Referral Hospital. <i>Journal of the Neurological Sciences</i> , 2019, 397, 146-149.	0.6	8
18	Functional and clinical consequences of changes to natural killer cell phenotypes driven by chronic cytomegalovirus infections. <i>Journal of Medical Virology</i> , 2019, 91, 1120-1127.	5.0	8

#	ARTICLE	IF	CITATIONS
19	The high frequency of autoantibodies in HIV patients declines on antiretroviral therapy. <i>Pathology</i> , 2018, 50, 313-316.	0.6	8
20	Active and Persistent Cytomegalovirus Infections Affect T Cells in Young Adult HIV Patients Commencing Antiretroviral Therapy. <i>Viral Immunology</i> , 2018, 31, 472-479.	1.3	11
21	Evaluation of the Protective Role for <i>Candida albicans</i> reactive Immunoglobulin A against Oral Fungal Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, e4-e6.	2.1	2
22	Polymorphisms in P2X4R and CAMKK2 may affect TNF α production: Implications for a role in HIV-associated sensory neuropathy. <i>Human Immunology</i> , 2018, 79, 224-227.	2.4	11
23	HIV patients, healthy aging and transplant recipients can reveal the hidden footprints of CMV. <i>Clinical Immunology</i> , 2018, 187, 107-112.	3.2	11
24	Detectable Plasma HIV RNA Is Associated With Sensory Neuropathy in Patients With HIV Treated Without Stavudine. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, e108-e110.	2.1	8
25	Polymorphisms in IL10 may alter CD4 T-cell counts in Indonesian HIV patients beginning antiretroviral therapy. <i>Human Immunology</i> , 2017, 78, 387-390.	2.4	5
26	CMV drives the expansion of highly functional memory T cells expressing NK cell receptors in renal transplant recipients. <i>European Journal of Immunology</i> , 2017, 47, 1324-1334.	2.9	27
27	Immunological and epidemiological factors affecting candidiasis in HIV patients beginning antiretroviral therapy in an Asian clinic. <i>Archives of Oral Biology</i> , 2017, 82, 86-91.	1.8	6
28	Persistence of Activated and Adaptive-Like NK Cells in HIV+ Individuals despite 2 Years of Suppressive Combination Antiretroviral Therapy. <i>Frontiers in Immunology</i> , 2017, 8, 731.	4.8	24
29	Factors affecting cardiovascular health in Indonesian HIV patients beginning ART. <i>AIDS Research and Therapy</i> , 2017, 14, 52.	1.7	18
30	Levels of CMV-reactive antibodies correlate with the induction of CD28null T cells and systemic inflammation in chronic obstructive pulmonary disease (COPD). <i>Cellular and Molecular Immunology</i> , 2016, 13, 551-553.	10.5	22
31	Increased proportions of dendritic cells and recovery of IFN γ responses in HIV/HCV co-infected patients receiving ART. <i>Human Immunology</i> , 2016, 77, 29-34.	2.4	2
32	Naive and Memory CD4+ T Cells Are Differentially Affected in Indonesian HIV Patients Responding to ART. <i>Viral Immunology</i> , 2016, 29, 176-183.	1.3	2
33	Short Communication: Few Liver-Infiltrating Cells Express CXCR3 in HIV/HCV Patients Commencing Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 1202-1204.	1.1	1
34	Is Pulmonary non-Tuberculous Mycobacterial Disease Linked with a High Burden of Latent Cytomegalovirus?. <i>Journal of Clinical Immunology</i> , 2016, 36, 113-116.	3.8	8
35	Polymorphisms in CAMKK2 may predict sensory neuropathy in African HIV patients. <i>Journal of NeuroVirology</i> , 2016, 22, 508-517.	2.1	25
36	Short Communication: Do Cytomegalovirus Antibody Levels Associate with Age-Related Syndromes in HIV Patients Stable on Antiretroviral Therapy?. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 567-572.	1.1	29

#	ARTICLE	IF	CITATIONS
37	An NK Cell Population Lacking FcR \hat{I}^3 Is Expanded in Chronically Infected HIV Patients. <i>Journal of Immunology</i> , 2015, 194, 4688-4697.	0.8	70
38	Role of TNF block genetic variants in HIV-associated sensory neuropathy in black Southern Africans. <i>European Journal of Human Genetics</i> , 2015, 23, 363-368.	2.8	19
39	The Use of Humoral Responses as a Marker of CMV Burden in HIV Patients on ART Requires Consideration of T-Cell Recovery and Persistent B-Cell Activation. <i>Disease Markers</i> , 2014, 2014, 1-8.	1.3	14
40	Impaired CTLA-4 responses in COPD are associated with systemic inflammation. <i>Cellular and Molecular Immunology</i> , 2014, 11, 606-608.	10.5	11
41	Patients co-infected with hepatitis C virus (HCV) and human immunodeficiency virus recover genotype cross-reactive neutralising antibodies to HCV during antiretroviral therapy. <i>Clinical Immunology</i> , 2014, 155, 149-159.	3.2	10
42	Levels of anti-cytokine antibodies may be elevated in patients with pulmonary disease associated with non-tuberculous mycobacteria. <i>Cytokine</i> , 2014, 66, 160-163.	3.2	18
43	Periportal CD4+ Cell Infiltration Increases in HIV/Hepatitis C Virus-Coinfected Patients Commencing ART, Whereas CD8+ Cells Clear From the Liver. <i>Journal of Infectious Diseases</i> , 2014, 210, 405-409.	4.0	6
44	Impaired function of regulatory T-cells in patients with chronic obstructive pulmonary disease (COPD). <i>Immunobiology</i> , 2014, 219, 975-979.	1.9	24
45	The proportion and function of peripheral myeloid-derived suppressor cells do not correlate with systemic inflammation in chronic obstructive pulmonary disease. <i>Human Immunology</i> , 2014, 75, 5-9.	2.4	4
46	Tuberculosis (TB)-associated immune reconstitution inflammatory syndrome in TB-HIV co-infected patients in Malaysia: prevalence, risk factors, and treatment outcomes. <i>Sexual Health</i> , 2014, 11, 532.	0.9	7
47	The Search for a Genetic Factor Associating with Immune Restoration Disease in HIV Patients Co-Infected with <i>Mycobacterium tuberculosis</i> . <i>Disease Markers</i> , 2013, 34, 445-449.	1.3	14
48	Short Communication: Plasma Levels of Vitamin D in HIV Patients Initiating Antiretroviral Therapy Do Not Predict Immune Restoration Disease Associated with <i>Mycobacterium tuberculosis</i> . <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 1216-1219.	1.1	10
49	Monocyte-derived macrophages do not explain susceptibility to pulmonary non-tuberculous mycobacterial disease. <i>Clinical and Translational Immunology</i> , 2012, 1, e2.	3.8	5
50	A Longitudinal Study of the Effects of ART on Plasma Chemokine Levels in Malaysian HIV Patients. <i>Disease Markers</i> , 2011, 31, 303-309.	1.3	11
51	Decreased IP-10 and Elevated TGF \hat{I}^21 Levels are Associated with Viral Clearance Following Therapy in Patients with Hepatitis C Virus. <i>Disease Markers</i> , 2010, 28, 273-280.	1.3	11
52	Immunological Markers of Lung Disease Due to Non-Tuberculous Mycobacteria. <i>Disease Markers</i> , 2010, 29, 103-109.	1.3	10
53	Immune Restoration Diseases Reflect Diverse Immunopathological Mechanisms. <i>Clinical Microbiology Reviews</i> , 2009, 22, 651-663.	13.6	57
54	Chronic ulcers and everyday living: patients' perspective in the United kingdom. <i>Wounds</i> , 2009, 21, 318-23.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Interferon-Gamma Responses to Candida Recover Slowly or Remain Low in Immunodeficient HIV Patients Responding to ART. <i>Journal of Clinical Immunology</i> , 2006, 26, 160-167.	3.8	23
56	Polymorphisms at positions -22 and -348 in the promoter of the BAT1 gene affect transcription and the binding of nuclear factors. <i>Human Molecular Genetics</i> , 2004, 13, 967-974.	2.9	20
57	Alleles of the gene encoding IL-1 β may predict control of plasma viraemia in HIV-1 patients on highly active antiretroviral therapy. <i>Aids</i> , 2004, 18, 1495-1501.	2.2	29
58	Brief Communication: Immune Activation in Patients Infected with HIV Type 1 and Maintaining Suppression of Viral Replication by Highly Active Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2002, 18, 1351-1355.	1.1	45
59	Polymorphisms in cytokine genes define subpopulations of HIV-1 patients who experienced immune restoration diseases. <i>Aids</i> , 2002, 16, 2043-2047.	2.2	144
60	The association between murine cytomegalovirus induced hepatitis and the accumulation of oval cells. <i>International Journal of Experimental Pathology</i> , 2002, 79, 433-441.	1.3	10
61	Haplotypic single nucleotide polymorphisms in the central MHC gene IKBL, a potential regulator of NF- κ B function. <i>Immunogenetics</i> , 2001, 52, 289-293.	2.4	28
62	A locus affecting immunoglobulin isotype selection (Igis1) maps to the MHC region in C57BL, BALB/c and NOD mice. <i>Immunology and Cell Biology</i> , 2001, 79, 576-582.	2.3	6
63	Can MHC class II genes mediate resistance to type 1 diabetes?. <i>Immunology and Cell Biology</i> , 2001, 79, 602-606.	2.3	13
64	The central MHC gene, BAT1, may encode a protein that down-regulates cytokine production. <i>Genes To Cells</i> , 2001, 6, 487-494.	1.2	56
65	Plasma Bioavailable Interleukin-6 Is Elevated in Human Immunodeficiency Virus-Infected Patients Who Experience Herpesvirus-Associated Immune Restoration Disease after Start of Highly Active Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2001, 184, 1073-1077.	4.0	54
66	Lymphocytes from H2b mice produce lower levels of several cytokines than congenic H2d or H2k mice. <i>Immunology and Cell Biology</i> , 2000, 78, 247-253.	2.3	13
67	The role of IL-12 in the control of MCMV is fundamentally different in mice with a retroviral immunodeficiency syndrome (MAIDS). <i>Immunology and Cell Biology</i> , 1999, 77, 131-138.	2.3	8
68	The genetic basis for the association of the 8.1 ancestral haplotype (A1, B8, DR3) with multiple immunopathological diseases. <i>Immunological Reviews</i> , 1999, 167, 257-274.	6.0	506
69	Structure and Polymorphism of two Stress-Activated Protein Kinase Genes Centromeric of the MHC: SAPK2a and SAPK4. <i>DNA Sequence</i> , 1999, 10, 229-243.	0.7	7
70	Autoimmunity and the highway to diabetes. <i>Immunology and Cell Biology</i> , 1997, 75, 1-6.	2.3	10
71	IMMUNOLOGICAL CONSEQUENCES OF INTESTINAL HELMINTH INFECTIONS: ANTIGEN PRESENTATION AND IMMUNOSUPPRESSION BY PERITONEAL CELLS. <i>The Australian Journal of Experimental Biology and Medical Science</i> , 1986, 64, 399-413.	0.7	15
72	IMMUNOLOGICAL CONSEQUENCES OF INTESTINAL HELMINTH INFECTIONS IN C57BL MICE. THE EFFECTS ON LYMPHOID TISSUE AND RETICULOENDOTHELIAL FUNCTION. <i>The Australian Journal of Experimental Biology and Medical Science</i> , 1983, 61, 371-382.	0.7	12

#	ARTICLE	IF	CITATIONS
73	IMMUNOLOGICAL CONSEQUENCES OF INTESTINAL HELMINTH INFECTIONS IN C57BL MICE. HUMORAL RESPONSES TO POLYVINYL PYRROLIDONE. The Australian Journal of Experimental Biology and Medical Science, 1983, 61, 383-396.	0.7	8
74	IMMUNOLOGICAL CONSEQUENCES OF INTESTINAL HELMINTH INFECTIONS IN C57BL MICE. NATURAL AND INDUCED RESPONSES TO SHEEP ERYTHROCYTES. The Australian Journal of Experimental Biology and Medical Science, 1983, 61, 397-409.	0.7	4
75	FACTORS DETERMINING THE EFFECTS OF CHRONIC PROTEIN-DEFICIENCY ON ANTIBODY RESPONSES TO SHEEP RED BLOOD CELLS AND BRUCELLA ABORTUS VACCINE IN MICE. The Australian Journal of Experimental Biology and Medical Science, 1977, 55, 59-78.	0.7	13
76	Levels of CMV-reactive antibodies correlate with the induction of CD28null T cells and systemic inflammation in chronic obstructive pulmonary disease (COPD). Cellular and Molecular Immunology, 0, , .	10.5	3
77	Î³Î³ T-cell subpopulations associate with recovery of memory function in Indonesian HIV patients starting ART. AIDS Research and Human Retroviruses, 0, , .	1.1	0