

# Paul Kowal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5417895/publications.pdf>

Version: 2024-02-01

149  
papers

8,690  
citations

87888

38  
h-index

49909

87  
g-index

150  
all docs

150  
docs citations

150  
times ranked

11780  
citing authors

#	ARTICLE	IF	CITATIONS
1	Frailty: implications for clinical practice and public health. <i>Lancet, The</i> , 2019, 394, 1365-1375.	13.7	1,341
2	Frailty measurement in research and clinical practice: A review. <i>European Journal of Internal Medicine</i> , 2016, 31, 3-10.	2.2	821
3	Data Resource Profile: The World Health Organization Study on global AGEing and adult health (SAGE). <i>International Journal of Epidemiology</i> , 2012, 41, 1639-1649.	1.9	623
4	Macroeconomic implications of population ageing and selected policy responses. <i>Lancet, The</i> , 2015, 385, 649-657.	13.7	460
5	Motoric cognitive risk syndrome. <i>Neurology</i> , 2014, 83, 718-726.	1.1	345
6	The impact of multimorbidity on adult physical and mental health in low- and middle-income countries: what does the study on global ageing and adult health (SAGE) reveal?. <i>BMC Medicine</i> , 2015, 13, 178.	5.5	297
7	Multimorbidity and the inequalities of global ageing: a cross-sectional study of 28 countries using the World Health Surveys. <i>BMC Public Health</i> , 2015, 15, 776.	2.9	201
8	The Health Of Aging Populations In China And India. <i>Health Affairs</i> , 2008, 27, 1052-1063.	5.2	179
9	Prevalence, risk factors and disability associated with fall-related injury in older adults in low- and middle-income countries: results from the WHO Study on global AGEing and adult health (SAGE). <i>BMC Medicine</i> , 2015, 13, 147.	5.5	174
10	Chronic Noncommunicable Diseases in 6 Low- and Middle-Income Countries: Findings From Wave 1 of the World Health Organization's Study on Global Ageing and Adult Health (SAGE). <i>American Journal of Epidemiology</i> , 2017, 185, 414-428.	3.4	152
11	Associations between Sleep Duration, Sleep Quality, and Cognitive Test Performance among Older Adults from Six Middle Income Countries: Results from the Study on Global Ageing and Adult Health (SAGE). <i>Journal of Clinical Sleep Medicine</i> , 2014, 10, 613-621.	2.6	144
12	Cardiovascular disease (CVD) and associated risk factors among older adults in six low-and middle-income countries: results from SAGE Wave 1. <i>BMC Public Health</i> , 2018, 18, 778.	2.9	131
13	Ageing and adult health status in eight lower-income countries: the INDEPTH WHO-SAGE collaboration. <i>Global Health Action</i> , 2010, 3, 5302.	1.9	127
14	Common risk factors for chronic non-communicable diseases among older adults in China, Ghana, Mexico, India, Russia and South Africa: the study on global AGEing and adult health (SAGE) wave 1. <i>BMC Public Health</i> , 2015, 15, 88.	2.9	126
15	Risk Factors and Disability Associated with Low Back Pain in Older Adults in Low- and Middle-Income Countries. Results from the WHO Study on Global AGEing and Adult Health (SAGE). <i>PLoS ONE</i> , 2015, 10, e0127880.	2.5	119
16	Social Determinants of Self-Reported Health in Women and Men: Understanding the Role of Gender in Population Health. <i>PLoS ONE</i> , 2012, 7, e34799.	2.5	116
17	Prevalence of HIV and chronic comorbidities among older adults. <i>Aids</i> , 2012, 26, S55-S63.	2.2	105
18	Health service use, out-of-pocket payments and catastrophic health expenditure among older people in India: The WHO Study on global AGEing and adult health (SAGE). <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 489-494.	3.7	103

#	ARTICLE	IF	CITATIONS
19	Prevalence of Loss of All Teeth (Edentulism) and Associated Factors in Older Adults in China, Ghana, India, Mexico, Russia and South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11308-11324.	2.6	101
20	Ambient PM <sub>2.5</sub> and Stroke. <i>Stroke</i> , 2017, 48, 1191-1197.	2.0	95
21	Depression and chronic diseases: Co-occurrence and communality of risk factors. <i>Journal of Affective Disorders</i> , 2018, 241, 461-468.	4.1	90
22	Prevalence of Major Chronic Conditions among Older Chinese Adults: The Study on Global AGEing and Adult Health (SAGE) Wave 1. <i>PLoS ONE</i> , 2013, 8, e74176.	2.5	88
23	Sociodemographic and socioeconomic patterns of chronic non-communicable disease among the older adult population in Ghana. <i>Global Health Action</i> , 2014, 7, 21292.	1.9	79
24	Predictors of public and private healthcare utilization and associated health system responsiveness among older adults in Ghana. <i>Global Health Action</i> , 2017, 10, 1301723.	1.9	77
25	Social determinants of sex differences in disability among older adults: a multi-country decomposition analysis using the World Health Survey. <i>International Journal for Equity in Health</i> , 2012, 11, 52.	3.5	71
26	Cervical cancer screening programs and guidelines in low- and middle-income countries. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 134, 239-246.	2.3	67
27	An investigation of factors associated with the health and well-being of HIV-infected or HIV-affected older people in rural South Africa. <i>BMC Public Health</i> , 2012, 12, 259.	2.9	66
28	Health and functional status among older people with HIV/AIDS in Uganda. <i>BMC Public Health</i> , 2011, 11, 886.	2.9	65
29	Disability, quality of life and all-cause mortality in older Mexican adults: association with multimorbidity and frailty. <i>BMC Geriatrics</i> , 2018, 18, 236.	2.7	65
30	Sleep duration, sleep quality, and obesity risk among older adults from six middle-income countries: Findings from the study on global ageing and adult health (SAGE). <i>American Journal of Human Biology</i> , 2014, 26, 803-812.	1.6	62
31	Exposure to air pollution and tobacco smoking and their combined effects on depression in six low- and middle-income countries. <i>British Journal of Psychiatry</i> , 2017, 211, 157-162.	2.8	59
32	Diverse alcohol drinking patterns in 20 African countries. <i>Addiction</i> , 2009, 104, 1147-1154.	3.3	58
33	Fruit and Vegetable Intake and Body Mass Index in a Large Sample of Middle-Aged Australian Men and Women. <i>Nutrients</i> , 2014, 6, 2305-2319.	4.1	58
34	To Legislate or Not to Legislate? A Comparison of the UK and South African Approaches to the Development and Implementation of Salt Reduction Programs. <i>Nutrients</i> , 2014, 6, 3672-3695.	4.1	53
35	Universal health coverage in emerging economies: findings on health care utilization by older adults in China, Ghana, India, Mexico, the Russian Federation, and South Africa. <i>Global Health Action</i> , 2014, 7, 25314.	1.9	53
36	The quality of life of Palestinians living in chronic conflict: assessment and determinants. <i>European Journal of Health Economics</i> , 2009, 10, 93-101.	2.8	52

#	ARTICLE	IF	CITATIONS
37	Chronic disease, risk factors and disability in adults aged 50 and above living with and without HIV: findings from the Wellbeing of Older People Study in Uganda. <i>Global Health Action</i> , 2016, 9, 31098.	1.9	50
38	The role of unhealthy lifestyles in the incidence and persistence of depression: a longitudinal general population study in four emerging countries. <i>Globalization and Health</i> , 2017, 13, 18.	4.9	47
39	Socioeconomic inequalities in frailty among older adults in six low- and middle-income countries: Results from the WHO Study on global AGEing and adult health (SAGE). <i>Maturitas</i> , 2018, 115, 56-63.	2.4	47
40	Health inequalities among older men and women in Africa and Asia: evidence from eight Health and Demographic Surveillance System sites in the INDEPTH WHO-SAGE Study. <i>Global Health Action</i> , 2010, 3, 5420.	1.9	44
41	Household characteristics for older adults and study background from SAGE Ghana Wave 1. <i>Global Health Action</i> , 2013, 6, 20096.	1.9	44
42	Socio-demographic patterns of disability among older adult populations of low-income and middle-income countries: results from World Health Survey. <i>International Journal of Public Health</i> , 2016, 61, 337-345.	2.3	44
43	Association between anemia and frailty in 13,175 community-dwelling adults aged 50 years and older in China. <i>BMC Geriatrics</i> , 2019, 19, 327.	2.7	43
44	Tobacco use in older adults in Ghana: sociodemographic characteristics, health risks and subjective wellbeing. <i>BMC Public Health</i> , 2013, 13, 979.	2.9	42
45	Impact of informal caregiving on older adults' physical and mental health in low-income and middle-income countries: a cross-sectional, secondary analysis based on the WHO's Study on global AGEing and adult health (SAGE). <i>BMJ Open</i> , 2017, 7, e017236.	1.9	40
46	Does poor sleep impair cognition during aging? Longitudinal associations between changes in sleep duration and cognitive performance among older Mexican adults. <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 161-168.	3.0	40
47	Variation in the prevalence of depression and patterns of association, sociodemographic and lifestyle factors in community-dwelling older adults in six low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 251, 218-226.	4.1	40
48	Social-Economic Status and Cognitive Performance among Chinese Aged 50 Years and Older. <i>PLoS ONE</i> , 2016, 11, e0166986.	2.5	38
49	Health, wellbeing, and disability among older people infected or affected by HIV in Uganda and South Africa. <i>Global Health Action</i> , 2013, 6, 19201.	1.9	37
50	Factors associated with cognitive function in older adults in Mexico. <i>Global Health Action</i> , 2016, 9, 30747.	1.9	36
51	Diversity in the Factors Associated with ADL-Related Disability among Older People in Six Middle-Income Countries: A Cross-Country Comparison. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1341.	2.6	36
52	Diabetes in South African older adults: prevalence and impact on quality of life and functional disability as assessed using SAGE Wave 1 data. <i>Global Health Action</i> , 2018, 11, 1449924.	1.9	35
53	Predictors of hypertension awareness, treatment and control in South Africa: results from the WHO-SAGE population survey (Wave 2). <i>Journal of Human Hypertension</i> , 2019, 33, 157-166.	2.2	35
54	Leveraging ongoing research to evaluate the health impacts of South Africa's salt reduction strategy: a prospective nested cohort within the WHO-SAGE multicountry, longitudinal study. <i>BMJ Open</i> , 2016, 6, e013316.	1.9	32

#	ARTICLE	IF	CITATIONS
55	Rapidly increasing prevalence of overweight and obesity in older Ghanaian adults from 2007-2015: Evidence from WHO-SAGE Waves 1 & 2. PLoS ONE, 2019, 14, e0215045.	2.5	32
56	Variations in disability and quality of life with age and sex between eight lower income and middle-income countries: data from the INDEPTH WHO-SAGE collaboration. BMJ Global Health, 2017, 2, e000508.	4.7	31
57	Validation of a Measure of Subjective Well-Being: An Abbreviated Version of the Day Reconstruction Method. PLoS ONE, 2012, 7, e43887.	2.5	31
58	Multi-Country Evaluation of Affective Experience: Validation of an Abbreviated Version of the Day Reconstruction Method in Seven Countries. PLoS ONE, 2013, 8, e61534.	2.5	31
59	Edentulism and quality of life among older Ghanaian adults. BMC Oral Health, 2015, 15, 48.	2.3	30
60	Ambient Air Pollution Exposure Association with Anaemia Prevalence and Haemoglobin Levels in Chinese Older Adults. International Journal of Environmental Research and Public Health, 2020, 17, 3209.	2.6	29
61	Association between wealth and health among older adults in rural China and India. Journal of the Economics of Ageing, 2016, 7, 43-52.	1.3	28
62	Data Resource Profile: Cross-national and cross-study sociodemographic and health-related harmonized domains from SAGE plus ELSA, HRS and SHARE (SAGE+, Wave 1). International Journal of Epidemiology, 2016, 45, 1403-1403j.	1.9	28
63	How will South Africa's mandatory salt reduction policy affect its salt iodisation programme? A cross-sectional analysis from the WHO-SAGE Wave 2 Salt & Tobacco study. BMJ Open, 2018, 8, e020404.	1.9	28
64	Perceived Income Adequacy and Well-being Among Older Adults in Six Low- and Middle-Income Countries. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2019, 74, 516-525.	3.9	28
65	Salt Use Behaviours of Ghanaians and South Africans: A Comparative Study of Knowledge, Attitudes and Practices. Nutrients, 2017, 9, 939.	4.1	27
66	Food insecurity partially mediates associations between social disadvantage and body composition among older adults in india: Results from the study on global ageing and adult health (SAGE). American Journal of Human Biology, 2017, 29, e23033.	1.6	25
67	Caregiving responsibilities and burden among older people by HIV status and other determinants in Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 1341-1348.	1.2	24
68	Evaluating minimally invasive sample collection methods for telomere length measurement. American Journal of Human Biology, 2018, 30, e23062.	1.6	24
69	Validation of an Optimized ELISA for Quantitative Assessment of Epstein-Barr Virus Antibodies from Dried Blood Spots. Biodemography and Social Biology, 2016, 62, 222-233.	1.0	23
70	Age and Socioeconomic Gradients of Health of Indian Adults: An Assessment of Self-Reported and Biological Measures of Health. Journal of Cross-Cultural Gerontology, 2016, 31, 193-211.	1.0	21
71	Prevalence of overweight and obesity in older Mexican adults and its association with physical activity and related factors: An analysis of the study on global ageing and adult health. American Journal of Human Biology, 2015, 27, 326-333.	1.6	20
72	Effect of Conjugated Equine Estrogens on Oxidative Metabolism in Middle-aged and Elderly Postmenopausal Women. Journal of Clinical Pharmacology, 2006, 46, 1299-1307.	2.0	19

#	ARTICLE	IF	CITATIONS
73	Self-reported cataracts in older adults in Ghana: sociodemographic and health related factors. BMC Public Health, 2014, 14, 949.	2.9	19
74	Effect of South Africa's interim mandatory salt reduction programme on urinary sodium excretion and blood pressure. Preventive Medicine Reports, 2021, 23, 101469.	1.8	19
75	Quality of life and social engagement of alcohol abstainers and users among older adults in South Africa. BMC Public Health, 2014, 14, 316.	2.9	18
76	Prediction of 24-hour sodium excretion from spot urine samples in South African adults: a comparison of four equations. Journal of Human Hypertension, 2020, 34, 24-33.	2.2	18
77	Performance of the health system in China and Asia as measured by responsiveness. Health, 2011, 03, 638-646.	0.3	18
78	Global Patterns of Multimorbidity: A Comparison of 28 Countries Using the World Health Surveys. Applied Demography Series, 2017, , 381-402.	0.1	17
79	Longitudinal associations of multimorbidity, disability and out-of-pocket health expenditures in households with older adults in Mexico: The study on global AGEing and adult health (SAGE). Disability and Health Journal, 2019, 12, 665-672.	2.8	16
80	Annual transition probabilities of overweight and obesity in older adults: Evidence from World Health Organization Study on global AGEing and adult health. Social Science and Medicine, 2020, 247, 112821.	3.8	16
81	Decreased Chronic Morbidity but Elevated HIV Associated Cytokine Levels in HIV-Infected Older Adults Receiving HIV Treatment: Benefit of Enhanced Access to Care?. PLoS ONE, 2013, 8, e77379.	2.5	16
82	Prevalence and geographic distribution of edentulism among older <sc>G</sc>hanaians. Journal of Public Health Dentistry, 2015, 75, 74-83.	1.2	15
83	Health expenditure and catastrophic spending among older adults living with HIV. Global Public Health, 2017, 12, 1282-1296.	2.0	15
84	Ageing and HIV-Related Caregiving in Sub-Saharan Africa: A Social Ecological Approach. Gerontologist, The, 2019, 59, e223-e240.	3.9	15
85	Ageing across the Tasman Sea: the demographics and health of older adults in Australia and New Zealand. Australian and New Zealand Journal of Public Health, 2014, 38, 377-383.	1.8	14
86	Multimorbidity: health care that counts "past one" for 1.2 billion older adults. Lancet, The, 2015, 385, 2252-2253.	13.7	14
87	Assessing tobacco use in an African population: Serum and urine cotinine cut-offs from South Africa. Drug and Alcohol Dependence, 2019, 195, 82-89.	3.2	14
88	The role of intergenerational educational mobility and household wealth in adult obesity: Evidence from Wave 2 of the World Health Organization's Study on global AGEing and adult health. PLoS ONE, 2019, 14, e0208491.	2.5	13
89	Alcohol Consumption at Any Level Increases Risk of Injury Caused by Others: Data from the Study on Global AGEing and Adult Health. Substance Abuse: Research and Treatment, 2015, 9s2, SART.S23549.	0.9	12
90	Health and the Indian caste system. Lancet, The, 2015, 385, 415-416.	13.7	12

#	ARTICLE	IF	CITATIONS
91	Iodine Status Assessment in South African Adults According to Spot Urinary Iodine Concentrations, Prediction Equations, and Measured 24-h Iodine Excretion. <i>Nutrients</i> , 2018, 10, 736.	4.1	12
92	A dried blood spot-based method to measure levels of tartrate-resistant acid phosphatase 5b (TRACP-5b), a marker of bone resorption. <i>American Journal of Human Biology</i> , 2019, 31, e23240.	1.6	12
93	Associations Between Physical Function and Subjective Well-Being in Older Adults From Low- and Middle-Income Countries: Results From the Study on Global AGEing and Adult Health (SAGE). <i>Journal of Aging and Physical Activity</i> , 2019, 27, 213-221.	1.0	12
94	Family transfers and long-term care: An analysis of the WHO Study on global AGEing and adult health (SAGE). <i>Journal of the Economics of Ageing</i> , 2018, 12, 195-201.	1.3	11
95	Successful ageing from old to very old: a longitudinal study of 12,432 women from Australia. <i>Age and Ageing</i> , 2019, 48, 803-810.	1.6	11
96	Identifying co-occurrence and clustering of chronic diseases using latent class analysis: cross-sectional findings from SAGE South Africa Wave 2. <i>BMJ Open</i> , 2021, 11, e041604.	1.9	11
97	Enzyme-Linked Immunoassay-Based Quantitative Measurement of Apolipoprotein B (ApoB) in Dried Blood Spots, a Biomarker of Cardiovascular Disease Risk. <i>Biodemography and Social Biology</i> , 2017, 63, 116-130.	1.0	10
98	Functional Measures of Sarcopenia: Prevalence, and Associations with Functional Disability in 10,892 Adults Aged 65 Years and Over from Six Lower- and Middle-Income Countries. <i>Calcified Tissue International</i> , 2019, 105, 609-618.	3.1	10
99	Association of Indoor and Outdoor Air Pollution With Hand-Grip Strength Among Adults in Six Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 340-347.	3.6	10
100	Health service utilization and direct healthcare costs associated with obesity in older adult population in Ghana. <i>Health Policy and Planning</i> , 2020, 35, 199-209.	2.7	10
101	Salt and potassium intake among adult Ghanaians: WHO-SAGE Ghana Wave 3. <i>BMC Nutrition</i> , 2020, 6, 54.	1.6	10
102	Correcting for Intra-Individual Variability in Sodium Excretion in Spot Urine Samples Does Not Improve the Ability to Predict 24 h Urinary Sodium Excretion. <i>Nutrients</i> , 2020, 12, 2026.	4.1	10
103	Salt-reduction strategies may compromise salt iodization programs: Learnings from South Africa and Ghana. <i>Nutrition</i> , 2021, 84, 111065.	2.4	10
104	Functional difficulties and toileting among older adults in Ghana: evidence from the World Health Organization Study on global AGEing and adult health (SAGE) Ghana Wave 1. <i>Ageing and Society</i> , 2023, 43, 53-75.	1.7	10
105	900 million and counting. <i>Population Horizons</i> , 2015, 12, 68-76.	0.3	10
106	Multidimensional Profiles of Health Status: An Application of the Grade of Membership Model to the World Health Survey. <i>PLoS ONE</i> , 2009, 4, e4426.	2.5	9
107	Does BMI generated by self-reported height and weight measure up in older adults from middle-income countries? Results from the study on global AGEing and adult health (SAGE). <i>BMC Obesity</i> , 2015, 2, 44.	3.1	9
108	HIV serostatus, inflammatory biomarkers and the frailty phenotype among older people in rural KwaZulu-Natal, South Africa. <i>African Journal of AIDS Research</i> , 2020, 19, 177-185.	0.9	9

#	ARTICLE	IF	CITATIONS
109	ACTIVITIES OF DAILY LIVING DIFFICULTIES AND TOILETING AMONG OLDER GHANAIS: AN APPLICATION OF WHO-ICF FRAMEWORK. <i>Innovation in Aging</i> , 2019, 3, S520-S520.	0.1	8
110	Data Resource Profile: Cross-national and cross-study sociodemographic and health-related harmonized domains from SAGE plus CHARLS, ELSA, HRS, LASI and SHARE (SAGE+ Wave 2). <i>International Journal of Epidemiology</i> , 2019, 48, 14-14j.	1.9	8
111	Survival of people aged 50 years and older by HIV and HIV treatment status: findings from three waves of the SAGE-Wellbeing of Older People Study (SAGE-WOPS) in Uganda. <i>AIDS Research and Therapy</i> , 2020, 17, 17.	1.7	8
112	Inflammation and central adiposity as mediators of depression and uncontrolled diabetes in the study on global AGEing and adult health (SAGE). <i>American Journal of Human Biology</i> , 2020, 32, e23413.	1.6	8
113	Motoric cognitive risk syndrome: Multicenter incidence study. <i>Neurology</i> , 2015, 85, 388-389.	1.1	7
114	Accelerometer-measured physical activity among older adults in urban India: Results of a study on global AGEing and adult health substudy. <i>American Journal of Human Biology</i> , 2016, 28, 412-420.	1.6	7
115	Ideal Cardiovascular Health and Cognitive Test Performance: Testing a Modified Index of Life's Simple 7 Among Older Chinese Adults. <i>Frontiers in Public Health</i> , 2018, 6, 352.	2.7	7
116	Arthritis diagnosis and symptoms are positively associated with specific physical job exposures in lower- and middle-income countries: cross-sectional results from the World Health Organization's Study on global AGEing and adult health (SAGE). <i>BMC Public Health</i> , 2018, 18, 719.	2.9	7
117	Predictors of health-related quality of life among older adults living with HIV in Thailand: results from the baseline and follow-up surveys. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 10-19.	1.2	7
118	Validation of an enzyme-linked immunoassay assay for osteocalcin, a marker of bone formation, in dried blood spots. <i>American Journal of Human Biology</i> , 2020, 32, e23394.	1.6	7
119	Social determinants of health and frailty are associated with all-cause mortality in older adults. <i>Salud Publica De Mexico</i> , 2019, 61, 582.	0.4	7
120	Frailty Risk in Older Adults Associated With Long-Term Exposure to Ambient PM2.5 in 6 Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 970-976.	3.6	7
121	Timing of Most Recent Health Care Visit by Older People Living With and Without HIV. <i>International Journal of Aging and Human Development</i> , 2017, 85, 18-32.	1.6	6
122	Social engagement and survival in people aged 50 years and over living with HIV and without HIV in Uganda: a prospective cohort study. <i>African Journal of AIDS Research</i> , 2018, 17, 333-340.	0.9	6
123	Evaluation of the Association Between Health State Utilities and Obesity in Sub-Saharan Africa: Evidence From World Health Organization Study on Global AGEing and Adult Health Wave 2. <i>Value in Health</i> , 2019, 22, 1042-1049.	0.3	6
124	Prevalence of angina and co-morbid conditions among older adults in six low- and middle-income countries: Evidence from SAGE Wave 1. <i>International Journal of Cardiology</i> , 2019, 285, 140-146.	1.7	6
125	Impact of overweight and obesity on life expectancy, quality-adjusted life years and lifetime costs in the adult population of Ghana. <i>BMJ Global Health</i> , 2020, 5, e003332.	4.7	6
126	Bivariate Joint Spatial Modeling to Identify Shared Risk Patterns of Hypertension and Diabetes in South Africa: Evidence from WHO SAGE South Africa Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 359.	2.6	6



#	ARTICLE	IF	CITATIONS
127	Physical function and activity among older adults in Jodhpur, India. <i>Annals of Human Biology</i> , 2016, 43, 488-491.	1.0	5
128	Measuring Hypertension Progression With Transition Probabilities: Estimates From the WHO SAGE Longitudinal Study. <i>Frontiers in Public Health</i> , 2021, 9, 571110.	2.7	5
129	Prevalence, socio-demographic and environmental determinants of asthma in 4621 Ghanaian adults: Evidence from Wave 2 of the World Health Organization's study on global AGEing and adult health. <i>PLoS ONE</i> , 2020, 15, e0243642.	2.5	5
130	Including Older Adults in Development Goals: Is Subjective Wellbeing the Answer? A Case Study of Older South Africans. <i>Journal of Development Studies</i> , 2018, 54, 702-718.	2.1	4
131	Hazardous Drinking Prevalence and Correlates in Older New Zealanders: A Comparison of the AUDIT-C and the CARET. <i>Journal of Aging and Health</i> , 2019, 31, 1770-1789.	1.7	4
132	Development and validation of an ELISA for a biomarker of thyroid dysfunction, thyroid peroxidase autoantibodies (TPO-Ab), in dried blood spots. <i>Journal of Physiological Anthropology</i> , 2020, 39, 16.	2.6	4
133	A Cross-Country Comparison of Sociodemographic Correlates of Depression in the WHO Study of Global Aging and Adult Health (SAGE). , 2013, , 45-60.		4
134	Are retired people higher in experiential wellbeing than working older adults? A time use approach.. <i>Emotion</i> , 2020, 20, 1411-1422.	1.8	4
135	Disparities in outpatient and inpatient utilization by rural-urban areas among older Mongolians based on a modified WHO-SAGE instrument. <i>BMC Health Services Research</i> , 2021, 21, 1183.	2.2	4
136	Food Insecurity and Functional Disability Among Older Adults in Ghana: The Role of Sex and Physical Activity. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1432.e1-1432.e7.	2.5	4
137	Ageing alongside and outside EU borders. <i>BMJ: British Medical Journal</i> , 2011, 343, d4885-d4885.	2.3	3
138	An observational study of the discrediting of COX-2 NSAIDs in Australia: Vioxx or class effect?. <i>BMC Public Health</i> , 2011, 11, 892.	2.9	3
139	Suicidal ideation in older Ghanaian women: The roles of bodily pain, functional limitation, and chronic health conditions. <i>International Journal of Social Psychiatry</i> , 2022, 68, 555-563.	3.1	3
140	China and India's challenges: the other end of the spectrum. <i>Lancet, The</i> , 2008, 372, 1459.	13.7	2
141	Social Epidemiology of Hypertension Stages. <i>Hypertension</i> , 2013, 62, e41.	2.7	2
142	Joint effect of mid- and late-life blood pressure on the brain: The AGES-Reykjavik Study. <i>Neurology</i> , 2015, 84, 329-330.	1.1	2
143	Do determinants of hypertension status vary between Ghana and South Africa? Study on global AGEing and adult health. <i>SA Heart Journal</i> , 2019, 16, .	0.0	2
144	Onset and progression of chronic disease and disability in a large cohort of older Australian women. <i>Maturitas</i> , 2022, 158, 25-33.	2.4	2

#	ARTICLE	IF	CITATIONS
145	Greater chronic morbidity is associated with greater fatigue in six countries. <i>Evolution, Medicine and Public Health</i> , 2022, 10, 156-169.	2.5	2
146	Roundtable Discussion: Data on Ageing Aboriginal and Torres Strait Islander Populations. <i>World Medical and Health Policy</i> , 2011, 3, 1-11.	1.6	1
147	WHO values health directly. <i>BMJ: British Medical Journal</i> , 2009, 339, b3503-b3503.	2.3	0
148	WHO's Study on Global AGEing and Adult Health (SAGE). , 2019, , 1-6.		0
149	WHO's Study on Global AGEing and Adult Health (SAGE). , 2021, , 5419-5424.		0