

Paul Kowal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5417895/publications.pdf>

Version: 2024-02-01

149
papers

8,690
citations

87888

38
h-index

49909

87
g-index

150
all docs

150
docs citations

150
times ranked

11780
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional difficulties and toileting among older adults in Ghana: evidence from the World Health Organization Study on global AGEing and adult health (SAGE) Ghana Wave 1. <i>Ageing and Society</i> , 2023, 43, 53-75.	1.7	10
2	Suicidal ideation in older Ghanaian women: The roles of bodily pain, functional limitation, and chronic health conditions. <i>International Journal of Social Psychiatry</i> , 2022, 68, 555-563.	3.1	3
3	Onset and progression of chronic disease and disability in a large cohort of older Australian women. <i>Maturitas</i> , 2022, 158, 25-33.	2.4	2
4	Frailty Risk in Older Adults Associated With Long-Term Exposure to Ambient PM2.5 in 6 Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 970-976.	3.6	7
5	Food Insecurity and Functional Disability Among Older Adults in Ghana: The Role of Sex and Physical Activity. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1432.e1-1432.e7.	2.5	4
6	Greater chronic morbidity is associated with greater fatigue in six countries. <i>Evolution, Medicine and Public Health</i> , 2022, 10, 156-169.	2.5	2
7	Salt-reduction strategies may compromise salt iodization programs: Learnings from South Africa and Ghana. <i>Nutrition</i> , 2021, 84, 111065.	2.4	10
8	Predictors of health-related quality of life among older adults living with HIV in Thailand: results from the baseline and follow-up surveys. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 10-19.	1.2	7
9	Bivariate Joint Spatial Modeling to Identify Shared Risk Patterns of Hypertension and Diabetes in South Africa: Evidence from WHO SAGE South Africa Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 359.	2.6	6
10	Identifying co-occurrence and clustering of chronic diseases using latent class analysis: cross-sectional findings from SAGE South Africa Wave 2. <i>BMJ Open</i> , 2021, 11, e041604.	1.9	11
11	Measuring Hypertension Progression With Transition Probabilities: Estimates From the WHO SAGE Longitudinal Study. <i>Frontiers in Public Health</i> , 2021, 9, 571110.	2.7	5
12	Effect of South Africa's interim mandatory salt reduction programme on urinary sodium excretion and blood pressure. <i>Preventive Medicine Reports</i> , 2021, 23, 101469.	1.8	19
13	Disparities in outpatient and inpatient utilization by rural-urban areas among older Mongolians based on a modified WHO-SAGE instrument. <i>BMC Health Services Research</i> , 2021, 21, 1183.	2.2	4
14	WHO's Study on Global AGEing and Adult Health (SAGE). , 2021, , 5419-5424.		0
15	Association of Indoor and Outdoor Air Pollution With Hand-Grip Strength Among Adults in Six Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 340-347.	3.6	10
16	Prediction of 24-hour sodium excretion from spot urine samples in South African adults: a comparison of four equations. <i>Journal of Human Hypertension</i> , 2020, 34, 24-33.	2.2	18
17	Health service utilization and direct healthcare costs associated with obesity in older adult population in Ghana. <i>Health Policy and Planning</i> , 2020, 35, 199-209.	2.7	10
18	Salt and potassium intake among adult Ghanaians: WHO-SAGE Ghana Wave 3. <i>BMC Nutrition</i> , 2020, 6, 54.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Development and validation of an ELISA for a biomarker of thyroid dysfunction, thyroid peroxidase autoantibodies (TPO-Ab), in dried blood spots. <i>Journal of Physiological Anthropology</i> , 2020, 39, 16.	2.6	4
20	Correcting for Intra-Individual Variability in Sodium Excretion in Spot Urine Samples Does Not Improve the Ability to Predict 24 h Urinary Sodium Excretion. <i>Nutrients</i> , 2020, 12, 2026.	4.1	10
21	Impact of overweight and obesity on life expectancy, quality-adjusted life years and lifetime costs in the adult population of Ghana. <i>BMJ Global Health</i> , 2020, 5, e003332.	4.7	6
22	HIV serostatus, inflammatory biomarkers and the frailty phenotype among older people in rural KwaZulu-Natal, South Africa. <i>African Journal of AIDS Research</i> , 2020, 19, 177-185.	0.9	9
23	Ambient Air Pollution Exposure Association with Anaemia Prevalence and Haemoglobin Levels in Chinese Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3209.	2.6	29
24	Survival of people aged 50 years and older by HIV and HIV treatment status: findings from three waves of the SAGE-Wellbeing of Older People Study (SAGE-WOPS) in Uganda. <i>AIDS Research and Therapy</i> , 2020, 17, 17.	1.7	8
25	Annual transition probabilities of overweight and obesity in older adults: Evidence from World Health Organization Study on global AGEing and adult health. <i>Social Science and Medicine</i> , 2020, 247, 112821.	3.8	16
26	Inflammation and central adiposity as mediators of depression and uncontrolled diabetes in the study on global AGEing and adult health (SAGE). <i>American Journal of Human Biology</i> , 2020, 32, e23413.	1.6	8
27	Validation of an enzyme-linked immunoassay assay for osteocalcin, a marker of bone formation, in dried blood spots. <i>American Journal of Human Biology</i> , 2020, 32, e23394.	1.6	7
28	Are retired people higher in experiential wellbeing than working older adults? A time use approach.. <i>Emotion</i> , 2020, 20, 1411-1422.	1.8	4
29	Prevalence, socio-demographic and environmental determinants of asthma in 4621 Ghanaian adults: Evidence from Wave 2 of the World Health Organization's study on global AGEing and adult health. <i>PLoS ONE</i> , 2020, 15, e0243642.	2.5	5
30	Hazardous Drinking Prevalence and Correlates in Older New Zealanders: A Comparison of the AUDIT-C and the CARET. <i>Journal of Aging and Health</i> , 2019, 31, 1770-1789.	1.7	4
31	Rapidly increasing prevalence of overweight and obesity in older Ghanaian adults from 2007-2015: Evidence from WHO-SAGE Waves 1 & 2. <i>PLoS ONE</i> , 2019, 14, e0215045.	2.5	32
32	Do determinants of hypertension status vary between Ghana and South Africa? Study on global AGEing and adult health. <i>SA Heart Journal</i> , 2019, 16, .	0.0	2
33	Successful ageing from old to very old: a longitudinal study of 12,432 women from Australia. <i>Age and Ageing</i> , 2019, 48, 803-810.	1.6	11
34	Frailty: implications for clinical practice and public health. <i>Lancet</i> , The, 2019, 394, 1365-1375.	18.7	1,341
35	Functional Measures of Sarcopenia: Prevalence, and Associations with Functional Disability in 10,892 Adults Aged 65 Years and Over from Six Lower- and Middle-Income Countries. <i>Calcified Tissue International</i> , 2019, 105, 609-618.	3.1	10
36	Evaluation of the Association Between Health State Utilities and Obesity in Sub-Saharan Africa: Evidence From World Health Organization Study on Global AGEing and Adult Health Wave 2. <i>Value in Health</i> , 2019, 22, 1042-1049.	0.3	6

#	ARTICLE	IF	CITATIONS
37	Does poor sleep impair cognition during aging? Longitudinal associations between changes in sleep duration and cognitive performance among older Mexican adults. <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 161-168.	3.0	40
38	Diversity in the Factors Associated with ADL-Related Disability among Older People in Six Middle-Income Countries: A Cross-Country Comparison. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1341.	2.6	36
39	A dried blood spot-based method to measure levels of tartrate-resistant acid phosphatase 5b (TRACP-5b), a marker of bone resorption. <i>American Journal of Human Biology</i> , 2019, 31, e23240.	1.6	12
40	Variation in the prevalence of depression and patterns of association, sociodemographic and lifestyle factors in community-dwelling older adults in six low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 251, 218-226.	4.1	40
41	Prevalence of angina and co-morbid conditions among older adults in six low- and middle-income countries: Evidence from SAGE Wave 1. <i>International Journal of Cardiology</i> , 2019, 285, 140-146.	1.7	6
42	Longitudinal associations of multimorbidity, disability and out-of-pocket health expenditures in households with older adults in Mexico: The study on global AGEing and adult health (SAGE). <i>Disability and Health Journal</i> , 2019, 12, 665-672.	2.8	16
43	ACTIVITIES OF DAILY LIVING DIFFICULTIES AND TOILETING AMONG OLDER GHANAIS: AN APPLICATION OF WHO-ICF FRAMEWORK. <i>Innovation in Aging</i> , 2019, 3, S520-S520.	0.1	8
44	Association between anemia and frailty in 13,175 community-dwelling adults aged 50 years and older in China. <i>BMC Geriatrics</i> , 2019, 19, 327.	2.7	43
45	Associations Between Physical Function and Subjective Well-Being in Older Adults From Low- and Middle-Income Countries: Results From the Study on Global AGEing and Adult Health (SAGE). <i>Journal of Aging and Physical Activity</i> , 2019, 27, 213-221.	1.0	12
46	Assessing tobacco use in an African population: Serum and urine cotinine cut-offs from South Africa. <i>Drug and Alcohol Dependence</i> , 2019, 195, 82-89.	3.2	14
47	The role of intergenerational educational mobility and household wealth in adult obesity: Evidence from Wave 2 of the World Health Organization's Study on global AGEing and adult health. <i>PLoS ONE</i> , 2019, 14, e0208491.	2.5	13
48	Predictors of hypertension awareness, treatment and control in South Africa: results from the WHO-SAGE population survey (Wave 2). <i>Journal of Human Hypertension</i> , 2019, 33, 157-166.	2.2	35
49	Data Resource Profile: Cross-national and cross-study sociodemographic and health-related harmonized domains from SAGE plus CHARLS, ELSA, HRS, LASI and SHARE (SAGE+ Wave 2). <i>International Journal of Epidemiology</i> , 2019, 48, 14-14j.	1.9	8
50	Aging and HIV-Related Caregiving in Sub-Saharan Africa: A Social Ecological Approach. <i>Gerontologist</i> , 2019, 59, e223-e240.	3.9	15
51	Perceived Income Adequacy and Well-being Among Older Adults in Six Low- and Middle-Income Countries. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2019, 74, 516-525.	3.9	28
52	Social determinants of health and frailty are associated with all-cause mortality in older adults. <i>Salud Publica De Mexico</i> , 2019, 61, 582.	0.4	7
53	WHO's Study on Global AGEing and Adult Health (SAGE). , 2019, , 1-6.		0
54	How will South Africa's mandatory salt reduction policy affect its salt iodisation programme? A cross-sectional analysis from the WHO-SAGE Wave 2 Salt & Tobacco study. <i>BMJ Open</i> , 2018, 8, e020404.	1.9	28

#	ARTICLE	IF	CITATIONS
55	Including Older Adults in Development Goals: Is Subjective Wellbeing the Answer? A Case Study of Older South Africans. <i>Journal of Development Studies</i> , 2018, 54, 702-718.	2.1	4
56	Family transfers and long-term care: An analysis of the WHO Study on global AGEing and adult health (SAGE). <i>Journal of the Economics of Ageing</i> , 2018, 12, 195-201.	1.3	11
57	Evaluating minimally invasive sample collection methods for telomere length measurement. <i>American Journal of Human Biology</i> , 2018, 30, e23062.	1.6	24
58	Social engagement and survival in people aged 50 years and over living with HIV and without HIV in Uganda: a prospective cohort study. <i>African Journal of AIDS Research</i> , 2018, 17, 333-340.	0.9	6
59	Ideal Cardiovascular Health and Cognitive Test Performance: Testing a Modified Index of Life's Simple 7 Among Older Chinese Adults. <i>Frontiers in Public Health</i> , 2018, 6, 352.	2.7	7
60	Disability, quality of life and all-cause mortality in older Mexican adults: association with multimorbidity and frailty. <i>BMC Geriatrics</i> , 2018, 18, 236.	2.7	65
61	Diabetes in South African older adults: prevalence and impact on quality of life and functional disability " as assessed using SAGE Wave 1 data. <i>Global Health Action</i> , 2018, 11, 1449924.	1.9	35
62	Cardiovascular disease (CVD) and associated risk factors among older adults in six low-and middle-income countries: results from SAGE Wave 1. <i>BMC Public Health</i> , 2018, 18, 778.	2.9	131
63	Arthritis diagnosis and symptoms are positively associated with specific physical job exposures in lower- and middle-income countries: cross-sectional results from the World Health Organization's Study on global AGEing and adult health (SAGE). <i>BMC Public Health</i> , 2018, 18, 719.	2.9	7
64	Iodine Status Assessment in South African Adults According to Spot Urinary Iodine Concentrations, Prediction Equations, and Measured 24-h Iodine Excretion. <i>Nutrients</i> , 2018, 10, 736.	4.1	12
65	Depression and chronic diseases: Co-occurrence and communality of risk factors. <i>Journal of Affective Disorders</i> , 2018, 241, 461-468.	4.1	90
66	Socioeconomic inequalities in frailty among older adults in six low- and middle-income countries: Results from the WHO Study on global AGEing and adult health (SAGE). <i>Maturitas</i> , 2018, 115, 56-63.	2.4	47
67	Health expenditure and catastrophic spending among older adults living with HIV. <i>Global Public Health</i> , 2017, 12, 1282-1296.	2.0	15
68	Chronic Noncommunicable Diseases in 6 Low- and Middle-Income Countries: Findings From Wave 1 of the World Health Organization's Study on Global Ageing and Adult Health (SAGE). <i>American Journal of Epidemiology</i> , 2017, 185, 414-428.	3.4	152
69	Enzyme-Linked Immunoassay-Based Quantitative Measurement of Apolipoprotein B (ApoB) in Dried Blood Spots, a Biomarker of Cardiovascular Disease Risk. <i>Biodemography and Social Biology</i> , 2017, 63, 116-130.	1.0	10
70	Predictors of public and private healthcare utilization and associated health system responsiveness among older adults in Ghana. <i>Global Health Action</i> , 2017, 10, 1301723.	1.9	77
71	The role of unhealthy lifestyles in the incidence and persistence of depression: a longitudinal general population study in four emerging countries. <i>Globalization and Health</i> , 2017, 13, 18.	4.9	47
72	Ambient PM _{2.5} and Stroke. <i>Stroke</i> , 2017, 48, 1191-1197.	2.0	95

#	ARTICLE	IF	CITATIONS
73	Timing of Most Recent Health Care Visit by Older People Living With and Without HIV. <i>International Journal of Aging and Human Development</i> , 2017, 85, 18-32.	1.6	6
74	Food insecurity partially mediates associations between social disadvantage and body composition among older adults in india: Results from the study on global AGEing and adult health (SAGE). <i>American Journal of Human Biology</i> , 2017, 29, e23033.	1.6	25
75	Exposure to air pollution and tobacco smoking and their combined effects on depression in six low- and middle-income countries. <i>British Journal of Psychiatry</i> , 2017, 211, 157-162.	2.8	59
76	Impact of informal caregiving on older adults' physical and mental health in low-income and middle-income countries: a cross-sectional, secondary analysis based on the WHO's Study on global AGEing and adult health (SAGE). <i>BMJ Open</i> , 2017, 7, e017236.	1.9	40
77	Variations in disability and quality of life with age and sex between eight lower income and middle-income countries: data from the INDEPTH WHO-SAGE collaboration. <i>BMJ Global Health</i> , 2017, 2, e000508.	4.7	31
78	Salt Use Behaviours of Ghanaians and South Africans: A Comparative Study of Knowledge, Attitudes and Practices. <i>Nutrients</i> , 2017, 9, 939.	4.1	27
79	Global Patterns of Multimorbidity: A Comparison of 28 Countries Using the World Health Surveys. <i>Applied Demography Series</i> , 2017, , 381-402.	0.1	17
80	Accelerometer-measured physical activity among older adults in urban India: Results of a study on global AGEing and adult health substudy. <i>American Journal of Human Biology</i> , 2016, 28, 412-420.	1.6	7
81	Chronic disease, risk factors and disability in adults aged 50 and above living with and without HIV: findings from the Wellbeing of Older People Study in Uganda. <i>Global Health Action</i> , 2016, 9, 31098.	1.9	50
82	Factors associated with cognitive function in older adults in Mexico. <i>Global Health Action</i> , 2016, 9, 30747.	1.9	36
83	Association between wealth and health among older adults in rural China and India. <i>Journal of the Economics of Ageing</i> , 2016, 7, 43-52.	1.3	28
84	Cervical cancer screening programs and guidelines in low- and middle-income countries. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 134, 239-246.	2.3	67
85	Socio-demographic patterns of disability among older adult populations of low-income and middle-income countries: results from World Health Survey. <i>International Journal of Public Health</i> , 2016, 61, 337-345.	2.3	44
86	Age and Socioeconomic Gradients of Health of Indian Adults: An Assessment of Self-Reported and Biological Measures of Health. <i>Journal of Cross-Cultural Gerontology</i> , 2016, 31, 193-211.	1.0	21
87	Frailty measurement in research and clinical practice: A review. <i>European Journal of Internal Medicine</i> , 2016, 31, 3-10.	2.2	821
88	Validation of an Optimized ELISA for Quantitative Assessment of Epstein-Barr Virus Antibodies from Dried Blood Spots. <i>Biodemography and Social Biology</i> , 2016, 62, 222-233.	1.0	23
89	Data Resource Profile: Cross-national and cross-study sociodemographic and health-related harmonized domains from SAGE plus ELSA, HRS and SHARE (SAGE+, Wave 1). <i>International Journal of Epidemiology</i> , 2016, 45, 1403-1403j.	1.9	28
90	Leveraging ongoing research to evaluate the health impacts of South Africa's salt reduction strategy: a prospective nested cohort within the WHO-SAGE multicountry, longitudinal study. <i>BMJ Open</i> , 2016, 6, e013316.	1.9	32

#	ARTICLE	IF	CITATIONS
91	Physical function and activity among older adults in Jodhpur, India. <i>Annals of Human Biology</i> , 2016, 43, 488-491.	1.0	5
92	Social-Economic Status and Cognitive Performance among Chinese Aged 50 Years and Older. <i>PLoS ONE</i> , 2016, 11, e0166986.	2.5	38
93	Does BMI generated by self-reported height and weight measure up in older adults from middle-income countries? Results from the study on global AGEing and adult health (SAGE). <i>BMC Obesity</i> , 2015, 2, 44.	3.1	9
94	Prevalence and geographic distribution of edentulism among older Hawaiians. <i>Journal of Public Health Dentistry</i> , 2015, 75, 74-83.	1.2	15
95	Alcohol Consumption at Any Level Increases Risk of Injury Caused by Others: Data from the Study on Global AGEing and Adult Health. <i>Substance Abuse: Research and Treatment</i> , 2015, 9s2, SART.S23549.	0.9	12
96	Risk Factors and Disability Associated with Low Back Pain in Older Adults in Low- and Middle-Income Countries. Results from the WHO Study on Global AGEing and Adult Health (SAGE). <i>PLoS ONE</i> , 2015, 10, e0127880.	2.5	119
97	Edentulism and quality of life among older Ghanaian adults. <i>BMC Oral Health</i> , 2015, 15, 48.	2.3	30
98	Multimorbidity and the inequalities of global ageing: a cross-sectional study of 28 countries using the World Health Surveys. <i>BMC Public Health</i> , 2015, 15, 776.	2.9	201
99	Health and the Indian caste system. <i>Lancet, The</i> , 2015, 385, 415-416.	13.7	12
100	Health service use, out-of-pocket payments and catastrophic health expenditure among older people in India: The WHO Study on global AGEing and adult health (SAGE). <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 489-494.	3.7	103
101	Prevalence of overweight and obesity in older Mexican adults and its association with physical activity and related factors: An analysis of the study on global ageing and adult health. <i>American Journal of Human Biology</i> , 2015, 27, 326-333.	1.6	20
102	Common risk factors for chronic non-communicable diseases among older adults in China, Ghana, Mexico, India, Russia and South Africa: the study on global AGEing and adult health (SAGE) wave 1. <i>BMC Public Health</i> , 2015, 15, 88.	2.9	126
103	The impact of multimorbidity on adult physical and mental health in low- and middle-income countries: what does the study on global ageing and adult health (SAGE) reveal?. <i>BMC Medicine</i> , 2015, 13, 178.	5.5	297
104	Joint effect of mid- and late-life blood pressure on the brain: The AGES-Reykjavik Study. <i>Neurology</i> , 2015, 84, 329-330.	1.1	2
105	Prevalence, risk factors and disability associated with fall-related injury in older adults in low- and middle-income countries: results from the WHO Study on global AGEing and adult health (SAGE). <i>BMC Medicine</i> , 2015, 13, 147.	5.5	174
106	Multimorbidity: health care that counts – past one – for 1.2 billion older adults. <i>Lancet, The</i> , 2015, 385, 2252-2253.	13.7	14
107	Motoric cognitive risk syndrome: Multicenter incidence study. <i>Neurology</i> , 2015, 85, 388-389.	1.1	7
108	Macroeconomic implications of population ageing and selected policy responses. <i>Lancet, The</i> , 2015, 385, 649-657.	13.7	460

#	ARTICLE	IF	CITATIONS
109	900 million and counting. <i>Population Horizons</i> , 2015, 12, 68-76.	0.3	10
110	Prevalence of Loss of All Teeth (Edentulism) and Associated Factors in Older Adults in China, Ghana, India, Mexico, Russia and South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11308-11324.	2.6	101
111	Fruit and Vegetable Intake and Body Mass Index in a Large Sample of Middle-Aged Australian Men and Women. <i>Nutrients</i> , 2014, 6, 2305-2319.	4.1	58
112	To Legislate or Not to Legislate? A Comparison of the UK and South African Approaches to the Development and Implementation of Salt Reduction Programs. <i>Nutrients</i> , 2014, 6, 3672-3695.	4.1	53
113	Ageing across the Tasman Sea: the demographics and health of older adults in Australia and New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 377-383.	1.8	14
114	Motoric cognitive risk syndrome. <i>Neurology</i> , 2014, 83, 718-726.	1.1	345
115	Self-reported cataracts in older adults in Ghana: sociodemographic and health related factors. <i>BMC Public Health</i> , 2014, 14, 949.	2.9	19
116	Sleep duration, sleep quality, and obesity risk among older adults from six middle-income countries: Findings from the study on global ageing and adult health (SAGE). <i>American Journal of Human Biology</i> , 2014, 26, 803-812.	1.6	62
117	Quality of life and social engagement of alcohol abstainers and users among older adults in South Africa. <i>BMC Public Health</i> , 2014, 14, 316.	2.9	18
118	Sociodemographic and socioeconomic patterns of chronic non-communicable disease among the older adult population in Ghana. <i>Global Health Action</i> , 2014, 7, 21292.	1.9	79
119	Universal health coverage in emerging economies: findings on health care utilization by older adults in China, Ghana, India, Mexico, the Russian Federation, and South Africa. <i>Global Health Action</i> , 2014, 7, 25314.	1.9	53
120	Associations between Sleep Duration, Sleep Quality, and Cognitive Test Performance among Older Adults from Six Middle Income Countries: Results from the Study on Global Ageing and Adult Health (SAGE). <i>Journal of Clinical Sleep Medicine</i> , 2014, 10, 613-621.	2.6	144
121	Tobacco use in older adults in Ghana: sociodemographic characteristics, health risks and subjective wellbeing. <i>BMC Public Health</i> , 2013, 13, 979.	2.9	42
122	Household characteristics for older adults and study background from SAGE Ghana Wave 1. <i>Global Health Action</i> , 2013, 6, 20096.	1.9	44
123	Health, wellbeing, and disability among older people infected or affected by HIV in Uganda and South Africa. <i>Global Health Action</i> , 2013, 6, 19201.	1.9	37
124	Social Epidemiology of Hypertension Stages. <i>Hypertension</i> , 2013, 62, e41.	2.7	2
125	Caregiving responsibilities and burden among older people by HIV status and other determinants in Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 1341-1348.	1.2	24
126	A Cross-Country Comparison of Sociodemographic Correlates of Depression in the WHO Study of Global Aging and Adult Health (SAGE). , 2013, , 45-60.		4

#	ARTICLE	IF	CITATIONS
127	Multi-Country Evaluation of Affective Experience: Validation of an Abbreviated Version of the Day Reconstruction Method in Seven Countries. PLoS ONE, 2013, 8, e61534.	2.5	31
128	Prevalence of Major Chronic Conditions among Older Chinese Adults: The Study on Global AGEing and Adult Health (SAGE) Wave 1. PLoS ONE, 2013, 8, e74176.	2.5	88
129	Decreased Chronic Morbidity but Elevated HIV Associated Cytokine Levels in HIV-Infected Older Adults Receiving HIV Treatment: Benefit of Enhanced Access to Care?. PLoS ONE, 2013, 8, e77379.	2.5	16
130	Data Resource Profile: The World Health Organization Study on global AGEing and adult health (SAGE). International Journal of Epidemiology, 2012, 41, 1639-1649.	1.9	623
131	Prevalence of HIV and chronic comorbidities among older adults. Aids, 2012, 26, S55-S63.	2.2	105
132	An investigation of factors associated with the health and well-being of HIV-infected or HIV-affected older people in rural South Africa. BMC Public Health, 2012, 12, 259.	2.9	66
133	Social determinants of sex differences in disability among older adults: a multi-country decomposition analysis using the World Health Survey. International Journal for Equity in Health, 2012, 11, 52.	3.5	71
134	Social Determinants of Self-Reported Health in Women and Men: Understanding the Role of Gender in Population Health. PLoS ONE, 2012, 7, e34799.	2.5	116
135	Validation of a Measure of Subjective Well-Being: An Abbreviated Version of the Day Reconstruction Method. PLoS ONE, 2012, 7, e43887.	2.5	31
136	Roundtable Discussion: Data on Ageing Aboriginal and Torres Strait Islander Populations. World Medical and Health Policy, 2011, 3, 1-11.	1.6	1
137	Ageing alongside and outside EU borders. BMJ: British Medical Journal, 2011, 343, d4885-d4885.	2.3	3
138	An observational study of the discrediting of COX-2 NSAIDs in Australia: Vioxx or class effect?. BMC Public Health, 2011, 11, 892.	2.9	3
139	Health and functional status among older people with HIV/AIDS in Uganda. BMC Public Health, 2011, 11, 886.	2.9	65
140	Performance of the health system in China and Asia as measured by responsiveness. Health, 2011, 03, 638-646.	0.3	18
141	Health inequalities among older men and women in Africa and Asia: evidence from eight Health and Demographic Surveillance System sites in the INDEPTH WHO-SAGE Study. Global Health Action, 2010, 3, 5420.	1.9	44
142	Ageing and adult health status in eight lower-income countries: the INDEPTH WHO-SAGE collaboration. Global Health Action, 2010, 3, 5302.	1.9	127
143	Multidimensional Profiles of Health Status: An Application of the Grade of Membership Model to the World Health Survey. PLoS ONE, 2009, 4, e4426.	2.5	9
144	The quality of life of Palestinians living in chronic conflict: assessment and determinants. European Journal of Health Economics, 2009, 10, 93-101.	2.8	52

#	ARTICLE	IF	CITATIONS
145	Diverse alcohol drinking patterns in 20 African countries. <i>Addiction</i> , 2009, 104, 1147-1154.	3.3	58
146	WHO values health directly. <i>BMJ: British Medical Journal</i> , 2009, 339, b3503-b3503.	2.3	0
147	China and India's challenges: the other end of the spectrum. <i>Lancet, The</i> , 2008, 372, 1459.	13.7	2
148	The Health Of Aging Populations In China And India. <i>Health Affairs</i> , 2008, 27, 1052-1063.	5.2	179
149	Effect of Conjugated Equine Estrogens on Oxidative Metabolism in Middle-aged and Elderly Postmenopausal Women. <i>Journal of Clinical Pharmacology</i> , 2006, 46, 1299-1307.	2.0	19