

Dorene M Rentz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5419830/publications.pdf>

Version: 2024-02-01

248
papers

13,297
citations

41627

51
h-index

29333

108
g-index

312
all docs

312
docs citations

312
times ranked

12191
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, 844-852. | 0.4 | 1,863 |
| 2 | Tau positron emission tomographic imaging in aging and early <sc>A</sc> Alzheimer disease. <i>Annals of Neurology</i> , 2016, 79, 110-119. | 2.8 | 778 |
| 3 | The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , The, 2020, 19, 271-278. | 4.9 | 627 |
| 4 | The A4 Study: Stopping AD Before Symptoms Begin?. <i>Science Translational Medicine</i> , 2014, 6, 228fs13. | 5.8 | 588 |
| 5 | The Preclinical Alzheimer Cognitive Composite. <i>JAMA Neurology</i> , 2014, 71, 961. | 4.5 | 548 |
| 6 | Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2019, 76, 915. | 4.5 | 512 |
| 7 | Subjective cognitive complaints and amyloid burden in cognitively normal older individuals. <i>Neuropsychologia</i> , 2012, 50, 2880-2886. | 0.7 | 379 |
| 8 | Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S63-S86. | 1.2 | 317 |
| 9 | Cognition, reserve, and amyloid deposition in normal aging. <i>Annals of Neurology</i> , 2010, 67, 353-364. | 2.8 | 313 |
| 10 | Synergistic Effect of β -Amyloid and Neurodegeneration on Cognitive Decline in Clinically Normal Individuals. <i>JAMA Neurology</i> , 2014, 71, 1379. | 4.5 | 273 |
| 11 | Loneliness, depression and cognitive function in older U.S. adults. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 564-573. | 1.3 | 269 |
| 12 | Amyloid and <i>APOE ϵ 4</i> interact to influence short-term decline in preclinical Alzheimer disease. <i>Neurology</i> , 2014, 82, 1760-1767. | 1.5 | 246 |
| 13 | Amyloid- β deposition in mild cognitive impairment is associated with increased hippocampal activity, atrophy and clinical progression. <i>Brain</i> , 2015, 138, 1023-1035. | 3.7 | 207 |
| 14 | Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 542. | 4.5 | 201 |
| 15 | Structural tract alterations predict downstream tau accumulation in amyloid-positive older individuals. <i>Nature Neuroscience</i> , 2018, 21, 424-431. | 7.1 | 198 |
| 16 | Face-name associative memory performance is related to amyloid burden in normal elderly. <i>Neuropsychologia</i> , 2011, 49, 2776-2783. | 0.7 | 191 |
| 17 | Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018, 175, 530-537. | 4.0 | 175 |
| 18 | The impact of amyloid- β and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019, 85, 181-193. | 2.8 | 171 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Sex, amyloid, and <i>APOE</i> ϵ 4 and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three well-characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 1193-1203. | 0.4 | 169 |
| 20 | Subjective Cognitive Concerns and Neuropsychiatric Predictors of Progression to the Early Clinical Stages of Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1642-1651. | 0.6 | 167 |
| 21 | Interactive Associations of Vascular Risk and β -Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals. <i>JAMA Neurology</i> , 2018, 75, 1124. | 4.5 | 165 |
| 22 | Association of Higher Cortical Amyloid Burden With Loneliness in Cognitively Normal Older Adults. <i>JAMA Psychiatry</i> , 2016, 73, 1230. | 6.0 | 164 |
| 23 | Cognitive Profile of Amyloid Burden and White Matter Hyperintensities in Cognitively Normal Older Adults. <i>Journal of Neuroscience</i> , 2012, 32, 16233-16242. | 1.7 | 161 |
| 24 | Optimizing the preclinical Alzheimer's cognitive composite with semantic processing: The PACC5. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 668-677. | 1.8 | 160 |
| 25 | Promising developments in neuropsychological approaches for the detection of preclinical Alzheimer's disease: a selective review. <i>Alzheimer's Research and Therapy</i> , 2013, 5, 58. | 3.0 | 146 |
| 26 | Tracking Early Decline in Cognitive Function in Older Individuals at Risk for Alzheimer Disease Dementia. <i>JAMA Neurology</i> , 2015, 72, 446. | 4.5 | 142 |
| 27 | Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid β . <i>Alzheimer's and Dementia</i> , 2017, 13, 1004-1012. | 0.4 | 139 |
| 28 | Subjective cognitive concerns, amyloid- β , and neurodegeneration in clinically normal elderly. <i>Neurology</i> , 2015, 85, 56-62. | 1.5 | 127 |
| 29 | Odor identification and Alzheimer disease biomarkers in clinically normal elderly. <i>Neurology</i> , 2015, 84, 2153-2160. | 1.5 | 120 |
| 30 | Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β -Amyloid Burden. <i>JAMA Neurology</i> , 2017, 74, 1455. | 4.5 | 119 |
| 31 | The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. <i>Science Translational Medicine</i> , 2021, 13, . | 5.8 | 111 |
| 32 | Fluorodeoxyglucose metabolism associated with tau-amyloid interaction predicts memory decline. <i>Annals of Neurology</i> , 2017, 81, 583-596. | 2.8 | 110 |
| 33 | Harvard Aging Brain Study: Dataset and accessibility. <i>NeuroImage</i> , 2017, 144, 255-258. | 2.1 | 107 |
| 34 | In vivo and neuropathology data support locus coeruleus integrity as indicator of Alzheimer's disease pathology and cognitive decline. <i>Science Translational Medicine</i> , 2021, 13, eabj2511. | 5.8 | 107 |
| 35 | Associations of Physical Activity and β -Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 1203. | 4.5 | 97 |
| 36 | PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018, 14, 1281-1292. | 0.4 | 93 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Sex differences in episodic memory in early midlife: impact of reproductive aging. <i>Menopause</i> , 2017, 24, 400-408. | 0.8 | 92 |
| 38 | Depressive Symptoms and Biomarkers of Alzheimer's Disease in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 63-73. | 1.2 | 87 |
| 39 | Regional Cortical Thinning Predicts Worsening Apathy and Hallucinations Across the Alzheimer Disease Spectrum. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1168-1179. | 0.6 | 86 |
| 40 | Use of IQ-Adjusted Norms to Predict Progressive Cognitive Decline in Highly Intelligent Older Individuals.. <i>Neuropsychology</i> , 2004, 18, 38-49. | 1.0 | 77 |
| 41 | Vascular Risk and β -Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019, 85, 272-279. | 2.8 | 75 |
| 42 | Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. <i>JAMA Network Open</i> , 2019, 2, e198964. | 2.8 | 72 |
| 43 | Depressive Symptoms and Tau Accumulation in the Inferior Temporal Lobe and Entorhinal Cortex in Cognitively Normal Older Adults: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 975-985. | 1.2 | 70 |
| 44 | Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. <i>Neuropsychologia</i> , 2017, 99, 343-349. | 0.7 | 67 |
| 45 | The Apathy Evaluation Scale: A Comparison of Subject, Informant, and Clinician Report in Cognitively Normal Elderly and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 421-432. | 1.2 | 65 |
| 46 | Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017, 15, 408-414. | 1.4 | 61 |
| 47 | Biomarker validation of a decline in semantic processing in preclinical Alzheimer's disease.. <i>Neuropsychology</i> , 2016, 30, 624-630. | 1.0 | 60 |
| 48 | Subjective cognitive concerns, episodic memory, and the <i>APOE</i> ϵ 4 allele. <i>Alzheimer's and Dementia</i> , 2014, 10, 752. | 0.4 | 57 |
| 49 | Free and cued memory in relation to biomarker-defined abnormalities in clinically normal older adults and those at risk for Alzheimer's disease. <i>Neuropsychologia</i> , 2015, 73, 169-175. | 0.7 | 57 |
| 50 | Social Engagement and Amyloid- β -Related Cognitive Decline in Cognitively Normal Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1247-1256. | 0.6 | 56 |
| 51 | Clinical meaningfulness of subtle cognitive decline on longitudinal testing in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, 552-560. | 0.4 | 55 |
| 52 | Cognitive resilience in clinical and preclinical Alzheimer's disease: the Association of Amyloid and Tau Burden on cognitive performance. <i>Brain Imaging and Behavior</i> , 2017, 11, 383-390. | 1.1 | 54 |
| 53 | Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019, 78, 178-185. | 1.5 | 54 |
| 54 | Heterogeneity in Suspected Non-Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. <i>JAMA Neurology</i> , 2016, 73, 1185. | 4.5 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Regional Cortical Thinning and Cerebrospinal Biomarkers Predict Worsening Daily Functioning Across the Alzheimer's Disease Spectrum. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 719-728. | 1.2 | 51 |
| 56 | Amyloid-associated increases in longitudinal report of subjective cognitive complaints. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 444-449. | 1.8 | 51 |
| 57 | Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017, 88, 1759-1767. | 1.5 | 50 |
| 58 | Midlife Eriksonian psychosocial development: Setting the stage for late-life cognitive and emotional health.. <i>Developmental Psychology</i> , 2016, 52, 496-508. | 1.2 | 46 |
| 59 | Cued memory decline in biomarker-defined preclinical Alzheimer disease. <i>Neurology</i> , 2017, 88, 1431-1438. | 1.5 | 46 |
| 60 | Regional tau pathology and loneliness in cognitively normal older adults. <i>Translational Psychiatry</i> , 2018, 8, 282. | 2.4 | 46 |
| 61 | Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021, 96, e619-e631. | 1.5 | 45 |
| 62 | Neuropsychiatric Symptoms and Functional Connectivity in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 727-735. | 1.2 | 44 |
| 63 | Lower Late-Life Body-Mass Index is Associated with Higher Cortical Amyloid Burden in Clinically Normal Elderly. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1097-1105. | 1.2 | 44 |
| 64 | Subjective cognitive concerns are associated with objective memory performance in Caucasian but not African-American persons. <i>Age and Ageing</i> , 2017, 46, 988-993. | 0.7 | 44 |
| 65 | Plasma IL-12/IFN- β axis predicts cognitive trajectories in cognitively unimpaired older adults. <i>Alzheimer's and Dementia</i> , 2022, 18, 645-653. | 0.4 | 39 |
| 66 | THE FEASIBILITY OF AT-HOME IPAD COGNITIVE TESTING FOR USE IN CLINICAL TRIALS. <i>Journal of Prevention of Alzheimer's Disease</i> , 2016, 3, 1-5. | 1.5 | 39 |
| 67 | Regional Fluorodeoxyglucose Metabolism and Instrumental Activities of Daily Living across the Alzheimer's Disease Spectrum. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 291-300. | 1.2 | 38 |
| 68 | Web Camera Based Eye Tracking to Assess Visual Memory on a Visual Paired Comparison Task. <i>Frontiers in Neuroscience</i> , 2017, 11, 370. | 1.4 | 38 |
| 69 | Association of Digital Clock Drawing With PET Amyloid and Tau Pathology in Normal Older Adults. <i>Neurology</i> , 2021, 96, e1844-e1854. | 1.5 | 38 |
| 70 | Regional 18F-Fluorodeoxyglucose Hypometabolism is Associated with Higher Apathy Scores Over Time in Early Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 683-693. | 0.6 | 37 |
| 71 | Cognitive activity relates to cognitive performance but not to Alzheimer disease biomarkers. <i>Neurology</i> , 2015, 85, 48-55. | 1.5 | 36 |
| 72 | Neuroimaging markers associated with maintenance of optimal memory performance in late-life. <i>Neuropsychologia</i> , 2017, 100, 164-170. | 0.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Costs of Early Stage Alzheimer's Disease in the United States: Cross-Sectional Analysis of a Prospective Cohort Study (GERAS-US)1. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 437-450. | 1.2 | 35 |
| 74 | Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 757-768. | 1.2 | 32 |
| 75 | Impact of APOE-Î4 carriage on the onset and rates of neocortical AÎ2-amyloid deposition. <i>Neurobiology of Aging</i> , 2020, 95, 46-55. | 1.5 | 32 |
| 76 | Lower novelty-related locus coeruleus function is associated with AÎ2-related cognitive decline in clinically healthy individuals. <i>Nature Communications</i> , 2022, 13, 1571. | 5.8 | 32 |
| 77 | Association of Social Support With Brain Volume and Cognition. <i>JAMA Network Open</i> , 2021, 4, e2121122. | 2.8 | 31 |
| 78 | Device-Embedded Cameras for Eye Tracking-Based Cognitive Assessment: Validation With Paper-Pencil and Computerized Cognitive Composites. <i>Journal of Medical Internet Research</i> , 2018, 20, e11143. | 2.1 | 31 |
| 79 | Concordance between Subjective and Objective Memory Impairment in Volunteer Subjects. <i>Journal of Alzheimer's Disease</i> , 2015, 48, 1109-1117. | 1.2 | 30 |
| 80 | Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 426-438. | 1.2 | 30 |
| 81 | Striatal and extrastriatal dopamine transporter levels relate to cognition in Lewy body diseases: an 11C altoprane positron emission tomography study. <i>Alzheimer's Research and Therapy</i> , 2014, 6, 52. | 3.0 | 29 |
| 82 | The Spanish version of Face-Name Associative Memory Exam (S-FNAME) performance is related to amyloid burden in Subjective Cognitive Decline. <i>Scientific Reports</i> , 2018, 8, 3828. | 1.6 | 28 |
| 83 | Dynamic change of cognitive reserve: associations with changes in brain, cognition, and diagnosis. <i>Neurobiology of Aging</i> , 2019, 83, 95-104. | 1.5 | 28 |
| 84 | Association of anxiety with subcortical amyloidosis in cognitively normal older adults. <i>Molecular Psychiatry</i> , 2020, 25, 2599-2607. | 4.1 | 28 |
| 85 | Associations of Widowhood and Î2-Amyloid With Cognitive Decline in Cognitively Unimpaired Older Adults. <i>JAMA Network Open</i> , 2020, 3, e200121. | 2.8 | 27 |
| 86 | Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. <i>Neurobiology of Aging</i> , 2020, 93, 124-130. | 1.5 | 27 |
| 87 | Inferior and medial temporal tau and cortical amyloid are associated with daily functional impairment in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 14. | 3.0 | 26 |
| 88 | A computerized version of the Short Form of the Face-Name Associative Memory Exam (FACEmemory®) for the early detection of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 25. | 3.0 | 24 |
| 89 | The Impact of Awareness of and Concern About Memory Performance on the Prediction of Progression From Mild Cognitive Impairment to Alzheimer Disease Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 896-904. | 0.6 | 23 |
| 90 | Validation of the Spanish Version of the Face Name Associative Memory Exam (S-FNAME) in Cognitively Normal Older Individuals. <i>Archives of Clinical Neuropsychology</i> , 2015, 30, 712-720. | 0.3 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Visual short-term memory relates to tau and amyloid burdens in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 99. | 3.0 | 22 |
| 92 | The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>EClinicalMedicine</i> , 2021, 35, 100848. | 3.2 | 22 |
| 93 | Racial and socioeconomic status differences in stress, posttraumatic growth, and mental health in an older adult cohort during the COVID-19 pandemic. <i>EClinicalMedicine</i> , 2022, 45, 101343. | 3.2 | 21 |
| 94 | Association of Emerging β -Amyloid and Tau Pathology With Early Cognitive Changes in Clinically Normal Older Adults. <i>Neurology</i> , 2022, 98, . | 1.5 | 20 |
| 95 | Monthly At-Home Computerized Cognitive Testing to Detect Diminished Practice Effects in Preclinical Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 800126. | 1.7 | 19 |
| 96 | Examining Cognitive Decline Across Black and White Participants in the Harvard Aging Brain Study. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1437-1446. | 1.2 | 18 |
| 97 | Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021, 96, . | 1.5 | 18 |
| 98 | The influence of demographic factors on subjective cognitive concerns and beta-amyloid. <i>International Psychogeriatrics</i> , 2017, 29, 645-652. | 0.6 | 17 |
| 99 | Building clinically relevant outcomes across the Alzheimer's disease spectrum. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12181. | 1.8 | 16 |
| 100 | Addressing the disparities in dementia risk, early detection and care in Latino populations: Highlights from the second Latinos & Alzheimer's Symposium. <i>Alzheimer's and Dementia</i> , 2022, 18, 1677-1686. | 0.4 | 16 |
| 101 | Intelligence quotient-adjusted memory impairment is associated with abnormal single photon emission computed tomography perfusion. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 821-31. | 1.2 | 14 |
| 102 | Age-Related Increases in Tip-of-the-tongue are Distinct from Decreases in Remembering Names: A Functional MRI Study. <i>Cerebral Cortex</i> , 2017, 27, 4339-4349. | 1.6 | 14 |
| 103 | Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 138. | 3.0 | 14 |
| 104 | The Harvard Automated Phone Task: new performance-based activities of daily living tests for early Alzheimer's disease. <i>Journal of Prevention of Alzheimer's Disease</i> , 2015, 2, 242-253. | 1.5 | 14 |
| 105 | Validation of the Latin American Spanish version of the face-name associative memory exam in a Colombian Sample. <i>Clinical Neuropsychologist</i> , 2020, 34, 1-12. | 1.5 | 13 |
| 106 | The presubiculum links incipient amyloid and tau pathology to memory function in older persons. <i>Neurology</i> , 2020, 94, e1916-e1928. | 1.5 | 13 |
| 107 | Mindfulness Training Improves Cognition and Strengthens Intrinsic Connectivity Between the Hippocampus and Posteromedial Cortex in Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 702796. | 1.7 | 13 |
| 108 | Disruption of the Ventral Visual Stream in a Case of Reduplicative Paramnesia. <i>Annals of the New York Academy of Sciences</i> , 2000, 911, 447-452. | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Anticholinergic Amnesia is Mediated by Alterations in Human Network Connectivity Architecture. <i>Cerebral Cortex</i> , 2019, 29, 3445-3456. | 1.6 | 12 |
| 110 | Impact of BDNF and sex on maintaining intact memory function in early midlife. <i>Neurobiology of Aging</i> , 2020, 88, 137-149. | 1.5 | 12 |
| 111 | Maternal dementia age at onset in relation to amyloid burden in non-demented elderly offspring. <i>Neurobiology of Aging</i> , 2016, 40, 61-67. | 1.5 | 11 |
| 112 | The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 121-129. | 1.2 | 11 |
| 113 | Observation of Patient and Caregiver Burden Associated with Early Alzheimer's Disease in the United States: Design and Baseline Findings of the GERAS-US Cohort Study1. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 279-292. | 1.2 | 11 |
| 114 | Device-Embedded Cameras for Eye Tracking-Based Cognitive Assessment: Implications for Teleneuropsychology. <i>Telemedicine Journal and E-Health</i> , 2020, 26, 477-481. | 1.6 | 10 |
| 115 | Associations of Stages of Objective Memory Impairment With Amyloid PET and Structural MRI. <i>Neurology</i> , 2022, 98, . | 1.5 | 10 |
| 116 | IQ-Based Norms for Highly Intelligent Adults. <i>Clinical Neuropsychologist</i> , 2006, 20, 637-648. | 1.5 | 9 |
| 117 | A Three-Factor Structure of Cognitive Functioning Among Unimpaired Carriers and Non-Carriers of Autosomal-Dominant Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 107-115. | 1.2 | 9 |
| 118 | Measuring instrumental activities of daily living in non-demented elderly: a comparison of the new performance-based Harvard Automated Phone Task with other functional assessments. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 4. | 3.0 | 9 |
| 119 | ARMADA: Assessing reliable measurement in Alzheimer's disease and cognitive aging project methods. <i>Alzheimer's and Dementia</i> , 2022, 18, 1449-1460. | 0.4 | 9 |
| 120 | Multiple markers contribute to risk of progression from normal to mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2020, 28, 102400. | 1.4 | 8 |
| 121 | Activities of daily living measured by the Harvard Automated Phone Task track with cognitive decline over time in non-demented elderly. <i>Journal of Prevention of Alzheimer's Disease</i> , The, 2017, 4, 81-86. | 1.5 | 8 |
| 122 | Automatized FACEmemory® scoring is related to Alzheimer's disease phenotype and biomarkers in early-onset mild cognitive impairment: the BIOFACE cohort. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 43. | 3.0 | 8 |
| 123 | Association of β -Amyloid and Vascular Risk on Longitudinal Patterns of Brain Atrophy. <i>Neurology</i> , 2022, 99, . | 1.5 | 8 |
| 124 | Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. <i>NeuroImage: Clinical</i> , 2019, 24, 102097. | 1.4 | 7 |
| 125 | Association of subjective cognitive decline with markers of brain pathology in preclinical autosomal dominant Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 330-332. | 0.9 | 7 |
| 126 | The Latin American Spanish version of the Face-Name Associative Memory Exam is sensitive to cognitive and pathological changes in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 104. | 3.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Associative memory and in vivo brain pathology in asymptomatic presenilin-1 E280A carriers. <i>Neurology</i> , 2020, 95, e1312-e1321. | 1.5 | 7 |
| 128 | Longitudinal Trajectories of Participant- and Study Partner-Rated Cognitive Decline, in Relation to Alzheimer's Disease Biomarkers and Mood Symptoms. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 806432. | 1.7 | 7 |
| 129 | Validating Use of Technology for Cognitive Test Assessment. <i>EBioMedicine</i> , 2016, 11, 23-24. | 2.7 | 5 |
| 130 | An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1161-1170. | 1.2 | 5 |
| 131 | Neuroimaging correlates of Stages of Objective Memory Impairment (SOMI) system. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12224. | 1.2 | 5 |
| 132 | Demonstration of Clinical Meaningfulness of the Integrated Alzheimer's Disease Rating Scale (iADRS): Association Between Change in iADRS Scores and Patient and Caregiver Health Outcomes. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 577-588. | 1.2 | 4 |
| 133 | Commentary on Composite cognitive and functional measures for early stage Alzheimer's disease trials. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12012. | 1.2 | 2 |
| 134 | Hypoconnectivity between locus coeruleus and medial temporal lobe during novelty predicts accelerated A β -related cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, e041323. | 0.4 | 2 |
| 135 | Harmonizing the preclinical Alzheimer cognitive composite for multi-cohort studies. <i>Alzheimer's and Dementia</i> , 2020, 16, e047423. | 0.4 | 2 |
| 136 | Clinical meaningfulness addressed at Alzheimer's Association Research Roundtable. <i>Alzheimer's and Dementia</i> , 2020, 16, 814-814. | 0.4 | 2 |
| 137 | P1-180: A NEW PERFORMANCE-BASED ACTIVITIES OF DAILY LIVING INSTRUMENT FOR EARLY ALZHEIMER'S DISEASE. , 2014, 10, P365-P365. | | 1 |
| 138 | IC-P-087: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD. , 2014, 10, P49-P50. | | 1 |
| 139 | IC-P-117: AMYLOID-B DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION. , 2014, 10, P65-P66. | | 1 |
| 140 | F4-01-04: TAU PET USING F18-T807: INITIAL EXPERIENCE IN NORMAL ELDERLY AND AD DEMENTIA. , 2014, 10, P242-P242. | | 1 |
| 141 | P2-246: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD. , 2014, 10, P566-P566. | | 1 |
| 142 | O4-01-01: Regional Tau PET measures associated with memory performance in clinically normal older individuals. , 2015, 11, P265-P265. | | 1 |
| 143 | IC-P-068: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden. , 2015, 11, P51-P51. | | 1 |
| 144 | F5-05-02: The Harvard Automated Phone Task (APT): A Novel Performance-Based ADL Instrument for Early Alzheimer's Disease. , 2016, 12, P373-P373. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | O5â€07â€04: Dependence Levels as Interim Clinical Milestones Along the Continuum of Alzheimerâ€™s Disease (AD): 18â€Month Results from the Geras Observational Study. <i>Alzheimer's and Dementia</i> , 2016, 12, P394. | 0.4 | 1 |
| 146 | ICâ€Pâ€013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. <i>Alzheimer's and Dementia</i> , 2016, 12, P20. | 0.4 | 1 |
| 147 | IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P36-P37. | | 1 |
| 148 | O4â€06â€06: The Impact of Anosognosia and Anosodiaphoria on the Prediction of Progression from Mild Cognitive Impairment to Alzheimer's Disease. <i>Alzheimer's and Dementia</i> , 2016, 12, P346. | 0.4 | 1 |
| 149 | P4-354: Subjective Cognitive Concerns are Associated with Objective Memory Performance in Older Caucasian but not African-American Persons. , 2016, 12, P1173-P1173. | | 1 |
| 150 | [P3â€376]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1103. | 0.4 | 1 |
| 151 | [ICâ€02â€03]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P5. | 0.4 | 1 |
| 152 | [P4â€534]: LINKING MEASURES OF SUBJECTIVE COGNITION ACROSS INTERNATIONAL AGING STUDIES USING ITEM RESPONSE THEORY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1554. | 0.4 | 1 |
| 153 | O1â€08â€03: DIGITIZED CLOCK DRAWING (DCTCLOCKTM) PERFORMANCE AND ITS RELATIONSHIP TO AMYLOID AND TAU PET IMAGING MARKERS IN UNIMPAIRED OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P236. | 0.4 | 1 |
| 154 | ICâ€Pâ€147: QUANTIFYING STAGES OF SUBTLE MEMORY IMPAIRMENT IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P125. | 0.4 | 1 |
| 155 | Repeated memoryâ€based assessments: Implications for clinical trials and practice. <i>Alzheimer's and Dementia</i> , 2020, 16, e038143. | 0.4 | 1 |
| 156 | Trajectories of decline in cognitively complex everyday activities across the Alzheimerâ€™s disease continuum. <i>Alzheimer's and Dementia</i> , 2020, 16, e044787. | 0.4 | 1 |
| 157 | Dementia knowledge and associated demographic factors within a registry sample. <i>Alzheimer's and Dementia</i> , 2020, 16, e046177. | 0.4 | 1 |
| 158 | Extraneous neuroimaging factors do not contribute to sex differences in flortaucipir signal: Analysis of skull binding and partial volume effects. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 1 |
| 159 | Associations between remote cognitive testing on an individualâ€™s own digital device and amyloid burden on neuroimaging in clinically normal older adults: Results from Boston Remote Assessment for Neurocognitive Health (BRANCH). <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 1 |
| 160 | The impact of COVIDâ€19 on the wellâ€being and cognition of older adults living in the United States and Latin America. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 1 |
| 161 | P3-266: NEUROPSYCHIATRIC SYMPTOMS AND FUNCTIONAL CONNECTIVITY IN MILD COGNITIVE IMPAIRMENT AND COGNITIVELY NORMAL ELDERLY. , 2014, 10, P729-P729. | | 0 |
| 162 | O3-07-02: WHITE MATTER BURDEN IN CLINICALLY NORMAL OLDER ADULTS MEDIATES THE RELATIONSHIP BETWEEN AMYLOID BURDEN AND MEMORY FREE RECALL BUT NOT CUED RECALL. , 2014, 10, P221-P222. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 163 | DT-01-02: TEMPORAL NEOCORTICAL TAU DEPOSITION MEASURED WITH PET IS ASSOCIATED WITH LONGITUDINAL DECLINE IN MEMORY PERFORMANCE AMONG CLINICALLY NORMAL ELDERLY. , 2014, 10, P280-P280. | | 0 |
| 164 | P2-154: SUBSYNDROMAL DEPRESSION AND ALZHEIMER'S DISEASE BIOMARKERS IN COGNITIVELY NORMAL ELDERLY. , 2014, 10, P527-P528. | | 0 |
| 165 | IC-P-152: OLFATORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY. , 2014, 10, P87-P87. | | 0 |
| 166 | O3-10-06: AMYLOID- β^2 DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION. , 2014, 10, P230-P230. | | 0 |
| 167 | P1-301: OLFATORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY. , 2014, 10, P422-P422. | | 0 |
| 168 | IC-02-01: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD. , 2014, 10, P4-P4. | | 0 |
| 169 | O4-12-04: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD. , 2014, 10, P276-P276. | | 0 |
| 170 | IC-P-084: Neurobiological correlates of anosognosia in mild cognitive impairment: A multimodal investigation using FDG-PET, PiB-PET, and volumetric MRI. , 2015, 11, P60-P60. | | 0 |
| 171 | P3-217: Moderate caffeine consumption is associated with better memory scores in clinically normal older adults. , 2015, 11, P715-P716. | | 0 |
| 172 | IC-P-071: Instrumental activities of daily living and functional connectivity in mild cognitive impairment. , 2015, 11, P53-P53. | | 0 |
| 173 | IC-P-085: Regional Tau PET measures associated with memory performance in clinically normal older individuals. , 2015, 11, P60-P61. | | 0 |
| 174 | P3-162: Instrumental activities of daily living and functional connectivity in mild cognitive impairment. , 2015, 11, P690-P691. | | 0 |
| 175 | F3-02-02: Snap in cognitively normal adults. , 2015, 11, P213-P213. | | 0 |
| 176 | P2-141: Neurobiological correlates of anosognosia in mild cognitive impairment: A multi-modal investigation using FDG-PET, PiB-PET, and volumetric MRI. , 2015, 11, P540-P540. | | 0 |
| 177 | P3-135: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals. , 2015, 11, P675-P676. | | 0 |
| 178 | IC-P-153: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals. , 2015, 11, P102-P103. | | 0 |
| 179 | O2-02-03: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden. , 2015, 11, P175-P175. | | 0 |
| 180 | O2-02-05: Differential declines in letter versus category fluency over 4 years in biomarker-defined preclinical Alzheimer's disease. , 2015, 11, P176-P177. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | O2-11-06: Reciprocal relations of loneliness and cognitive function in older u.s. adults. , 2015, 11, P201-P202. | | 0 |
| 182 | P3â€³09: Profiles of Cognitive Decline Associated with Biomarkerâ€³Defined Preclinical Stages of Alzheimerâ€³s Disease. Alzheimer's and Dementia, 2016, 12, P960. | 0.4 | 0 |
| 183 | P4-217: Regional Fluorodeoxyglucose Hypometabolism is Associated With Greater Apathy Over Time in Early Alzheimer's Disease. , 2016, 12, P1111-P1111. | | 0 |
| 184 | ICâ€³Pâ€³053: Regional Fluorodeoxyglucose Hypometabolism is Associated with Greater Apathy Over Time in Early Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P43. | 0.4 | 0 |
| 185 | P2-341: Subjective Cognitive Decline Predicts Longitudinal Decline in those with Both Amyloidosis and Neurodegeneration. , 2016, 12, P773-P774. | | 0 |
| 186 | P3-322: Optimal Memory Performance in Older Adults is Associated with Differences in Hippocampal Volume and Amyloid Status at Baseline and Over 3 Years. , 2016, 12, P969-P969. | | 0 |
| 187 | ICâ€³Pâ€³185: The Effect of Tractâ€³Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding. Alzheimer's and Dementia, 2016, 12, P135. | 0.4 | 0 |
| 188 | F1â€³04â€³01: Longitudinal Performance on the Preclinical Alzheimerâ€³s Cognitive Composite (PACC) in Subjects with Biomarkerâ€³Defined Preclinical ad. Alzheimer's and Dementia, 2016, 12, P167. | 0.4 | 0 |
| 189 | O1â€³13â€³01: Anxiety, Social Activity and Amyloid in Cognitively Normal Older Adults. Alzheimer's and Dementia, 2016, 12, P208. | 0.4 | 0 |
| 190 | O3â€³08â€³03: The Effect of Tractâ€³Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding. Alzheimer's and Dementia, 2016, 12, P304. | 0.4 | 0 |
| 191 | O3â€³09â€³03: Associations between Amyloidosis and Longitudinal Cognitive Decline in Clinically Normal Older Adults. Alzheimer's and Dementia, 2016, 12, P308. | 0.4 | 0 |
| 192 | O4â€³01â€³06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimerâ€³s Disease Cognitive Composite. Alzheimer's and Dementia, 2016, 12, P333. | 0.4 | 0 |
| 193 | O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P345-P346. | | 0 |
| 194 | O4â€³07â€³05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P349. | 0.4 | 0 |
| 195 | P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of β -Amyloid Burden in Preclinical ad. , 2016, 12, P1158-P1159. | | 0 |
| 196 | War and remembrance: Combat exposure in young adulthood and memory function sixty years later. Comprehensive Psychiatry, 2017, 72, 97-105. | 1.5 | 0 |
| 197 | [P4â€³228]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. Alzheimer's and Dementia, 2017, 13, P1357. | 0.4 | 0 |
| 198 | [ICâ€³Pâ€³108]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. Alzheimer's and Dementia, 2017, 13, P85. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | [P1â€“256]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P347. | 0.4 | 0 |
| 200 | [P2â€“298]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. <i>Alzheimer's and Dementia</i> , 2017, 13, P730. | 0.4 | 0 |
| 201 | [F1â€“03â€“02]: SUBJECTIVE COGNITIVE DECLINE, LONGITUDINAL COGNITIVE PERFORMANCE, AND IMAGING BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P176. | 0.4 | 0 |
| 202 | [O1â€“13â€“01]: SUBJECTIVE CONCERNS PREFERENTIALLY ASSOCIATE WITH AMYLOID BURDEN AND MEMORY IN CAUCASIANS, BUT WHITE MATTER HYPERINTENSITIES AND EXECUTIVE FUNCTION IN AFRICAN-AMERICANS. <i>Alzheimer's and Dementia</i> , 2017, 13, P225. | 0.4 | 0 |
| 203 | [O2â€“10â€“03]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P577. | 0.4 | 0 |
| 204 | [O2â€“11â€“04]: COGNITIVE RESERVE RELATES TO GREATER FUNCTIONAL CONNECTIVITY AND STRONGER INTERCONNECTIVITY WITHIN AND BETWEEN NODES, INDEPENDENT OF Î²â€“AMYLOID: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P582. | 0.4 | 0 |
| 205 | [F3â€“05â€“03]: OBJECTIVE AND SUBJECTIVE COGNITIVE DECLINE IN BLACK AMERICANS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P885. | 0.4 | 0 |
| 206 | [O3â€“06â€“02]: SEMANTIC MEMORY AND PET AMYLOID AND TAU DEPOSITION IN PRECLINICAL AND PRODROMAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P911. | 0.4 | 0 |
| 207 | [O3â€“07â€“06]: THE RELATIONSHIP BETWEEN RECALL OF RECENTLY VERSUS REMOTELY ENCODED FAMOUS FACES AND AMYLOID AND TAU BURDEN IN CLINICALLY NORMAL OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P917. | 0.4 | 0 |
| 208 | O3â€“12â€“01: DECREASED META-MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED WITH EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1050. | 0.4 | 0 |
| 209 | P1â€“327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P417. | 0.4 | 0 |
| 210 | O5â€“07â€“01: BASELINE FINDINGS FROM GERASâ€“US: A LONGITUDINAL COHORT STUDY OF RESOURCE USE AND COSTS OF MILD COGNITIVE IMPAIRMENT AND MILD DEMENTIA DUE TO ALZHEIMER'S DISEASE (AD) IN THE UNITED STATES. <i>Alzheimer's and Dementia</i> , 2018, 14, P1660. | 0.4 | 0 |
| 211 | P1â€“310: PATTERNS OF CHANGE IN DEPENDENCE LEVELS FOR COMMUNITY-DWELLING ALZHEIMER'S PATIENTS: 36-MONTH RESULTS FROM THE GERAS OBSERVATIONAL STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P409. | 0.4 | 0 |
| 212 | O3â€“04â€“03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1019. | 0.4 | 0 |
| 213 | ICâ€“Paâ€“159: BRAIN RESILIENCE PROTECTS AGAINST COGNITIVE DECLINE ASSOCIATED WITH ELEVATED AMYLOID BURDEN. <i>Alzheimer's and Dementia</i> , 2018, 14, P134. | 0.4 | 0 |
| 214 | F4â€“08â€“02: AMYLOID BURDEN AND VASCULAR RISK ARE INDEPENDENTLY ASSOCIATED WITH SUBJECTIVE COGNITIVE DECLINE IN CLINICALLY NORMAL OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1394. | 0.4 | 0 |
| 215 | O1â€“10â€“03: SEX AND <i>APOE</i> GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P243. | 0.4 | 0 |
| 216 | ICâ€“Paâ€“139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P116. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | O2â€08â€06: AMYLOIDâ€2, COGNITION AND SOCIAL ACTIVITY IN COGNITIVELY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P640. | 0.4 | 0 |
| 218 | O300 Linking Sleep Disturbances with Amyloid and Tau Imaging. Preliminary Findings from the Harvard Aging Brain Study. Sleep, 2019, 42, A122-A123. | 0.6 | 0 |
| 219 | P4â€607: FREE AND CUED MEMORY IS DISTINCTLY RELATED TO PATHOLOGY IN PRECLINICAL AUTOSOMALâ€DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2019, 15, P1557. | 0.4 | 0 |
| 220 | ICâ€Pâ€037: GERIATRIC DEPRESSION SCALE ITEMâ€LEVEL ANALYSIS IN RELATION TOâ€IN VIVO</i> CORTICAL AMYLOID AND CEREBRAL REGIONAL TAU IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2019, 15, P43. | 0.4 | 0 |
| 221 | ICâ€Pâ€089: ASSOCIATIONS OF REGIONAL CORTICAL THINNING AND LONGITUDINAL COGNITIVE PERFORMANCE IN THE CONTEXT OF AMYLOID IN CLINICALLY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2019, 15, P79. | 0.4 | 0 |
| 222 | F2â€03â€01: CLINICAL MEANINGFULNESS OF SHORTâ€TERM COGNITIVE DECLINE ON THE PRECLINICAL ALZHEIMER'S COGNITIVE COMPOSITEâ€5 (PACCâ€5) IN NORMAL OLDER ADULTS WITH ELEVATED Î²â€AMYLOID. Alzheimer's and Dementia, 2019, 15, P518. | 0.4 | 0 |
| 223 | O3â€09â€01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED Î²â€AMYLOID BURDEN. Alzheimer's and Dementia, 2019, 15, P903. | 0.4 | 0 |
| 224 | Tracking the origin of tau spread in the brain. Alzheimer's and Dementia, 2020, 16, e037501. | 0.4 | 0 |
| 225 | Disease progression and costs at twoâ€year followâ€up of GERASâ€US: A threeâ€year study of mild cognitive impairment and mild dementia due to Alzheimerâ€™s disease in the United States. Alzheimer's and Dementia, 2020, 16, e038768. | 0.4 | 0 |
| 226 | Association of tau tangle burden with depressive symptoms in communityâ€dwelling older adults: A longitudinal study. Alzheimer's and Dementia, 2020, 16, e038867. | 0.4 | 0 |
| 227 | Sex, tau, and cortical thinning in the temporal lobe: Findings from the Harvard Aging Brain Study. Alzheimer's and Dementia, 2020, 16, e040031. | 0.4 | 0 |
| 228 | The dynamic interplay between longitudinal subjective and objective cognitive decline along the early AD spectrum in the Harvard Aging Brain Study. Alzheimer's and Dementia, 2020, 16, e040260. | 0.4 | 0 |
| 229 | Evaluating preâ€screening tools for older Latino recruitment into preclinical Alzheimerâ€™s disease studies. Alzheimer's and Dementia, 2020, 16, e041571. | 0.4 | 0 |
| 230 | Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tauâ€PET. Alzheimer's and Dementia, 2020, 16, e043566. | 0.4 | 0 |
| 231 | Faster rates of tau accumulation in FTPâ€PET in females relative to males, and a crossâ€sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. Alzheimer's and Dementia, 2020, 16, e043620. | 0.4 | 0 |
| 232 | Are amyloid and tau synergistic? How to interpret an amyloid/tau interaction on cognitive decline in clinically normal adults. Alzheimer's and Dementia, 2020, 16, e044310. | 0.4 | 0 |
| 233 | GAP rater certification program transforms the rater certification process. Alzheimer's and Dementia, 2020, 16, e044936. | 0.4 | 0 |
| 234 | Plasma ILâ€12/IFNâ€3 axis predicts cognitive trajectories in cognitively normal older adults. Alzheimer's and Dementia, 2020, 16, e045497. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, e046075. | 0.4 | 0 |
| 236 | Surface-based amyloid and tau correlates of digital clock drawing performance. <i>Alzheimer's and Dementia</i> , 2020, 16, e046461. | 0.4 | 0 |
| 237 | Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e046549. | 0.4 | 0 |
| 238 | Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e047321. | 0.4 | 0 |
| 239 | Associations between biomarker status (amyloid, tau) and risk for progression to MCI/Dementia in the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 240 | Locus coeruleus integrity as a proxy of initial tau burden: in vivo versus ex vivo observations. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 241 | Sequential early cognitive changes sensitive to rising beta-amyloid and tau pathology in preclinical AD. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 242 | Self-reported history of estrogen hormone therapy differentiates rates of amyloid accumulation (PiB-PET) relative to males: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 243 | Disease progression and costs at 3-year follow-up of GERAS-US: A 3-year study of mild cognitive impairment and mild dementia due to Alzheimer's disease in the United States. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 244 | The combined influence of beta-amyloid and vascular risk on prospective brain atrophy in clinically normal individuals. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 245 | Longitudinal trajectories of remote assessment of self- and study partner-rated cognitive concerns, mood and Alzheimer's disease biomarkers. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 246 | Monthly computerized at-home assessments to detect cognitive change in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 247 | Association between the Harvard automated phone task and Alzheimer's disease pathology in clinically normal older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |
| 248 | Multimodal neuroimaging biomarkers of Alzheimer's disease in older adults with depression: Preliminary findings from a pilot cohort. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.4 | 0 |