## Anders Bonde Jensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5420126/publications.pdf

Version: 2024-02-01

40 papers 1,115

16 h-index 32 g-index

40 all docs 40 docs citations

40 times ranked

1654 citing authors

#	Article	IF	CITATIONS
1	Do we need to change our understanding of anticipatory grief in caregivers? A systematic review of caregiver studies during end-of-life caregiving and bereavement. Clinical Psychology Review, 2016, 44, 75-93.	11.4	142
2	Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 540-550.	1.2	140
3	The Cathepsin K Inhibitor Odanacatib Suppresses Bone Resorption in Women With Breast Cancer and Established Bone Metastases: Results of a 4-Week, Double-Blind, Randomized, Controlled Trial. Clinical Breast Cancer, 2010, 10, 452-458.	2.4	133
4	Efficacy of Mindfulness-Based Cognitive Therapy on Late Post-Treatment Pain in Women Treated for Primary Breast Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2016, 34, 3390-3399.	1.6	107
5	Fear of cancer recurrence and unmet needs among breast cancer survivors in the first five years. A cross-sectional study. Acta Oncol $\tilde{A}^3$ gica, 2017, 56, 314-320.	1.8	83
6	Preloss grief in family caregivers during endâ€ofâ€life cancer care: A nationwide populationâ€based cohort study. Psycho-Oncology, 2017, 26, 2048-2056.	2.3	58
7	Psychological distress, health, and socio-economic factors in caregivers of terminally ill patients: a nationwide population-based cohort study. Supportive Care in Cancer, 2016, 24, 3057-67.	2.2	53
8	Is admittance to specialised palliative care among cancer patients related to sex, age and cancer diagnosis? A nation-wide study from the Danish Palliative Care Database (DPD). BMC Palliative Care, 2017, 16, 21.	1.8	31
9	Municipal return to work management in cancer survivors undergoing cancer treatment: a protocol on a controlled intervention study. BMC Public Health, 2015, 15, 720.	2.9	30
10	Rumination, Reflection and Distress: An 8-Month Prospective Study of Colon-Cancer Patients. Cognitive Therapy and Research, 2013, 37, 1262-1268.	1.9	27
11	Key metabolic parameters change significantly in early breast cancer survivors: an explorative PILOT study. Journal of Translational Medicine, 2019, 17, 105.	4.4	24
12	Intensive care at the end of life in patients dying due to non-cancer chronic diseases versus cancer: a nationwide study in Denmark. Critical Care, 2015, 19, 413.	5.8	22
13	Advance care planning and place of death, hospitalisation and actual place of death in lung, heart and cancer disease: a randomised controlled trial. BMJ Supportive and Palliative Care, 2020, 10, e37-e37.	1.6	20
14	Factors associated with preference for dying at home among terminally ill patients with cancer. Scandinavian Journal of Caring Sciences, 2016, 30, 466-476.	2.1	19
15	Admittance to specialized palliative care (SPC) of patients with an assessed need: a study from the Danish palliative care database (DPD). Acta Oncológica, 2017, 56, 1210-1217.	1.8	18
16	Talking about sensitive topics during the advance care planning discussion: A peek into the black box. Palliative and Supportive Care, 2015, 13, 1669-1676.	1.0	17
17	The diverse impact of advance care planning: a long-term follow-up study on patients' and relatives' experiences: TableÂ1. BMJ Supportive and Palliative Care, 2017, 7, bmjspcare-2015-000886.	1.6	16
18	Memories and narratives about breast cancer. Narrative Inquiry, 2007, 17, 349-370.	0.8	14

#	Article	IF	CITATIONS
19	Prognostic factors in early breast cancer associated with body mass index, physical functioning, physical activity, and comorbidity: data from a nationwide Danish cohort. Breast Cancer Research and Treatment, 2017, 162, 159-167.	2.5	13
20	Single photon emission computed tomography (SPECT) and SPECT/low-dose computerized tomography did not increase sensitivity or specificity compared to planar bone scintigraphy for detection of bone metastases in advanced breast cancer. Clinical Physiology and Functional Imaging, 2016, 36, 40-46.	1.2	12
21	A process evaluation of systematic risk and needs assessment for caregivers in specialised palliative care. BMC Palliative Care, 2017, 16, 23.	1.8	12
22	Advance care planning for patients with lung, heart and cancer diseases and their relatives. International Journal of Palliative Nursing, 2019, 25, 112-127.	0.5	12
23	Women with breast cancer report substantially more disease- and treatment-related side or late effects than registered by clinical oncologists: a cross-sectional study of a standard follow-up program in an oncological department. Breast Cancer Research and Treatment, 2017, 164, 727-736.	2.5	11
24	Dose modifications of ribociclib and endocrine therapy for treatment of ER+ HER2â^' metastatic breast cancer. Breast Cancer Research and Treatment, 2021, 188, 799-809.	2.5	11
25	Absorption of Bupivacaine after Administration of a Lozenge as Topical Treatment for Pain from Oral Mucositis. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 71-78.	2.5	9
26	Propensity for paying home visits among general practitioners and the associations with cancer patients' place of care and death: a register-based cohort study. Palliative Medicine, 2018, 32, 376-383.	3.1	9
27	Cohabitation Status Influenced Admittance to Specialized Palliative Care for Cancer Patients: A Nationwide Study from the Danish Palliative Care Database. Journal of Palliative Medicine, 2019, 22, 164-172.	1.1	8
28	Advance care planning and longer survival in the terminally ill: a randomised controlled trial unexpected finding. BMJ Supportive and Palliative Care, 2020, 10, 221-222.	1.6	8
29	The majority of Danish breast cancer survivors on adjuvant endocrine therapy have clinically relevant sexual dysfunction: a cross-sectional study. Acta Oncológica, 2021, 60, 61-68.	1.8	7
30	Breast cancer: comparison of quantitative dual-layer spectral CT and axillary ultrasonography for preoperative diagnosis of metastatic axillary lymph nodes. European Radiology Experimental, 2021, 5, 16.	3.4	7
31	Comparison of contrast-enhanced CT, dual-layer detector spectral CT, and whole-body MRI in suspected metastatic breast cancer: a prospective diagnostic accuracy study. European Radiology, 2021, 31, 8838-8849.	4.5	7
32	Patient evaluation of breast cancer follow-up: A Danish survey. Patient Education and Counseling, 2018, 101, 99-104.	2.2	6
33	Asking terminally ill patients about their preferences concerning place of care and death. International Journal of Palliative Nursing, 2018, 24, 124-131.	0.5	5
34	Development, modelling, and pilot testing of a complex intervention to support end-of-life care provided by Danish general practitioners. BMC Family Practice, 2018, 19, 91.	2.9	5
35	Development of a Cancer Self-management Education Programme for Women with Breast Cancer at the End of Primary Treatment. Journal of Cancer Education, 2019, 34, 882-889.	1.3	5
36	Municipal return to work management in cancer survivors: a controlled intervention study. Acta OncolA <sup>3</sup> gica, 2021, 60, 370-378.	1.8	5

#	Article	IF	CITATIONS
37	Simultaneous multislice diffusion-weighted imaging with short tau inversion recovery fat suppression in bone-metastasizing breast cancer. European Journal of Radiology, 2020, 130, 109142.	2.6	4
38	Changes in vascular function during breast cancer treatment. British Journal of Clinical Pharmacology, 2021, 87, 4230-4240.	2.4	3
39	Fat fractions from high-resolution 3D radial Dixon MRI for predicting metastatic axillary lymph nodes in breast cancer patients. European Journal of Radiology Open, 2020, 7, 100284.	1.6	2
40	Treating advanced breast cancer patients with trastuzumab for years: Is it safe?. Journal of Clinical Oncology, 2014, 32, e11596-e11596.	1.6	0