Christopher P Fox

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5421777/publications.pdf

Version: 2024-02-01

| 52 | 1,997 | 23 | 42 |
|----------|----------------|--------------|---------------------|
| papers | citations | h-index | g-index |
| 53 | 53 | 53 | 2331 citing authors |
| all docs | docs citations | times ranked | |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 1 | Chemoimmunotherapy with methotrexate, cytarabine, thiotepa, and rituximab (MATRix regimen) in patients with primary CNS lymphoma: results of the first randomisation of the International Extranodal Lymphoma Study Group-32 (IELSG32) phase 2 trial. Lancet Haematology,the, 2016, 3, e217-e227. | 4.6 | 442 |
| 2 | Whole-brain radiotherapy or autologous stem-cell transplantation as consolidation strategies after high-dose methotrexate-based chemoimmunotherapy in patients with primary CNS lymphoma: results of the second randomisation of the International Extranodal Lymphoma Study Group-32 phase 2 trial. Lancet Haematology,the, 2017, 4, e510-e523. | 4.6 | 258 |
| 3 | Guidelines for the diagnosis and management of primary central nervous system diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2019, 184, 348-363. | 2.5 | 104 |
| 4 | Assessment of the Efficacy of Therapies Following Venetoclax Discontinuation in CLL Reveals BTK Inhibition as an Effective Strategy. Clinical Cancer Research, 2020, 26, 3589-3596. | 7.0 | 80 |
| 5 | Survival outcomes of patients with extranodal natural-killer T-cell lymphoma: a prospective cohort study from the international T-cell Project. Lancet Haematology,the, 2020, 7, e284-e294. | 4.6 | 78 |
| 6 | Consensus recommendations for MRI and PET imaging of primary central nervous system lymphoma: guideline statement from the International Primary CNS Lymphoma Collaborative Group (IPCG). Neuro-Oncology, 2021, 23, 1056-1071. | 1.2 | 68 |
| 7 | A novel latent membrane 2 transcript expressed in Epstein-Barr virus–positive NK- and T-cell lymphoproliferative disease encodes a target for cellular immunotherapy. Blood, 2010, 116, 3695-3704. | 1.4 | 63 |
| 8 | Tumor Lysis, Adverse Events, and Dose Adjustments in 297 Venetoclax-Treated CLL Patients in Routine Clinical Practice. Clinical Cancer Research, 2019, 25, 4264-4270. | 7.0 | 61 |
| 9 | Ibrutinib for bridging to allogeneic hematopoietic cell transplantation in patients with chronic lymphocytic leukemia or mantle cell lymphoma: a study by the EBMT Chronic Malignancies and Lymphoma Working Parties. Bone Marrow Transplantation, 2019, 54, 44-52. | 2.4 | 59 |
| 10 | Rituximab in primary central nervous system lymphoma—A systematic review and metaâ€analysis. Hematological Oncology, 2019, 37, 548-557. | 1.7 | 54 |
| 11 | MATRix–RICE therapy and autologous haematopoietic stem-cell transplantation in diffuse large B-cell lymphoma with secondary CNS involvement (MARIETTA): an international, single-arm, phase 2 trial. Lancet Haematology,the, 2021, 8, e110-e121. | 4.6 | 54 |
| 12 | Efficacy of venetoclax monotherapy in patients with relapsed chronic lymphocytic leukaemia in the postâ€∢scp>BCR⟨/scp> inhibitor setting: a ⟨scp>UK⟨/scp> wide analysis. British Journal of Haematology, 2019, 185, 656-669. | 2.5 | 53 |
| 13 | Immune responses against SARS-CoV-2 variants after two and three doses of vaccine in B-cell malignancies: UK PROSECO study. Nature Cancer, 2022, 3, 552-564. | 13.2 | 51 |
| 14 | Standâ€alone intrathecal central nervous system (CNS) prophylaxis provide unclear benefit in reducing CNS relapse risk in elderly DLBCL patients treated with Râ€CHOP and is associated increased infectionâ€related toxicity. British Journal of Haematology, 2019, 187, 185-194. | 2.5 | 49 |
| 15 | Timing of high-dose methotrexate CNS prophylaxis in DLBCL: a multicenter international analysis of 1384 patients. Blood, 2022, 139, 2499-2511. | 1.4 | 42 |
| 16 | Induction therapy with the MATRix regimen in patients with newly diagnosed primary diffuse large Bâ€cell lymphoma of the central nervous system – an international study of feasibility and efficacy in routine clinical practice. British Journal of Haematology, 2020, 189, 879-887. | 2. 5 | 41 |
| 17 | High-dose therapy and autologous stem cell transplantation for extra-nodal NK/T lymphoma in patients from the Western hemisphere: a study from the European Society for Blood and Marrow Transplantation. Leukemia and Lymphoma, 2015, 56, 3295-3300. | 1.3 | 39 |
| 18 | Kinetics of Tâ€cell subset reconstitution following treatment with bendamustine and rituximab for lowâ€grade lymphoproliferative disease: a populationâ€based analysis. British Journal of Haematology, 2019, 184, 957-968. | 2.5 | 39 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|---------------------|
| 19 | Timing of high-dose methotrexate CNS prophylaxis in DLBCL: an analysis of toxicity and impact on R-CHOP delivery. Blood Advances, 2020, 4, 3586-3593. | 5.2 | 36 |
| 20 | The prevention of central nervous system relapse in diffuse large Bâ€cell lymphoma: a British Society for Haematology good practice paper. British Journal of Haematology, 2020, 190, 708-714. | 2.5 | 36 |
| 21 | Outcomes of older patients with primary central nervous system lymphoma treated in routine clinical practice in the UK: methotrexate dose intensity correlates with response and survival. British Journal of Haematology, 2020, 190, 394-404. | 2.5 | 27 |
| 22 | Impact of Pretransplantation 18 F-Fluorodeoxyglucose-Positron Emission Tomography on Survival Outcomes after T Cell–Depleted Allogeneic Transplantation for Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2016, 22, 1234-1241. | 2.0 | 26 |
| 23 | A retrospective comparison of venetoclax alone or in combination with an anti-CD20 monoclonal antibody in R/R CLL. Blood Advances, 2019, 3, 1568-1573. | 5.2 | 26 |
| 24 | Characterizing EBV-associated lymphoproliferative diseases and the role of myeloid-derived suppressor cells. Blood, 2021, 137, 203-215. | 1.4 | 24 |
| 25 | Results of a United Kingdom real-world study of polatuzumab vedotin, bendamustine, and rituximab for relapsed/refractory DLBCL. Blood Advances, 2022, 6, 2920-2926. | 5.2 | 20 |
| 26 | The efficacy and safety of venetoclax therapy in elderly patients with relapsed, refractory chronic lymphocytic leukaemia. British Journal of Haematology, 2020, 188, 918-923. | 2.5 | 19 |
| 27 | Frontâ€line management of postâ€transplantation lymphoproliferative disorder in adult solid organ recipient patients — A British Society for Haematology Guideline. British Journal of Haematology, 2021, 193, 727-740. | 2.5 | 16 |
| 28 | Infection-related morbidity and mortality among older patients with DLBCL treated with full- or attenuated-dose R-CHOP. Blood Advances, 2021, 5, 2229-2236. | 5.2 | 14 |
| 29 | High-Dose Methotrexate Is Not Associated with Reduction in CNS Relapse in Patients with Aggressive B-Cell Lymphoma: An International Retrospective Study of 2300 High-Risk Patients. Blood, 2021, 138, 181-181. | 1.4 | 14 |
| 30 | Effects on Survival and Neurocognitive Functions of Whole-Brain Radiotherapy (WBRT) and Autologous Stem Cell Transplantation (ASCT) as Consolidation Options after High-Dose Methotrexate-Based Chemoimmunotherapy in Patients with Newly Diagnosed Primary CNS Lymphoma (PCNSL): Results of the Second Randomization of the IELSG32 Trial. Blood, 2016, 128, 511-511. | 1.4 | 13 |
| 31 | Real-world Outcomes With Rituximab-based Therapy for Posttransplant Lymphoproliferative Disease Arising After Solid Organ Transplant. Transplantation, 2020, 104, 2582-2590. | 1.0 | 12 |
| 32 | Guidelines for the management of mature T―and natural killerâ€cell lymphomas (excluding cutaneous) Tj ETQq 196, 507-522. | 0 0 0 rgB1 2.5 | 「/Overlock 10 12 |
| 33 | A phase I/II study of thiotepa-based immunochemotherapy in relapsed/refractory primary CNS lymphoma: the TIER trial. Blood Advances, 2021, 5, 4073-4082. | 5.2 | 9 |
| 34 | Comparative analysis of targeted novel therapies in relapsed, refractory chronic lymphocytic leukaemia. Haematologica, 2020, 106, 284-287. | 3.5 | 8 |
| 35 | Improved survival outcomes despite older age at diagnosis: an eraâ€byâ€era analysis of patients with primary central nervous system lymphoma treated at a single referral centre in the United Kingdom. British Journal of Haematology, 2021, 195, 561-570. | 2.5 | 7 |
| 36 | The role of highâ€dose chemotherapy and autologous stem cell transplant for treatmentâ€naΪve patients with peripheral Tâ€cell lymphoma: a systematic review of the literature. British Journal of Haematology, 2017, 178, 476-479. | 2.5 | 6 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 37 | Extended followâ€up of CD4 ⁺ T cell recovery kinetics in a large cohort of patients with Bâ€cell lymphoproliferative disease treated with rituximabâ€bendamustine. Hematological Oncology, 2021, 39, 137-140. | 1.7 | 6 |
| 38 | Interpretation of retrospective data evaluating highâ€dose methotrexate as central nervous system prophylaxis in diffuse large Bâ€cell lymphoma; caution required. American Journal of Hematology, 2021, 96, E338-E339. | 4.1 | 5 |
| 39 | Rare central nervous system lymphomas. British Journal of Haematology, 2022, 197, 662-678. | 2.5 | 5 |
| 40 | Development and validation of a prognostic model for leflunomide discontinuation with abnormal blood tests during long-term treatment: cohort study using data from the Clinical Practice Research Datalink Gold and Aurum. Rheumatology, 2022, 61, 2783-2791. | 1.9 | 4 |
| 41 | Single-center Series of Bone Marrow Biopsy-Defined Large Granular Lymphocyte Leukemia: High Rates of Sustained Response to Oral Methotrexate. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 705-712. | 0.4 | 3 |
| 42 | Allogeneic hematopoietic cell transplantation for patients with TP53 mutant or deleted chronic lymphocytic leukemia: Results of a prospective observational study. Bone Marrow Transplantation, 2021, 56, 692-695. | 2.4 | 3 |
| 43 | Systemic ALCL Treated in Routine Clinical Practice: Outcomes Following First-Line Chemotherapy from a Multicentre Cohort. Advances in Therapy, 2021, 38, 3789-3802. | 2.9 | 3 |
| 44 | Lenalidomide, dexamethasone and alemtuzumab or ofatumumab in high-risk chronic lymphocytic leukaemia: final results of the NCRI CLL210 trial. Haematologica, 2020, 105, 2868-2871. | 3. 5 | 2 |
| 45 | Attainment of Complete Remission Is Significantly Associated with Longer Survival Outcomes in Relapsed/Refractory (R/R) CLL: A Meta-Analysis. Blood, 2016, 128, 2045-2045. | 1.4 | 2 |
| 46 | Does endâ€ofâ€treatment <scp>FDG</scp> â€ <scp>PET</scp> provide any additional prognostic value to the preâ€treatment <scp>NCCN</scp> â€ <scp>IPI</scp> score? Reply to Adams and Kwee. British Journal of Haematology, 2017, 177, 320-321. | 2.5 | 1 |
| 47 | A comparison of bendamustine-EAM versus BEAM conditioning for autogolous stem cell transplant in lymphoma. Leukemia and Lymphoma, 2020, 61, 3529-3531. | 1.3 | 1 |
| 48 | Survival outcomes for extranodal natural-killer T-cell lymphoma – Authors' reply. Lancet Haematology,the, 2020, 7, e442. | 4.6 | 1 |
| 49 | Addition of Obinutuzumab to Ibrutinib Enhances Depletion of CLL Cells in the Peripheral Blood and Bone Marrow after 1 Month of Combination Therapy: Initial Results from the Bloodwise TAP Iciclle Extension Study. Blood, 2016, 128, 2049-2049. | 1.4 | 1 |
| 50 | Refining CNS relapse risk in DLBCL: easy as ABC?. Blood, 2019, 133, 886-888. | 1.4 | 0 |
| 51 | American Society of Hematology 2020 Podcast Collection: FL and DLBCL. Advances in Therapy, 2021, 38, 8-15. | 2.9 | 0 |
| 52 | BEAM-Campath Allogeneic Stem Cell Transplantation for Aggressive Non-Hodgkin's Lymphomas. An Analysis of Outcomes From the BSBMT. Blood, 2012, 120, 2039-2039. | 1.4 | 0 |