

Hideo Nakano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/542677/publications.pdf>

Version: 2024-02-01

84
papers

1,703
citations

304743

22
h-index

330143

37
g-index

85
all docs

85
docs citations

85
times ranked

1520
citing authors

#	ARTICLE	IF	CITATIONS
1	Structures of an engineered phospholipase D with specificity for secondary alcohol transphosphatidylation: insights into plasticity of substrate binding and activation. <i>Biochemical Journal</i> , 2021, 478, 1749-1767.	3.7	9
2	Increasing cell-free gene expression yields from linear templates in <i>Escherichia coli</i> and <i>Vibrio natriegens</i> extracts by using DNA-binding proteins. <i>Biotechnology and Bioengineering</i> , 2020, 117, 3849-3857.	3.3	21
3	Development of a dual monoclonal antibody sandwich enzyme-linked immunosorbent assay for the detection of swine influenza virus using rabbit monoclonal antibody by Ecobody technology. <i>Journal of Bioscience and Bioengineering</i> , 2020, 130, 217-225.	2.2	2
4	Acyl chain that matters: introducing sn-2 acyl chain preference to a phospholipase D by protein engineering. <i>Protein Engineering, Design and Selection</i> , 2019, 32, 1-11.	2.1	5
5	A simple, real-time assay of horseradish peroxidase using biolayer interferometry. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 1822-1828.	1.3	3
6	Production of active manganese peroxidase in <i>Escherichia coli</i> by co-expression of chaperones and in vitro maturation by ATP-dependent chaperone release. <i>Journal of Bioscience and Bioengineering</i> , 2019, 128, 290-295.	2.2	13
7	Facile Enzymatic Synthesis of Phosphatidylthreonine Using an Engineered Phospholipase D. <i>European Journal of Lipid Science and Technology</i> , 2018, 120, 1800089.	1.5	9
8	Zipbodyzyme: Development of new antibody-enzyme fusion proteins. <i>Journal of Bioscience and Bioengineering</i> , 2018, 125, 637-643.	2.2	7
9	Rapid Generation of Monoclonal Antibodies from Single B Cells by Ecobody Technology. <i>Antibodies</i> , 2018, 7, 38.	2.5	15
10	Spatial arrangement of proteins using scCro-tag: application for an in situ enzymatic microbead assay. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1911-1921.	1.3	5
11	SKIK-zipbody-alkaline phosphatase, a novel antibody fusion protein expressed in <i>Escherichia coli</i> cytoplasm. <i>Journal of Bioscience and Bioengineering</i> , 2018, 126, 705-709.	2.2	8
12	N-terminal SKIK peptide tag markedly improves expression of difficult-to-express proteins in <i>Escherichia coli</i> and <i>Saccharomyces cerevisiae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2017, 123, 540-546.	2.2	40
13	Strain improvement of <i>Lentzea</i> sp. 7887 for higher yield per unit volume on hydroxylation of cyclosporine derivative FR901459. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1456-1459.	1.3	2
14	Pilot-scale whole-cell biocatalysis for the hydroxylation of cyclosporine derivative, FR901459, at higher concentrations by <i>Lentzea</i> sp. 7887 using soybean flour as a novel substrate dispersant. <i>Journal of Bioscience and Bioengineering</i> , 2017, 123, 56-62.	2.2	2
15	Ecobody technology: rapid monoclonal antibody screening method from single B cells using cell-free protein synthesis for antigen-binding fragment formation. <i>Scientific Reports</i> , 2017, 7, 13979.	3.3	21
16	Development of a rapid immunoassay system: Luminescent detection of antigen-associated antibody-luciferase in the presence of a dye that absorbs light from free antibody-luciferase. <i>Journal of Bioscience and Bioengineering</i> , 2017, 124, 694-699.	2.2	1
17	Development in Screening Strategies for Monoclonal Antibodies: Get Better Antibodies, More Rapidly. <i>Kagaku To Seibutsu</i> , 2017, 55, 490-495.	0.0	0
18	Direct Enzymatic Synthesis of Phosphatidylglucose by Engineered Phospholipase D. <i>ChemistrySelect</i> , 2016, 1, 4121-4125.	1.5	15

#	ARTICLE	IF	CITATIONS
19	Salt-induced increase in the yield of enzymatically synthesized phosphatidylinositol and the underlying mechanism. <i>Journal of Bioscience and Bioengineering</i> , 2016, 122, 276-282.	2.2	10
20	Directing positional specificity in enzymatic synthesis of bioactive 1- α -phosphatidylinositol by protein engineering of a phospholipase D. <i>Biotechnology and Bioengineering</i> , 2016, 113, 62-71.	3.3	30
21	Immobilization of proteins onto microbeads using a DNA binding tag for enzymatic assays. <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 147-153.	2.2	8
22	Zipbody™ leucine zipper-fused Fab in <i>E. coli</i> in vitro and in vivo expression systems. <i>Protein Engineering, Design and Selection</i> , 2016, 29, 149-157.	2.1	25
23	Handmade microfluidic device for biochemical applications in emulsion. <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 471-476.	2.2	3
24	Extracellular production of <i>Pseudozyma (Candida) antarctica</i> lipase B with genuine primary sequence in recombinant <i>Escherichia coli</i> . <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 303-309.	2.2	18
25	A Robust Analytical Pipeline for Genome-Wide Identification of the Genes Regulated by a Transcription Factor: Combinatorial Analysis Performed Using gSELEX-Seq and RNA-Seq. <i>PLoS ONE</i> , 2016, 11, e0159011.	2.5	11
26	Signal peptide optimization tool for the secretion of recombinant protein from <i>Saccharomyces cerevisiae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2015, 120, 518-525.	2.2	35
27	In vitro generation of rabbit anti- <i>Listeria monocytogenes</i> monoclonal antibody using single cell based RT-PCR linked cell-free expression systems. <i>Journal of Immunological Methods</i> , 2015, 427, 58-65.	1.4	20
28	Construction of a DNA Library on Microbeads Using Whole Genome Amplification. <i>Methods in Molecular Biology</i> , 2015, 1347, 87-100.	0.9	2
29	Ultra-High-Throughput Screening of an In Vitro-Synthesized Horseradish Peroxidase Displayed on Microbeads Using Cell Sorter. <i>PLoS ONE</i> , 2015, 10, e0127479.	2.5	25
30	Role of disulfide bond isomerase DsbC, calcium ions, and hemin in cell-free protein synthesis of active manganese peroxidase isolated from <i>Phanerochaete chrysosporium</i> . <i>Journal of Bioscience and Bioengineering</i> , 2014, 117, 652-657.	2.2	20
31	A chromogenic substrate for solid-phase detection of phospholipase A2. <i>Analytical Biochemistry</i> , 2014, 447, 43-45.	2.4	4
32	Simple and Efficient Profiling of Phospholipids in Phospholipase D-modified Soy Lecithin by HPLC with Charged Aerosol Detection. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2013, 90, 951-957.	1.9	19
33	High-throughput screening method for promoter activity using bead display and a ligase ribozyme. <i>Journal of Bioscience and Bioengineering</i> , 2012, 114, 671-676.	2.2	7
34	Emulsion culture: A miniaturized library screening system based on micro-droplets in an emulsified medium. <i>Journal of Bioscience and Bioengineering</i> , 2011, 112, 299-303.	2.2	4
35	GLOBE: Analysis of DNA-Protein Interaction Analysis. <i>Methods in Molecular Biology</i> , 2011, 687, 307-317.	0.9	0
36	In vitro generation of anti-hepatitis B monoclonal antibodies from a single plasma cell using single-cell RT-PCR and cell-free protein synthesis. <i>Journal of Bioscience and Bioengineering</i> , 2010, 109, 75-82.	2.2	8

#	ARTICLE	IF	CITATIONS
37	Directed evolution of angiotensin II-inhibiting peptides using a microbead display. <i>Journal of Bioscience and Bioengineering</i> , 2010, 109, 411-417.	2.2	15
38	High-throughput screening of DNA binding sites for transcription factor AmyR from <i>Aspergillus nidulans</i> using DNA beads display system. <i>Journal of Bioscience and Bioengineering</i> , 2010, 109, 519-525.	2.2	10
39	Quantitative Y2H screening: Cloning and signal peptide engineering of a fungal secretory LacA gene and its application to yeast two-hybrid system as a quantitative reporter. <i>Journal of Biotechnology</i> , 2010, 146, 151-159.	3.8	11
40	<i>Streptomyces</i> Phospholipase D Mutants with Altered Substrate Specificity Capable of Phosphatidylinositol Synthesis. <i>ChemBioChem</i> , 2008, 9, 974-981.	2.6	40
41	Microbeads display of proteins using emulsion PCR and cell-free protein synthesis. <i>Biotechnology Progress</i> , 2008, 24, 1107-1114.	2.6	30
42	Enhanced Cell-Free Protein Synthesis Using a S30 Extract from <i>Escherichia coli</i> Grown Rapidly at 42 °C in an Amino Acid Enriched Medium. <i>Biotechnology Progress</i> , 2008, 21, 608-613.	2.6	15
43	Creation of Novel Enantioselective Lipases by SIMPLEX. , 2007, 375, 165-181.		3
44	SIMPLEX: Single-Molecule PCR-Linked In Vitro Expression. , 2007, 375, 79-94.		12
45	Generation of monoclonal antibodies using simplified single-cell reverse transcription-polymerase chain reaction and cell-free protein synthesis. <i>Journal of Bioscience and Bioengineering</i> , 2006, 101, 284-286.	2.2	9
46	A Novel Strategy for Generation of Monoclonal Antibodies from Single B Cells Using RT-PCR Technique and in Vitro Expression. <i>Biotechnology Progress</i> , 2006, 22, 979-988.	2.6	20
47	Enzymatic preparation of enantiomerically pure sn -2,3-diacylglycerols: A stereoselective ethanolysis approach. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2006, 83, 603-607.	1.9	10
48	In Vitro selection of DNA binding sites for transcription factor, PhaR, from <i>Paracoccus denitrificans</i> using genetic library on microbeads and flow cytometry. <i>Journal of Bioscience and Bioengineering</i> , 2006, 101, 440-444.	2.2	16
49	PCR amplification from single DNA molecules on magnetic beads in emulsion: application for high-throughput screening of transcription factor targets. <i>Nucleic Acids Research</i> , 2005, 33, e150-e150.	14.5	109
50	Improvements in the cell-free production of functional antibodies using cell extract from protease-deficient <i>Escherichia coli</i> mutant. <i>Journal of Bioscience and Bioengineering</i> , 2005, 99, 181-186.	2.2	24
51	Novel Strategy for Protein Exploration: High-throughput Screening Assisted with Fuzzy Neural Network. <i>Journal of Molecular Biology</i> , 2005, 351, 683-692.	4.2	22
52	Cell-free Protein Synthesis Systems: Increasing their Performance and Applications. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2004, 90, 135-149.	1.1	1
53	A Picoliter Chamber Array for Cell-Free Protein Synthesis. <i>Journal of Biochemistry</i> , 2004, 136, 149-154.	1.7	40
54	Rapid screening for affinity-improved scFvs by means of single-molecule-PCR-linked in vitro expression. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2004, 28, 223-228.	1.8	7

#	ARTICLE	IF	CITATIONS
55	Title is missing!. Nippon Nogeikagaku Kaishi, 2004, 78, 483-486.	0.0	0
56	Stabilization of affinity-tagged recombinant protein during/after its production in a cell-free system using wheat-germ extract. Journal of Bioscience and Bioengineering, 2003, 95, 209-214.	2.2	4
57	Inverting Enantioselectivity of Burkholderia cepacia KWI-56 Lipase by Combinatorial Mutation and High-throughput Screening Using Single-molecule PCR and In Vitro Expression. Journal of Molecular Biology, 2003, 331, 585-592.	4.2	106
58	PCR-linked in vitro expression: a novel system for high-throughput construction and screening of protein libraries. FEBS Letters, 2003, 540, 147-150.	2.8	48
59	Improvement of H ₂ O ₂ stability of manganese peroxidase by combinatorial mutagenesis and high-throughput screening using in vitro expression with protein disulfide isomerase. Protein Engineering, Design and Selection, 2003, 16, 423-428.	2.1	61
60	Modifying the chain-length selectivity of the lipase from Burkholderia cepacia KWI-56 through in vitro combinatorial mutagenesis in the substrate-binding site. Protein Engineering, Design and Selection, 2002, 15, 147-152.	2.1	70
61	Expression of Fab fragment of catalytic antibody 6D9 in an <i>Escherichia coli</i> in vitro coupled transcription/translation system. FEBS Letters, 2002, 514, 290-294.	2.8	60
62	High-throughput, Cloning-independent Protein Library Construction by Combining Single-molecule DNA Amplification with in Vitro Expression. Journal of Molecular Biology, 2002, 318, 395-405.	4.2	54
63	Reduction of protein degradation by use of protease-deficient mutants in cell-free protein synthesis system of Escherichia coli. Journal of Bioscience and Bioengineering, 2002, 93, 151-156.	2.2	30
64	In vitro construction and screening of a Burkholderia cepacia lipase library using single-molecule PCR and cell-free protein synthesis. Journal of Bioscience and Bioengineering, 2002, 94, 84-86.	2.2	18
65	In vitro combinatorial mutagenesis of the 65th and 222nd positions of the green fluorescent protein of Aequorea victoria. Biotechnology and Bioprocess Engineering, 2002, 7, 311-315.	2.6	16
66	Reduction of Protein Degradation by Use of Protease-Deficient Mutants in Cell-Free Protein Synthesis System of Escherichia coli. Journal of Bioscience and Bioengineering, 2002, 93, 151-156.	2.2	13
67	In Vitro Construction and Screening of a Burkholderia cepacia Lipase Library Using Single-Molecule PCR and Cell-Free Protein Synthesis. Journal of Bioscience and Bioengineering, 2002, 94, 84-86.	2.2	3
68	PhaR, a protein of unknown function conserved among short-chain-length polyhydroxyalkanoic acids producing bacteria, is a DNA-binding protein and represses Paracoccus denitrificans phaP expression in vitro. FEMS Microbiology Letters, 2001, 200, 9-15.	1.8	47
69	Dosage effect of minor arginyl- and isoleucyl-tRNAs on protein synthesis in an Escherichia coli in vitro coupled transcription/translation system. Journal of Bioscience and Bioengineering, 2001, 91, 53-57.	2.2	11
70	PhaR, a protein of unknown function conserved among short-chain-length polyhydroxyalkanoic acids producing bacteria, is a DNA-binding protein and represses Paracoccus denitrificans phaP expression in vitro. FEMS Microbiology Letters, 2001, 200, 9-15.	1.8	1
71	A Trimmed Viral Cap-Independent Translation Enhancing Sequence for Rapid in Vitro Gene Expression. Biotechnology Progress, 2000, 16, 517-521.	2.6	9
72	Importance of disulfide bridge formation on folding of phospholipase D from Streptomyces antibioticus. Journal of Bioscience and Bioengineering, 2000, 89, 506-508.	2.2	14

#	ARTICLE	IF	CITATIONS
73	Single-step single-molecule PCR of DNA with a homo-priming sequence using a single primer and hot-startable DNA polymerase. <i>Journal of Bioscience and Bioengineering</i> , 2000, 90, 456-458.	2.2	34
74	In Vitro Analysis of Roles of a Disulfide Bridge and a Calcium Binding Site in Activation of <i>Pseudomonas</i> sp. Strain KWI-56 Lipase. <i>Journal of Bacteriology</i> , 2000, 182, 295-302.	2.2	43
75	Modulator-mediated synthesis of active lipase of <i>Pseudomonas</i> sp. 109 by <i>Escherichia coli</i> cell-free coupled transcription/translation system. <i>Journal of Bioscience and Bioengineering</i> , 1999, 88, 605-609.	2.2	7
76	Efficient coupled transcription/translation from PCR template by a hollow-fiber membrane bioreactor. <i>Biotechnology and Bioengineering</i> , 1999, 64, 194-199.	3.3	33
77	Efficient coupled transcription/translation from PCR template by a hollow-fiber membrane bioreactor. , 1999, 64, 194.		1
78	Analyses of a Polyhydroxyalkanoic Acid Granule-Associated 16-Kilodalton Protein and Its Putative Regulator in the <i>pha</i> Locus of <i>Paracoccus denitrificans</i> . <i>Journal of Bacteriology</i> , 1999, 181, 2914-2921.	2.2	92
79	Improvement in the Organic Solvent Stability of <i>Pseudomonas</i> Lipase by Random Mutation. <i>Annals of the New York Academy of Sciences</i> , 1998, 864, 431-434.	3.8	4
80	Insertion of Stabilizing Loci in Vectors of T7 RNA Polymerase-Mediated <i>Escherichia coli</i> Expression Systems: A Case Study on the Plasmids Involving Foreign Phospholipase D Gene. <i>Biotechnology Progress</i> , 1997, 13, 864-868.	2.6	41
81	Prolonged Cell-free Protein Synthesis in a Batch System Using Wheat Germ Extract. <i>Bioscience, Biotechnology and Biochemistry</i> , 1994, 58, 1911-1913.	1.3	35
82	Role of cysteine residues in esterase from <i>Bacillus stearothermophilus</i> and increasing its thermostability by the replacement of cysteines. <i>Applied Microbiology and Biotechnology</i> , 1994, 40, 664-668.	3.6	21
83	Role of cysteine residues in esterase from <i>Bacillus stearothermophilus</i> and increasing its thermostability by the replacement of cysteines. <i>Applied Microbiology and Biotechnology</i> , 1994, 40, 664-668.	3.6	2
84	Novel Techniques using PCR and Cell-Free Protein Synthesis Systems for Combinatorial Bioengineering. , 0, , 179-189.		2