

Urpo J Lamminmaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5428041/publications.pdf>

Version: 2024-02-01

63
papers

1,054
citations

394421

19
h-index

501196

28
g-index

63
all docs

63
docs citations

63
times ranked

1423
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-step noncompetitive immunocomplex immunoassay for rapid aflatoxin detection. Food Chemistry, 2022, 392, 133287.	8.2	10
2	Combinatorial mutagenesis with alternative CDR-L1 and -H2 loop lengths contributes to affinity maturation of antibodies. New Biotechnology, 2021, 60, 173-182.	4.4	6
3	Three two-site apoA-I immunoassays using phage expressed detector antibodies – Preliminary clinical evaluation with cardiac patients. Journal of Pharmaceutical and Biomedical Analysis, 2021, 194, 113772.	2.8	1
4	PSA-Targeted Alpha-, Beta-, and Positron-Emitting Immunotheranostics in Murine Prostate Cancer Models and Nonhuman Primates. Clinical Cancer Research, 2021, 27, 2050-2060.	7.0	13
5	A 15-min non-competitive homogeneous assay for microcystin and nodularin based on time-resolved Förster resonance energy transfer (TR-FRET). Analytical and Bioanalytical Chemistry, 2021, 413, 6159-6170.	3.7	3
6	Detection of bladder cancer with aberrantly fucosylated ITGA3. Analytical Biochemistry, 2021, 628, 114283.	2.4	9
7	Phage Display Selection of an Anti-Idiotypic-Antibody with Broad-Specificity to Deoxynivalenol Mycotoxins. Toxins, 2021, 13, 18.	3.4	11
8	Humanization, Radiolabeling and Biodistribution Studies of an IgG1-Type Antibody Targeting Uncomplexed PSA for Theranostic Applications. Pharmaceuticals, 2021, 14, 1251.	3.8	0
9	A longitudinal analysis of CA125 glycoforms in the monitoring and follow up of high grade serous ovarian cancer. Gynecologic Oncology, 2020, 156, 689-694.	1.4	16
10	Site-Specific Linking of an Oligonucleotide to Mono- and Bivalent Recombinant Antibodies with SpyCatcher-SpyTag System for Immuno-PCR. ACS Omega, 2020, 5, 24927-24934.	3.5	6
11	Glycovariant-based lateral flow immunoassay to detect ovarian cancer-associated serum CA125. Communications Biology, 2020, 3, 460.	4.4	23
12	Recombinant Antibodies with Unique Specificities Allow for Sensitive and Specific Detection of Uncarboxylated Osteocalcin in Human Circulation. Calcified Tissue International, 2020, 107, 529-542.	3.1	3
13	Enhanced cell density cultivation and rapid expression-screening of recombinant Pichia pastoris clones in microscale. Scientific Reports, 2020, 10, 7458.	3.3	15
14	Exploratory Analysis of CA125-MGL and sSTn Glycoforms in the Differential Diagnostics of Pelvic Masses. Journal of applied laboratory medicine, The, 2020, 5, 263-272.	1.3	9
15	Development of a Fast SARS-CoV-2 IgG ELISA, Based on Receptor-Binding Domain, and Its Comparative Evaluation Using Temporally Segregated Samples From RT-PCR Positive Individuals. Frontiers in Microbiology, 2020, 11, 618097.	3.5	30
16	A Nanoparticle-Based Approach for the Detection of Extracellular Vesicles. Scientific Reports, 2019, 9, 10038.	3.3	30
17	Development of anti-immunocomplex specific antibodies and non-competitive time-resolved fluorescence immunoassay for the detection of estradiol. Analytical and Bioanalytical Chemistry, 2019, 411, 5633-5639.	3.7	11
18	Lectin nanoparticle assays for detecting breast cancer-associated glycovariants of cancer antigen 15-3 (CA15-3) in human plasma. PLoS ONE, 2019, 14, e0219480.	2.5	26

#	ARTICLE	IF	CITATIONS
19	Europium Nanoparticle-Based Sialyl-Tn Monoclonal Antibody Discriminates Epithelial Ovarian Cancer-associated CA125 from Benign Sources. <i>Journal of Applied Laboratory Medicine</i> , 2019, 4, 299-310.	1.3	12
20	Improvement of Fab expression by screening combinatorial synonymous signal sequence libraries. <i>Microbial Cell Factories</i> , 2019, 18, 157.	4.0	9
21	Noncompetitive Chromogenic Lateral-Flow Immunoassay for Simultaneous Detection of Microcystins and Nodularin. <i>Biosensors</i> , 2019, 9, 79.	4.7	18
22	Array-In-Well Epitope Mapping of Phage-Displayed Antibodies. <i>Methods in Molecular Biology</i> , 2018, 1785, 129-140.	0.9	0
23	Molecular tools for selective recovery and detection of lignin-derived molecules. <i>Green Chemistry</i> , 2018, 20, 2829-2839.	9.0	8
24	Effect of DNA sequence of Fab fragment on yield characteristics and cell growth of <i>E. coli</i> . <i>Scientific Reports</i> , 2017, 7, 3796.	3.3	16
25	Super-sensitive time-resolved fluoroimmunoassay for thyroid-stimulating hormone utilizing europium(III) nanoparticle labels achieved by protein corona stabilization, short binding time, and serum preprocessing. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 3407-3416.	3.7	11
26	Array-in-well binding assay for multiparameter screening of phage displayed antibodies. <i>Methods</i> , 2017, 116, 43-50.	3.8	5
27	Rapid and Highly Sensitive Non-Competitive Immunoassay for Specific Detection of Nodularin. <i>Microorganisms</i> , 2017, 5, 58.	3.6	11
28	Non-competitive ELISA with broad specificity for microcystins and nodularins. <i>Advances in Oceanography and Limnology</i> , 2017, 8, .	0.6	11
29	Role of lectin microarrays in cancer diagnosis. <i>Proteomics</i> , 2016, 16, 1257-1265.	2.2	68
30	Internalization of secreted antigen-targeted antibodies by the neonatal Fc receptor for precision imaging of the androgen receptor axis. <i>Science Translational Medicine</i> , 2016, 8, 367ra167.	12.4	23
31	Broad-Spectrum Noncompetitive Immunocomplex Immunoassay for Cyanobacterial Peptide Hepatotoxins (Microcystins and Nodularins). <i>Analytical Chemistry</i> , 2016, 88, 10080-10087.	6.5	37
32	Structural basis for Myf and Psa fimbriae-mediated tropism of pathogenic strains of <i>Yersinia</i> for host tissues. <i>Molecular Microbiology</i> , 2016, 102, 593-610.	2.5	14
33	Next generation sequencing of all variable loops of synthetic single framework scFv Application in anti-HDL antibody selections. <i>New Biotechnology</i> , 2016, 33, 790-796.	4.4	13
34	A Nanoparticle-Lectin Immunoassay Improves Discrimination of Serum CA125 from Malignant and Benign Sources. <i>Clinical Chemistry</i> , 2016, 62, 1390-1400.	3.2	21
35	Recombinant antibodies for specific detection of clostridial [Fe-Fe] hydrogenases. <i>Scientific Reports</i> , 2016, 6, 36034.	3.3	4
36	Casamino acids facilitate the secretion of recombinant dengue virus serotype-3 envelope domain III in <i>Pichia pastoris</i> . <i>BMC Biotechnology</i> , 2016, 16, 12.	3.3	24

#	ARTICLE	IF	CITATIONS
37	Identification and analysis of anti-HDL scFv-antibodies obtained from phage display based synthetic antibody library. <i>Clinical Biochemistry</i> , 2016, 49, 472-479.	1.9	8
38	Development of recombinant antibody-based enzyme-linked immunosorbent assay (ELISA) for the detection of skatole. <i>Analytical Biochemistry</i> , 2016, 492, 27-29.	2.4	5
39	Detection of cyanobacterial sxt genes and paralytic shellfish toxins in freshwater lakes and brackish waters on Åland Islands, Finland. <i>Harmful Algae</i> , 2015, 46, 1-10.	4.8	30
40	Precise construction of oligonucleotide-Fab fragment conjugate for homogeneous immunoassay using HaloTag technology. <i>Analytical Biochemistry</i> , 2015, 472, 37-44.	2.4	3
41	Phage display aided improvement of a unique prostate-specific antigen (PSA) antibody unreactive with Lys145-Lys146 internally cleaved forms. <i>Journal of Immunological Methods</i> , 2015, 422, 72-79.	1.4	3
42	Fast conversion of scFv to Fab antibodies using type IIs restriction enzymes. <i>Journal of Immunological Methods</i> , 2015, 426, 134-139.	1.4	7
43	The selection performance of an antibody library displayed on filamentous phage coat proteins p9, p3 and truncated p3. <i>BMC Research Notes</i> , 2014, 7, 661.	1.4	11
44	Rapid quantification of mcyB copy numbers on dry chemistry PCR chips and predictability of microcystin concentrations in freshwater environments. <i>Harmful Algae</i> , 2014, 39, 280-286.	4.8	13
45	Two ScFv antibody libraries derived from identical VL-VH framework with different binding site designs display distinct binding profiles. <i>Protein Engineering, Design and Selection</i> , 2013, 26, 683-693.	2.1	37
46	A simple heterogeneous one-step assay for screening estrogenic compounds. <i>Biotechnology Letters</i> , 2013, 35, 47-53.	2.2	1
47	Quantitative PCR detection and improved sample preparation of microcystin-producing <i>Anabaena</i> , <i>Microcystis</i> and <i>Planktothrix</i> . <i>Ecotoxicology and Environmental Safety</i> , 2013, 87, 49-56.	6.0	29
48	Multiresidue Detection of Fluoroquinolones: Specificity Engineering of a Recombinant Antibody with Oligonucleotide-Directed Mutagenesis. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 11981-11985.	5.2	18
49	Homogenous M13 bacteriophage quantification assay using switchable lanthanide fluorescence probes. <i>BioTechniques</i> , 2012, 53, 301-303.	1.8	8
50	Primer Extension Mutagenesis Powered by Selective Rolling Circle Amplification. <i>PLoS ONE</i> , 2012, 7, e31817.	2.5	25
51	Homogeneous Detection of Avidin Based on Switchable Lanthanide Luminescence. <i>Analytical Chemistry</i> , 2011, 83, 9011-9016.	6.5	38
52	Enhanced error-prone RCA mutagenesis by concatemer resolution. <i>Plasmid</i> , 2011, 66, 47-51.	1.4	11
53	Oligovalent Fab Display on M13 Phage Improved by Directed Evolution. <i>Molecular Biotechnology</i> , 2010, 44, 221-231.	2.4	7
54	Modulating the binding properties of an anti-17 β -estradiol antibody by systematic mutation combinations. <i>Protein Science</i> , 2009, 12, 2549-2558.	7.6	19

#	ARTICLE	IF	CITATIONS
55	Proteinâ€DNA interaction-based detection of small molecules by employing Renilla luciferase fusion protein: Quantitative and generic measurement of tetracyclines with a Renilla luciferase-tagged Tet repressor protein. <i>Analytical Biochemistry</i> , 2006, 358, 301-303.	2.4	6
56	Production of a biotinylated single-chain antibody fragment in the cytoplasm of <i>Escherichia coli</i> . <i>Journal of Immunological Methods</i> , 2004, 284, 165-175.	1.4	44
57	Engineering of a Broad Specificity Antibody for Simultaneous Detection of 13 Sulfonamides at the Maximum Residue Level. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 40-47.	5.2	58
58	Further improvement of broad specificity hapten recognition with protein engineering. <i>Protein Engineering, Design and Selection</i> , 2003, 16, 37-46.	2.1	38
59	Crystal Structure of a Recombinant Anti-estradiol Fab Fragment in Complex with 17 β -Estradiol. <i>Journal of Biological Chemistry</i> , 2001, 276, 36687-36694.	3.4	29
60	Crystallization and preliminary X-ray analysis of a recombinant Fab fragment in complex with 17 β -oestradiol. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2000, 56, 1670-1672.	2.5	2
61	Nâ€terminal mutations in the antiâ€estradiol Fab 57â€2 modify its hapten binding properties. <i>Protein Science</i> , 2000, 9, 2547-2556.	7.6	1
62	Expanding the conformational diversity by random insertions to CDRH2 results in improved anti-estradiol antibodies 1 1Edited by A. R. Fersht. <i>Journal of Molecular Biology</i> , 1999, 291, 589-602.	4.2	56
63	Structural analysis of an anti-estradiol antibody. <i>Molecular Immunology</i> , 1997, 34, 1215-1226.	2.2	20