

# Fatos Onen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5430516/publications.pdf>

Version: 2024-02-01

97  
papers

3,040  
citations

218677

26  
h-index

197818

49  
g-index

97  
all docs

97  
docs citations

97  
times ranked

3450  
citing authors

#	ARTICLE	IF	CITATIONS
1	Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.	1.0	568
2	Familial Mediterranean fever. <i>Rheumatology International</i> , 2006, 26, 489-496.	3.0	303
3	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	6.2	143
4	Epidemiology of Takayasu arteritis. <i>Presse Medicale</i> , 2017, 46, e197-e203.	1.9	113
5	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	1.9	97
6	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , and <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	5.6	79
7	Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.	2.2	65
8	High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21.	3.5	63
9	Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.	3.8	62
10	Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.	2.0	62
11	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	3.5	60
12	Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.	2.2	58
13	Treatment response and drug retention rates in 24 195 biologic-naïve patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1536-1544.	0.9	58
14	Prevalence of primary Sjogren's syndrome in Turkey: a population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2009, 63, 954-961.	1.7	53
15	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013, 52, 1898-1904.	1.9	53
16	Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.	0.4	50
17	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094.	3.4	48
18	Cytomegalovirus colitis in a patient with Behcet's disease receiving tumor necrosis factor alpha inhibitory treatment. <i>World Journal of Gastroenterology</i> , 2008, 14, 2912.	3.3	45

#	ARTICLE	IF	CITATIONS
19	Anti-tumor necrosis factor-alpha-induced psoriasis. <i>Journal of Rheumatology</i> , 2006, 33, 1411-4.	2.0	45
20	Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.	6.7	43
21	Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019, 15, e1008038.	3.5	41
22	Hyperuricemia and its related factors in an urban population, Izmir, Turkey. <i>Rheumatology International</i> , 2009, 29, 869-874.	3.0	40
23	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	2.2	36
24	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	2.0	35
25	Drug retention, inactive disease and response rates in 1860 patients with axial spondyloarthritis initiating secukinumab treatment: routine care data from 13 registries in the EuroSpA collaboration. <i>RMD Open</i> , 2020, 6, e001280.	3.8	33
26	Circulated Activated Platelets and Increased Platelet Reactivity in Patients With Behçet's Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 451-457.	1.7	30
27	The relations between attacks and menstrual periods and pregnancies of familial Mediterranean fever patients. <i>Rheumatology International</i> , 2006, 26, 676-679.	3.0	27
28	Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.	3.0	27
29	Markers of endothelial damage and repair in Takayasu arteritis: Are they associated with disease activity?. <i>Rheumatology International</i> , 2014, 34, 1129-1138.	3.0	27
30	Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016, 3, 20-24.	0.6	27
31	Efficacy of TNF $\pm$ inhibitors for refractory vascular Behçet's disease: A multicenter observational study of 27 patients and a review of the literature. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 256-261.	1.9	27
32	Early-onset pancytopenia and skin ulcer following low-dose methotrexate therapy. <i>Human and Experimental Toxicology</i> , 2008, 27, 585-589.	2.2	26
33	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.	6.2	26
34	Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.	2.0	25
35	Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.	3.0	24
36	Articular, B-cell, non-Hodgkin's lymphoma mimicking rheumatoid arthritis: synovial involvement in a small hand joint. <i>Rheumatology International</i> , 2004, 24, 169-172.	3.0	23

#	ARTICLE	IF	CITATIONS
37	Gemcitabine-induced vasculitis in advanced transitional cell carcinoma of the bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 122-125.	2.5	22
38	Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.	2.2	22
39	Thyrotoxic Periodic Paralysis in a Turkish Male; The Recurrence of the Attack after Radioiodine Treatment. <i>Endocrine Journal</i> , 2005, 52, 149-151.	1.6	21
40	A Case of Adult-Onset Still's Disease Complicated with Diffuse Alveolar Hemorrhage. <i>Journal of Korean Medical Science</i> , 2009, 24, 155.	2.5	21
41	Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.	1.5	21
42	Axial sarcoidosis mimicking radiographic sacroiliitis. <i>Rheumatology International</i> , 2009, 29, 343-345.	3.0	20
43	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.	2.0	19
44	Retention and response rates in 14 261 PsA patients starting TNF inhibitor treatment—results from 12 countries in EuroSpA. <i>Rheumatology</i> , 2020, 59, 1640-1650.	1.9	18
45	Thrombosis and priapism in a patient with Henoch-Schonlein purpura. <i>Rheumatology International</i> , 2005, 25, 472-474.	3.0	16
46	Long-Term Follow-Up of Endovascular Repair in the Management of Arterial Stenosis Caused by Takayasu's Arteritis. <i>Annals of Vascular Surgery</i> , 2017, 42, 93-100.	0.9	16
47	Epidemiology of Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S33-9.	0.8	16
48	Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R272.	3.5	15
49	Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 1224-1229.	3.4	15
50	A case of familial Mediterranean fever and polyarteritis nodosa complicated by spontaneous perirenal and subcapsular hepatic hemorrhage requiring multiple arterial embolizations. <i>Rheumatology International</i> , 2005, 25, 60-64.	3.0	14
51	Increased levels of tissue factor pathway inhibitor may reflect disease activity and play a role in thrombotic tendency in Behçet's disease. <i>American Journal of Hematology</i> , 2001, 68, 225-230.	4.1	13
52	Reflex sympathetic dystrophy syndrome due to arteriovenous fistula. <i>Hemodialysis International</i> , 2005, 9, 344-348.	0.9	13
53	Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. <i>Rheumatology International</i> , 2009, 29, 825-826.	3.0	12
54	Effects of rhg-csf on neutrophil functions and survival in sepsis induced diabetic rats. <i>Endocrine Research</i> , 1998, 24, 141-157.	1.2	11

#	ARTICLE	IF	CITATIONS
55	High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.	3.0	11
56	Gender does not make a difference in composite psoriatic disease activity index (CPDAI) in patients with psoriatic arthritis. <i>Rheumatology International</i> , 2018, 38, 2069-2076.	3.0	11
57	Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. <i>Rheumatology International</i> , 2009, 29, 591-593.	3.0	10
58	Seroprevalence of <i>Borrelia burgdorferi</i> in patients with Behçet's disease. <i>Rheumatology International</i> , 2003, 23, 289-293.	3.0	9
59	Criteria sets for primary Sjögren's syndrome are not adequate for those presenting with extraglandular organ involvements as their dominant clinical features. <i>Rheumatology International</i> , 2017, 37, 675-684.	3.0	8
60	Infliximab-associated focal segmental glomerulosclerosis in a patient with ankylosing spondylitis. <i>Rheumatology International</i> , 2019, 39, 561-567.	3.0	8
61	Body composition in patients with rheumatoid arthritis is not different than healthy subjects. <i>European Journal of Rheumatology</i> , 2014, 1, 106-110.	0.6	8
62	Nasal Septal Perforation in a Patient with Takayasu's Arteritis; a Rare Association. <i>Internal Medicine</i> , 2009, 48, 1551-1554.	0.7	7
63	Increased Levels of Macrophage Migration Inhibitory Factor in Patients with Familial Mediterranean Fever. <i>International Journal of Medical Sciences</i> , 2013, 10, 836-839.	2.5	7
64	The prevalence of gout in an urban area of Izmir, Turkey: A population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2014, 68, 775-782.	1.7	7
65	Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.	2.0	7
66	Increased Frequency of Hand Osteoarthritis in Patients with Primary Sjögren Syndrome Compared with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2016, 43, 1068-1071.	2.0	7
67	Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. <i>European Journal of Rheumatology</i> , 2018, 5, 249-253.	0.6	7
68	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. <i>Rheumatology</i> , 2022, 61, 3799-3807.	1.9	7
69	A case with recurrent calf pain and swelling: recurrent spontaneous calf haematoma. <i>Rheumatology International</i> , 2002, 21, 247-249.	3.0	6
70	M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.	3.0	6
71	The validity and reliability study of the University of California, Los Angeles Scleroderma Clinical Trial Consortium Gastrointestinal Tract (UCLA SCTC GIT) 2.0 questionnaire for the Turkish society. <i>Turkish Journal of Gastroenterology</i> , 2019, 30, 234-241.	1.1	6
72	Rituximab on lung, skin, and joint involvement in patients with systemic sclerosis: A case series study and review of the literature. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 755-768.	1.9	6

#	ARTICLE	IF	CITATIONS
73	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	3.0	5
74	The prevalence of Sjögren's syndrome and sicca symptoms in patients with systemic sclerosis and alpha-smooth muscle actin expression in biopsy specimens from minor salivary glands. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1875-1882.	0.9	5
75	Metabolic syndrome is associated with increased cardiovascular risk and disease damage in patients with Takayasu arteritis. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 775-780.	1.9	5
76	A case of recurrent pancreatitis due to hyperlipidemia misdiagnosed as familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2004, 23, 559-561.	2.2	4
77	Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.	3.0	4
78	Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.	2.2	4
79	Grip Ability Test in Rheumatoid Arthritis Patients: Relationship With Disease Activity and Hand-Specific Self-Report Questionnaires. <i>Archives of Rheumatology</i> , 2014, 29, 160-166.	0.9	4
80	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4.	0.8	4
81	Pelvic Ewing sarcoma mimicking sacroiliitis. <i>Arthritis and Rheumatism</i> , 2013, 65, 290-290.	6.7	3
82	Spontaneous Remission of Isaacs' Syndrome. <i>Balkan Medical Journal</i> , 2019, 36, 251-252.	0.8	3
83	Is dry heat treatment (fluidotherapy) effective in improving hand function in patients with rheumatoid arthritis? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 485-493.	2.2	2
84	Ocular toxicity of intravitreal golimumab in a rabbit model. <i>Turkish Journal of Medical Sciences</i> , 2020, 50, 1111-1122.	0.9	2
85	Evaluation of limited hand mobility in systemic sclerosis patients by using "prayer sign" and "tabletop sign". <i>Clinical Rheumatology</i> , 2021, 40, 2771-2777.	2.2	2
86	Inflammatory rheumatic diseases in patients with ochronotic arthropathy. <i>Modern Rheumatology</i> , 2021, 31, 1031-1037.	1.8	2
87	Pregnancy in Takayasu's arteritis has a high risk of hypertension-related fetomaternal complications: A retrospective study of a Turkish cohort. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 140-146.	1.9	2
88	Bilateral Intravitreal Ranibizumab Injection and Panretinal Photocoagulation in a 16-Year-Old Girl with Severe Vaso-Occlusive Lupus Retinopathy. <i>Case Reports in Ophthalmological Medicine</i> , 2013, 2013, 1-4.	0.5	1
89	Telephone interview strategy can be used for screening inflammatory back pain in the community. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 33-38.	1.9	1
90	Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. <i>Archives of Rheumatology</i> , 2020, 35, 189-195.	0.9	1

#	ARTICLE	IF	CITATIONS
91	Nodular Scleritis in Association with Panuveitis in Behçet's Disease. Medical Hypothesis, Discovery, and Innovation in Ophthalmology, 2016, 5, 15-17.	0.2	1
92	AB0884â€¦CLINICAL AND DEMOGRAPHIC CHARACTERISTICS OF PATIENTS WITH OCHRONOTIC ARTHROPATHY., 2019,, .		0
93	FRI0392â€¦EVIDENCE BASED RECOMMENDATIONS FOR THE MANAGEMENT OF ENTEROPATHIC ARTHRITIS: A RHEUMATOLOGY, GASTROENTEROLOGY COLLABORATIVE INITIATIVE. , 2019,, .		0
94	Fetuin-A and its association with disease activity in psoriatic arteritis. Ulusal Romatoloji Dergisi, 2021, 13, 47-53.	0.0	0
95	Rheumatologic manifestations in a cohort of patients with Vogtâ€™Koyanagiâ€™Harada disease. Modern Rheumatology, 2021,, .	1.8	0
96	Training Course Results of the Assessment of Modified Rodnan Skin Score in Scleroderma. Namâ€š Kemal Tâ€šp Dergisi, 2022, 10, 43-47.	0.0	0
97	Warthin tumour and IgG- <sup>4</sup> -RD with pleural involvement: shared immunity or coincidence?. Scandinavian Journal of Rheumatology, 0, , 1-3.	1.1	0