Mark W Paschke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5432539/publications.pdf

Version: 2024-02-01

78 papers

2,853 citations

147801 31 h-index 50 g-index

82 all docs 82 docs citations

82 times ranked 3028 citing authors

#	Article	IF	CITATIONS
1	Indaziflam Reduces Seed Bank Richness and Density but not Sagebrush-Grassland Plant Diversity. Rangeland Ecology and Management, 2022, 84, 31-44.	2.3	4
2	Energy Development and Production in the Great Plains: Implications and Mitigation Opportunities. Rangeland Ecology and Management, 2021, 78, 257-272.	2.3	17
3	Drivers of seedling establishment success in dryland restoration efforts. Nature Ecology and Evolution, 2021, 5, 1283-1290.	7.8	75
4	Forest Cover Change, Households' Livelihoods, Trade-Offs, and Constraints Associated with Plantation Forests in Poor Upland-Rural Landscapes: Evidence from North Central Vietnam. Forests, 2020, 11, 548.	2.1	26
5	Restoration for multiple use. Restoration Ecology, 2019, 27, 701.	2.9	9
6	Drivers of deforestation and forest degradation in Vietnam: An exploratory analysis at the national level. Forest Policy and Economics, 2018, 90, 128-141.	3.4	103
7	Optimizing seed mixture diversity and seeding rates for grassland restoration. Restoration Ecology, 2017, 25, 396-404.	2.9	66
8	Impact of grasshoppers and an invasive grass on establishment and initial growth of restoration plant species. Restoration Ecology, 2017, 25, 385-395.	2.9	3
9	Understory Responses to Mechanical Treatment of Pinyon-Juniper in Northwestern Colorado. Rangeland Ecology and Management, 2016, 69, 351-359.	2.3	26
10	Opportunities and challenges of integrating ecological restoration into assessment and management of contaminated ecosystems. Integrated Environmental Assessment and Management, 2016, 12, 296-305.	2.9	11
11	<i><scp>S</scp>ymphyotrichum ericoides</i> populations from seleniferous and nonseleniferous soil display striking variation in selenium accumulation. New Phytologist, 2015, 206, 231-242.	7.3	31
12	Recovery of small pile burn scars in conifer forests of the Colorado Front Range. Forest Ecology and Management, 2015, 347, 180-187.	3.2	26
13	Roles of rhizobial symbionts in selenium hyperaccumulation in <i>Astragalus</i> (Fabaceae). American Journal of Botany, 2014, 101, 1895-1905.	1.7	23
14	Longâ€term outcome of nitrogen immobilization to restore endemic sand grassland in Hungary. Journal of Applied Ecology, 2014, 51, 756-765.	4.0	21
15	Arbuscular mycorrhizal fungal community differs between a coexisting native shrub and introduced annual grass. Mycorrhiza, 2013, 23, 129-141.	2.8	44
16	Using native annual plants to restore post-fire habitats in western North America. International Journal of Wildland Fire, 2013, 22, 815.	2.4	17
17	Selenium hyperaccumulation by <i>Astragalus</i> (Fabaceae) does not inhibit root nodule symbiosis. American Journal of Botany, 2012, 99, 1930-1941.	1.7	31
18	The Use of Seedbed Modifications and Wood Chips to Accelerate Restoration of Well Pad Sites in Western Colorado, U.S.A Restoration Ecology, 2012, 20, 524-531.	2.9	19

#	Article	IF	Citations
19	Twentyâ€five years of sagebrush steppe plant community development following seed addition. Journal of Applied Ecology, 2012, 49, 911-918.	4.0	18
20	Early seral plant species' interactions with an arbuscular mycorrhizal fungi community are highly variable. Applied Soil Ecology, 2011, 48, 257-262.	4.3	34
21	Enhanced decomposition of selenium hyperaccumulator litter in a seleniferous habitatâ€"evidence for specialist decomposers?. Plant and Soil, 2011, 341, 51-61.	3.7	38
22	Immobilizing nitrogen to control plant invasion. Oecologia, 2010, 163, 13-24.	2.0	126
23	Metallophytes—a view from the rhizosphere. Plant and Soil, 2010, 337, 33-50.	3.7	178
24	Infrequent composted biosolids applications affect semi-arid grassland soils and vegetation. Journal of Environmental Management, 2010, 91, 1123-1130.	7.8	40
25	Water Treatment Residuals and Biosolids Longâ€Term Coâ€Applications Effects to Semiâ€Arid Grassland Soils and Vegetation. Soil Science Society of America Journal, 2009, 73, 1880-1889.	2.2	18
26	Diversity of frankiae in root nodules of Morella pensylvanica grown in soils from five continents. Systematic and Applied Microbiology, 2009, 32, 201-210.	2.8	31
27	Diversity of frankiae in soils from five continents. Systematic and Applied Microbiology, 2009, 32, 558-570.	2.8	24
28	Diffuse knapweed (Centaurea diffusa Lam.) seedling emergence and establishment in a Colorado grassland. Plant Ecology, 2009, 201, 631-638.	1.6	7
29	Native cover crops suppress exotic annuals and favor native perennials in a greenhouse competition experiment. Plant Ecology, 2009, 204, 247-259.	1.6	32
30	Variation in Frankia Populations of the Elaeagnus Host Infection Group in Nodules of Six Host Plant Species after Inoculation with Soil. Microbial Ecology, 2009, 58, 384-393.	2.8	40
31	The Influence of Soil Inoculum and Nitrogen Availability on Restoration of Highâ€Elevation Steppe Communities Invaded by ⟨i⟩Bromus tectorum⟨/i⟩. Restoration Ecology, 2009, 17, 686-694.	2.9	31
32	The Effects of Flavonoid Allelochemicals from Knapweeds on Legume–Rhizobia Candidates for Restoration. Restoration Ecology, 2009, 17, 506-514.	2.9	16
33	Diffuse knapweed (Centaurea diffusa Lam.) seedling emergence and establishment in a Colorado grassland. , 2009, , 267-274.		0
34	Phytotoxic polyacetylenes from roots of Russian knapweed (Acroptilon repens (L.) DC.). Phytochemistry, 2008, 69, 2572-2578.	2.9	36
35	A comparison of modeled and measured impacts of resource manipulations for control of Bromus tectorum in sagebrush steppe. Journal of Arid Environments, 2008, 72, 836-846.	2.4	14
36	Water Treatment Residuals and Biosolids Coâ€applications Affect Phosphatases in a Semiâ€arid Rangeland Soil. Communications in Soil Science and Plant Analysis, 2008, 39, 2812-2826.	1.4	5

#	Article	IF	CITATIONS
37	Water Treatment Residuals and Biosolids Coapplications Affect Semiarid Rangeland Phosphorus Cycling. Soil Science Society of America Journal, 2008, 72, 711-719.	2.2	17
38	A molecular approach to understanding plant - plant interactions in the context of invasion biology. Functional Plant Biology, 2008, 35, 1123.	2.1	11
39	WHITE LOCOWEED TOXICITY IS FACILITATED BY A FUNGAL ENDOPHYTE AND NITROGEN-FIXING BACTERIA. Ecology, 2007, 88, 1850-1856.	3.2	24
40	Modelling plant growth dynamics in sagebrush steppe communities affected by fire. Journal of Arid Environments, 2007, 69, 144-157.	2.4	16
41	Manganese and Zinc Toxicity Thresholds for Mountain and Geyer Willow. International Journal of Phytoremediation, 2007, 9, 437-452.	3.1	27
42	A putative allelopathic agent of Russian knapweed occurs in invaded soils. Soil Biology and Biochemistry, 2007, 39, 1812-1815.	8.8	30
43	Concentrations of the Allelochemical (\hat{A}_{\pm}) -Catechin IN Centaurea maculosa Soils. Journal of Chemical Ecology, 2007, 33, 2337-2344.	1.8	81
44	No evidence for root-mediated allelopathy in Centaurea solstitialis, a species in a commonly allelopathic genus. Biological Invasions, 2007, 9, 897-907.	2.4	19
45	The floral volatile, methyl benzoate, from snapdragon (Antirrhinum majus) triggers phytotoxic effects in Arabidopsis thaliana. Planta, 2007, 226, 1-10.	3.2	39
46	Comparative fungal responses in managed plant communities infested by spotted (Centaurea maculosa) Tj ETQ	q0 <u>0 0</u> rgB	T /Overlock 1
47	The role of the native soil community in the invasion ecology of spotted (Centaurea maculosa auct.) Tj ETQq $1\ 1$	0.784314 4.3	rgBT /Over
48	Zinc Toxicity Thresholds for Reclamation Forb Species. Water, Air, and Soil Pollution, 2006, 170, 317-330.	2.4	43
49	Long-term impacts of infrequent biosolids applications on chemical and microbial properties of a semi-arid rangeland soil. Biology and Fertility of Soils, 2006, 42, 258-266.	4.3	58
50	Parallel shifts in plant and soil microbial communities in response to biosolids in a semi-arid grassland. Soil Biology and Biochemistry, 2006, 38, 449-459.	8.8	47
51	Phytotoxic Allelochemicals From Roots and Root Exudates of Leafy Spurge (<i>Euphorbia esula</i> L.). Plant Signaling and Behavior, 2006, 1, 323-327.	2.4	20
52	Root Exudation and Rhizosphere Biology: Multiple Functions of a Plant Secondary Metabolite., 2006,, 403-420.		2
53	Long-Term Effects of Biosolids on Revegetation of Disturbed Sagebrush Steppe in Northwestern Colorado. Restoration Ecology, 2005, 13, 545-551.	2.9	22
54	Screening of Grassland Plants for Restoration after Spotted Knapweed Invasion. Restoration Ecology, 2005, 13, 725-735.	2.9	49

#	Article	IF	CITATIONS
55	Manganese toxicity thresholds for restoration grass species. Environmental Pollution, 2005, 135, 313-322.	7.5	59
56	Plant and Soil Responses to Biosolids Application following Forest Fire. Journal of Environmental Quality, 2004, 33, 873.	2.0	37
57	Filamentous Fungi: the Indeterminate Lifestyle and Microbial Ecology. Microbial Ecology, 2004, 47, 224-35.	2.8	114
58	Biology and establishment of mountain shrubs on mining disturbances in the Rocky Mountains, USA. Land Degradation and Development, 2003, 14, 459-480.	3.9	16
59	Phytoxicity of smelter-impacted soils in southwest Montana, USA. Environmental Toxicology and Chemistry, 2002, 21, 269-274.	4.3	8
60	Roadside Use of Native Plants. Restoration Ecology, 2002, 10, 171-171.	2.9	9
61	PHYTOXICITY OF SMELTER-IMPACTED SOILS IN SOUTHWEST MONTANA, USA. Environmental Toxicology and Chemistry, 2002, 21, 269.	4.3	5
62	COPPER TOXICITY THRESHOLDS FOR IMPORTANT RESTORATION GRASS SPECIES OF THE WESTERN UNITED STATES. Environmental Toxicology and Chemistry, 2002, 21, 2692.	4.3	30
63	Copper toxicity thresholds for important restoration grass species of the Western United States. Environmental Toxicology and Chemistry, 2002, 21, 2692-7.	4.3	3
64	Tracked Vehicle Impacts to Vegetation Structure and Soil Erodibility. Journal of Range Management, 2001, 54, 711.	0.3	33
65	Zinc toxicity thresholds for important reclamation grass species of the western united states. Environmental Toxicology and Chemistry, 2000, 19, 2751-2756.	4.3	45
66	Revegetation of Roadcut Slopes in Mesa Verde National Park, U.S.A Restoration Ecology, 2000, 8, 276-282.	2.9	51
67	Immobilization of soil nitrogen as a possible method for the restoration of sandy grassland. Applied Vegetation Science, 2000, 3, 7-14.	1.9	80
68	Original Articles: Nitrogen Availability and Old-Field Succession in a Shortgrass Steppe. Ecosystems, 2000, 3, 144-158.	3.4	177
69	A soil microbial community structural-functional index: the microscopy-based total/active/active fungal/bacterial (TA/AFB) biovolumes ratio. Applied Soil Ecology, 2000, 14, 257-268.	4.3	34
70	ZINC TOXICITY THRESHOLDS FOR IMPORTANT RECLAMATION GRASS SPECIES OF THE WESTERN UNITED STATES. Environmental Toxicology and Chemistry, 2000, 19, 2751.	4.3	3
71	Assessment of fungal–bacterial development in a successional shortgrass steppe by direct integration of chloroform-fumigation extraction (FE) and microscopically derived data. Soil Biology and Biochemistry, 1998, 30, 573-581.	8.8	13
72	Decreases in Soil Microbial Function and Functional Diversity in Response to Depleted Uranium. Journal of Environmental Quality, 1998, 27, 1306-1311.	2.0	28

#	ARTICLE	IF	CITATION
73	Actinorhizal Plants in Rangelands of the Western United States. Journal of Range Management, 1997, 50, 62.	0.3	26
74	Saprophytic fungal-bacterial biomass variations in successional communities of a semi-arid steppe ecosystem. Biology and Fertility of Soils, 1995, 19, 253-256.	4.3	45
75	Nodulation patterns of actinorhizal plants in the family rosaceae. Plant and Soil, 1994, 162, 229-239.	3.7	28
76	Avian dispersal of <i>Frankia</i> . Canadian Journal of Botany, 1993, 71, 1128-1131.	1.1	31
77	The occurrence of Frankia in tropical forest soils of Costa Rica. Plant and Soil, 1992, 142, 63-67.	3.7	34
78	Soil nitrogen mineralization in plantations of Juglans nigra interplanted with actinorhizal Elaeagnus umbellata or Alnus glutinosa. Plant and Soil, 1989, 118, 33-42.	3.7	55