

Jean Gautier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5433997/publications.pdf>

Version: 2024-02-01

87
papers

10,822
citations

76326

40
h-index

58581

82
g-index

93
all docs

93
docs citations

93
times ranked

10510
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional mapping of PHF6 complexes in chromatin remodeling, replication dynamics, and DNA repair. <i>Blood</i> , 2022, 139, 3418-3429.	1.4	7
2	The UVSSA complex alleviates MYC-driven transcription stress. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	6
3	DNA Damage Response in <i>Xenopus laevis</i> Cell-Free Extracts. <i>Methods in Molecular Biology</i> , 2021, 2267, 103-144.	0.9	1
4	Inhibition of DNA replication initiation by silver nanoclusters. <i>Nucleic Acids Research</i> , 2021, 49, 5074-5083.	14.5	12
5	Distinct pathways of homologous recombination controlled by the SWS1/SWSAP1/SPIDR complex. <i>Nature Communications</i> , 2021, 12, 4255.	12.8	30
6	DNA damage-induced phosphorylation of CtIP at a conserved ATM/ATR site T855 promotes lymphomagenesis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	8
7	CtIP-mediated DNA resection is dispensable for IgH class switch recombination by alternative end-joining. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25700-25711.	7.1	13
8	Dual-Color Plasmonic Nanosensor for Radiation Dosimetry. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 22499-22506.	8.0	17
9	Assembling nuclear domains: Lessons from DNA repair. <i>Journal of Cell Biology</i> , 2019, 218, 2444-2455.	5.2	38
10	CtIP is essential for early B cell proliferation and development in mice. <i>Journal of Experimental Medicine</i> , 2019, 216, 1648-1663.	8.5	15
11	Nuclear ARP2/3 drives DNA break clustering for homology-directed repair. <i>Nature</i> , 2018, 559, 61-66.	27.8	304
12	Sensing and Processing of DNA Interstrand Crosslinks by the Mismatch Repair Pathway. <i>Cell Reports</i> , 2017, 21, 1375-1385.	6.4	43
13	BRCA1-CtIP interaction in the repair of DNA double-strand breaks. <i>Molecular and Cellular Oncology</i> , 2016, 3, e1169343.	0.7	9
14	MRN, CtIP, and BRCA1 mediate repair of topoisomerase II-DNA adducts. <i>Journal of Cell Biology</i> , 2016, 212, 399-408.	5.2	116
15	MYC is a critical target of FBXW7. <i>Oncotarget</i> , 2015, 6, 3292-3305.	1.8	39
16	MYC and the Control of DNA Replication. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2014, 4, a014423-a014423.	6.2	58
17	DNA double-strand break repair pathway choice and cancer. <i>DNA Repair</i> , 2014, 19, 169-175.	2.8	266
18	Cdc45 Is a Critical Effector of Myc-Dependent DNA Replication Stress. <i>Cell Reports</i> , 2013, 3, 1629-1639.	6.4	106

#	ARTICLE	IF	CITATIONS
19	The differences between ICL repair during and outside of S phase. <i>Trends in Biochemical Sciences</i> , 2013, 38, 386-393.	7.5	48
20	Activation of DSB Processing Requires Phosphorylation of CtIP by ATR. <i>Molecular Cell</i> , 2013, 49, 657-667.	9.7	112
21	The MRN-CtIP Pathway Is Required for Metaphase Chromosome Alignment. <i>Molecular Cell</i> , 2013, 49, 1097-1107.	9.7	17
22	More tasks for Dna2 in S-phase. <i>Cell Cycle</i> , 2012, 11, 4299-4299.	2.6	2
23	Replication-Independent Repair of DNA Interstrand Crosslinks. <i>Molecular Cell</i> , 2012, 47, 140-147.	9.7	62
24	Double-Strand Break End Resection and Repair Pathway Choice. <i>Annual Review of Genetics</i> , 2011, 45, 247-271.	7.6	1,264
25	Cdk1 uncouples CtIP-dependent resection and Rad51 filament formation during M-phase double-strand break repair. <i>Journal of Cell Biology</i> , 2011, 194, 705-720.	5.2	67
26	A human B-cell interactome identifies MYB and FOXM1 as master regulators of proliferation in germinal centers. <i>Molecular Systems Biology</i> , 2010, 6, 377.	7.2	336
27	Origin-dependent initiation of DNA replication within telomeric sequences. <i>Nucleic Acids Research</i> , 2010, 38, 467-476.	14.5	16
28	The Fanconi anemia pathway and ICL repair: implications for cancer therapy. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2010, 45, 424-439.	5.2	40
29	PIKK-dependent phosphorylation of Mre11 induces MRN complex inactivation by disassembly from chromatin. <i>DNA Repair</i> , 2009, 8, 1311-1320.	2.8	42
30	MRE11-RAD50-NBS1 is a critical regulator of FANCD2 stability and function during DNA double-strand break repair. <i>EMBO Journal</i> , 2009, 28, 2400-2413.	7.8	56
31	Reply to 'Corrected structure of mirin, a small-molecule inhibitor of the Mre11-Rad50-Nbs1 complex'. <i>Nature Chemical Biology</i> , 2009, 5, 130-130.	8.0	3
32	Role of Mre11 in chromosomal nonhomologous end joining in mammalian cells. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 819-824.	8.2	273
33	Checkpoint Signaling from a Single DNA Interstrand Crosslink. <i>Molecular Cell</i> , 2009, 35, 704-715.	9.7	94
34	Single-stranded DNA-binding protein hSSB1 is critical for genomic stability. <i>Nature</i> , 2008, 453, 677-681.	27.8	220
35	A forward chemical genetic screen reveals an inhibitor of the Mre11-Rad50-Nbs1 complex. <i>Nature Chemical Biology</i> , 2008, 4, 119-125.	8.0	340
36	Fanconi anemia proteins stabilize replication forks. <i>DNA Repair</i> , 2008, 7, 1973-1981.	2.8	59

#	ARTICLE	IF	CITATIONS
37	Rad50 Adenylate Kinase Activity Regulates DNA Tethering by Mre11/Rad50 Complexes. <i>Molecular Cell</i> , 2007, 25, 647-661.	9.7	94
38	Non-transcriptional control of DNA replication by c-Myc. <i>Nature</i> , 2007, 448, 445-451.	27.8	578
39	The DNA damage response during an unperturbed S-phase. <i>DNA Repair</i> , 2007, 6, 914-922.	2.8	25
40	Two-step activation of ATM by DNA and the Mre11â€“Rad50â€“Nbs1 complex. <i>Nature Structural and Molecular Biology</i> , 2006, 13, 451-457.	8.2	201
41	Fanconi Anemia Proteins Are Required To Prevent Accumulation of Replication-Associated DNA Double-Strand Breaks. <i>Molecular and Cellular Biology</i> , 2006, 26, 425-437.	2.3	103
42	The ATPase activity of MCM2â€“7 is dispensable for pre-RC assembly but is required for DNA unwinding. <i>EMBO Journal</i> , 2005, 24, 4334-4344.	7.8	42
43	Regulation of the G2/M Transition in <i>Xenopus</i> Oocytes by the cAMP-dependent Protein Kinase. <i>Journal of Biological Chemistry</i> , 2005, 280, 24339-24346.	3.4	36
44	Studies of the properties of human origin recognition complex and its Walker A motif mutants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 69-74.	7.1	52
45	Repair of double-strand breaks by nonhomologous end joining in the absence of Mre11. <i>Journal of Cell Biology</i> , 2005, 171, 765-771.	5.2	60
46	ATM and ATR Check in on Origins: A Dynamic Model for Origin Selection and Activation. <i>Cell Cycle</i> , 2005, 4, 238-240.	2.6	38
47	From oogenesis through gastrulation: developmental regulation of apoptosis. <i>Seminars in Cell and Developmental Biology</i> , 2005, 16, 215-224.	5.0	45
48	XNGNR1-dependent neurogenesis mediates early neural cell death. <i>Mechanisms of Development</i> , 2005, 122, 635-644.	1.7	7
49	<i>Xenopus</i> Cell-Free Extracts to Study DNA Damage Checkpoints. , 2004, 241, 255-268.		18
50	Mre11 Assembles Linear DNA Fragments into DNA Damage Signaling Complexes. <i>PLoS Biology</i> , 2004, 2, e110.	5.6	91
51	<l> <i>Xenopus</i> </l> Cell-Free Extracts to Study the DNA Damage Response. , 2004, 280, 213-228.		21
52	MCM proteins and checkpoint kinases get together at the fork. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 10845-10846.	7.1	33
53	DNA Unwinding Is an MCM Complex-dependent and ATP Hydrolysis-dependent Process. <i>Journal of Biological Chemistry</i> , 2004, 279, 45586-45593.	3.4	44
54	The WNT Signalling Modulator, Wise, is Expressed in an Interaction-Dependent Manner During Hair-Follicle Cycling. <i>Journal of Investigative Dermatology</i> , 2004, 123, 613-621.	0.7	32

#	ARTICLE	IF	CITATIONS
55	ATR and ATM regulate the timing of DNA replication origin firing. <i>Nature Cell Biology</i> , 2004, 6, 648-655.	10.3	333
56	Regulation of DNA replication by ATR: signaling in response to DNA intermediates. <i>DNA Repair</i> , 2004, 3, 901-908.	2.8	170
57	Early neural cell death: dying to become neurons. <i>Developmental Biology</i> , 2004, 274, 233-244.	2.0	139
58	Coordinated Chromatin-Association of Fanconi Anemia Network Proteins Requires Replication-Coupled DNA Damage Recognition.. <i>Blood</i> , 2004, 104, 723-723.	1.4	0
59	A role for programmed cell death during early neurogenesis in xenopus. <i>Developmental Biology</i> , 2003, 260, 31-45.	2.0	42
60	An ATR- and Cdc7-Dependent DNA Damage Checkpoint that Inhibits Initiation of DNA Replication. <i>Molecular Cell</i> , 2003, 11, 203-213.	9.7	331
61	Single-Strand DNA Gaps Trigger an ATR- and Cdc7-Dependent Checkpoint. <i>Cell Cycle</i> , 2003, 2, 17-17.	2.6	31
62	Stage-specific Alterations of Cyclin Expression During UVB-induced Murine Skin Tumor Development. <i>Photochemistry and Photobiology</i> , 2002, 75, 58.	2.5	22
63	Reduced cyclin D1 ubiquitination in UVB-induced murine squamous cell carcinomas. <i>Biochemical and Biophysical Research Communications</i> , 2002, 298, 377-382.	2.1	8
64	Ultraviolet-B-Induced G1 Arrest is Mediated by Downregulation of Cyclin-Dependent Kinase 4 in Transformed Keratinocytes Lacking Functional p53. <i>Journal of Investigative Dermatology</i> , 2002, 118, 818-824.	0.7	17
65	Stage-specific Alterations of Cyclin Expression During UVB-induced Murine Skin Tumor Development. <i>Photochemistry and Photobiology</i> , 2002, 75, 58-67.	2.5	1
66	Mre11 Protein Complex Prevents Double-Strand Break Accumulation during Chromosomal DNA Replication. <i>Molecular Cell</i> , 2001, 8, 137-147.	9.7	224
67	Role for cyclin-dependent kinase 2 in mitosis exit. <i>Current Biology</i> , 2001, 11, 1221-1226.	3.9	38
68	The Intrinsic DNA Helicase Activity of <i>Methanobacterium thermoautotrophicum</i> H^+ Minichromosome Maintenance Protein. <i>Journal of Biological Chemistry</i> , 2000, 275, 15049-15059.	3.4	133
69	Interaction of <i>Xenopus</i> Cdc2-Cyclin A1 with the Origin Recognition Complex. <i>Journal of Biological Chemistry</i> , 2000, 275, 4239-4243.	3.4	34
70	Mechanism of Ultraviolet B-Induced Cell Cycle Arrest in G2/M Phase in Immortalized Skin Keratinocytes with Defective p53. <i>Biochemical and Biophysical Research Communications</i> , 2000, 277, 107-111.	2.1	38
71	Reconstitution of an ATM-Dependent Checkpoint that Inhibits Chromosomal DNA Replication following DNA Damage. <i>Molecular Cell</i> , 2000, 6, 649-659.	9.7	164
72	Developmental Regulation of Induced and Programmed Cell Death in <i>Xenopus</i> Embryos. <i>Annals of the New York Academy of Sciences</i> , 1999, 887, 105-119.	3.8	21

#	ARTICLE	IF	CITATIONS
73	Isolation and characterization of Xenopus ATM (X-ATM): expression, localization, and complex formation during oogenesis and early development. <i>Oncogene</i> , 1999, 18, 7070-7079.	5.9	28
74	Protein Kinase A is required for chromosomal DNA replication. <i>Current Biology</i> , 1999, 9, 903-S2.	3.9	25
75	Developmental regulation of MCM replication factors in <i>Xenopus laevis</i> . <i>Current Biology</i> , 1998, 8, 347-350.	3.9	26
76	Programmed Cell Death during <i>Xenopus</i> Development: A Spatio-temporal Analysis. <i>Developmental Biology</i> , 1998, 203, 36-48.	2.0	226
77	A developmental timer that regulates apoptosis at the onset of gastrulation. <i>Mechanisms of Development</i> , 1997, 69, 183-195.	1.7	169
78	Molecular biology of the cell. <i>Trends in Biochemical Sciences</i> , 1993, 18, 147-148.	7.5	0
79	cdc25 is a specific tyrosine phosphatase that directly activates p34cdc2. <i>Cell</i> , 1991, 67, 197-211.	28.9	863
80	Cyclin is a component of maturation-promoting factor from <i>Xenopus</i> . <i>Cell</i> , 1990, 60, 487-494.	28.9	684
81	The cyclin B2 component of MPF is a substrate for the c-mosxe proto-oncogene product. <i>Cell</i> , 1990, 61, 825-831.	28.9	121
82	Dephosphorylation and activation of <i>Xenopus</i> p34cdc2 protein kinase during the cell cycle. <i>Nature</i> , 1989, 339, 626-629.	27.8	329
83	Purified maturation-promoting factor contains the product of a <i>Xenopus</i> homolog of the fission yeast cell cycle control gene cdc2+. <i>Cell</i> , 1988, 54, 433-439.	28.9	911
84	The role of the germinal vesicle for the appearance of maturation-promoting factor activity in the axolotl oocyte. <i>Developmental Biology</i> , 1987, 123, 483-486.	2.0	20
85	Involvement of the cytoskeleton in early grey crescent formation in axolotl oocytes. <i>Roux's Archives of Developmental Biology</i> , 1987, 196, 316-320.	1.2	0
86	A three-step scheme for gray crescent formation in the rotated axolotl oocyte. <i>Developmental Biology</i> , 1985, 110, 192-199.	2.0	11
87	Inhibition of protein synthesis elicits early grey crescent formation in the axolotl oocyte. <i>Wilhelm Roux's Archives of Developmental Biology</i> , 1983, 192, 196-199.	1.4	4