

David R Bangsberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5436013/publications.pdf>

Version: 2024-02-01

76
papers

4,068
citations

182225

30
h-index

134545

62
g-index

77
all docs

77
docs citations

77
times ranked

6237
citing authors

#	ARTICLE	IF	CITATIONS
1	Mobile phone technologies improve adherence to antiretroviral treatment in a resource-limited setting: a randomized controlled trial of text message reminders. <i>Aids</i> , 2011, 25, 825-834.	1.0	818
2	Explaining Adherence Success in Sub-Saharan Africa: An Ethnographic Study. <i>PLoS Medicine</i> , 2009, 6, e1000011.	3.9	322
3	Adherence is not a barrier to successful antiretroviral therapy in South Africa. <i>Aids</i> , 2003, 17, 1369-1375.	1.0	261
4	Impact of Geographic and Transportation-Related Barriers on HIV Outcomes in Sub-Saharan Africa: A Systematic Review. <i>AIDS and Behavior</i> , 2014, 18, 1199-1223.	1.4	199
5	A single tablet regimen is associated with higher adherence and viral suppression than multiple tablet regimens in HIV+ homeless and marginally housed people. <i>Aids</i> , 2010, 24, 2835-2840.	1.0	158
6	Challenges in Using Mobile Phones for Collection of Antiretroviral Therapy Adherence Data in a Resource-Limited Setting. <i>AIDS and Behavior</i> , 2010, 14, 1294-1301.	1.4	140
7	Internalized Stigma, Social Distance, and Disclosure of HIV Seropositivity in Rural Uganda. <i>Annals of Behavioral Medicine</i> , 2013, 46, 285-294.	1.7	129
8	Population-based study of intra-household gender differences in water insecurity: reliability and validity of a survey instrument for use in rural Uganda. <i>Journal of Water and Health</i> , 2016, 14, 280-292.	1.1	104
9	The Kynurenine Pathway of Tryptophan Catabolism, CD4+ T-Cell Recovery, and Mortality Among HIV-Infected Ugandans Initiating Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2014, 210, 383-391.	1.9	101
10	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 1055-1064.	4.6	94
11	Comparison of Self-Reported Alcohol Consumption to Phosphatidylethanol Measurement among HIV-Infected Patients Initiating Antiretroviral Treatment in Southwestern Uganda. <i>PLoS ONE</i> , 2014, 9, e113152.	1.1	89
12	Impact of HIV on CD8+ T Cell CD57 Expression Is Distinct from That of CMV and Aging. <i>PLoS ONE</i> , 2014, 9, e89444.	1.1	85
13	GPS-measured distance to clinic, but not self-reported transportation factors, are associated with missed HIV clinic visits in rural Uganda. <i>Aids</i> , 2013, 27, 1503-1508.	1.0	83
14	The Technology Acceptance Model for Resource-Limited Settings (TAM-RLS): A Novel Framework for Mobile Health Interventions Targeted to Low-Literacy End-Users in Resource-Limited Settings. <i>AIDS and Behavior</i> , 2017, 21, 3129-3140.	1.4	82
15	High acceptability for cell phone text messages to improve communication of laboratory results with HIV-infected patients in rural Uganda: a cross-sectional survey study. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 56.	1.5	80
16	The HIV care cascade: models, measures and moving forward. <i>Journal of the International AIDS Society</i> , 2015, 18, 19395.	1.2	75
17	Persistent Immune Activation and Carotid Atherosclerosis in HIV-Infected Ugandans Receiving Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2016, 213, 370-378.	1.9	69
18	Incomplete adherence to antiretroviral therapy is associated with higher levels of residual HIV-1 viremia. <i>Aids</i> , 2014, 28, 181-186.	1.0	63

#	ARTICLE	IF	CITATIONS
19	A conceptual framework for understanding HIV risk behavior in the context of supporting fertility goals among HIV-serodiscordant couples. <i>Reproductive Health Matters</i> , 2012, 20, 50-60.	1.3	59
20	An Intervention to Support HIV Preexposure Prophylaxis Adherence in HIV-Serodiscordant Couples in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 522-529.	0.9	56
21	US medical specialty global health training and the global burden of disease. <i>Journal of Global Health</i> , 2013, 3, 020406.	1.2	54
22	Comparison of six methods to estimate adherence in an ART-naïve cohort in a resource-poor setting: which best predicts virological and resistance outcomes?. <i>AIDS Research and Therapy</i> , 2017, 14, 20.	0.7	52
23	Lost Opportunities to Reduce Periconception HIV Transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, S210-S217.	0.9	45
24	Know Your Audience: Predictors of Success for a Patient-Centered Texting App to Augment Linkage to HIV Care in Rural Uganda. <i>Journal of Medical Internet Research</i> , 2015, 17, e78.	2.1	45
25	Prospective Study of the Mental Health Consequences of Sexual Violence Among Women Living With HIV in Rural Uganda. <i>Journal of Interpersonal Violence</i> , 2016, 31, 1531-1553.	1.3	40
26	The Role of Relationship Dynamics and Gender Inequalities As Barriers to HIV-Serostatus Disclosure: Qualitative Study among Women and Men Living with HIV in Durban, South Africa. <i>Frontiers in Public Health</i> , 2017, 5, 188.	1.3	40
27	Antimicrobial-resistant infections among postpartum women at a Ugandan referral hospital. <i>PLoS ONE</i> , 2017, 12, e0175456.	1.1	38
28	“œ Always Worry about What Might Happen Ahead”: Implementing Safer Conception Services in the Current Environment of Reproductive Counseling for HIV-Affected Men and Women in Uganda. <i>BioMed Research International</i> , 2016, 2016, 1-9.	0.9	35
29	Ideal Cardiovascular Health and Carotid Atherosclerosis in a Mixed Cohort of HIV-Infected and Uninfected Ugandans. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 49-56.	0.5	33
30	Reasons for Missing Antiretroviral Therapy: Results from a Multi-Country Study in Tanzania, Uganda, and Zambia. <i>PLoS ONE</i> , 2016, 11, e0147309.	1.1	33
31	Antiretroviral Regimen and Suboptimal Medication Adherence Are Associated With Low-Level Human Immunodeficiency Virus Viremia. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofu119.	0.4	32
32	Understanding coping strategies during pregnancy and the postpartum period: a qualitative study of women living with HIV in rural Uganda. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 138.	0.9	28
33	Inhaled Nitric Oxide as an Adjunctive Treatment for Cerebral Malaria in Children: A Phase II Randomized Open-Label Clinical Trial. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv111.	0.4	26
34	Effect of mid-dose efavirenz concentrations and CYP2B6 genotype on viral suppression in patients on first-line antiretroviral therapy. <i>International Journal of Antimicrobial Agents</i> , 2016, 47, 466-472.	1.1	25
35	Pitfalls of practicing cancer epidemiology in resource-limited settings: the case of survival and loss to follow-up after a diagnosis of Kaposi’s sarcoma in five countries across sub-Saharan Africa. <i>BMC Cancer</i> , 2016, 16, 65.	1.1	25
36	Self-reported alcohol abstinence associated with ART initiation among HIV-infected persons in rural Uganda. <i>Drug and Alcohol Dependence</i> , 2014, 134, 151-157.	1.6	24

#	ARTICLE	IF	CITATIONS
37	Factors that Motivated Otherwise Healthy HIV-Positive Young Adults to Access HIV Testing and Treatment in South Africa. <i>AIDS and Behavior</i> , 2018, 22, 733-741.	1.4	24
38	Article Commentary: Long-Term Adherence to Antiretroviral Therapy in Resource-Limited Settings: A Bitter Pill to Swallow. <i>Antiviral Therapy</i> , 2013, 18, 25-28.	0.6	23
39	Assessing Usual Care in Clinical Trials. <i>Western Journal of Nursing Research</i> , 2015, 37, 288-298.	0.6	22
40	Developing a Safer Conception Intervention for Men Living with HIV in South Africa. <i>AIDS and Behavior</i> , 2018, 22, 1725-1735.	1.4	22
41	Mapping a Syndemic of Psychosocial Risks During Pregnancy Using Network Analysis. <i>International Journal of Behavioral Medicine</i> , 2019, 26, 207-216.	0.8	21
42	Beyond HIV-serodiscordance: Partnership communication dynamics that affect engagement in safer conception care. <i>PLoS ONE</i> , 2017, 12, e0183131.	1.1	20
43	The influence of partnership on contraceptive use among HIV-infected women accessing antiretroviral therapy in rural Uganda. <i>Contraception</i> , 2015, 92, 152-159.	0.8	18
44	Cascade of Refusal—What Does It Mean for the Future of Treatment as Prevention in Sub-Saharan Africa?. <i>Current HIV/AIDS Reports</i> , 2016, 13, 125-130.	1.1	18
45	Non-medical use of non-opioid psychotherapeutic medications in a community-based cohort of HIV-infected indigent adults. <i>Drug and Alcohol Dependence</i> , 2014, 143, 263-267.	1.6	17
46	Moving Beyond Directly Observed Therapy for Tuberculosis. <i>PLoS Medicine</i> , 2015, 12, e1001877.	3.9	17
47	Relationship Power and Sexual Violence Among HIV-Positive Women in Rural Uganda. <i>AIDS and Behavior</i> , 2016, 20, 2045-2053.	1.4	17
48	Duration of Viral Suppression and Risk of Rebound Viremia with First-Line Antiretroviral Therapy in Rural Uganda. <i>AIDS and Behavior</i> , 2017, 21, 1735-1740.	1.4	17
49	Distribution and Performance of Cardiovascular Risk Scores in a Mixed Population of HIV-Infected and Community-Based HIV-Uninfected Individuals in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 458-464.	0.9	15
50	Population-Level Immune-Mediated Adaptation in HIV-1 Polymerase during the North American Epidemic. <i>Journal of Virology</i> , 2016, 90, 1244-1258.	1.5	13
51	Empiric Deworming and CD4 Count Recovery in HIV-Infected Ugandans Initiating Antiretroviral Therapy. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3036.	1.3	11
52	Cooking fuel and respiratory symptoms among people living with HIV in rural Uganda. <i>ERJ Open Research</i> , 2017, 3, 00094-2016.	1.1	11
53	Hematopoietic Stem-Cell Transplantation in the Resource-Limited Setting: Establishing the First Bone Marrow Transplantation Unit in Bangladesh. <i>Journal of Global Oncology</i> , 2018, 4, 1-10.	0.5	11
54	Household malaria knowledge and its association with bednet ownership in settings without large-scale distribution programs: Evidence from rural Madagascar. <i>Journal of Global Health</i> , 2014, 4, 010401.	1.2	10

#	ARTICLE	IF	CITATIONS
55	Implementation of electronic medical records requires more than new software: Lessons on integrating and managing health technologies from Mbarara, Uganda. <i>Healthcare</i> , 2015, 3, 264-269.	0.6	9
56	Does substance use compromise depression treatment in persons with HIV? Findings from a randomized controlled trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 273-279.	0.6	9
57	Acceptability of an Intervention to Promote Viral Suppression and Serostatus Disclosure for Men Living with HIV in South Africa: Qualitative Findings. <i>AIDS and Behavior</i> , 2022, 26, 1-12.	1.4	9
58	Prevalence and correlates of MRSA and MSSA nasal carriage at a Ugandan regional referral hospital. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 72, dkw472.	1.3	8
59	HIV Infection and risk of postpartum infection, complications and mortality in rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 943-953.	0.6	8
60	Time Preferences Predict Mortality among HIV-Infected Adults Receiving Antiretroviral Therapy in Kenya. <i>PLoS ONE</i> , 2015, 10, e0145245.	1.1	7
61	Does Adherence Change When No One is Looking? Comparing Announced and Unannounced Tenofovir Levels in a PrEP Trial. <i>AIDS and Behavior</i> , 2016, 20, 2639-2643.	1.4	7
62	Increases in CD4+ T-cell count at antiretroviral therapy initiation among HIV-positive illicit drug users during a treatment-as-prevention initiative in Canada. <i>Antiviral Therapy</i> , 2017, 22, 403-411.	0.6	7
63	Pre-treatment integrase inhibitor resistance is uncommon in antiretroviral therapy-naïve individuals with HIV-1 subtype A1 and D infections in Uganda. <i>Aids</i> , 2021, 35, 1083-1089.	1.0	7
64	Modified directly observed therapy to improve HIV treatment outcomes: Little impact with potent, once-daily therapy in unselected antiretroviral-naïve patients. <i>Current HIV/AIDS Reports</i> , 2009, 6, 173-174.	1.1	6
65	Academic Institutions' Critical Guidelines for Health Care Workers Who Deploy to West Africa for the Ebola Response and Future Crises. <i>Disaster Medicine and Public Health Preparedness</i> , 2015, 9, 586-590.	0.7	6
66	The disruptive influence of syphilis cures within specialist venereal systems: implications for HIV cure preparedness: Table 1. <i>Sexually Transmitted Infections</i> , 2015, 91, 2-3.	0.8	6
67	In vitro functional assessment of natural HIV-1 group M Vpu sequences using a universal priming approach. <i>Journal of Virological Methods</i> , 2017, 240, 32-41.	1.0	6
68	High Incidence of Intended Partner Pregnancy Among Men Living With HIV in Rural Uganda: Implications for Safer Conception Services. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 497-507.	0.9	6
69	It really proves to us that we are still valuable: Qualitative research to inform a safer conception intervention for men living with HIV in South Africa. <i>PLoS ONE</i> , 2021, 16, e0240990.	1.1	6
70	Healthcare providers' understanding of HIV serodiscordance in South Africa and Uganda: implications for HIV prevention in sub-Saharan Africa. <i>African Journal of AIDS Research</i> , 2018, 17, 137-144.	0.3	4
71	Overcoming Ethical Challenges to Engaging Men Who Have Sex with Women in HIV Research. <i>AIDS and Behavior</i> , 2021, 25, 4055-4060.	1.4	4
72	Trends in one-year cumulative incidence of death between 2005 and 2013 among patients initiating antiretroviral therapy in Uganda. <i>International Journal of STD and AIDS</i> , 2017, 28, 800-807.	0.5	3

#	ARTICLE	IF	CITATIONS
73	Demonstration and Acceptability of a Safer Conception Intervention for Men With HIV in South Africa: Pilot Cohort Study. <i>JMIR Formative Research</i> , 2022, 6, e34262.	0.7	1
74	Persistent HIV-related Stigma in Rural Uganda during a Period of Increasing HIV Incidence. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A259-A259.	0.5	0
75	Subtype-Specific HIV-1 Adaptation to Host HLA. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A218-A218.	0.5	0
76	Hematopoietic Stem Cell Transplantation in the Resource-Limited Setting: Establishing the First Bone Marrow Transplant Unit in Bangladesh and Initial Outcomes. <i>Blood</i> , 2016, 128, 2384-2384.	0.6	0