

David R Bangsberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5436013/publications.pdf>

Version: 2024-02-01

76
papers

4,068
citations

159585
30
h-index

118850
62
g-index

77
all docs

77
docs citations

77
times ranked

5812
citing authors

#	ARTICLE	IF	CITATIONS
1	Acceptability of an Intervention to Promote Viral Suppression and Serostatus Disclosure for Men Living with HIV in South Africa: Qualitative Findings. <i>AIDS and Behavior</i> , 2022, 26, 1-12.	2.7	9
2	Demonstration and Acceptability of a Safer Conception Intervention for Men With HIV in South Africa: Pilot Cohort Study. <i>JMIR Formative Research</i> , 2022, 6, e34262.	1.4	1
3	Pre-treatment integrase inhibitor resistance is uncommon in antiretroviral therapy-naïve individuals with HIV-1 subtype A1 and D infections in Uganda. <i>Aids</i> , 2021, 35, 1083-1089.	2.2	7
4	Overcoming Ethical Challenges to Engaging Men Who Have Sex with Women in HIV Research. <i>AIDS and Behavior</i> , 2021, 25, 4055-4060.	2.7	4
5	“It really proves to us that we are still valuable” Qualitative research to inform a safer conception intervention for men living with HIV in South Africa. <i>PLoS ONE</i> , 2021, 16, e0240990.	2.5	6
6	Mapping a Syndemic of Psychosocial Risks During Pregnancy Using Network Analysis. <i>International Journal of Behavioral Medicine</i> , 2019, 26, 207-216.	1.7	21
7	High Incidence of Intended Partner Pregnancy Among Men Living With HIV in Rural Uganda: Implications for Safer Conception Services. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 497-507.	2.1	6
8	HIV Infection and risk of postpartum infection, complications and mortality in rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 943-953.	1.2	8
9	Factors that Motivated Otherwise Healthy HIV-Positive Young Adults to Access HIV Testing and Treatment in South Africa. <i>AIDS and Behavior</i> , 2018, 22, 733-741.	2.7	24
10	Developing a Safer Conception Intervention for Men Living with HIV in South Africa. <i>AIDS and Behavior</i> , 2018, 22, 1725-1735.	2.7	22
11	Hematopoietic Stem-Cell Transplantation in the Resource-Limited Setting: Establishing the First Bone Marrow Transplantation Unit in Bangladesh. <i>Journal of Global Oncology</i> , 2018, 4, 1-10.	0.5	11
12	Healthcare providers’ understanding of HIV serodiscordance in South Africa and Uganda: implications for HIV prevention in sub-Saharan Africa. <i>African Journal of AIDS Research</i> , 2018, 17, 137-144.	0.9	4
13	Distribution and Performance of Cardiovascular Risk Scores in a Mixed Population of HIV-Infected and Community-Based HIV-Uninfected Individuals in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 458-464.	2.1	15
14	The Technology Acceptance Model for Resource-Limited Settings (TAM-RLS): A Novel Framework for Mobile Health Interventions Targeted to Low-Literacy End-Users in Resource-Limited Settings. <i>AIDS and Behavior</i> , 2017, 21, 3129-3140.	2.7	82
15	In vitro functional assessment of natural HIV-1 group M Vpu sequences using a universal priming approach. <i>Journal of Virological Methods</i> , 2017, 240, 32-41.	2.1	6
16	Increases in CD4+ T-cell count at antiretroviral therapy initiation among HIV-positive illicit drug users during a treatment-as-prevention initiative in Canada. <i>Antiviral Therapy</i> , 2017, 22, 403-411.	1.0	7
17	Duration of Viral Suppression and Risk of Rebound Viremia with First-Line Antiretroviral Therapy in Rural Uganda. <i>AIDS and Behavior</i> , 2017, 21, 1735-1740.	2.7	17
18	Understanding coping strategies during pregnancy and the postpartum period: a qualitative study of women living with HIV in rural Uganda. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 138.	2.4	28

#	ARTICLE	IF	CITATIONS
19	Comparison of six methods to estimate adherence in an ART-naïve cohort in a resource-poor setting: which best predicts virological and resistance outcomes?. <i>AIDS Research and Therapy</i> , 2017, 14, 20.	1.7	52
20	Ideal Cardiovascular Health and Carotid Atherosclerosis in a Mixed Cohort of HIV-Infected and Uninfected Ugandans. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 49-56.	1.1	33
21	Does substance use compromise depression treatment in persons with HIV? Findings from a randomized controlled trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 273-279.	1.2	9
22	Trends in one-year cumulative incidence of death between 2005 and 2013 among patients initiating antiretroviral therapy in Uganda. <i>International Journal of STD and AIDS</i> , 2017, 28, 800-807.	1.1	3
23	The Role of Relationship Dynamics and Gender Inequalities As Barriers to HIV-Serostatus Disclosure: Qualitative Study among Women and Men Living with HIV in Durban, South Africa. <i>Frontiers in Public Health</i> , 2017, 5, 188.	2.7	40
24	Cooking fuel and respiratory symptoms among people living with HIV in rural Uganda. <i>ERJ Open Research</i> , 2017, 3, 00094-2016.	2.6	11
25	Antimicrobial-resistant infections among postpartum women at a Ugandan referral hospital. <i>PLoS ONE</i> , 2017, 12, e0175456.	2.5	38
26	Beyond HIV-serodiscordance: Partnership communication dynamics that affect engagement in safer conception care. <i>PLoS ONE</i> , 2017, 12, e0183131.	2.5	20
27	“œ Always Worry about What Might Happen Ahead” Implementing Safer Conception Services in the Current Environment of Reproductive Counseling for HIV-Affected Men and Women in Uganda. <i>BioMed Research International</i> , 2016, 2016, 1-9.	1.9	35
28	Prevalence and correlates of MRSA and MSSA nasal carriage at a Ugandan regional referral hospital. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 72, dkw472.	3.0	8
29	Effect of mid-dose efavirenz concentrations and CYP2B6 genotype on viral suppression in patients on first-line antiretroviral therapy. <i>International Journal of Antimicrobial Agents</i> , 2016, 47, 466-472.	2.5	25
30	Population-based study of intra-household gender differences in water insecurity: reliability and validity of a survey instrument for use in rural Uganda. <i>Journal of Water and Health</i> , 2016, 14, 280-292.	2.6	104
31	Pitfalls of practicing cancer epidemiology in resource-limited settings: the case of survival and loss to follow-up after a diagnosis of Kaposi’s sarcoma in five countries across sub-Saharan Africa. <i>BMC Cancer</i> , 2016, 16, 65.	2.6	25
32	Relationship Power and Sexual Violence Among HIV-Positive Women in Rural Uganda. <i>AIDS and Behavior</i> , 2016, 20, 2045-2053.	2.7	17
33	Cascade of Refusal”What Does It Mean for the Future of Treatment as Prevention in Sub-Saharan Africa?. <i>Current HIV/AIDS Reports</i> , 2016, 13, 125-130.	3.1	18
34	Does Adherence Change When No One is Looking? Comparing Announced and Unannounced Tenofovir Levels in a PrEP Trial. <i>AIDS and Behavior</i> , 2016, 20, 2639-2643.	2.7	7
35	Persistent Immune Activation and Carotid Atherosclerosis in HIV-Infected Ugandans Receiving Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2016, 213, 370-378.	4.0	69
36	Population-Level Immune-Mediated Adaptation in HIV-1 Polymerase during the North American Epidemic. <i>Journal of Virology</i> , 2016, 90, 1244-1258.	3.4	13

#	ARTICLE	IF	CITATIONS
37	Prospective Study of the Mental Health Consequences of Sexual Violence Among Women Living With HIV in Rural Uganda. <i>Journal of Interpersonal Violence</i> , 2016, 31, 1531-1553.	2.0	40
38	Reasons for Missing Antiretroviral Therapy: Results from a Multi-Country Study in Tanzania, Uganda, and Zambia. <i>PLoS ONE</i> , 2016, 11, e0147309.	2.5	33
39	Hematopoietic Stem Cell Transplantation in the Resource-Limited Setting: Establishing the First Bone Marrow Transplant Unit in Bangladesh and Initial Outcomes. <i>Blood</i> , 2016, 128, 2384-2384.	1.4	0
40	Academic Institutionsâ€™ Critical Guidelines for Health Care Workers Who Deploy to West Africa for the Ebola Response and Future Crises. <i>Disaster Medicine and Public Health Preparedness</i> , 2015, 9, 586-590.	1.3	6
41	The HIV care cascade: models, measures and moving forward. <i>Journal of the International AIDS Society</i> , 2015, 18, 19395.	3.0	75
42	Moving Beyond Directly Observed Therapy for Tuberculosis. <i>PLoS Medicine</i> , 2015, 12, e1001877.	8.4	17
43	Time Preferences Predict Mortality among HIV-Infected Adults Receiving Antiretroviral Therapy in Kenya. <i>PLoS ONE</i> , 2015, 10, e0145245.	2.5	7
44	The disruptive influence of syphilis cures within specialist venereal systems: implications for HIV cure preparedness: Table A1. <i>Sexually Transmitted Infections</i> , 2015, 91, 2-3.	1.9	6
45	Implementation of electronic medical records requires more than new software: Lessons on integrating and managing health technologies from Mbarara, Uganda. <i>Healthcare</i> , 2015, 3, 264-269.	1.3	9
46	The influence of partnership on contraceptive use among HIV-infected women accessing antiretroviral therapy in rural Uganda. <i>Contraception</i> , 2015, 92, 152-159.	1.5	18
47	Antiretroviral Regimen and Suboptimal Medication Adherence Are Associated With Low-Level Human Immunodeficiency Virus Viremia. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofu119.	0.9	32
48	Assessing Usual Care in Clinical Trials. <i>Western Journal of Nursing Research</i> , 2015, 37, 288-298.	1.4	22
49	Inhaled Nitric Oxide as an Adjunctive Treatment for Cerebral Malaria in Children: A Phase II Randomized Open-Label Clinical Trial. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv111.	0.9	26
50	Know Your Audience: Predictors of Success for a Patient-Centered Texting App to Augment Linkage to HIV Care in Rural Uganda. <i>Journal of Medical Internet Research</i> , 2015, 17, e78.	4.3	45
51	Impact of HIV on CD8+ T Cell CD57 Expression Is Distinct from That of CMV and Aging. <i>PLoS ONE</i> , 2014, 9, e89444.	2.5	85
52	Comparison of Self-Reported Alcohol Consumption to Phosphatidylethanol Measurement among HIV-Infected Patients Initiating Antiretroviral Treatment in Southwestern Uganda. <i>PLoS ONE</i> , 2014, 9, e113152.	2.5	89
53	Household malaria knowledge and its association with bednet ownership in settings without large-scale distribution programs: Evidence from rural Madagascar. <i>Journal of Global Health</i> , 2014, 4, 010401.	2.7	10
54	Empiric Deworming and CD4 Count Recovery in HIV-Infected Ugandans Initiating Antiretroviral Therapy. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3036.	3.0	11

#	ARTICLE	IF	CITATIONS
55	The Kynurenine Pathway of Tryptophan Catabolism, CD4+ T-Cell Recovery, and Mortality Among HIV-Infected Ugandans Initiating Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2014, 210, 383-391.	4.0	101
56	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 1055-1064.	9.1	94
57	An Intervention to Support HIV Preexposure Prophylaxis Adherence in HIV-Serodiscordant Couples in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 522-529.	2.1	56
58	Lost Opportunities to Reduce Periconception HIV Transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, S210-S217.	2.1	45
59	Impact of Geographic and Transportation-Related Barriers on HIV Outcomes in Sub-Saharan Africa: A Systematic Review. <i>AIDS and Behavior</i> , 2014, 18, 1199-1223.	2.7	199
60	Persistent HIV-related Stigma in Rural Uganda during a Period of Increasing HIV Incidence. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A259-A259.	1.1	0
61	Subtype-Specific HIV-1 Adaptation to Host HLA. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A218-A218.	1.1	0
62	Non-medical use of non-opioid psychotherapeutic medications in a community-based cohort of HIV-infected indigent adults. <i>Drug and Alcohol Dependence</i> , 2014, 143, 263-267.	3.2	17
63	Self-reported alcohol abstinence associated with ART initiation among HIV-infected persons in rural Uganda. <i>Drug and Alcohol Dependence</i> , 2014, 134, 151-157.	3.2	24
64	Incomplete adherence to antiretroviral therapy is associated with higher levels of residual HIV-1 viremia. <i>Aids</i> , 2014, 28, 181-186.	2.2	63
65	Internalized Stigma, Social Distance, and Disclosure of HIV Seropositivity in Rural Uganda. <i>Annals of Behavioral Medicine</i> , 2013, 46, 285-294.	2.9	129
66	GPS-measured distance to clinic, but not self-reported transportation factors, are associated with missed HIV clinic visits in rural Uganda. <i>Aids</i> , 2013, 27, 1503-1508.	2.2	83
67	Article Commentary: Long-Term Adherence to Antiretroviral Therapy in Resource-Limited Settings: A Bitter Pill to Swallow. <i>Antiviral Therapy</i> , 2013, 18, 25-28.	1.0	23
68	US medical specialty global health training and the global burden of disease. <i>Journal of Global Health</i> , 2013, 3, 020406.	2.7	54
69	High acceptability for cell phone text messages to improve communication of laboratory results with HIV-infected patients in rural Uganda: a cross-sectional survey study. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 56.	3.0	80
70	A conceptual framework for understanding HIV risk behavior in the context of supporting fertility goals among HIV-serodiscordant couples. <i>Reproductive Health Matters</i> , 2012, 20, 50-60.	1.2	59
71	Mobile phone technologies improve adherence to antiretroviral treatment in a resource-limited setting: a randomized controlled trial of text message reminders. <i>Aids</i> , 2011, 25, 825-834.	2.2	818
72	A single tablet regimen is associated with higher adherence and viral suppression than multiple tablet regimens in HIV+ homeless and marginally housed people. <i>Aids</i> , 2010, 24, 2835-2840.	2.2	158

#	ARTICLE	IF	CITATIONS
73	Challenges in Using Mobile Phones for Collection of Antiretroviral Therapy Adherence Data in a Resource-Limited Setting. <i>AIDS and Behavior</i> , 2010, 14, 1294-1301.	2.7	140
74	Modified directly observed therapy to improve HIV treatment outcomes: Little impact with potent, once-daily therapy in unselected antiretroviral-naïve patients. <i>Current HIV/AIDS Reports</i> , 2009, 6, 173-174.	3.1	6
75	Explaining Adherence Success in Sub-Saharan Africa: An Ethnographic Study. <i>PLoS Medicine</i> , 2009, 6, e1000011.	8.4	322
76	Adherence is not a barrier to successful antiretroviral therapy in South Africa. <i>Aids</i> , 2003, 17, 1369-1375.	2.2	261