Chia-Hung Kao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5443422/publications.pdf

Version: 2024-02-01

606 papers 11,581 citations

47 h-index 65 g-index

611 all docs

611 docs citations

times ranked

611

17297 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Estimating the incidence rate ratio of common cold among patients with non-apnea sleep disorders: a retrospective cohort study. Psychology, Health and Medicine, 2023, 28, 2897-2907. | 1.3 | O |
| 2 | Severe herpes simplex and varicella-zoster viral infection in patients with solid organ transplantation: A nationwide population-based cohort study with propensity score matching analysis. Journal of the American Academy of Dermatology, 2022, 87, 472-474. | 0.6 | 2 |
| 3 | Relationships Between Bronchodilators, Steroids, Antiarrhythmic Drugs, Antidepressants, and Benzodiazepines and Heart Disease and Ischemic Stroke in Patients With Predominant Bronchiectasis and Asthma. Frontiers in Cardiovascular Medicine, 2022, 9, 797623. | 1.1 | 2 |
| 4 | Response to: $\hat{a}\in The$ effect of cholecystectomy on the risk of acute myocardial infarction in patients with gallbladder stones $\hat{a}\in TM$. Postgraduate Medicine, 2022, , 1-1. | 0.9 | 0 |
| 5 | Modeling the Enhanced Efficacy and Curing Depth of Photo-Thermal Dual Polymerization in Metal (Fe) Polymer Composites for 3D Printing. Polymers, 2022, 14, 1158. | 2.0 | 1 |
| 6 | Asthma Therapies on Pulmonary Tuberculosis Pneumonia in Predominant Bronchiectasis–Asthma Combination. Frontiers in Pharmacology, 2022, 13, 790031. | 1.6 | 1 |
| 7 | GLP-1RAs for Ischemic Stroke Prevention in Patients With Type 2 Diabetes Without Established Atherosclerotic Cardiovascular Disease. Diabetes Care, 2022, 45, 1184-1192. | 4.3 | 13 |
| 8 | Low-Parameter Small Convolutional Neural Network Applied to Functional Medical Imaging of Tc-99m Trodat-1 Brain Single-Photon Emission Computed Tomography for Parkinson's Disease. Journal of Personalized Medicine, 2022, 12, 1. | 1.1 | 4 |
| 9 | Effects of statins on the risks of ischemic stroke and heart disease in human immunodeficiency virus infection, influenza and severe acute respiratory syndrome–associated coronavirus: respiratory virus infection with steroid use. Postgraduate Medicine, 2022, , 1-9. | 0.9 | O |
| 10 | Hydroxychloroquine on the Pulmonary Vascular Diseases in Interstitial Lung Disease: Immunologic Effects, and Virus Interplay. Biomedicines, 2022, 10, 1290. | 1.4 | 1 |
| 11 | Prediction of All-Cause Mortality Based on Stress/Rest Myocardial Perfusion Imaging (MPI) Using Deep Learning: A Comparison between Image and Frequency Spectra as Input. Journal of Personalized Medicine, 2022, 12, 1105. | 1.1 | O |
| 12 | CHA2DS2-VASc score as an independent outcome predictor in patients hospitalized with acute ischemic stroke. PLoS ONE, 2022, 17, e0270823. | 1.1 | 2 |
| 13 | Risk of idiopathic peripheral neuropathy in endâ€stage renal disease: A populationâ€based cohort study. International Journal of Clinical Practice, 2021, 75, e13641. | 0.8 | 1 |
| 14 | The effect of cholecystectomy on the risk of acute myocardial infarction in patients with gallbladder stones. Postgraduate Medicine, 2021, 133, 209-216. | 0.9 | 6 |
| 15 | Risk of severe herpes zoster infection in patients with polycystic kidney disease: A nationâ€wide cohort study with propensity score matching analysis. International Journal of Clinical Practice, 2021, 75, e13675. | 0.8 | 3 |
| 16 | Adults with inflammatory bowel disease are at a greater risk of developing chronic rhinosinusitis: A nationwide populationâ€based study. Clinical Otolaryngology, 2021, 46, 196-205. | 0.6 | 4 |
| 17 | Association between lateral epicondylitis and the risk of herpes zoster development. Postgraduate Medicine, 2021, 133, 96-101. | 0.9 | 13 |
| 18 | Risk of herpes zoster infection in men with varicocele. Postgraduate Medicine, 2021, 133, 599-603. | 0.9 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Uterine myoma is associated with an increased risk of lung cancer: A nationwide populationâ€based cohort study. International Journal of Clinical Practice, 2021, 75, e14065. | 0.8 | 0 |
| 20 | Pneumococcal pneumonia in adult hospitalised solid organ transplant recipients: Nationwide, populationâ€based surveillance. International Journal of Clinical Practice, 2021, 75, e14126. | 0.8 | 2 |
| 21 | Lesion-Based Bone Metastasis Detection in Chest Bone Scintigraphy Images of Prostate Cancer Patients Using Pre-Train, Negative Mining, and Deep Learning. Diagnostics, 2021, 11, 518. | 1.3 | 27 |
| 22 | Sex differences in longâ€term cardiovascular outcomes among patients with acute myocardial infarction: A populationâ€based retrospective cohort study. International Journal of Clinical Practice, 2021, 75, e14066. | 0.8 | 5 |
| 23 | Complications of Outpatient and Inpatient Renal Biopsy: A Systematic Review and Meta-Analysis. Diagnostics, 2021, 11, 651. | 1.3 | 2 |
| 24 | Bone Metastasis Detection in the Chest and Pelvis from a Whole-Body Bone Scan Using Deep Learning and a Small Dataset. Electronics (Switzerland), 2021, 10, 1201. | 1.8 | 20 |
| 25 | Pyogenic Liver Abscess Risk in Patients With Newly Diagnosed Type 2 Diabetes Mellitus: A Nationwide, Population-Based Cohort Study. Frontiers in Medicine, 2021, 8, 675345. | 1.2 | 4 |
| 26 | Risk of diabetes mellitus in patients with prostate cancer receiving injection therapy: A nationwide populationâ€based propensity scoreâ€matched study. International Journal of Clinical Practice, 2021, 75, e14416. | 0.8 | 1 |
| 27 | Increased risk of pulmonary and extrapulmonary tuberculosis infection in patients with polycystic kidney disease: a nationwide population-based study with propensity score-matching analysis. Journal of Translational Medicine, 2021, 19, 253. | 1.8 | 1 |
| 28 | Association between angiotensinâ€converting enzyme inhibitors or angiotensin receptor blockers and communityâ€acquired pneumonia: A nationwide population propensityâ€score matching study. International Journal of Clinical Practice, 2021, 75, e14476. | 0.8 | 1 |
| 29 | Association between Hydroxychloroquine and bacterial pneumonia in rheumatic patients: A populationâ€based propensity score matching cohort study. International Journal of Clinical Practice, 2021, 75, e14737. | 0.8 | 1 |
| 30 | Risk of aortic dissection or aneurysm in patients with gallstone disease: a retrospective cohort study in Taiwan. BMJ Open, 2021, 11, e049316. | 0.8 | 1 |
| 31 | To Investigate the Risk of Herpes Zoster in Women With Endometriosis: A Taiwan National Population-Based Cohort Study. Frontiers in Medicine, 2021, 8, 584322. | 1.2 | 9 |
| 32 | Association of antihypertensives during hospitalisation with acute respiratory failure in patients with viral pneumonia: A populationâ€based caseâ€control study. International Journal of Clinical Practice, 2021, 75, e14776. | 0.8 | 0 |
| 33 | Association between systemic sclerosis and peripheral arterial disease: a nationwide observation retrospective claim records cohort study in Taiwan. BMJ Open, 2021, 11, e048149. | 0.8 | O |
| 34 | Adjuvant radiotherapy did not increase the risk of coronary heart disease in patients with non-metastatic breast cancer. Postgraduate Medicine, 2021, , 1-7. | 0.9 | 0 |
| 35 | Time-dependent propensity-matched general population study of the effects of statin use on cancer risk in an interstitial lung disease and pulmonary fibrosis cohort. BMJ Open, 2021, 11, e047039. | 0.8 | 4 |
| 36 | Effects of statins and steroids on coronary artery disease and stroke in patients with interstitial lung disease and pulmonary fibrosis: A general population study. PLoS ONE, 2021, 16, e0259153. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Detection of Bone Metastases on Bone Scans through Image Classification with Contrastive Learning. Journal of Personalized Medicine, 2021, 11, 1248. | 1.1 | 14 |
| 38 | Plantar fascial fibromatosis and herpes zoster. PLoS ONE, 2021, 16, e0259942. | 1.1 | 8 |
| 39 | Association between haemorrhoids and Graves' disease: a retrospective cohort study using data from Taiwan's Longitudinal Health Insurance Database. BMJ Open, 2021, 11, e053442. | 0.8 | 0 |
| 40 | Association between de Quervain syndrome and herpes zoster: a population-based cohort study. BMJ Open, 2021, 11, e046891. | 0.8 | 9 |
| 41 | Prediction of Neoadjuvant Chemoradiotherapy Response in Rectal Cancer with Metric Learning Using Pretreatment 18F-Fluorodeoxyglucose Positron Emission Tomography. Cancers, 2021, 13, 6350. | 1.7 | 2 |
| 42 | The association of ischaemic stroke in patients with heart failure without atrial flutter/fibrillation. Heart, 2020, 106, 616-623. | 1.2 | 15 |
| 43 | Blood Transfusion and Risk of Venous Thromboembolism: A Population-Based Cohort Study. Thrombosis and Haemostasis, 2020, 120, 156-167. | 1.8 | 21 |
| 44 | Risk of Urticaria in Children with Type 1 Diabetes Mellitus: A Nationwide Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 176. | 1.2 | 5 |
| 45 | Herpes zoster in patients with sciatica. BMC Musculoskeletal Disorders, 2020, 21, 813. | 0.8 | 11 |
| 46 | Association between angiotensin receptor blockers and suicide: nationwide population-based propensity score matching study. Journal of Affective Disorders, 2020, 276, 815-821. | 2.0 | 4 |
| 47 | Association between topical beta-blockers and risks of cardiovascular and respiratory disease in patients with glaucoma: a retrospective cohort study. BMJ Open, 2020, 10, e034361. | 0.8 | 2 |
| 48 | Effects of dipeptidyl peptidase-4 inhibitor treatment doses on tuberculosis in patients with diabetes: a long-term nationwide population-based cohort study. Annals of Palliative Medicine, 2020, 9, 2817-2825. | 0.5 | 4 |
| 49 | Association of Hemorrhoids With Hashimoto's Thyroiditis and Associated Comorbidities: A Nationwide Population-Based Cohort Study. Frontiers in Endocrinology, 2020, 11, 577767. | 1.5 | 4 |
| 50 | Positive association of Parkinson's disease with ankylosing spondylitis: a nationwide population-based study. Journal of Translational Medicine, 2020, 18, 455. | 1.8 | 6 |
| 51 | Risk of biliary tract disease in living liver donors: A population-based cohort study. PLoS ONE, 2020, 15, e0230840. | 1.1 | 1 |
| 52 | Increased the risk of heart failure and comorbidities in patients with gout treatment: a population-based cohort study. Annals of Translational Medicine, 2020, 8, 462-462. | 0.7 | 6 |
| 53 | Uterine Fibroids Increase the Risk of Thyroid Cancer. International Journal of Environmental Research and Public Health, 2020, 17, 3821. | 1.2 | 5 |
| 54 | Risk of Viral Infection in Patients Using Either Angiotensin-converting Enzyme Inhibitors or Angiotensin Receptor Blockers: A Nationwide Population-based Propensity Score Matching Study. Clinical Infectious Diseases, 2020, 71, 2695-2701. | 2.9 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Association of Cholecystectomy with the Risk of Prostate Cancer in Patients with Gallstones. Cancers, 2020, 12, 544. | 1.7 | 3 |
| 56 | The Effect of Cholecystectomy on the Risk of Colorectal Cancer in Patients with Gallbladder Stones. Cancers, 2020, 12, 550. | 1.7 | 14 |
| 57 | Suicide attempts in patients with head and neck cancer in Taiwan. Psycho-Oncology, 2020, 29, 1026-1035. | 1.0 | 12 |
| 58 | Dipeptidyl peptidase-4 inhibitor treatment could decrease Klebsiella pneumoniae pneumonia in patients with type 2 diabetes. Postgraduate Medicine, 2020, 132, 714-719. | 0.9 | 2 |
| 59 | Associations among chronic obstructive pulmonary disease with asthma, pneumonia, and corticosteroid use in the general population. PLoS ONE, 2020, 15, e0229484. | 1.1 | 7 |
| 60 | Air pollutants and subsequent risk of chronic kidney disease and end-stage renal disease: A population-based cohort study. Environmental Pollution, 2020, 261, 114154. | 3.7 | 54 |
| 61 | The Risk of Venous Thromboembolism in Patients with Gallstones. International Journal of Environmental Research and Public Health, 2020, 17, 2930. | 1.2 | 8 |
| 62 | Association between Chronic Interstitial Cystitis and Herpes Zoster. International Journal of Environmental Research and Public Health, 2020, 17, 2228. | 1.2 | 12 |
| 63 | Long-Term Mortality and Medical Burden of Patients with Chronic Obstructive Pulmonary Disease with and without Subsequent Stroke Episodes. International Journal of Environmental Research and Public Health, 2020, 17, 2550. | 1.2 | 3 |
| 64 | Suicide Attempt and Suicidal Drug Overdose in Chronic Obstructive Pulmonary Disease Patients With or Without Depression. Frontiers in Psychiatry, 2020, 11, 270. | 1.3 | 2 |
| 65 | Graves' disease could increase polycystic ovary syndrome and comorbidities in Taiwan. Current Medical Research and Opinion, 2020, 36, 1063-1067. | 0.9 | 3 |
| 66 | Gout can increase the risk of periodontal disease in Taiwan. Postgraduate Medicine, 2020, 132, 521-525. | 0.9 | 2 |
| 67 | Association of fine-particulate and acidic-gas air pollution with premenstrual syndrome risk. QJM - Monthly Journal of the Association of Physicians, 2020, 113, 643-650. | 0.2 | 2 |
| 68 | Predicting pathological complete response in rectal cancer after chemoradiotherapy with a random forest using 18F-fluorodeoxyglucose positron emission tomography and computed tomography radiomics. Annals of Translational Medicine, 2020, 8, 207-207. | 0.7 | 22 |
| 69 | Risk of head and neck cancer after chronic pancreatitis. Annals of Translational Medicine, 2020, 8, 213-213. | 0.7 | 2 |
| 70 | Polymyositis/dermatomyositis is a potential risk factor for acute respiratory failure: a pulmonary heart disease. Annals of Translational Medicine, 2020, 8, 202-202. | 0.7 | 4 |
| 71 | Association between Angiotensin-Converting Enzyme Inhibitors and Lung Cancer—A Nationwide, Population-Based, Propensity Score-Matched Cohort Study. Cancers, 2020, 12, 747. | 1.7 | 38 |
| 72 | Increased Risk of Polycystic Ovary Syndrome and It's Comorbidities in Women with Autoimmune Thyroid Disease. International Journal of Environmental Research and Public Health, 2020, 17, 2422. | 1.2 | 23 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Risk of Herpes Zoster in Patients with Adhesive Capsulitis of the Shoulder. International Journal of Environmental Research and Public Health, 2020, 17, 3592. | 1.2 | 11 |
| 74 | Methotrexate at middle and high accumulative doses might be associated with lower risk of new-onset cancers in patients with rheumatoid arthritis: a nationwide population-based cohort study. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2098122. | 1.2 | 5 |
| 75 | Metabolic Imaging Phenotype Using Radiomics of [18F]FDG PET/CT Associated with Genetic Alterations of Colorectal Cancer. Molecular Imaging and Biology, 2019, 21, 183-190. | 1.3 | 35 |
| 76 | Relationship between pneumonia and cardiovascular diseases: A retrospective cohort study of the general population. European Journal of Internal Medicine, 2019, 59, 39-45. | 1.0 | 29 |
| 77 | A retrospective administrative database analysis of the association between clonorchiasis or helminthiasis and the development of cholelithiasis. Current Medical Research and Opinion, 2019, 35, 489-496. | 0.9 | 1 |
| 78 | Risk of gallstones in patients with obstructive sleep apnea: a nationwide observational cohort study. Sleep and Breathing, 2019, 23, 355-362. | 0.9 | 0 |
| 79 | Statin use and Vital Organ Failure in Patients With Asthma–Chronic Obstructive Pulmonary Disease Overlap: A Time-Dependent Population-Based Study. Frontiers in Pharmacology, 2019, 10, 889. | 1.6 | 6 |
| 80 | Artificial Intelligence Prediction Model for the Cost and Mortality of Renal Replacement Therapy in Aged and Super-Aged Populations in Taiwan. Journal of Clinical Medicine, 2019, 8, 995. | 1.0 | 11 |
| 81 | Association between opioid use disorder and fractures: a populationâ€based study. Addiction, 2019, 114, 2008-2015. | 1.7 | 9 |
| 82 | Short-Term Proton Pump Inhibitor Use and Hepatic Encephalopathy Risk in Patients with Decompensated Cirrhosis. Journal of Clinical Medicine, 2019, 8, 1108. | 1.0 | 5 |
| 83 | Long-Term Use of Tamoxifen Is Associated With a Decreased Subsequent Meningioma Risk in Patients With Breast Cancer: A Nationwide Population-Based Cohort Study. Frontiers in Pharmacology, 2019, 10, 674. | 1.6 | 11 |
| 84 | Insulin enhances and metformin reduces risk of colorectal carcinoma in type-2 diabetes. QJM - Monthly Journal of the Association of Physicians, 2019, 113, 194-200. | 0.2 | 5 |
| 85 | Association between abdominal hernia and the risk of subsequent dementia. Brain and Behavior, 2019, 9, e01434. | 1.0 | 2 |
| 86 | Risk of Seizures in Patients with Organophosphate Poisoning: A Nationwide Population-Based Study. International Journal of Environmental Research and Public Health, 2019, 16, 3147. | 1.2 | 14 |
| 87 | Acute pancreatitis risk after kidney transplantation: Propensity score matching analysis of a national cohort. PLoS ONE, 2019, 14, e0222169. | 1.1 | 5 |
| 88 | Development of a novel radioligand for imaging 18-kD translocator protein (TSPO) in a rat model of Parkinson's disease. BMC Medical Imaging, 2019, 19, 78. | 1.4 | 7 |
| 89 | Increased Risks of Suicide Attempt and Suicidal Drug Overdose Following Admission for Head Injury in Patients with Depression. International Journal of Environmental Research and Public Health, 2019, 16, 3524. | 1.2 | 8 |
| 90 | The Different Cardiovascular Outcomes Between Long-Term Efficacy of Hydrophilic and Lipophilic Statin Therapy in Both Asian Diabetic Sexes. Dose-Response, 2019, 17, 155932581987676. | 0.7 | 6 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Effects of Aspirin or Clopidogrel on Colorectal Cancer Chemoprevention in Patients with Type 2 Diabetes Mellitus. Cancers, 2019, 11, 1468. | 1.7 | 9 |
| 92 | Dipeptidyl peptidase-4 inhibitor treatment could decrease chronic rhinosinusitis in diabetic patients. QJM - Monthly Journal of the Association of Physicians, 2019, 113, 181-185. | 0.2 | 0 |
| 93 | The Risk of Stroke in Kidney Transplant Recipients with End-Stage Kidney Disease. International Journal of Environmental Research and Public Health, 2019, 16, 326. | 1.2 | 10 |
| 94 | Prevalence of Depression and Anxiety in Colorectal Cancer Patients: A Literature Review. International Journal of Environmental Research and Public Health, 2019, 16, 411. | 1.2 | 90 |
| 95 | Epilepsy is associated with higher subsequent mortality risk in patients after stroke: a population-based cohort study in Taiwan. Clinical Epidemiology, 2019, Volume 11, 247-255. | 1.5 | 6 |
| 96 | Analyzing Mortality Risk and Medical Burden among Patients with Traumatic Brain Injury and Subsequent Dementia. Journal of Clinical Medicine, 2019, 8, 686. | 1.0 | 0 |
| 97 | Central venous catheter use increases ischemic stroke risk: a nationwide population-based study. QJM - Monthly Journal of the Association of Physicians, 2019, 112, 771-778. | 0.2 | 3 |
| 98 | Prediction of local relapse and distant metastasis in patients with definitive chemoradiotherapy-treated cervical cancer by deep learning from [18F]-fluorodeoxyglucose positron emission tomography/computed tomography. European Radiology, 2019, 29, 6741-6749. | 2.3 | 32 |
| 99 | Reduced risk of stroke following cholecystectomy: A nationwide populationâ€based study. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1992-1998. | 1.4 | 11 |
| 100 | Effects of statins on anxiety and depression in patients with asthma-chronic obstructive pulmonary disease overlap syndrome. Journal of Affective Disorders, 2019, 253, 277-284. | 2.0 | 7 |
| 101 | Erectile Dysfunction in Men With Gallbladder Stone Disease: A Nationwide Population-Based Study. American Journal of Men's Health, 2019, 13, 155798831983958. | 0.7 | 3 |
| 102 | Association of Increased Risk of Pneumonia and Using Proton Pump Inhibitors in Patients With Type II Diabetes Mellitus. Dose-Response, 2019, 17, 155932581984338. | 0.7 | 10 |
| 103 | Association between Dipeptidyl Peptidase-4 Inhibitors and Allergic Rhinitis in Asian Patients with Diabetes. International Journal of Environmental Research and Public Health, 2019, 16, 1323. | 1.2 | 2 |
| 104 | Association Between Alcoholic Cirrhosis and Hemorrhagic Stroke: A Nationwide Population-based Study. Alcohol and Alcoholism, 2019, 54, 302-309. | 0.9 | 3 |
| 105 | Bidirectional association between migraine and fibromyalgia: retrospective cohort analyses of two populations. BMJ Open, 2019, 9, e026581. | 0.8 | 29 |
| 106 | Post-stroke dementia is associated with increased subsequent all-cause mortality: A population-based cohort study. Atherosclerosis, 2019, 284, 148-152. | 0.4 | 5 |
| 107 | Associations between statins and coronary artery disease and stroke risks in patients with asthma–chronic obstructive pulmonary disease overlap syndrome: A time-dependent regression study. Atherosclerosis, 2019, 283, 61-68. | 0.4 | 11 |
| 108 | Mortality Risk and Risk Factors in Patients with Posttraumatic Epilepsy: A Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2019, 16, 589. | 1.2 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Risk of aortic dissection, congestive heart failure, pneumonia and acute respiratory distress syndrome in patients with clinical vertebral fracture: a nationwide population-based cohort study in Taiwan. BMJ Open, 2019, 9, e030939. | 0.8 | 2 |
| 110 | The Performance of Different Artificial Intelligence Models in Predicting Breast Cancer among Individuals Having Type 2 Diabetes Mellitus. Cancers, 2019, 11, 1751. | 1.7 | 8 |
| 111 | Differences in Incidence and Risks of Suicide Attempt and Suicidal Drug Overdose between Patients with Epilepsy with and without Comorbid Depression. International Journal of Environmental Research and Public Health, 2019, 16, 4533. | 1.2 | 6 |
| 112 | Effect of Bronchodilator and Steroid Use on Heart Disease and Stroke Risks in a Bronchiectasis–Chronic Obstructive Pulmonary Disease Overlap Cohort: A Propensity Score Matching Study. Frontiers in Pharmacology, 2019, 10, 1409. | 1.6 | 3 |
| 113 | Risk of Parkinson disease in Sjögren syndrome administered ineffective immunosuppressant therapies. Medicine (United States), 2019, 98, e14984. | 0.4 | 13 |
| 114 | Risk of Polycystic Ovary Syndrome in Women Exposed to Fine Air Pollutants and Acidic Gases: A Nationwide Cohort Analysis. International Journal of Environmental Research and Public Health, 2019, 16, 4816. | 1.2 | 20 |
| 115 | Sequential risk of depression in children born prematurely: A nationwide population- based analysis. Journal of Affective Disorders, 2019, 243, 42-47. | 2.0 | 5 |
| 116 | Association between neurodegenerative diseases and pneumonia: a retrospective population-based study. Current Medical Research and Opinion, 2019, 35, 1033-1039. | 0.9 | 2 |
| 117 | Association between proton pump inhibitors use and risk of gastric cancer in patients with GERD. Gut, 2019, 68, 374-376. | 6.1 | 28 |
| 118 | Sleep apnea and risk of traumatic brain injury and associated mortality and healthcare costs: a population-based cohort study. Annals of Translational Medicine, 2019, 7, 644-644. | 0.7 | 4 |
| 119 | The Utilization of Stress Tests Prior to Percutaneous Coronary Intervention for Stable Coronary Artery Disease in Taiwan. Acta Cardiologica Sinica, 2019, 35, 111-117. | 0.1 | 4 |
| 120 | Risk of acute coronary syndrome in patients with cervical spondylosis. Atherosclerosis, 2018, 271, 136-141. | 0.4 | 18 |
| 121 | Association between nasopharyngeal carcinoma and risk of optic neuropathy: A populationâ€based cohort study. Head and Neck, 2018, 40, 1977-1985. | 0.9 | 3 |
| 122 | Authors' reply. Heart, 2018, 104, 450.2-450. | 1.2 | 0 |
| 123 | Risk of acute coronary syndrome and peripheral arterial disease in chronic liver disease and cirrhosis: A nationwide population-based study. Atherosclerosis, 2018, 270, 154-159. | 0.4 | 25 |
| 124 | Prevalence of suicide attempts and their risk factors in school-aged patients with epilepsy: a population-based study. European Child and Adolescent Psychiatry, 2018, 27, 1047-1053. | 2.8 | 12 |
| 125 | The effect of antibiotic prophylaxis for acute pelvic inflammatory disease after hysterosalpingography: a retrospective cohort study. Current Medical Research and Opinion, 2018, 34, 1271-1276. | 0.9 | 4 |
| 126 | Risk of Suicide Attempt in Poststroke Patients: A Populationâ€Based Cohort Study. Journal of the American Heart Association, 2018, 7, . | 1.6 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Evaluating clinical risk factors for suicide attempts in patients with epilepsy. Journal of Affective Disorders, 2018, 229, 79-84. | 2.0 | 20 |
| 128 | Associations of Tumor PD-1 Ligands, Immunohistochemical Studies, and Textural Features in 18F-FDG PET in Squamous Cell Carcinoma of the Head and Neck. Scientific Reports, 2018, 8, 105. | 1.6 | 47 |
| 129 | Association between obstructive sleep apnea and atopic dermatitis in children: A nationwide, populationâ€based cohort study. Pediatric Allergy and Immunology, 2018, 29, 260-266. | 1.1 | 13 |
| 130 | Dementia and vagotomy in Taiwan: a population-based cohort study. BMJ Open, 2018, 8, e019582. | 0.8 | 17 |
| 131 | Risk of stroke in patients with dengue fever: a population-based cohort study. Cmaj, 2018, 190, E285-E290. | 0.9 | 18 |
| 132 | Risk of developing pressure sore in amyotrophic lateral sclerosis patients – a nationwide cohort study. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 1589-1596. | 1.3 | 8 |
| 133 | Disability benefits as an incentive for hysterectomy: Uterine fibroid patients in Taiwan. Women and Health, 2018, 58, 866-883. | 0.4 | 1 |
| 134 | Risk of depressive disorder among patients with head and neck cancer: A nationwide populationâ€based study. Head and Neck, 2018, 40, 312-323. | 0.9 | 22 |
| 135 | Risk of osteoporosis in thyroid cancer patients using levothyroxine: a population-based study. Current Medical Research and Opinion, 2018, 34, 805-812. | 0.9 | 23 |
| 136 | Impact of initial myocardial perfusion imaging versus invasive coronary angiography on outcomes in coronary artery disease: a nationwide cohort study. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 567-574. | 3.3 | 9 |
| 137 | The use of intravenous magnesium sulfate on postoperative analgesia in orthopedic surgery. Medicine (United States), 2018, 97, e13583. | 0.4 | 23 |
| 138 | Gallbladder Stone Disease Is Associated with an Increased Risk of Migraines. Journal of Clinical Medicine, 2018, 7, 455. | 1.0 | 5 |
| 139 | Statin for Tuberculosis and Pneumonia in Patients with Asthma–Chronic Pulmonary Disease Overlap Syndrome: A Time-Dependent Population-Based Cohort Study. Journal of Clinical Medicine, 2018, 7, 381. | 1.0 | 20 |
| 140 | Association of Tramadol and Hypoglycemia in Diabetic Asians. Journal of Clinical Medicine, 2018, 7, 380. | 1.0 | 4 |
| 141 | Development of a prediction model for pancreatic cancer in patients with type 2 diabetes using logistic regression and artificial neural network models. Cancer Management and Research, 2018, Volume 10, 6317-6324. | 0.9 | 40 |
| 142 | Association of Exposure to Fine-Particulate Air Pollution and Acidic Gases with Incidence of Nephrotic Syndrome. International Journal of Environmental Research and Public Health, 2018, 15, 2860. | 1.2 | 24 |
| 143 | Reduced Risks of Both Ischemic and Hemorrhagic Strokes in Nurses: A Population-Based Cohort Study in Taiwan. International Journal of Environmental Research and Public Health, 2018, 15, 2615. | 1.2 | 0 |
| 144 | Proton Pump Inhibitor Use is Associated With Risk of Pancreatic Cancer: A Nested Case–Control Study. Dose-Response, 2018, 16, 155932581880328. | 0.7 | 19 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Syncope and Collapse Are Associated with an Increased Risk of Cardiovascular Disease and Mortality in Patients Undergoing Dialysis. International Journal of Environmental Research and Public Health, 2018, 15, 2082. | 1.2 | О |
| 146 | Risk, Severity, and Predictors of Obstructive Sleep Apnea in Hemodialysis and Peritoneal Dialysis Patients. International Journal of Environmental Research and Public Health, 2018, 15, 2377. | 1.2 | 11 |
| 147 | Propensity Score-Matched Analysis of the Survival Benefit from Kidney Transplantation in Patients with End-Stage Renal Disease. Journal of Clinical Medicine, 2018, 7, 388. | 1.0 | 5 |
| 148 | Intensive Periodontal Treatment Reduces Risks of Hospitalization for Cardiovascular Disease and All-Cause Mortality in the Hemodialysis Population. Journal of Clinical Medicine, 2018, 7, 344. | 1.0 | 11 |
| 149 | Association of Depression and Cervical Spondylosis: A Nationwide Retrospective Propensity Score-Matched Cohort Study. Journal of Clinical Medicine, 2018, 7, 387. | 1.0 | 8 |
| 150 | Risk and Predisposing Factors for Suicide Attempts in Patients with Migraine and Status Migrainosus: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2018, 7, 269. | 1.0 | 12 |
| 151 | Development of a Prediction Model for Colorectal Cancer among Patients with Type 2 Diabetes Mellitus Using a Deep Neural Network. Journal of Clinical Medicine, 2018, 7, 277. | 1.0 | 15 |
| 152 | Risk of suicide attempts among colorectal cancer patients: A nationwide populationâ€based matched cohort study. Psycho-Oncology, 2018, 27, 2794-2801. | 1.0 | 8 |
| 153 | Staging/restaging performance of F18-fluorodeoxyglucose positron emission tomography/magnetic resonance imaging in breast cancer: A review and meta-analysis. European Journal of Radiology, 2018, 107, 158-165. | 1.2 | 16 |
| 154 | Association between Hashimoto's thyroiditis and cholelithiasis: a retrospective cohort study in Taiwan. BMJ Open, 2018, 8, e020798. | 0.8 | 3 |
| 155 | Association Between Migraine and Breast Cancer Risk: A Population-Based Cohort Study and Literature Review. Journal of Women's Health, 2018, 27, 1499-1507. | 1.5 | 7 |
| 156 | Renal complications and subsequent mortality in acute critically ill patients without pre-existing renal disease. Cmaj, 2018, 190, E1070-E1080. | 0.9 | 5 |
| 157 | Risk of posterior circulation stroke in patients with cervical spondylosis: A nationwide, population-based study. Atherosclerosis, 2018, 277, 42-46. | 0.4 | 3 |
| 158 | Survival outcome and mortality rate in patients with migraine: a population-based cohort study. Journal of Headache and Pain, 2018, 19, 57. | 2.5 | 8 |
| 159 | Risk of Appendicitis among Children with Different Piped Water Supply: A Nationwide Population-Based Study. International Journal of Environmental Research and Public Health, 2018, 15, 1601. | 1.2 | 3 |
| 160 | Simvastatin Therapy for Drug Repositioning to Reduce the Risk of Prostate Cancer Mortality in Patients With Hyperlipidemia. Frontiers in Pharmacology, 2018, 9, 225. | 1.6 | 27 |
| 161 | Digoxin and Amiodarone on the Risk of Ischemic Stroke in Atrial Fibrillation: An Observational Study. Frontiers in Pharmacology, 2018, 9, 448. | 1.6 | 5 |
| 162 | A Retrospective Administrative Database Analysis of Suicide Attempts and Completed Suicide in Patients With Chronic Pancreatitis. Frontiers in Psychiatry, 2018, 9, 147. | 1.3 | 12 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Association Between Cholangiocarcinoma and Proton Pump Inhibitors Use: A Nested Case-Control Study. Frontiers in Pharmacology, 2018, 9, 718. | 1.6 | 8 |
| 164 | Cystectomy for bladder cancer in elderly patients is not associated with increased 30- and 90-day mortality or readmission, length of stay, and cost: propensity score matching using a population database. Cancer Management and Research, 2018, Volume 10, 1413-1418. | 0.9 | 11 |
| 165 | Association between Cervical Spondylosis and Migraine: A Nationwide Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2018, 15, 587. | 1.2 | 9 |
| 166 | Association between Inflammatory Bowel Disease and Cholelithiasis: A Nationwide Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2018, 15, 513. | 1.2 | 17 |
| 167 | Evidence for an Association between Macular Degeneration and Thyroid Cancer in the Aged Population. International Journal of Environmental Research and Public Health, 2018, 15, 902. | 1.2 | 10 |
| 168 | Young-Adult Polycystic Kidney Disease is Associated with Major Cardiovascular Complications. International Journal of Environmental Research and Public Health, 2018, 15, 903. | 1.2 | 4 |
| 169 | The association between bowel obstruction and the management of cholelithiasis and cholecystitis in elderly patients: A population-based cohort study. European Journal of Internal Medicine, 2018, 57, 83-90. | 1.0 | 1 |
| 170 | Does nephrotic syndrome without chronic kidney disease increase the risk of Parkinson's disease and secondary parkinsonism? A nationwide population-based study in Taiwan. BMJ Open, 2018, 8, e020821. | 0.8 | 4 |
| 171 | Increased risk of autoimmune diseases in dengue patients: A population-based cohort study. Journal of Infection, 2018, 77, 212-219. | 1.7 | 26 |
| 172 | Association of Arrhythmia in Patients with Cervical Spondylosis: A Nationwide Population-Based Cohort Study. Journal of Clinical Medicine, 2018, 7, 236. | 1.0 | 9 |
| 173 | Textural features of cervical cancers on FDG-PET/CT associate with survival and local relapse in patients treated with definitive chemoradiotherapy. Scientific Reports, 2018, 8, 11859. | 1.6 | 30 |
| 174 | Association of Higher Migraine Risk Among Female and Younger Chronic Osteomyelitis Patients: Evidence from a Taiwan Cohort of One Million. Pain Physician, 2018, 21, E149-E156. | 0.3 | 2 |
| 175 | Is Fibromyalgia Risk Higher Among Male and Young Inflammatory Bowel Disease Patients? Evidence from a Taiwan Cohort of One Million. Pain Physician, 2018, 21, E257-E264. | 0.3 | 4 |
| 176 | Association of dementia in patients with benign paroxysmal positional vertigo. Acta Neurologica Scandinavica, 2017, 135, 197-203. | 1.0 | 11 |
| 177 | Female schizophrenia patients and risk of breast cancer: A population-based cohort study. Schizophrenia Research, 2017, 188, 165-171. | 1.1 | 35 |
| 178 | Selective Serotonin Reuptake Inhibitors and Poststroke Epilepsy. Mayo Clinic Proceedings, 2017, 92, 193-199. | 1.4 | 7 |
| 179 | Traumatic intracranial haemorrhage is in association with an increased risk of subsequent atrial fibrillation. Heart, 2017, 103, 1286-1291. | 1.2 | 5 |
| 180 | Antidepressants and risk of dementia in migraine patients: A population-based case-control study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 77, 83-89. | 2.5 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | [18]Fluorodeoxyglucose Positron Emission Tomography for the Textural Features of Cervical Cancer Associated with Lymph Node Metastasis and Histological Type. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 1721-1731. | 3.3 | 38 |
| 182 | Asthma and early herniated intervertebral disc disease. Current Medical Research and Opinion, 2017, 33, 2019-2025. | 0.9 | 2 |
| 183 | Risk of mood disorders in patients with colorectal cancer. Journal of Affective Disorders, 2017, 218, 59-65. | 2.0 | 20 |
| 184 | Risk of acute kidney injury after transarterial chemoembolisation in hepatocellular carcinoma patients: A nationwide population-based cohort study. European Radiology, 2017, 27, 4482-4489. | 2.3 | 11 |
| 185 | Risk of hypothyroidism among patients with nasopharyngeal carcinoma treated with radiation therapy: A Population-Based Cohort Study. Radiotherapy and Oncology, 2017, 123, 394-400. | 0.3 | 25 |
| 186 | Effects of metformin exposure on neurodegenerative diseases in elderly patients with type 2 diabetes mellitus. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 79, 77-83. | 2.5 | 123 |
| 187 | Impact of periodontal treatment on hospitalization for adverse respiratory events in asthmatic adults: A propensity-matched cohort study. European Journal of Internal Medicine, 2017, 46, 56-60. | 1.0 | 14 |
| 188 | Risk of Periodontal Disease in Patients With Asthma: A Nationwide Populationâ€Based Retrospective Cohort Study. Journal of Periodontology, 2017, 88, 723-730. | 1.7 | 24 |
| 189 | Correlation of pretreatment 18F-FDG PET tumor textural features with gene expression in pharyngeal cancer and implications for radiotherapy-based treatment outcomes. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 567-580. | 3.3 | 33 |
| 190 | Cancer risk in patients with osteoporosis: a population-based cohort study. Current Medical Research and Opinion, 2017, 33, 733-739. | 0.9 | 4 |
| 191 | Increased Risk of New-Onset Fibromyalgia Among Chronic Osteomyelitis Patients: Evidence From a Taiwan Cohort Study. Journal of Pain, 2017, 18, 222-227. | 0.7 | 6 |
| 192 | Association between schizophrenia and urinary incontinence: A population-based study. Psychiatry Research, 2017, 248, 35-39. | 1.7 | 9 |
| 193 | Major depressive disorder is associated with subsequent adult-onset asthma: a population-based cohort study. Epidemiology and Psychiatric Sciences, 2017, 26, 664-671. | 1.8 | 16 |
| 194 | Risk of age-related macular degeneration in patients with prostate cancer: a nationwide, population-based cohort study. Annals of Oncology, 2017, 28, 2575-2580. | 0.6 | 8 |
| 195 | Increased risk of pyogenic liver abscess in patients with alcohol intoxication: A population-based retrospective cohort study. Alcohol, 2017, 64, 23-28. | 0.8 | 10 |
| 196 | Polycystic kidney disease is significantly associated with dementia risk. Neurology, 2017, 89, 1457-1463. | 1.5 | 9 |
| 197 | Spironolactone and the risk of urinary tract cancer in patients with hypertension. Journal of Hypertension, 2017, 35, 170-177. | 0.3 | 14 |
| 198 | Association between radioiodine treatment for thyroid cancer and risk of stroke. Head and Neck, 2017, 39, 2311-2318. | 0.9 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Risk of Parkinson disease after organophosphate or carbamate poisoning. Acta Neurologica Scandinavica, 2017, 136, 129-137. | 1.0 | 15 |
| 200 | Immunohistochemical studies and fluorodeoxyglucose uptake on positron emission tomography in pharyngeal cancer for predicting radiotherapyâ€based treatment outcomes. Clinical Otolaryngology, 2017, 42, 608-619. | 0.6 | 9 |
| 201 | Comparative risk of chronic kidney diseases in patients with urolithiasis and urological interventions: a longitudinal population-based study. Urolithiasis, 2017, 45, 465-472. | 1.2 | 7 |
| 202 | The Association Between Barium Examination and Subsequent Appendicitis: A Nationwide Population-Based Study. American Journal of Medicine, 2017, 130, 54-60.e5. | 0.6 | 8 |
| 203 | Adult asthma is associated with an increased risk of herpes zoster: A population-based cohort study. Journal of Asthma, 2017, 54, 250-257. | 0.9 | 22 |
| 204 | Statin Therapy Is Associated with Reduced Risk of Peptic Ulcer Disease in the Taiwanese Population. Frontiers in Pharmacology, 2017, 8, 210. | 1.6 | 17 |
| 205 | Increased risk of dementia in patients hospitalized with acute kidney injury: A nationwide population-based cohort study. PLoS ONE, 2017, 12, e0171671. | 1.1 | 28 |
| 206 | The relationship of depression in asthma–chronic obstructive pulmonary disease overlap syndrome. PLoS ONE, 2017, 12, e0188017. | 1.1 | 8 |
| 207 | Cancer risk in patients with candidiasis: a nationwide population-based cohort study. Oncotarget, 2017, 8, 63562-63573. | 0.8 | 59 |
| 208 | Lower Urinary Tract Infection and Subsequent Risk of Prostate Cancer: A Nationwide Population-Based Cohort Study. PLoS ONE, 2017, 12, e0168254. | 1.1 | 9 |
| 209 | Risk of second primary malignancies among patients with prostate cancer: A population-based cohort study. PLoS ONE, 2017, 12, e0175217. | 1.1 | 19 |
| 210 | Effect of acute pancreatitis on the risk of developing osteoporosis: A nationwide cohort study. PLoS ONE, 2017, 12, e0179358. | 1.1 | 7 |
| 211 | Erectile dysfunction and the risk of prostate cancer. Oncotarget, 2017, 8, 52690-52698. | 0.8 | 10 |
| 212 | Immunohistochemical biomarkers and volumetric parameters for predicting radiotherapy-based outcomes in patients with p16-negative pharyngeal cancer. Oncotarget, 2017, 8, 72342-72351. | 0.8 | 1 |
| 213 | Septicemia is associated with increased risk for dementia: a population-based longitudinal study. Oncotarget, 2017, 8, 84300-84308. | 0.8 | 25 |
| 214 | Leptospirosis and Depression. Journal of Clinical Psychiatry, 2017, 78, e398-e403. | 1.1 | 3 |
| 215 | Risk of peripheral arterial occlusive disease in patients with rheumatoid arthritis. Thrombosis and Haemostasis, 2016, 115, 439-445. | 1.8 | 24 |
| 216 | Risk of venous thromboembolism in patients with splenic injury and splenectomy. Thrombosis and Haemostasis, 2016, 115, 176-183. | 1.8 | 15 |

| # | Article | IF | Citations |
|-----|---|------------------|--------------|
| 217 | Analysis of Patients with Helicobacter pylori Infection and the Subsequent Risk of Developing Osteoporosis after Eradication Therapy: A Nationwide Population-Based Cohort Study. PLoS ONE, 2016, 11, e0162645. | 1.1 | 21 |
| 218 | Atrial Fibrillation is Associated With Morphine Treatment in Female Breast Cancer Patients. Medicine (United States), 2016, 95, e3102. | 0.4 | 10 |
| 219 | Leptospirosis and Peripheral Artery Occlusive Disease. Medicine (United States), 2016, 95, e3127. | 0.4 | 2 |
| 220 | Infective Endocarditis and Cancer Risk. Medicine (United States), 2016, 95, e3198. | 0.4 | 20 |
| 221 | Unprovoked venous thromboembolism and subsequent cancer risk: a populationâ€based cohort study. Journal of Thrombosis and Haemostasis, 2016, 14, 495-503. | 1.9 | 21 |
| 222 | Risk of cancer among cardiologists who frequently perform percutaneous coronary interventions: a populationâ€based study. European Journal of Clinical Investigation, 2016, 46, 527-534. | 1.7 | 9 |
| 223 | Pyogenic liver abscess in patients with inflammatory bowel disease: a nationwide cohort study. Liver International, 2016, 36, 136-144. | 1.9 | 29 |
| 224 | Does Migraine Increase the Risk of Glaucoma?. Medicine (United States), 2016, 95, e3670. | 0.4 | 20 |
| 225 | Prolong Exposure of NSAID in Patients With RA Will Decrease the Risk of Dementia. Medicine (United) Tj ETQq1 I | 1 0.78431 0.4 | 4 rgBT /Over |
| 226 | Pregnancy Incidence in Female Nasopharyngeal Carcinoma Survivors of Reproductive Age. Medicine (United States), 2016, 95, e3729. | 0.4 | 3 |
| 227 | Immunohistochemical overexpression of hypoxia-induced factor $1\hat{l}\pm$ associated with slow reduction in 18fluoro-2-deoxy-D-glucose uptake for chemoradiotherapy in patients with pharyngeal cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 2343-2352. | 3.3 | 0 |
| 228 | Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers reduced dementia risk in patients with diabetes mellitus and hypertension. International Journal of Cardiology, 2016, 220, 462-466. | 0.8 | 27 |
| 229 | Association Between the Use of Proton Pump Inhibitors and the Risk of ESRD in Renal Diseases. Medicine (United States), 2016, 95, e3363. | 0.4 | 45 |
| 230 | Inflammatory bowel disease on the risk of acute pancreatitis: A populationâ€based cohort study. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 782-787. | 1.4 | 28 |
| 231 | Reply: Risk of Breast Cancer in Patients with Thyroid Cancer Receiving 131I Treatment: Is There an Immortal Time Bias?. Journal of Nuclear Medicine, 2016, 57, 1324.2-1325. | 2.8 | 0 |
| 232 | Risk of epilepsy in type 1 diabetes mellitus: a population-based cohort study. Diabetologia, 2016, 59, 1196-1203. | 2.9 | 55 |
| 233 | Association of statin use and the risk of end-stage renal disease: A nationwide Asian population-based case–control study. European Journal of Internal Medicine, 2016, 31, 68-72. | 1.0 | 9 |
| 234 | A Nationwide Population-Based Cohort Study of Migraine and Organic-Psychogenic Erectile Dysfunction. Medicine (United States), 2016, 95, e3065. | 0.4 | 18 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 235 | Risk of Nongenitourinary Cancers in Patients With Spinal Cord Injury. Medicine (United States), 2016, 95, e2462. | 0.4 | 14 |
| 236 | Association Between Reduced Risk of Intracerebral Hemorrhage and Pelvic Inflammatory Disease. Medicine (United States), 2016, 95, e2726. | 0.4 | 3 |
| 237 | Impact of long-term gastric acid suppression on spontaneous bacterial peritonitis in patients with advanced decompensated liver cirrhosis. European Journal of Internal Medicine, 2016, 32, 91-95. | 1.0 | 30 |
| 238 | Association Between Tuberculosis and Parkinson Disease. Medicine (United States), 2016, 95, e2883. | 0.4 | 33 |
| 239 | Association of systemic lupus erythematosus and sleep disorders: a nationwide population-based cohort study. Lupus, 2016, 25, 382-388. | 0.8 | 15 |
| 240 | Increased subsequent risk of erectile dysfunction among middle and old age males with chronic osteomyelitis: a nationwide population-based cohort study. International Journal of Impotence Research, 2016, 28, 143-147. | 1.0 | 4 |
| 241 | Men with nonapnea sleep disorders have a high risk of developing subsequent epilepsy: A nationwide population-based cohort study. Preventive Medicine, 2016, 91, 211-216. | 1.6 | 0 |
| 242 | Firstâ€ever stroke following hip replacement surgeries: a large populationâ€based survey. European Journal of Clinical Investigation, 2016, 46, 931-939. | 1.7 | 3 |
| 243 | Reduced Risk of Parkinson Disease in Patients With Rheumatoid Arthritis. Mayo Clinic Proceedings, 2016, 91, 1346-1353. | 1.4 | 32 |
| 244 | Risk of cancer in patients with polycystic kidney disease: a propensity-score matched analysis of a nationwide, population-based cohort study. Lancet Oncology, The, 2016, 17, 1419-1425. | 5.1 | 82 |
| 245 | Risk of cancer in patients with polycystic kidney disease – Authors' reply. Lancet Oncology, The, 2016, 17, e476. | 5.1 | 3 |
| 246 | Herpes zoster infection increases the risk of peripheral arterial disease. Medicine (United States), 2016, 95, e4480. | 0.4 | 11 |
| 247 | Increased risk of brain tumor in patients with Parkinson's disease: a nationwide cohort study in Taiwan. Acta Neurologica Scandinavica, 2016, 134, 148-153. | 1.0 | 15 |
| 248 | Reply to the letter to the editor â€~On the tumor risk from dental diagnostic X-ray exposure' by Jargin. Annals of Oncology, 2016, 27, 1177-1178. | 0.6 | 0 |
| 249 | Air pollution exposure increases the risk of rheumatoid arthritis: A longitudinal and nationwide study. Environment International, 2016, 94, 495-499. | 4.8 | 79 |
| 250 | Increased risk of fracture in patients with bipolar disorder: a nationwide cohort study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1331-1338. | 1.6 | 21 |
| 251 | The intriguing relationship between epilepsy and type 1 diabetes mellitus. Reply to Sander JW, Novy J, Keezer MR [letter]. Diabetologia, 2016, 59, 1571-1572. | 2.9 | 1 |
| 252 | More on gout, erectile dysfunction and depression. European Journal of Internal Medicine, 2016, 31, e14. | 1.0 | 1 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 253 | Author's Reply: National Health Insurance database in Taiwan. European Journal of Internal Medicine, 2016, 31, e11-e12. | 1.0 | 6 |
| 254 | Cancer risk in East Asian patients associated with acquired haemolytic anaemia: a nationwide population-based cohort study. BMC Cancer, 2016, 16, 57. | 1.1 | 5 |
| 255 | Authors' reply to radiotherapy did not increase thyroid cancer risk among women with breast cancer: A nationwide population-based cohort study. International Journal of Cancer, 2016, 138, 1803-1804. | 2.3 | 1 |
| 256 | Diverticular disease and additional comorbidities associated with increased risk of dementia. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 1816-1822. | 1.4 | 15 |
| 257 | Periodontal Treatment Reduces Risk of Adverse Respiratory Events in Patients With Chronic Obstructive Pulmonary Disease. Medicine (United States), 2016, 95, e3735. | 0.4 | 34 |
| 258 | Association Between Parkinson $\hat{E}\frac{1}{4}$ s Disease and Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1049-1055. | 0.9 | 154 |
| 259 | Peptic Ulcer Disease in Living Liver Donors: A Longitudinal Population-Based Study. American Journal of Transplantation, 2016, 16, 2925-2931. | 2.6 | 3 |
| 260 | Association of hepatitis B virus infection with decreased ischemic stroke. Acta Neurologica Scandinavica, 2016, 134, 339-345. | 1.0 | 15 |
| 261 | Increased risk of tinnitus in patients with temporomandibular disorder: a retrospective population-based cohort study. European Archives of Oto-Rhino-Laryngology, 2016, 273, 203-208. | 0.8 | 35 |
| 262 | Short-term dipeptidyl peptidase-4 inhibitor use increases the risk of herpes zoster infection in Asian patients with diabetes. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 91-95. | 0.2 | 14 |
| 263 | Increased osteoporosis risk in dermatomyositis or polymyositis independent of the treatments: a population-based cohort study with propensity score. Endocrine, 2016, 52, 86-92. | 1.1 | 18 |
| 264 | Chronic obstructive pulmonary disease is a strong independent risk factor for osteoporosis and pathologic fractures: a population-based cohort study. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 70-70. | 0.2 | 0 |
| 265 | New-onset Atrial Fibrillation is Associated With Polycystic Kidney Disease. Medicine (United States), 2016, 95, e2623. | 0.4 | 14 |
| 266 | Childhood type 1 diabetes may increase the risk of atopic dermatitis. British Journal of Dermatology, 2016, 174, 88-94. | 1.4 | 16 |
| 267 | Association of Dementia and Peptic Ulcer Disease. American Journal of Alzheimer's Disease and Other Dementias, 2016, 31, 389-394. | 0.9 | 14 |
| 268 | The impact of global budgeting on health service utilization, health care expenditures, and quality of care among patients with pneumonia in Taiwan. European Journal of Clinical Microbiology and Infectious Diseases, 2016, 35, 219-225. | 1.3 | 11 |
| 269 | Gastroesophageal reflux disease with proton pump inhibitor use is associated with an increased risk of osteoporosis: a nationwide population-based analysis. Osteoporosis International, 2016, 27, 2117-2126. | 1.3 | 29 |
| 270 | Clinical studies stemming from the Taiwan National Health Insurance Database. European Journal of Internal Medicine, 2016, 31, e8. | 1.0 | 6 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 271 | Risk of Breast Cancer in Patients with Thyroid Cancer Receiving or Not Receiving 1311 Treatment: A Nationwide Population-Based Cohort Study. Journal of Nuclear Medicine, 2016, 57, 685-690. | 2.8 | 22 |
| 272 | Association Between Zolpidem and Suicide: A Nationwide Population-Based Case-Control Study. Mayo Clinic Proceedings, 2016, 91, 308-315. | 1.4 | 47 |
| 273 | Association between ischemic stroke and carbon monoxide poisoning: A population-based retrospective cohort analysis. European Journal of Internal Medicine, 2016, 29, 65-70. | 1.0 | 20 |
| 274 | Increased risk of lung cancer among patients with bronchiectasis: a nationwide cohort study. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 17-25. | 0.2 | 26 |
| 275 | Hepatitis C virus infection as a risk factor for Parkinson disease. Neurology, 2016, 86, 840-846. | 1.5 | 63 |
| 276 | Increased Risk of Mesenteric Ischemia in Patients With Alcohol Use Disorder. Mayo Clinic Proceedings, 2016, 91, 189-195. | 1.4 | 6 |
| 277 | Spinal cord injury is associated with an increased risk of atrial fibrillation: A population-based cohort study. Heart Rhythm, 2016, 13, 416-423. | 0.3 | 14 |
| 278 | Long-term use of tamoxifen reduces the risk of dementia: a nationwide population-based cohort study. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 103-109. | 0.2 | 30 |
| 279 | Incident asthma and Mycoplasma pneumoniae: AÂnationwide cohort study. Journal of Allergy and Clinical Immunology, 2016, 137, 1017-1023.e6. | 1.5 | 55 |
| 280 | Splenectomy increases the subsequent risk of systemic lupus erythematosus. Rheumatology International, 2016, 36, 271-276. | 1.5 | 8 |
| 281 | Decreased risk of intracerebral hemorrhage among patients with milder allergic rhinitis. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 161-165. | 0.2 | 3 |
| 282 | Risk of type 2 diabetes mellitus in patients with acute critical illness: a population-based cohort study. Intensive Care Medicine, 2016, 42, 38-45. | 3.9 | 14 |
| 283 | Sleep disorders increase risk of subsequent erectile dysfunction in individuals without sleep apnea: a nationwide population-base cohort study. Sleep Medicine, 2016, 17, 64-68. | 0.8 | 26 |
| 284 | Irritable Bowel Syndrome Is Associated with an Increased Risk of Dementia: A Nationwide Population-Based Study. PLoS ONE, 2016, 11, e0144589. | 1.1 | 84 |
| 285 | Statins Attenuate Helicobacter pylori CagA Translocation and Reduce Incidence of Gastric Cancer: In Vitro and Population-Based Case-Control Studies. PLoS ONE, 2016, 11, e0146432. | 1.1 | 39 |
| 286 | A Population-Based Cohort Study on Peripheral Arterial Disease in Patients with Schizophrenia. PLoS ONE, 2016, 11, e0148759. | 1.1 | 5 |
| 287 | Bidirectional Association between Asthma and Irritable Bowel Syndrome: Two Population-Based Retrospective Cohort Studies. PLoS ONE, 2016, 11, e0153911. | 1.1 | 26 |
| 288 | Association of Herpes Zoster and Type 1 Diabetes Mellitus. PLoS ONE, 2016, 11, e0155175. | 1.1 | 22 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Increased Risk of Dementia in Patients with Tension-Type Headache: A Nationwide Retrospective Population-Based Cohort Study. PLoS ONE, 2016, 11, e0156097. | 1.1 | 29 |
| 290 | The Risk of Peripheral Arterial Disease after Parathyroidectomy in Patients with End-Stage Renal Disease. PLoS ONE, 2016, 11, e0156863. | 1.1 | 10 |
| 291 | Increased Risk of Acute Kidney Injury following Pneumococcal Pneumonia: A Nationwide Cohort Study. PLoS ONE, 2016, 11, e0158501. | 1.1 | 12 |
| 292 | Asthma–Chronic Obstructive Pulmonary Diseases Overlap Syndrome Increases the Risk of Incident Tuberculosis: A National Cohort Study. PLoS ONE, 2016, 11, e0159012. | 1.1 | 13 |
| 293 | Risk of Nephrotic Syndrome following Enteroviral Infection in Children: A Nationwide Retrospective Cohort Study. PLoS ONE, 2016, 11, e0161004. | 1.1 | 9 |
| 294 | Asthma–Chronic Obstructive Pulmonary Disease Overlap Syndrome Associated with Risk of Pulmonary Embolism. PLoS ONE, 2016, 11, e0162483. | 1.1 | 14 |
| 295 | Association between gallbladder stone disease and prostate cancer: A nationwide population-based study. Oncotarget, 2016, 7, 64380-64389. | 0.8 | 15 |
| 296 | Antidepressant Treatment and Risk of Dementia. Journal of Clinical Psychiatry, 2016, 77, 117-122. | 1.1 | 56 |
| 297 | Group A Streptococcal Infections Are Associated With Increased Risk of Pediatric Neuropsychiatric Disorders. Journal of Clinical Psychiatry, 2016, 77, e848-e854. | 1.1 | 23 |
| 298 | Association of Selective Serotonin Reuptake Inhibitor Use and Acute Angle–Closure Glaucoma. Journal of Clinical Psychiatry, 2016, 77, e692-e696. | 1.1 | 54 |
| 299 | | | |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Risk of Periodontal Diseases in Patients With Chronic Obstructive Pulmonary Disease. Medicine (United States), 2015, 94, e2047. | 0.4 | 47 |
| 308 | Type II diabetes mellitus is associated with a reduced risk of cholangiocarcinoma in patients with biliary tract diseases. International Journal of Cancer, 2015, 136, 2409-2417. | 2.3 | 8 |
| 309 | Nonalcoholic Cirrhosis Increased Risk of Digestive Tract Malignancies. Medicine (United States), 2015, 94, e2080. | 0.4 | 11 |
| 310 | Association between Glaucoma Medication Usage and Dry Eye in Taiwan. Optometry and Vision Science, 2015, 92, e227-e232. | 0.6 | 24 |
| 311 | A nationwide populationâ€based cohort study on tonsillectomy and subsequent cancer incidence. Laryngoscope, 2015, 125, 134-139. | 1.1 | 16 |
| 312 | Risk of liver cirrhosis in patients with tuberculosis: aÂnationwide cohort study. European Journal of Clinical Investigation, 2015, 45, 663-669. | 1.7 | 8 |
| 313 | Dyshidrosis is a risk factor for herpes zoster. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 2177-2183. | 1.3 | 10 |
| 314 | Multiple sclerosis increases the risk of venous thromboembolism: a nationwide cohort analysis. European Journal of Clinical Investigation, 2015, 45, 1228-1233. | 1.7 | 8 |
| 315 | Association between pneumoconiosis and pulmonary emboli. Thrombosis and Haemostasis, 2015, 113, 952-957. | 1.8 | 2 |
| 316 | Risk relation between rhinitis and acute ischemic stroke. Allergy and Asthma Proceedings, 2015, 36, 106-112. | 1.0 | 7 |
| 317 | Angiotensinâ€converting enzyme inhibitors and bacterial pneumonia in patients with Parkinson disease. Movement Disorders, 2015, 30, 593-596. | 2.2 | 11 |
| 318 | Genetic Alterations in Colorectal Cancer Have Different Patterns on 18F-FDG PET/CT. Clinical Nuclear Medicine, 2015, 40, 621-626. | 0.7 | 24 |
| 319 | Association between <i>Helicobacter pylori </i> infection and the subsequent risk of end-stage renal disease: a nationwide population-based cohort study. International Journal of Clinical Practice, 2015, 69, 604-610. | 0.8 | 17 |
| 320 | Association Between Benzodiazepine Use and Epilepsy Occurrence. Medicine (United States), 2015, 94, e1571. | 0.4 | 10 |
| 321 | Enterovirus Encephalitis Increases the Risk of Attention Deficit Hyperactivity Disorder. Medicine (United States), 2015, 94, e707. | 0.4 | 22 |
| 322 | Risk of diabetes mellitus among patients with myasthenia gravis. Acta Neurologica Scandinavica, 2015, 132, 132-138. | 1.0 | 12 |
| 323 | Increased risk of varicella zoster virus infection in inflammatory bowel disease in an Asian population: a nationwide population-based cohort study. International Journal of Clinical Practice, 2015, 69, 228-234. | 0.8 | 39 |
| 324 | Risks and predictors of osteoporosis in patients with inflammatory bowel diseases in an Asian population: a nationwide population-based cohort study. International Journal of Clinical Practice, 2015, 69, 235-241. | 0.8 | 33 |

| # | Article | IF | Citations |
|-----|--|-------------------|--------------|
| 325 | Association Between Chronic Osteomyelitis and Risk of End-Stage Renal Disease. Medicine (United) Tj ETQq $1\ 1\ 0$ | 0.784314 i 0.4 | rgBT/Overlo |
| 326 | Irritable Bowel Syndrome Increases the Risk of Epilepsy. Medicine (United States), 2015, 94, e1497. | 0.4 | 15 |
| 327 | Increased risk of organic erectile dysfunction in patients with chronic fatigue syndrome: a nationwide population-based cohort study. Andrology, 2015, 3, 666-671. | 1.9 | 6 |
| 328 | Increased risk of liver cirrhosis for tuberculosis infection: response to Shen. European Journal of Clinical Investigation, 2015, 45, 1001-1002. | 1.7 | 0 |
| 329 | Higher Risk of Myasthenia Gravis in Patients With Thyroid and Allergic Diseases. Medicine (United) Tj ETQq $1\ 1\ 0$. | 784314 rg | ;BT/Overlock |
| 330 | Pneumoconiosis Increases the Risk of Peripheral Arterial Disease. Medicine (United States), 2015, 94, e911. | 0.4 | 15 |
| 331 | Preexisting Diabetes and Risks of Morbidity and Mortality After Gastrectomy for Gastric Cancer. Medicine (United States), 2015, 94, e1467. | 0.4 | 9 |
| 332 | A Large-Scale Study Indicates Increase in the Risk of Epilepsy in Patients With Different Risk Factors, Including Rheumatoid Arthritis. Medicine (United States), 2015, 94, e1485. | 0.4 | 22 |
| 333 | Hepatitis C Virus Infection Associated With an Increased Risk of Deep Vein Thrombosis. Medicine (United States), 2015, 94, e1585. | 0.4 | 34 |
| 334 | Risk of Type 2 Diabetes in Patients With Nonapnea Sleep Disorders in Using Different Types of Hypnotics. Medicine (United States), 2015, 94, e1621. | 0.4 | 11 |
| 335 | Risk of Peripheral Arterial Occlusive Disease in Patients With Systemic Lupus Erythematosus. Medicine (United States), 2015, 94, e2121. | 0.4 | 21 |
| 336 | Depression and the Risk of Peptic Ulcer Disease. Medicine (United States), 2015, 94, e2333. | 0.4 | 24 |
| 337 | Inflammatory Bowel Disease Increases the Risk of Peripheral Arterial Disease. Medicine (United States), 2015, 94, e2381. | 0.4 | 24 |
| 338 | Antiarrhythmic Agents and the Risk of Malignant Neoplasm of Liver and Intrahepatic Bile Ducts. PLoS ONE, 2015, 10, e0116960. | 1.1 | 9 |
| 339 | Risk of Obstructive Sleep Apnea in Adult Patients with Asthma: A Population-Based Cohort Study in Taiwan. PLoS ONE, 2015, 10, e0128461. | 1.1 | 45 |
| 340 | Lichen Simplex Chronicus Associated With Erectile Dysfunction: A Population-Based Retrospective Cohort Study. PLoS ONE, 2015, 10, e0128869. | 1.1 | 11 |
| 341 | Increased Acquired Cholesteatoma Risk in Patients with Osteoporosis: A Retrospective Cohort Study. PLoS ONE, 2015, 10, e0132447. | 1.1 | 10 |
| 342 | Diabetes increases the risk of deep-vein thrombosis and pulmonary embolism. Thrombosis and Haemostasis, 2015, 114, 812-818. | 1.8 | 79 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|-------------|
| 343 | Neonatal jaundice and increased risk of attentionâ€deficit hyperactivity disorder: a populationâ€based cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 460-467. | 3.1 | 29 |
| 344 | Higher-Dose Uses of Zolpidem Will Increase the Subsequent Risk of Developing Benign Brain Tumors. Journal of Neuropsychiatry and Clinical Neurosciences, 2015, 27, e107-e111. | 0.9 | 5 |
| 345 | Carbon monoxide poisoning and risk of deep vein thrombosis and pulmonary embolism: a nationwide retrospective cohort study. Journal of Epidemiology and Community Health, 2015, 69, 557-562. | 2.0 | 29 |
| 346 | Neonatal jaundice and risks of childhood allergic diseases: a population-based cohort study. Pediatric Research, 2015, 78, 223-230. | 1.1 | 33 |
| 347 | Long-term risk of mesenteric ischemia in patients with inflammatory bowel disease: a 13-year nationwide cohort study in an Asian population. American Journal of Surgery, 2015, 210, 80-86. | 0.9 | 22 |
| 348 | Pre-existing diabetes and risks of morbidity and mortality after liver transplantation: A nationwide database study in an Asian population. European Journal of Internal Medicine, 2015, 26, 433-438. | 1.0 | 16 |
| 349 | Anti-tuberculosis treatments and risk of hepatocellular carcinoma in tuberculosis patients with liver cirrhosis: a population-based case–control study. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 479-485. | 1.3 | 8 |
| 350 | Atrial fibrillation associated with increased risk of venous thromboembolism. Thrombosis and Haemostasis, 2015, 113, 185-192. | 1.8 | 42 |
| 351 | Exposure to Air pollution Increases the Risk of Osteoporosis. Medicine (United States), 2015, 94, e733. | 0.4 | 60 |
| 352 | Increased Risk of Peripheral Arterial Disease After Hip Replacement. Medicine (United States), 2015, 94, e870. | 0.4 | 10 |
| 353 | Association between lumbar discectomy and subsequent cervical discectomy. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 813-818. | 0.2 | 1 |
| 354 | Increased Risk of Chronic Fatigue Syndrome Following Atopy. Medicine (United States), 2015, 94, e1211. | 0.4 | 11 |
| 355 | Risk of Peripheral Artery Disease in Patients With Carbon Monoxide Poisoning. Medicine (United) Tj ETQq1 1 0.7 | 84314 rgB 0.4 | T Overlock |
| 356 | Increased Subsequent Risk of Peptic Ulcer Diseases in Patients With Bipolar Disorders. Medicine (United States), 2015, 94, e1203. | 0.4 | 11 |
| 357 | Comparison of Acute Respiratory Events Between Asthma–COPD Overlap Syndrome and COPD Patients. Medicine (United States), 2015, 94, e755. | 0.4 | 44 |
| 358 | Risk Factors Associated with End-Stage Renal Disease (ESRD) in Patients With Atherosclerotic Renal Artery Stenosis. Medicine (United States), 2015, 94, e912. | 0.4 | 6 |
| 359 | High risk of developing subsequent epilepsy in young adults with migraine: a nationwide population-based cohort study in Taiwan. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 449-455. | 0.2 | 14 |
| 360 | Mycoplasma pneumonia increases the risk of acute coronary syndrome: a nationwide population-based cohort study. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 697-703. | 0.2 | 4 |

| # | Article | IF | Citations |
|-----|---|-----------|----------------|
| 361 | Irritable bowel syndrome is associated not only with organic but also psychogenic erectile dysfunction. International Journal of Impotence Research, 2015, 27, 233-238. | 1.0 | 11 |
| 362 | High Risk of Depressive Disorders in Patients With Gout. Medicine (United States), 2015, 94, e2401. | 0.4 | 20 |
| 363 | Statin Use Reduces Prostate Cancer All-Cause Mortality. Medicine (United States), 2015, 94, e1644. | 0.4 | 30 |
| 364 | Increased Risk of Herpes Zoster Following Dermatomyositis and Polymyositis. Medicine (United) Tj ETQq0 0 0 r | gBT/Overl | ock 10 Tf 50 6 |
| 365 | The Risk of Septicemia in End-Stage Renal Disease With and Without Renal Transplantation. Medicine (United States), 2015, 94, e1437. | 0.4 | 11 |
| 366 | Association of Periodontitis and Subsequent Depression. Medicine (United States), 2015, 94, e2347. | 0.4 | 39 |
| 367 | Increased risk of chronic fatigue syndrome in patients with migraine: A retrospective cohort study. Journal of Psychosomatic Research, 2015, 79, 514-518. | 1.2 | 15 |
| 368 | Increased Risk of Osteoporosis in Patients With Depression. Mayo Clinic Proceedings, 2015, 90, 63-70. | 1.4 | 25 |
| 369 | Inflammatory Bowel Disease Increases the Risks of Deep Vein Thrombosis and Pulmonary Embolism in the Hospitalized Patients: A Nationwide Cohort Study. Thrombosis Research, 2015, 135, 492-496. | 0.8 | 34 |
| 370 | A population-based cohort study on deep vein thrombosis and pulmonary embolism among schizophrenia patients. Schizophrenia Research, 2015, 162, 248-252. | 1.1 | 40 |
| 371 | Chronic obstructive pulmonary disease and allied conditions is a strong independent risk factor for osteoporosis and pathologic fractures: a population-based cohort study. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 633-640. | 0.2 | 33 |
| 372 | Hepatitis C virus infection increases the risk of developing peripheral arterial disease: A 9-year population-based cohort study. Journal of Hepatology, 2015, 62, 519-525. | 1.8 | 60 |
| 373 | Sleep disorders increase the risk of venous thromboembolism in individuals without sleep apnea: a nationwide population-based cohort study in Taiwan. Sleep Medicine, 2015, 16, 168-172. | 0.8 | 9 |
| 374 | Carvedilol use is associated with reduced cancer risk: A nationwide population-based cohort study. International Journal of Cardiology, 2015, 184, 9-13. | 0.8 | 55 |
| 375 | The association between chronic obstructive pulmonary disease and dementia: a populationâ€based retrospective cohort study. European Journal of Neurology, 2015, 22, 334-340. | 1.7 | 41 |
| 376 | Risk Stratification of Metastatic Neck Nodes by CT and PET in Patients with Head and Neck Cancer Receiving Definitive Radiotherapy. Journal of Nuclear Medicine, 2015, 56, 183-189. | 2.8 | 17 |
| 377 | Survival outcome of patients with nasopharyngeal carcinoma: a nationwide analysis of 13Â407 patients in Taiwan. Clinical Otolaryngology, 2015, 40, 327-334. | 0.6 | 27 |
| 378 | Helicobacter pylori infection and the risk of acute coronary syndrome: a nationwide retrospective cohort study. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 69-74. | 1.3 | 30 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 379 | Subsequent risk of nasopharyngeal carcinoma among patients with allergic rhinitis: A nationwide population-based cohort study. Head and Neck, 2015, 37, 413-417. | 0.9 | 17 |
| 380 | Balanitis is a risk factor for herpes zoster. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 985-990. | 1.3 | 7 |
| 381 | Increased risk of dementia among chronic osteomyelitis patients. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 153-159. | 1.3 | 13 |
| 382 | Association between pneumococcal pneumonia and venous thromboembolism in hospitalized patients: A nationwide populationâ€based study. Respirology, 2015, 20, 799-804. | 1.3 | 25 |
| 383 | Gout is associated with organic and psychogenic erectile dysfunction. European Journal of Internal Medicine, 2015, 26, 691-695. | 1.0 | 25 |
| 384 | The effect of statins on the occurrence of peptic ulcer. European Journal of Internal Medicine, 2015, 26, 731-735. | 1.0 | 6 |
| 385 | Thalassemia and risk of dementia: A nationwide population-based retrospective cohort study. European Journal of Internal Medicine, 2015, 26, 554-559. | 1.0 | 7 |
| 386 | Neonatal urinary tract infection may increase the risk of childhood asthma. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 1773-1778. | 1.3 | 5 |
| 387 | Higher risk of developing a subsequent migraine in adults with nonapnea sleep disorders: A nationwide population-based cohort study. European Journal of Internal Medicine, 2015, 26, 232-236. | 1.0 | 10 |
| 388 | Decreased prevalence of dementia associated with statins: a national populationâ€based study. European Journal of Neurology, 2015, 22, 912-918. | 1.7 | 24 |
| 389 | Increased risk of acute coronary syndrome among leptospirosis patients: A nationwide cohort analysis. International Journal of Cardiology, 2015, 184, 576-580. | 0.8 | 7 |
| 390 | Carvedilol use and specific cancer risk in the population with hypertension: Reply. International Journal of Cardiology, 2015, 190, 159-160. | 0.8 | 2 |
| 391 | Risk of Ear-Associated Diseases After Zygomaticomaxillary Complex Fracture. Journal of Maxillofacial and Oral Surgery, 2015, 14, 646-652. | 0.6 | 3 |
| 392 | $5\hat{l}\pm$ -Reductase inhibitors increase acute coronary syndrome risk in patients with benign prostate hyperplasia. Journal of Endocrinological Investigation, 2015, 38, 799-805. | 1.8 | 6 |
| 393 | Atrial fibrillation is associated with increased risk of erectile dysfunction: A nationwide population-based cohort study. International Journal of Cardiology, 2015, 190, 106-110. | 0.8 | 16 |
| 394 | Hospitalization for Inflammatory Bowel Disease is Associated with Increased Risk of Breast Cancer: A Nationwide Cohort Study of an Asian Population. Annals of Surgical Oncology, 2015, 22, 1996-2002. | 0.7 | 9 |
| 395 | Statins can increase the risk of herpes zoster infection in Asia. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 1451-1458. | 1.3 | 15 |
| 396 | Tamoxifen Treatment and the Reduced Risk of Hyperlipidemia in Asian Patients With Breast Cancer: A Population-Based Cohort Study. Clinical Breast Cancer, 2015, 15, 294-300. | 1.1 | 10 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 397 | 131I treatment for thyroid cancer and the risk of developing salivary and lacrimal gland dysfunction and a second primary malignancy: a nationwide population-based cohort study. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1172-1178. | 3.3 | 36 |
| 398 | Increased subsequent risk of acute coronary syndrome for patients with dermatomyositis/polymyositis: a nationwide population-based retrospective cohort study. Scandinavian Journal of Rheumatology, 2015, 44, 42-47. | 0.6 | 11 |
| 399 | Nonapnea Sleep Disorders and Incident Chronic Kidney Disease. Medicine (United States), 2015, 94, e429. | 0.4 | 20 |
| 400 | Long-Term Risk of Acute Coronary Syndrome in Splenectomized Patients Due to Splenic Injury. Medicine (United States), 2015, 94, e610. | 0.4 | 7 |
| 401 | The Association Between Spinal Cord Injury and Acute Myocardial Infarction in a Nationwide Population-Based Cohort Study. Spine, 2015, 40, 147-152. | 1.0 | 11 |
| 402 | Statins are associated with a reduced risk of cholangiocarcinoma: a populationâ€based case–control study. British Journal of Clinical Pharmacology, 2015, 80, 755-761. | 1.1 | 36 |
| 403 | Carbon Monoxide Poisoning and Subsequent Cardiovascular Disease Risk. Medicine (United States), 2015, 94, e624. | 0.4 | 48 |
| 404 | Increased Risk of Dementia Among Patients With Pulmonary Tuberculosis. American Journal of Alzheimer's Disease and Other Dementias, 2015, 30, 629-634. | 0.9 | 9 |
| 405 | Risk of coronary artery disease in transfusion-naÃ-ve thalassemia populations: A nationwide population-based retrospective cohort study. European Journal of Internal Medicine, 2015, 26, 250-254. | 1.0 | 10 |
| 406 | The risk of colorectal cancer is related to frequent hospitalization of IBD in an Asian population: results from a nationwide study. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 457-463. | 0.2 | 7 |
| 407 | Subsequent Cancer Risk of Women Receiving Hysterosalpingography: A Nationwide Population-Based Retrospective Cohort Study. Women and Health, 2015, 55, 613-622. | 0.4 | 0 |
| 408 | Gynecological malignancy risk in colorectal cancer survivors: AÂpopulation-based cohort study. European Journal of Oncology Nursing, 2015, 19, 473-478. | 0.9 | 1 |
| 409 | A populationâ€based nested case–control study: the use of 5â€alphaâ€reductase inhibitors and the increased risk of osteoporosis diagnosis in patients with benign prostate hyperplasia. Clinical Endocrinology, 2015, 82, 503-508. | 1.2 | 23 |
| 410 | Pulmonary embolism is associated with current morphine treatment in patients with deep vein thrombosis. Clinical Respiratory Journal, 2015, 9, 233-237. | 0.6 | 9 |
| 411 | Reply: The association between chronic obstructive pulmonary disease and dementia: a populationâ€based retrospective cohort study. European Journal of Neurology, 2015, 22, e71. | 1.7 | 1 |
| 412 | Radiotherapy did not increase thyroid cancer risk among women with breast cancer: A nationwide populationâ€based cohort study. International Journal of Cancer, 2015, 137, 2896-2903. | 2.3 | 13 |
| 413 | Long-term risk of pancreatitis and diabetes after cholecystectomy in patients with cholelithiasis but no pancreatitis history: A 13-year follow-up study. European Journal of Internal Medicine, 2015, 26, 540-544. | 1.0 | 0 |
| 414 | Risk of leukaemia in children infected with enterovirus: a nationwide, retrospective, population-based, Taiwanese-registry, cohort study. Lancet Oncology, The, 2015, 16, 1335-1343. | 5.1 | 45 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | Association of atrial fibrillation and erectile dysfunction: Reply. International Journal of Cardiology, 2015, 197, 166. | 0.8 | 1 |
| 416 | The use of adjunctive traditional Chinese medicine therapy and survival outcome in patients with head and neck cancer: a nationwide population-based cohort study. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 959-965. | 0.2 | 24 |
| 417 | Splenectomy and increased subsequent cancer risk: a nationwide population-based cohort study. American Journal of Surgery, 2015, 210, 243-251. | 0.9 | 44 |
| 418 | Changing roles of computed tomography in diagnosing acute appendicitis in emergency rooms. QJM - Monthly Journal of the Association of Physicians, 2015 , 108 , 625 - 631 . | 0.2 | 3 |
| 419 | Clinical Value of ¹⁸ F-FDG PET/CT in Detecting Adrenal Metastasis in Patients with Hepatocellular Carcinoma. Technology in Cancer Research and Treatment, 2015, 14, 593-599. | 0.8 | 4 |
| 420 | Increased risk of cardiovascular events in end-stage renal disease patients with osteoporosis: a nationwide population-based cohort study. Osteoporosis International, 2015, 26, 785-793. | 1.3 | 9 |
| 421 | Cancer risks among the users of ergot-derived dopamine agonists for Parkinson's disease, a nationwide population-based survey. Parkinsonism and Related Disorders, 2015, 21, 18-22. | 1.1 | 11 |
| 422 | Long-term risk of acute coronary syndrome in hepatitis C virus infected patients without antiviral treatment: A cohort study from an endemic area. International Journal of Cardiology, 2015, 181, 27-29. | 0.8 | 15 |
| 423 | Bronchiectasis and the risk of cancer: a nationwide retrospective cohort study. International Journal of Clinical Practice, 2015, 69, 682-688. | 0.8 | 18 |
| 424 | Correlation between use of simvastatin and lovastatin and female lung cancer risk: a nationwide case-control study. International Journal of Clinical Practice, 2015, 69, 571-576. | 0.8 | 11 |
| 425 | Risk of Parkinson's Disease Following Zolpidem Use. Journal of Clinical Psychiatry, 2015, 76, e104-e110. | 1.1 | 19 |
| 426 | High Prevalence of Herpes Zoster in Patients With Depression. Journal of Clinical Psychiatry, 2015, 76, e1099-e1104. | 1.1 | 34 |
| 427 | Nontuberculous Mycobacterial Infection Is Associated with Increased Respiratory Failure: A Nationwide Cohort Study. PLoS ONE, 2014, 9, e99260. | 1.1 | 14 |
| 428 | Increased Risk of Dementia in Patients Exposed to Nitrogen Dioxide and Carbon Monoxide: A Population-Based Retrospective Cohort Study. PLoS ONE, 2014, 9, e103078. | 1.1 | 117 |
| 429 | Rheumatoid Arthritis Increases the Risk of Nontuberculosis Mycobacterial Disease and Active Pulmonary Tuberculosis. PLoS ONE, 2014, 9, e110922. | 1.1 | 23 |
| 430 | Association between chronic osteomyelitis and deep-vein thrombosis. Thrombosis and Haemostasis, 2014, 112, 573-579. | 1.8 | 10 |
| 431 | Pulmonary tuberculosis increases the risk of pulmonary thromboembolism: a nationwide population-based cohort study. Thrombosis and Haemostasis, 2014, 112, 1325-1327. | 1.8 | 4 |
| 432 | Increased Risks of Deep Vein Thrombosis and Pulmonary Embolism in Sjögren Syndrome: A Nationwide Cohort Study. Journal of Rheumatology, 2014, 41, 909-915. | 1.0 | 35 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Rheumatoid arthritis increases the risk of deep vein thrombosis and pulmonary thromboembolism: a nationwide cohort study. Annals of the Rheumatic Diseases, 2014, 73, 1774-1780. | 0.5 | 155 |
| 434 | Calcitonin Nasal Spray and Increased Cancer Risk: A Population-Based Nested Case-Control Study. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4259-4264. | 1.8 | 41 |
| 435 | Increased risk of cancer for patients with ankylosing spondylitis: a nationwide population-based retrospective cohort study. Scandinavian Journal of Rheumatology, 2014, 43, 301-306. | 0.6 | 32 |
| 436 | Idiopathic venous thromboembolism: a potential surrogate for occult cancer. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 529-536. | 0.2 | 18 |
| 437 | Asthma increases pulmonary thromboembolism risk: a nationwide population cohort study. European Respiratory Journal, 2014, 43, 801-807. | 3.1 | 79 |
| 438 | Cancer risk among gingivitis and periodontitis patients: a nationwide cohort study. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 283-290. | 0.2 | 67 |
| 439 | Chronic fatigue syndrome is associated with the risk of fracture: a nationwide cohort study. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 635-641. | 0.2 | 3 |
| 440 | Cardiologist service volume, percutaneous coronary intervention and hospital level in relation to medical costs and mortality in patients with acute myocardial infarction: a nationwide study. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 557-564. | 0.2 | 7 |
| 441 | Increased depression, diabetes and diabetic complications in Graves' disease patients in Asia. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 727-733. | 0.2 | 13 |
| 442 | Tuberculosis increases the subsequent risk of acute coronary syndrome: a nationwide population-based cohort study. International Journal of Tuberculosis and Lung Disease, 2014, 18, 79-83. | 0.6 | 76 |
| 443 | Increased breast cancer risk for patients with multiple sclerosis: a nationwide populationâ€based cohort study. European Journal of Neurology, 2014, 21, 238-244. | 1.7 | 51 |
| 444 | Increased subsequent risk of acute coronary syndrome for patients with depressive disorder: A nationwide populationâ€based retrospective cohort study. Psychiatry and Clinical Neurosciences, 2014, 68, 263-269. | 1.0 | 6 |
| 445 | Benzodiazepine use and risk of stroke: A retrospective populationâ€based cohort study. Psychiatry and Clinical Neurosciences, 2014, 68, 255-262. | 1.0 | 23 |
| 446 | Early Changes in Brain FDG Metabolism during Anticancer Therapy in Patients with Pharyngeal Cancer. Journal of Neuroimaging, 2014, 24, 266-272. | 1.0 | 11 |
| 447 | Herpes zoster infection associated with acute coronary syndrome: a population-based retrospective cohort study. British Journal of Dermatology, 2014, 170, 1122-1129. | 1.4 | 19 |
| 448 | Risk of accidental injuries amongst <scp>P</scp> arkinson disease patients. European Journal of Neurology, 2014, 21, 907-913. | 1.7 | 9 |
| 449 | Risk of Subsequent Asthma in Children With Febrile Seizures: A Nationwide Population-Based Retrospective Cohort Study. Pediatric Neurology, 2014, 51, 795-799. | 1.0 | 5 |
| 450 | Increased risk of lichen simplex chronicus in people with anxiety disorder: a nationwide population-based retrospective cohort study. British Journal of Dermatology, 2014, 170, 890-894. | 1.4 | 26 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 451 | Paediatric head CT scan and subsequent risk of malignancy and benign brain tumour: a nation-wide population-based cohort study. British Journal of Cancer, 2014, 110, 2354-2360. | 2.9 | 171 |
| 452 | Increased depression risk among patients with chronic osteomyelitis. Journal of Psychosomatic Research, 2014, 77, 535-540. | 1.2 | 28 |
| 453 | Adult asthmatics increase the risk of acute coronary syndrome: A nationwide population-based cohort study. European Journal of Internal Medicine, 2014, 25, 941-945. | 1.0 | 30 |
| 454 | The association of peptic ulcer and schizophrenia: A population-based study. Journal of Psychosomatic Research, 2014, 77, 541-546. | 1.2 | 15 |
| 455 | Increased risk of end-stage renal disease among hip fracture patients. European Journal of Internal Medicine, 2014, 25, 956-961. | 1.0 | 9 |
| 456 | Attentionâ€deficitâ€hyperactivity disorder increases risk of bone fracture: a populationâ€based cohort study. Developmental Medicine and Child Neurology, 2014, 56, 1111-1116. | 1.1 | 46 |
| 457 | Association between leukaemia and <scp>X</scp> â€ray in children: A nationwide study. Journal of Paediatrics and Child Health, 2014, 50, 615-618. | 0.4 | 5 |
| 458 | Systemic lupus erythematosus increases the risks of deep vein thrombosis and pulmonary embolism: a nationwide cohort study. Journal of Thrombosis and Haemostasis, 2014, 12, 452-458. | 1.9 | 69 |
| 459 | Periodontal disease with treatment reduces subsequent cancer risks. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 805-812. | 0.2 | 39 |
| 460 | Pretreatment 18F-FDG PET/CT in Whole-Body Total Lesion Glycolysis to Predict Survival in Patients With Pharyngeal Cancer Treated With Definitive Radiotherapy. Clinical Nuclear Medicine, 2014, 39, e296-e300. | 0.7 | 15 |
| 461 | Long-term Risk of Acute Coronary Syndrome in Patients with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2014, 20, 502-507. | 0.9 | 31 |
| 462 | A New Method for Detecting Urinary Bladder Cancer by Using FDG PET/CT. Technology in Cancer Research and Treatment, 2014, 13, 369-376. | 0.8 | 1 |
| 463 | Increased risk of osteoporosis in patients with myasthenia gravis. Neurology, 2014, 83, 1075-1079. | 1.5 | 25 |
| 464 | Correlation Between PET/CT Parameters and KRAS Expression in Colorectal Cancer. Clinical Nuclear Medicine, 2014, 39, 685-689. | 0.7 | 42 |
| 465 | Correlations Between 18F-FDG PET/CT Parameters and Pathological Findings in Patients With Rectal Cancer. Clinical Nuclear Medicine, 2014, 39, e40-e45. | 0.7 | 5 |
| 466 | Increased stroke risk among adult asthmatic patients. European Journal of Clinical Investigation, 2014, 44, 1025-1033. | 1.7 | 27 |
| 467 | Increased Risk of Deep Vein Thrombosis and Pulmonary Thromboembolism in Patients with Spinal Cord Injury: A Nationwide Cohort Prospective Study. Thrombosis Research, 2014, 133, 579-584. | 0.8 | 52 |
| 468 | Association Between Colonic Diverticular Disease and Colorectal Cancer: A Nationwide Population-Based Study. Clinical Gastroenterology and Hepatology, 2014, 12, 1288-1294. | 2.4 | 36 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 469 | The relationship between secondary hyperparathyroidism and thyroid cancer in end stage renal disease: A population based cohort study. European Journal of Internal Medicine, 2014, 25, 276-280. | 1.0 | 23 |
| 470 | Modest increase in risk of acute coronary syndrome associated with morphine use in cancer patients: A population-based nested case-control study. European Journal of Oncology Nursing, 2014, 18, 295-298. | 0.9 | 8 |
| 471 | Risk of prostate and bladder cancers in patients with spinal cord injury: A population-based cohort study1. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 51.e1-51.e7. | 0.8 | 25 |
| 472 | The Status of Heart Transplantation in Taiwan, 2005–2010. Transplantation Proceedings, 2014, 46, 934-936. | 0.3 | 4 |
| 473 | A nationwide population-based retrospective cohort study: Increased risk of acute myocardial infarction in systemic lupus erythematous patients. International Journal of Cardiology, 2014, 174, 751-753. | 0.8 | 7 |
| 474 | Secondary primary cancer in patients with head and neck carcinoma: the differences among hypopharyngeal, laryngeal, and other sites of head and neck cancer. European Journal of Cancer Care, 2014, 23, 36-42. | 0.7 | 8 |
| 475 | Cancer risk in patients with cholelithiasis and after cholecystectomy: a nationwide cohort study. Journal of Gastroenterology, 2014, 49, 923-931. | 2.3 | 83 |
| 476 | Increased risk of dementia in patients with osteoporosis: a population-based retrospective cohort analysis. Age, 2014, 36, 967-975. | 3.0 | 77 |
| 477 | An association between benzodiazepine use and occurrence of benign brain tumors. Journal of the Neurological Sciences, 2014, 336, 8-12. | 0.3 | 14 |
| 478 | Nontuberculosis Mycobacterium Disease is a Risk Factor for Chronic Obstructive Pulmonary Disease: A Nationwide Cohort Study. Lung, 2014, 192, 403-411. | 1.4 | 22 |
| 479 | Ankylosing spondylitis and other inflammatory spondyloarthritis increase the risk of developing type 2 diabetes in an Asian population. Rheumatology International, 2014, 34, 265-270. | 1.5 | 35 |
| 480 | Subsequent cancer risk of children receiving post voiding cystourethrography: A nationwide population-based retrospective cohort study. Pediatric Nephrology, 2014, 29, 885-891. | 0.9 | 13 |
| 481 | Women with alopecia exhibit a higher risk for thyroid cancer: A nationwide cohort study. Journal of Dermatological Science, 2014, 74, 18-22. | 1.0 | 6 |
| 482 | Non-Apnea Sleep Disorder Increases the Risk of Periodontal Disease: A Retrospective Population-Based Cohort Study. Journal of Periodontology, 2014, 85, e65-e71. | 1.7 | 25 |
| 483 | Spinal cord injury increases the risk of Type 2 diabetes: a population-based cohort study. Spine Journal, 2014, 14, 1957-1964. | 0.6 | 37 |
| 484 | Systemic sclerosis increases the risks of deep vein thrombosis and pulmonary thromboembolism: a nationwide cohort study. Rheumatology, 2014, 53, 1639-1645. | 0.9 | 27 |
| 485 | Scrub typhus increases the risk of developing acute coronary syndrome: a nationwide cohort study. Heart, 2014, 100, 1844-1850. | 1.2 | 18 |
| 486 | Pneumococcal pneumonia infection is associated with end-stage renal disease in adult hospitalized patients. Kidney International, 2014, 86, 1023-1030. | 2.6 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Association between migraine and irritable bowel syndrome: a populationâ€based retrospective cohort study. European Journal of Neurology, 2014, 21, 1198-1204. | 1.7 | 53 |
| 488 | A high risk of hyperlipidemia in epilepsy patients: a nationwide population-based cohort study. Annals of Epidemiology, 2014, 24, 910-914. | 0.9 | 7 |
| 489 | Sleep disorders increase the risk of burning mouth syndrome: a retrospective population-based cohort study. Sleep Medicine, 2014, 15, 1405-1410. | 0.8 | 27 |
| 490 | Increased Risk of Venous Thromboembolism in Patients with Dermatomyositis/Polymyositis: A Nationwide Cohort Study. Thrombosis Research, 2014, 134, 622-626. | 0.8 | 31 |
| 491 | Increased risk of epilepsy among patients diagnosed with chronic osteomyelitis. Epilepsy Research, 2014, 108, 1427-1434. | 0.8 | 10 |
| 492 | Pulmonary Embolism in Chronic Obstructive Pulmonary Disease: A Population-Based Cohort Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2014, 11, 438-443. | 0.7 | 30 |
| 493 | Interim FDGPET/CT for predicting the outcome in patients with head and neck cancer. Laryngoscope, 2014, 124, 2732-2738. | 1.1 | 38 |
| 494 | Increased risk of stroke in patients with chronic kidney disease after recurrent hypoglycemia. Neurology, 2014, 83, 686-694. | 1.5 | 27 |
| 495 | Attention-deficit hyperactivity disorder increases the risk of deliberate self-poisoning: A population-based cohort. European Psychiatry, 2014, 29, 523-527. | 0.1 | 16 |
| 496 | Increased Lung Cancer Risk Among Patients with Pneumococcal Pneumonia: A Nationwide Population-Based Cohort Study. Lung, 2014, 192, 159-165. | 1.4 | 37 |
| 497 | Nationwide population-based cohort study on the association of acute coronary syndrome in patients with malignancies. Supportive Care in Cancer, 2014, 22, 2707-2713. | 1.0 | 7 |
| 498 | Increased risk of chronic fatigue syndrome following herpes zoster: a population-based study. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1653-1659. | 1.3 | 28 |
| 499 | Association between herpes zoster and end stage renal disease entrance in chronic kidney disease patients: a population-based cohort study. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1809-1815. | 1.3 | 13 |
| 500 | Diabetes Mellitus and Increased Postoperative Risk of Acute Renal Failure After Hepatectomy for Hepatocellular Carcinoma: A Nationwide Population-Based Study. Annals of Surgical Oncology, 2014, 21, 3810-3816. | 0.7 | 20 |
| 501 | Surgical Treatment for Patients With Periodontal Disease Reduces Risk of End-Stage Renal Disease: A Nationwide Population-Based Retrospective Cohort Study. Journal of Periodontology, 2014, 85, 50-56. | 1.7 | 27 |
| 502 | Association between obstructive sleep apnea and deep vein thrombosis / pulmonary embolism: A population-based retrospective cohort study. Thrombosis Research, 2014, 134, 340-345. | 0.8 | 47 |
| 503 | Sleep disorders increase the risk of osteoporosis: a nationwide population-based cohort study. Sleep Medicine, 2014, 15, 1339-1344. | 0.8 | 27 |
| 504 | Higher risk for meningioma in women with uterine myoma: a nationwide population-based retrospective cohort study. Journal of Neurosurgery, 2014, 120, 655-661. | 0.9 | 7 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 505 | Helicobacter pylori infection increases subsequent ischemic stroke risk: a nationwide population-based retrospective cohort study. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 969-975. | 0.2 | 24 |
| 506 | A nationwide population-based retrospective cohort study: increased risk of acute coronary syndrome in patients with ankylosing spondylitis. Scandinavian Journal of Rheumatology, 2014, 43, 132-136. | 0.6 | 60 |
| 507 | Long-Term Use of Zolpidem Increases the Risk of Major Injury: A Population-Based Cohort Study. Mayo Clinic Proceedings, 2014, 89, 589-594. | 1.4 | 50 |
| 508 | Association between irritable bowel syndrome and colorectal cancer: A nationwide population-based study. European Journal of Internal Medicine, 2014, 25, 82-86. | 1.0 | 31 |
| 509 | Increased Association Between Febrile Convulsion and Allergic Rhinitis in Children: A Nationwide Population-Based Retrospective Cohort Study. Pediatric Neurology, 2014, 50, 329-333. | 1.0 | 9 |
| 510 | Excessive risk of cancer and in particular lymphoid malignancy in myasthenia gravis patients: A population-based cohort study. Neuromuscular Disorders, 2014, 24, 245-249. | 0.3 | 15 |
| 511 | Association between Helicobacter pylori infection and dementia. Journal of Clinical Neuroscience, 2014, 21, 1355-1358. | 0.8 | 50 |
| 512 | Myocardial Protection in Donor Heart Preservation: A Comparison Between Bretschneider's Histidine–Tryptophan–Ketoglutarate Solution and Cold Blood Cardioplegia. Transplantation Proceedings, 2014, 46, 1077-1081. | 0.3 | 8 |
| 513 | A nationwide population cohort study: Irritable bowel syndrome is a risk factor of osteoporosis. European Journal of Internal Medicine, 2014, 25, 87-91. | 1.0 | 9 |
| 514 | Osteoporosis and Fractures After Solid Organ Transplantation. Mayo Clinic Proceedings, 2014, 89, 888-895. | 1.4 | 50 |
| 515 | The relationship between Helicobacter pylori and cancer risk. European Journal of Internal Medicine, 2014, 25, 235-240. | 1.0 | 27 |
| 516 | The association between chronic osteomyelitis and increased risk of diabetes mellitus: a population-based cohort study. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1647-1652. | 1.3 | 14 |
| 517 | Inflammatory bowel diseases increase future ischemic stroke risk: A Taiwanese population-based retrospective cohort study. European Journal of Internal Medicine, 2014, 25, 561-565. | 1.0 | 38 |
| 518 | Hyperlipidemia, statin use and the risk of developing depression: a nationwide retrospective cohort study. General Hospital Psychiatry, 2014, 36, 497-501. | 1.2 | 47 |
| 519 | Long-term risk of acute coronary syndrome in patients with cholangitis: A 13-year nationwide cohort study. European Journal of Internal Medicine, 2014, 25, 444-448. | 1.0 | 5 |
| 520 | Association between Sjogren's Syndrome and Respiratory Failure: Put Airway, Interstitia, and Vessels Close Together: A National Cohort Study. PLoS ONE, 2014, 9, e110783. | 1.1 | 3 |
| 521 | Bisphosphonate treatment may reduce osteoporosis risk in female cancer patients with morphine use: a population-based nested case–control study. Osteoporosis International, 2013, 24, 2519-2524. | 1.3 | 3 |
| 522 | Benzodiazepine therapy in psychiatric outpatients is associated with deliberate self-poisoning events at emergency departments—a population-based nested case–control study. Psychopharmacology, 2013, 229, 665-671. | 1.5 | 28 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 523 | A nationwide population-based retrospective cohort study: decreased risk of stroke in cervical cancer patients after receiving treatment. Archives of Gynecology and Obstetrics, 2013, 288, 867-871. | 0.8 | 6 |
| 524 | The utilization of radionuclide myocardial perfusion imaging and cardiac catheterization under Taiwan's universal health insurance program. International Journal of Cardiovascular Imaging, 2013, 29, 1039-1042. | 0.7 | 0 |
| 525 | Urinary tract stone raises subsequent risk for urinary tract cancer: a populationâ€based cohort study. BJU International, 2013, 112, 1150-1155. | 1.3 | 13 |
| 526 | Which FDG/PET parameters of the primary tumors in colon or sigmoid cancer provide the best correlation with the pathological findings?. European Journal of Radiology, 2013, 82, e405-e410. | 1.2 | 11 |
| 527 | Use of FDG-PET or PET/CT to detect recurrent colorectal cancer in patients with elevated CEA: a systematic review and meta-analysis. International Journal of Colorectal Disease, 2013, 28, 1039-1047. | 1.0 | 88 |
| 528 | Increased risk of acute coronary syndrome after spinal cord injury: A nationwide 10-year follow-up cohort study. International Journal of Cardiology, 2013, 168, 1681-1682. | 0.8 | 9 |
| 529 | Does use of tetracyclic antidepressant—mirtazapine reduce cancer risk in depression patients?. Pharmacoepidemiology and Drug Safety, 2013, 22, 1292-1297. | 0.9 | 0 |
| 530 | Pneumococcal pneumonia and the risk of acute coronary syndrome: A population-based cohort study. International Journal of Cardiology, 2013, 168, 4480-4481. | 0.8 | 12 |
| 531 | Nonapnea sleep disorders are associated with subsequent ischemic stroke risk: a nationwide, population-based, retrospective cohort study. Sleep Medicine, 2013, 14, 1341-1347. | 0.8 | 25 |
| 532 | Population-based cohort study on the increase in the risk for type 2 diabetes mellitus development from nonapnea sleep disorders. Sleep Medicine, 2013, 14, 913-918. | 0.8 | 45 |
| 533 | Rheumatoid arthritis and risk of acute myocardial infarctionâ€"A nationwide retrospective cohort study. International Journal of Cardiology, 2013, 168, 4750-4754. | 0.8 | 67 |
| 534 | Correlation between Epilepsy and Attention Deficit Hyperactivity Disorder: A Population-Based Cohort Study. PLoS ONE, 2013, 8, e57926. | 1.1 | 64 |
| 535 | Cancer Risk in Patients with Graves' Disease: A Nationwide Cohort Study. Thyroid, 2013, 23, 879-884. | 2.4 | 111 |
| 536 | Radiotherapy for Esophageal Cancer Using Simultaneous Integrated Boost Techniques: Dosimetric Comparison of Helical TomoTherapy, Volumetric-Modulated Arc Therapy (RapidArc) and Dynamic Intensity-Modulated Radiotherapy. Technology in Cancer Research and Treatment, 2013, 12, 485-491. | 0.8 | 17 |
| 537 | Metformin and the Incidence of Cancer in Patients With Diabetes: A Nested Case-Control Study. Diabetes Care, 2013, 36, e155-e156. | 4.3 | 29 |
| 538 | Tourette Syndrome and Risk of Depression. Journal of Developmental and Behavioral Pediatrics, 2013, 34, 181-185. | 0.6 | 62 |
| 539 | Investor Sentiment and Acute Coronary Syndrome. , 2013, , . | | 0 |
| 540 | Urinary tract infection increases subsequent urinary tract cancer risk: A populationâ€based cohort study. Cancer Science, 2013, 104, 619-623. | 1.7 | 17 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 541 | Increased subsequent risk of erectile dysfunction in patients with irritable bowel syndrome: a nationwide population-based cohort study. Andrology, 2013, 1, 793-798. | 1.9 | 10 |
| 542 | A population-based cohort study in Taiwan––use of insulin sensitizers can decrease cancer risk in diabetic patients?. Annals of Oncology, 2013, 24, 523-530. | 0.6 | 29 |
| 543 | Migraine and Risk of Dementia: A Nationwide Retrospective Cohort Study. Neuroepidemiology, 2013, 41, 139-145. | 1.1 | 50 |
| 544 | Sleep Disorders and Increased Risk of Subsequent Acute Coronary Syndrome in Individuals without Sleep Apnea: A Nationwide Population-Based Cohort Study. Sleep, 2013, 36, 1963-1968. | 0.6 | 31 |
| 545 | A Comparison of Cancer Incidence among Physician Specialists and the General Population: A Taiwanese Cohort Study. Journal of Occupational Health, 2013, 55, 158-166. | 1.0 | 10 |
| 546 | [18F]Fluorodeoxyglucose-positron emission tomography screening for lung cancer: a systematic review and meta-analysis. Cancer Imaging, 2013, 13, 458-465. | 1.2 | 12 |
| 547 | Relationship Between Zolpidem Use and Stroke Risk. Journal of Clinical Psychiatry, 2013, 74, e433-e438. | 1.1 | 26 |
| 548 | Prognostic Value of Functional Variables as Assessed by Gated Thallium-201 Myocardial Perfusion Single Photon Emission Computed Tomography for Major Adverse Cardiac Events in Patients with Coronary Artery Disease. Acta Cardiologica Sinica, 2013, 29, 243-50. | 0.1 | 5 |
| 549 | A Population-Based Nested Case-Control Study in Taiwan: Use of 5α-Reductase Inhibitors Did Not Decrease Prostate Cancer Risk in Patients with Benign Prostate Hyperplasia. Oncologist, 2012, 17, 986-991. | 1.9 | 7 |
| 550 | Intratonsillar Abscess: Diagnosis and Treatment of a Rare Disease. European Journal of Inflammation, 2012, 10, 117-119. | 0.2 | 3 |
| 551 | Estrogen decrease coronary artery disease risk in patients with cervical cancer after treatment. Gynecologic Oncology, 2012, 127, 186-190. | 0.6 | 3 |
| 552 | Non-apnea sleep disorders will increase subsequent liver cancer risk – A nationwide population-based cohort study. Sleep Medicine, 2012, 13, 869-874. | 0.8 | 31 |
| 553 | Association between adult otitis media and nasopharyngeal cancer: A nationwide population-based cohort study. Radiotherapy and Oncology, 2012, 104, 338-342. | 0.3 | 15 |
| 554 | 18F-FDG PET or PET/CT for detecting extrahepatic metastases or recurrent hepatocellular carcinoma: A systematic review and meta-analysis. European Journal of Radiology, 2012, 81, 2417-2422. | 1.2 | 101 |
| 555 | Risk of coronary artery disease is not linked to head and neck cancers: a populationâ€based retrospective cohort study. Clinical Otolaryngology, 2012, 37, 369-375. | 0.6 | 0 |
| 556 | Relationship of Zolpidem and Cancer Risk: A Taiwanese Population-Based Cohort Study. Mayo Clinic Proceedings, 2012, 87, 430-436. | 1.4 | 60 |
| 557 | Regional cerebral blood flow in patients with carbon monoxide intoxication. Annals of Nuclear Medicine, 2012, 26, 771-776. | 1.2 | 7 |
| 558 | Pretreatment Maximal Standardized Uptake Value of the Primary Tumor Predicts Outcome to Radiotherapy in Patients with Pharyngeal Cancer. Journal of Radiation Research, 2012, 53, 462-468. | 0.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 559 | Use of pretreatment metabolic tumour volumes to predict the outcome of pharyngeal cancer treated by definitive radiotherapy. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1297-1305. | 3.3 | 51 |
| 560 | Malignancies associated with systemic lupus erythematosus in Taiwan: a nationwide population-based cohort study. Rheumatology International, 2012, 32, 773-778. | 1.5 | 35 |
| 561 | Sex―and Ageâ€Related Differences in Brain FDG Metabolism of Healthy Adults: An SPM Analysis. Journal of Neuroimaging, 2012, 22, 21-27. | 1.0 | 46 |
| 562 | A Nationwide Population-Based Cohort Study: Will Anxiety Disorders Increase Subsequent Cancer Risk?. PLoS ONE, 2012, 7, e36370. | 1.1 | 16 |
| 563 | A Higher Dosage of Oral Alendronate Will Increase the Subsequent Cancer Risk of Osteoporosis Patients in Taiwan: A Population-Based Cohort Study. PLoS ONE, 2012, 7, e53032. | 1.1 | 23 |
| 564 | Benzodiazepine Use Possibly Increases Cancer Risk. Journal of Clinical Psychiatry, 2012, 73, e555-e560. | 1.1 | 40 |
| 565 | A Unique Finding on Gallium-67 Scintigraphy. Clinical Nuclear Medicine, 2011, 36, e96-e97. | 0.7 | 0 |
| 566 | F-18 FDG PET for Evaluation of Bone Marrow Involvement in Non-Hodgkin Lymphoma. Clinical Nuclear Medicine, 2011, 36, 553-559. | 0.7 | 51 |
| 567 | Customized material choice for Asian rhinoplasty: how we do it. Clinical Otolaryngology, 2011, 36, 165-170. | 0.6 | 3 |
| 568 | Findings of 2-fluoro-2-deoxy-d-glucose positron emission tomography in hemorrhoids. Abdominal Imaging, 2011, 36, 548-551. | 2.0 | 6 |
| 569 | Analysis of Parkinson's Disease and Subsequent Cancer Risk in Taiwan: A Nationwide Population-Based Cohort Study. Neuroepidemiology, 2011, 37, 114-119. | 1.1 | 31 |
| 570 | The Analysis of Depression and Subsequent Cancer Risk in Taiwan. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 473-475. | 1.1 | 63 |
| 571 | The Association Between Malignancy and End-stage Renal Disease in Taiwan. Japanese Journal of Clinical Oncology, 2011, 41, 752-757. | 0.6 | 51 |
| 572 | The â€~wandering' Meckel diverticulum: an unusual scintigraphic finding. Pediatric Radiology, 2010, 40, 103-103. | 1.1 | 4 |
| 573 | Utility of TLâ€201 SPECT in clarifying falseâ€positive FDGâ€PET findings due to osteoradionecrosis in head and neck cancer. Head and Neck, 2010, 32, 1648-1654. | 0.9 | 11 |
| 574 | 18F-FDG PET/CT-based gross tumor volume definition for radiotherapy in head and neck Cancer: a correlation study between suitable uptake value threshold and tumor parameters. Radiation Oncology, 2010, 5, 76. | 1.2 | 31 |
| 575 | Condyloma Mistaken for Stool Contamination in a Human Immunodeficiency Virus Patient by Gallium-67 Scintigraphy. American Journal of the Medical Sciences, 2010, 339, 83-85. | 0.4 | 4 |
| 576 | Unusual Case With Multiorgan Gallium-Avid Metastases of Renal Cell Carcinoma. American Journal of the Medical Sciences, 2010, 339, 275. | 0.4 | 1 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 577 | Unexpected Cloud-Like Lesion on Gallium-67 Scintigraphy: Detection of Subcutaneous Abscess Underneath the Skin With Normal Appearance in a Comatose Patient in an Intensive Care Setting. American Journal of the Medical Sciences, 2009, 338, 388. | 0.4 | 1 |
| 578 | Tl–201 SPECT in Clarifying False Positive FDG PET Findings Caused by Osteoradionecrosis in a Case of Nasopharyngeal Carcinoma. Clinical Nuclear Medicine, 2009, 34, 515-517. | 0.7 | 5 |
| 579 | Preliminary study of detecting urothelial malignancy with FDG PET in Taiwanese ESRD patients. Anticancer Research, 2009, 29, 3459-63. | 0.5 | 6 |
| 580 | Clinical impact of 18F-FDG-PET in the suspicion of recurrent colorectal cancer based on asymptomatically elevated serum level of carcinoembryonic antigen (CEA) in Taiwan. Hepato-Gastroenterology, 2006, 53, 348-50. | 0.5 | 10 |
| 581 | Prevalence and risk of cancer of focal thyroid incidentaloma identified by 18F-fluorodeoxyglucose positron emission tomography for cancer screening in healthy subjects. Anticancer Research, 2005, 25, 1421-6. | 0.5 | 113 |
| 582 | Evaluation of alveolar permeability and lung ventilation in patients with chronic renal failure using Tc-99m DTPA radioaerosol inhalation lung scintigraphy. Lung, 2004, 174, 153-8. | 1.4 | 10 |
| 583 | Detection of recurrent nasopharyngeal carcinomas with thallium-201 single-photon emission computed tomography in patients with indeterminate magnetic resonance imaging findings after radiotherapy. Head and Neck, 2003, 25, 227-231. | 0.9 | 11 |
| 584 | Using thallium-201 SPECT to detect recurrent or residual nasopharyngeal carcinoma after radiotherapy in patients with indeterminate CT findings. Head and Neck, 2003, 25, 645-648. | 0.9 | 6 |
| 585 | Differentiating recurrent or residual nasopharyngeal carcinomas from post-radiotherapy changes with 18-fluoro-2-deoxyglucose positron emission tomography and thallium-201 single photon emission computed tomography in patients with indeterminate computed tomography findings. Anticancer Research, 2003, 23, 3513-6. | 0.5 | 8 |
| 586 | Detection of recurrent or persistent nasopharyngeal carcinomas after radiotherapy with technetium-99m methoxyisobutylisonitrile single photon emission computed tomography and computed tomography. Cancer, 2002, 94, 1981-1986. | 2.0 | 49 |
| 587 | Technetium-99m Tetrofosmin Chest Imaging Related to P-Glycoprotein Expression for Predicting the Response with Paclitaxel-Based Chemotherapy for Non-Small Cell Lung Cancer. Lung, 2001, 179, 197-207. | 1.4 | 9 |
| 588 | Technetium-99m-sestamethoxyisobutylisonitrile scan as a predictor of chemotherapy response in malignant lymphomas compared with P-glycoprotein expression, multidrug resistance-related protein expression and other prognosis factors. British Journal of Haematology, 2001, 113, 369-374. | 1.2 | 20 |
| 589 | Comparing 18-fluoro-2-deoxyglucose positron emission tomography with a combination of technetium 99m tetrofosmin single photon emission computed tomography and computed tomography to detect recurrent or persistent nasopharyngeal carcinomas after radiotherapy. Cancer, 2001, 92, 434-439. | 2.0 | 30 |
| 590 | Evaluation of chemotherapy response using technetium-99M-sestamibi scintigraphy in untreated adult malignant lymphomas and comparison with other prognosis factors: A preliminary report. International Journal of Cancer, 2001, 95, 228-231. | 2.3 | 9 |
| 591 | Cerebral Perfusion in Patients With Syndrome X: A Single Photon Emission Computed Tomography Study. Journal of Neuroimaging, 2001, 11, 148-152. | 1.0 | 14 |
| 592 | Tissue Polypeptide Specific Antigen and Squamous Cell Carcinoma Antigen for Early Prediction of Recurrence in Lung Squamous Cell Carcinoma. Lung, 2000, 178, 75-80. | 1.4 | 12 |
| 593 | Transient Increase in Alveolar Epithelial Permeability Induced by Volatile Anesthesia with Isoflurane. Lung, 2000, 178, 129-135. | 1.4 | 7 |
| 594 | Effects of smoking on pulmonary uptake of technetium-99m methoxyisobutyiisonitrile during myocardial perfusion imaging. Journal of Nuclear Cardiology, 1999, 6, 29-32. | 1.4 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 595 | Cytokeratin Fragment 19 (CYFRA 21-1) and Carcinoembryonic Antigen for Early Prediction of Recurrence of Lung Adenocarcinoma. Lung, 1999, 177, 333-337. | 1.4 | 11 |
| 596 | The role of FDG-PET, HMPAO-SPET and MRI in the detection of brain involvement in patients with systemic lupus erythematosus. European Journal of Nuclear Medicine and Molecular Imaging, 1999, 26, 129-134. | 3.3 | 60 |
| 597 | Discrepancy between regional cerebral blood flow and glucose metabolism of the brain in systemic lupus erythematosus patients with normal brain magnetic resonance imaging findings. Arthritis and Rheumatism, 1999, 42, 61-68. | 6.7 | 91 |
| 598 | Technetium-99m methoxyisobutylisonitrile chest imaging of small cell lung carcinoma., 1998, 83, 64-68. | | 41 |
| 599 | Comprehensive Gastric Emptying Study for Type-II Diabetes Mellitus Dyspeptic Patients. Scandinavian Journal of Gastroenterology, 1997, 32, 884-887. | 0.6 | 7 |
| 600 | Detection of acute inhalation injury in fire victims by means of technetium-99m DTPA radioaerosol inhalation lung scintigraphy. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 125-129. | 2.2 | 33 |
| 601 | Role of radioisotope penile plethysmographyin the evaluation of penile hemodynamics in impotent patients. Abdominal Imaging, 1997, 22, 354-356. | 2.0 | 1 |
| 602 | Normal Data for Lumbar Spine Bone Mineral Content in Healthy Chinese Men. Calcified Tissue International, 1997, 61, 114-116. | 1.5 | 12 |
| 603 | Gastric Clearance of Radiopaque Markers in Non-Ulcer Dyspepsia Patients. Scandinavian Journal of Gastroenterology, 1996, 31, 136-139. | 0.6 | 13 |
| 604 | Differentiation of single solid lesions in the lungs by means of single-photon emission tomography with technetium-99m methoxyisobutylisonitrile. European Journal of Nuclear Medicine and Molecular Imaging, 1993, 20, 249-54. | 2.2 | 51 |
| 605 | The use of technetium-99m hexamethylpropylene amine oxime labelled white blood cells to detect subclinical inflammation of the heart after cardiopulmonary bypass in children with congenital heart disease. European Journal of Nuclear Medicine and Molecular Imaging, 1992, 19, 960-3. | 2.2 | 3 |
| 606 | Colchicine Is a Weapon for Managing the Heart Disease Among Interstitial Lung Disease With Viral Infection: Have We Found the Holy Grail?. Frontiers in Cardiovascular Medicine, 0, 9, . | 1.1 | 3 |