Robert A Hauser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5443797/publications.pdf

Version: 2024-02-01

230 papers

19,669 citations

65 h-index 134 g-index

234 all docs

234 docs citations

times ranked

234

12147 citing authors

#	Article	IF	Citations
1	Lewy body–like pathology in long-term embryonic nigral transplants in Parkinson's disease. Nature Medicine, 2008, 14, 504-506.	30.7	1,472
2	The Parkinson Progression Marker Initiative (PPMI). Progress in Neurobiology, 2011, 95, 629-635.	5.7	1,278
3	Neuropathological Evidence of Graft Survival and Striatal Reinnervation after the Transplantation of Fetal Mesencephalic Tissue in a Patient with Parkinson's Disease. New England Journal of Medicine, 1995, 332, 1118-1124.	27.0	868
4	A Double-Blind, Delayed-Start Trial of Rasagiline in Parkinson's Disease. New England Journal of Medicine, 2009, 361, 1268-1278.	27.0	830
5	Slower progression of Parkinson's disease with ropinirole versus levodopa: The REALâ€PET study. Annals of Neurology, 2003, 54, 93-101.	5.3	820
6	Highâ€frequency unilateral thalamic stimulation in the treatment of essential and parkinsonian tremor. Annals of Neurology, 1997, 42, 292-299.	5.3	508
7	Bilateral fetal nigral transplantation into the postcommissural putamen in Parkinson's disease. Annals of Neurology, 1995, 38, 379-388.	5.3	421
8	Long-term Evaluation of Bilateral Fetal Nigral Transplantation in Parkinson Disease. Archives of Neurology, 1999, 56, 179.	4.5	347
9	KINECT 3: A Phase 3 Randomized, Double-Blind, Placebo-Controlled Trial of Valbenazine for Tardive Dyskinesia. American Journal of Psychiatry, 2017, 174, 476-484.	7.2	339
10	Long-term evaluation of deep brain stimulation of the thalamus. Journal of Neurosurgery, 2006, 104, 506-512.	1.6	325
11	A Randomized Clinical Trial of High-Dosage Coenzyme Q10 in Early Parkinson Disease. JAMA Neurology, 2014, 71, 543.	9.0	312
12	Randomized controlled trial of deutetrabenazine for tardive dyskinesia. Neurology, 2017, 88, 2003-2010.	1.1	296
13	Randomized trial of the adenosine A _{2A} receptor antagonist istradefylline in advanced PD. Neurology, 2003, 61, 297-303.	1.1	294
14	Deutetrabenazine for treatment of involuntary movements in patients with tardive dyskinesia (AIM-TD): a double-blind, randomised, placebo-controlled, phase 3 trial. Lancet Psychiatry,the, 2017, 4, 595-604.	7.4	291
15	Fetal nigral grafts survive and mediate clinical benefit in a patient with Parkinson's disease. Movement Disorders, 1998, 13, 383-393.	3.9	271
16	Transplanted dopaminergic neurons develop PD pathologic changes: A second case report. Movement Disorders, 2008, 23, 2303-2306.	3.9	247
17	A Home Diary to Assess Functional Status in Patients with Parkinson's Disease with Motor Fluctuations and Dyskinesia. Clinical Neuropharmacology, 2000, 23, 75-81.	0.7	237
18	Manganese intoxication and chronic liver failure. Annals of Neurology, 1994, 36, 871-875.	5.3	235

#	Article	IF	CITATIONS
19	Efficacy and safety of botulinum type A toxin (Dysport) in cervical dystonia: Results of the first US randomized, double-blind, placebo-controlled study. Movement Disorders, 2005, 20, 783-791.	3.9	234
20	Use of Placebo Surgery in Controlled Trials of a Cellular-Based Therapy for Parkinson's Disease. New England Journal of Medicine, 1999, 341, 988-992.	27.0	230
21	Tenâ€year followâ€up of Parkinson's disease patients randomized to initial therapy with ropinirole or levodopa. Movement Disorders, 2007, 22, 2409-2417.	3.9	221
22	Identification of motor and nonmotor wearingâ€off in Parkinson's disease: Comparison of a patient questionnaire versus a clinician assessment. Movement Disorders, 2005, 20, 726-733.	3.9	219
23	Placebo response in Parkinson's disease: Comparisons among 11 trials covering medical and surgical interventions. Movement Disorders, 2008, 23, 690-699.	3.9	219
24	Pramipexole-induced somnolence and episodes of daytime sleep. Movement Disorders, 2000, 15, 658-663.	3.9	209
25	Hypertensive Encephalopathy. Archives of Neurology, 1988, 45, 1078.	4.5	205
26	Study of istradefylline in patients with Parkinson's disease on levodopa with motor fluctuations. Movement Disorders, 2008, 23, 2177-2185.	3.9	198
27	A double-blind, delayed-start trial of rasagiline in Parkinson's disease (the ADAGIO study): prespecified and post-hoc analyses of the need for additional therapies, changes in UPDRS scores, and non-motor outcomes. Lancet Neurology, The, 2011, 10, 415-423.	10.2	192
28	Preladenant in patients with Parkinson's disease and motor fluctuations: a phase 2, double-blind, randomised trial. Lancet Neurology, The, 2011, 10, 221-229.	10.2	188
29	Extended-release carbidopa-levodopa (IPX066) compared with immediate-release carbidopa-levodopa in patients with Parkinson's disease and motor fluctuations: a phase 3 randomised, double-blind trial. Lancet Neurology, The, 2013, 12, 346-356.	10.2	182
30	Therapeutic strategies for Parkinson disease: beyond dopaminergic drugs. Nature Reviews Drug Discovery, 2018, 17, 804-822.	46.4	178
31	Assessment of Safety and Efficacy of Safinamide as a Levodopa Adjunct in Patients With Parkinson Disease and Motor Fluctuations. JAMA Neurology, 2017, 74, 216.	9.0	171
32	Parkinson's disease home diary: Further validation and implications for clinical trials. Movement Disorders, 2004, 19, 1409-1413.	3.9	169
33	Zydis selegiline reducesoff time in Parkinson's disease patients with motor fluctuations: A 3-month, randomized, placebo-controlled study. Movement Disorders, 2004, 19, 426-432.	3.9	164
34	A randomized, doubleâ€blind, placebo ontrolled, delayed start study to assess rasagiline as a disease modifying therapy in Parkinson's disease (the ADAGIO study): Rationale, design, and baseline characteristics. Movement Disorders, 2008, 23, 2194-2201.	3.9	162
35	Levodopa: Past, Present, and Future. European Neurology, 2009, 62, 1-8.	1.4	158
36	Factors Associated With the Development of Motor Fluctuations and Dyskinesias in Parkinson Disease. Archives of Neurology, 2006, 63, 1756.	4.5	153

#	Article	IF	CITATIONS
37	Sertraline for the treatment of depression in parkinson's disease. Movement Disorders, 1997, 12, 756-759.	3.9	145
38	Intrastriatal transplantation of microcarrier-bound human retinal pigment epithelial cells versus sham surgery in patients with advanced Parkinson's disease: a double-blind, randomised, controlled trial. Lancet Neurology, The, 2011, 10, 509-519.	10.2	145
39	ADS-5102 (Amantadine) Extended-Release Capsules for Levodopa-Induced Dyskinesia in Parkinson Disease (EASE LID Study). JAMA Neurology, 2017, 74, 941.	9.0	137
40	Randomized, placeboâ€controlled trial of ADSâ€5102 (amantadine) extendedâ€release capsules for levodopaâ€induced dyskinesia in Parkinson's disease (EASE LID 3). Movement Disorders, 2017, 32, 1701-1709.	3.9	134
41	Determination of minimal clinically important change in early and advanced Parkinson's disease. Movement Disorders, 2011, 26, 813-818.	3.9	127
42	Longâ€term outcome of early versus delayed rasagiline treatment in early Parkinson's disease. Movement Disorders, 2009, 24, 564-573.	3.9	126
43	Randomized, doubleâ€blind, pilot evaluation of intravenous glutathione in Parkinson's disease. Movement Disorders, 2009, 24, 979-983.	3.9	121
44	Droxidopa for the <scp>S</scp> hortâ€ <scp>T</scp> erm <scp>T</scp> reatment of <scp>S</scp> ymptomatic <scp>N</scp> eurogenic <scp>O</scp> rthostatic <scp>H</scp> ypotension in <scp>P</scp> arkinson's <scp>D</scp> isease (n <scp>OH</scp> 306 <scp>B</scp>). Movement Disorders, 2015, 30, 646-654.	3.9	121
45	Sildenafil citrate (viagra) for the treatment of erectile dysfunction in men with Parkinson's disease. Movement Disorders, 2000, 15, 305-308.	3.9	120
46	Tozadenant (SYN115) in patients with Parkinson's disease who have motor fluctuations on levodopa: a phase 2b, double-blind, randomised trial. Lancet Neurology, The, 2014, 13, 767-776.	10.2	120
47	Doubleâ€blind trial of levodopa/carbidopa/entacapone versus levodopa/carbidopa in early Parkinson's disease. Movement Disorders, 2009, 24, 541-550.	3.9	112
48	Doubleâ€blind, randomized, controlled trial of rasagiline as monotherapy in early Parkinson's disease patients. Movement Disorders, 2004, 19, 916-923.	3.9	111
49	Blood Manganese Correlates with Brain Magnetic Resonance Imaging Changes in Patients with Liver Disease. Canadian Journal of Neurological Sciences, 1996, 23, 95-98.	0.5	108
50	NBlâ€98854, a selective monoamine transport inhibitor for the treatment of tardive dyskinesia: A randomized, doubleâ€blind, placeboâ€controlled study. Movement Disorders, 2015, 30, 1681-1687.	3.9	105
51	Wearingâ€off scales in Parkinson's disease: Critique and recommendations. Movement Disorders, 2011, 26, 2169-2175.	3.9	101
52	A double-blind placebo-controlled trial of zonisamide (zonegran) in the treatment of essential tremor. Movement Disorders, 2007, 22, 279-282.	3.9	90
53	Task force report on scales to assess dyskinesia in Parkinson's disease: Critique and recommendations. Movement Disorders, 2010, 25, 1131-1142.	3.9	90
54	Crossover comparison of IPX066 and a standard levodopa formulation in advanced Parkinson's disease. Movement Disorders, 2011, 26, 2246-2252.	3.9	90

#	Article	IF	CITATIONS
55	Randomized, doubleâ€blind, multicenter evaluation of pramipexole extended release once daily in early Parkinson's disease. Movement Disorders, 2010, 25, 2542-2549.	3.9	87
56	Randomized clinical trial of fipamezole for dyskinesia in Parkinson disease (FJORD study). Neurology, 2012, 79, 163-169.	1.1	86
57	Onset of dyskinesia with adjunct ropinirole prolonged-release or additional levodopa in early Parkinson's disease. Movement Disorders, 2010, 25, 858-866.	3.9	85
58	Head injury, alphaâ€synuclein Rep1, and Parkinson's disease. Annals of Neurology, 2012, 71, 40-48.	5.3	83
59	Safety and efficacy of CVT-301 (levodopa inhalation powder) on motor function during off periods in patients with Parkinson's disease: a randomised, double-blind, placebo-controlled phase 3 trial. Lancet Neurology, The, 2019, 18, 145-154.	10.2	82
60	Apomorphine sublingual film for off episodes in Parkinson's disease: a randomised, double-blind, placebo-controlled phase 3 study. Lancet Neurology, The, 2020, 19, 135-144.	10.2	80
61	End-of-dose Wearing Off in Parkinson Disease. Clinical Neuropharmacology, 2006, 29, 312-321.	0.7	78
62	A randomized trial of inhaled levodopa (CVT-301) for motor fluctuations in Parkinson's disease. Movement Disorders, 2016, 31, 1356-1365.	3.9	78
63	The independent influence of apathy and depression on cognitive functioning in Parkinson's disease Neuropsychology, 2010, 24, 721-730.	1.3	76
64	Magnetic Resonance Imaging of Corticobasal Degeneration. Journal of Neuroimaging, 1996, 6, 222-226.	2.0	69
65	Openâ€label pilot study of levetiracetam (Keppra) for the treatment of levodopaâ€induced dyskinesias in Parkinson's disease. Movement Disorders, 2005, 20, 1205-1209.	3.9	69
66	Efficacy, Tolerability, and Immunogenicity of OnabotulinumtoxinA in a Randomized, Double-Blind, Placebo-Controlled Trial for Cervical Dystonia. Clinical Neuropharmacology, 2012, 35, 208-214.	0.7	69
67	Quantitative description of loss of clinical benefit following withdrawal of levodopa-carbidopa and bromocriptine in early Parkinson's disease. Movement Disorders, 2002, 17, 961-968.	3.9	67
68	Tegaserod (Zelnorm) for the treatment of constipation in Parkinson's disease. Movement Disorders, 2006, 21, 115-116.	3.9	67
69	Levodopa-Induced Dyskinesias in Parkinson's Disease: Etiology, Impact on Quality of Life, and Treatments. European Neurology, 2008, 60, 57-66.	1.4	67
70	Sublingual apomorphine (APL-130277) for the acute conversion of OFF to ON in Parkinson's disease. Movement Disorders, 2016, 31, 1366-1372.	3.9	67
71	A pilot, double-blind, placebo-controlled trial of pregabalin (Lyrica) in the treatment of essential tremor. Movement Disorders, 2007, 22, 1660-1663.	3.9	63
72	Successful treatment of a patient with severe refractory myasthenia gravis using mycophenolate mofetil. Neurology, 1998, 51, 912-913.	1.1	61

#	Article	IF	CITATIONS
73	Time course of loss of clinical benefit following withdrawal of levodopa/carbidopa and bromocriptine in early Parkinson's disease. Movement Disorders, 2000, 15, 485-489.	3.9	60
74	The nosology of tardive syndromes. Journal of the Neurological Sciences, 2018, 389, 10-16.	0.6	60
75	A novel design of a Phase III trial of isradipine in early Parkinson disease (STEADYâ€PD III). Annals of Clinical and Translational Neurology, 2017, 4, 360-368.	3.7	59
76	Hyperactivity and hypoactivity in a rat model of Huntington's disease: the systemic 3-nitropropionic acid model. Brain Research Protocols, 1997, 1, 253-257.	1.6	58
77	Modafinil treatment of pramipexole-associated somnolence. Movement Disorders, 2000, 15, 1269-1271.	3.9	58
78	Randomized trial of preladenant, given as monotherapy, in patients with early Parkinson disease. Neurology, 2017, 88, 2198-2206.	1.1	58
79	Dopaminergic Therapy for Motor Symptoms in Early Parkinson Disease Practice Guideline Summary. Neurology, 2021, 97, 942-957.	1.1	58
80	Adenosine A2A Receptor Antagonists for Parkinson???s Disease. Drugs and Aging, 2005, 22, 471-482.	2.7	55
81	<p>Impact of non-motor symptoms in Parkinson's disease: a PMDAlliance survey</p> . Neuropsychiatric Disease and Treatment, 2019, Volume 15, 2205-2212.	2.2	55
82	Levodopa/carbidopa/entacapone (Stalevo). Neurology, 2004, 62, S64-71.	1.1	55
83	Essential Tremor. Neurologist, 2004, 10, 250-258.	0.7	54
84	Future Treatments for Parkinson's Disease: Surfing the PD Pipeline. International Journal of Neuroscience, 2011, 121, 53-62.	1.6	51
85	Minimal Clinically Important Difference in Parkinson's Disease as Assessed in Pivotal Trials of Pramipexole Extended Release. Parkinson's Disease, 2014, 2014, 1-8.	1.1	51
86	Istradefylline – a first generation adenosine A _{2A} antagonist for the treatment of Parkinson's disease. Expert Review of Neurotherapeutics, 2021, 21, 317-333.	2.8	51
87	Levodopa response in early Parkinson's disease. Movement Disorders, 2009, 24, 2328-2336.	3.9	50
88	[¹²³]FPâ€CIT (DaTscan) SPECT Brain Imaging in Patients with Suspected Parkinsonian Syndromes. Journal of Neuroimaging, 2012, 22, 225-230.	2.0	49
89	Droxidopa and Reduced Falls in a Trial of Parkinson Disease Patients With Neurogenic Orthostatic Hypotension. Clinical Neuropharmacology, 2016, 39, 220-226.	0.7	49
90	Plasma thiamine deficiency associated with Alzheimer's disease but not Parkinson's disease. Metabolic Brain Disease, 1998, 13, 43-53.	2.9	48

#	Article	IF	Citations
91	A pilot evaluation of the tolerability, safety, and efficacy of tolcapone alone and in combination with oral selegiline in untreated Parkinson's disease patients. Movement Disorders, 1998, 13, 643-647.	3.9	48
92	Randomized trial of the triple monoamine reuptake inhibitor NS 2330 (tesofensine) in early Parkinson's disease. Movement Disorders, 2007, 22, 359-365.	3.9	48
93	Longâ€ŧerm effects of rasagiline and the natural history of treated Parkinson's disease. Movement Disorders, 2016, 31, 1489-1496.	3.9	45
94	Medical Management and Prevention of Motor Complications in Parkinson's Disease. Neurotherapeutics, 2020, 17, 1339-1365.	4.4	45
95	Duodenal levodopa infusion for the treatment of Parkinson's disease. Expert Opinion on Pharmacotherapy, 2007, 8, 657-664.	1.8	44
96	Levodopa-induced Dyskinesia in Parkinson's disease: Epidemiology, etiology, and treatment. Current Neurology and Neuroscience Reports, 2007, 7, 302-310.	4.2	42
97	Orally Disintegrating Selegiline in Parkinson Patients With Dopamine Agonist-Related Adverse Effects. Clinical Neuropharmacology, 2010, 33, 5-10.	0.7	42
98	ADS-5102 (Amantadine) Extended-Release Capsules for Levodopa-Induced Dyskinesia in Parkinson's Disease (EASE LID 2 Study): Interim Results of an Open-Label Safety Study. Journal of Parkinson's Disease, 2017, 7, 511-522.	2.8	42
99	Dyskinesia Matters. Movement Disorders, 2020, 35, 392-396.	3.9	42
100	Orobuccal dyskinesia associated with trihexyphenidyl therapy in a patient with parkinson's disease. Movement Disorders, 1993, 8, 512-514.	3.9	41
101	Pardoprunox in early Parkinson's disease: Results from 2 large, randomized doubleâ€blind trials. Movement Disorders, 2011, 26, 1464-1476.	3.9	38
102	Clinical-Genetic Associations in the Prospective Huntington at Risk Observational Study (PHAROS). JAMA Neurology, 2016, 73, 102.	9.0	38
103	Phenomenology and treatment of tremor disorders. Neurologic Clinics, 2001, 19, 651-680.	1.8	37
104	Orally inhaled levodopa (CVT-301) for early morning OFF periods in Parkinson's disease. Parkinsonism and Related Disorders, 2019, 64, 175-180.	2.2	37
105	Efficacy, safety, and tolerability of overnight switching from immediate―to once daily extended―elease pramipexole in early Parkinson's disease. Movement Disorders, 2010, 25, 2326-2332.	3.9	36
106	Parkinson Disease and Orthostatic Hypotension in the Elderly: Recognition and Management of Risk Factors for Falls. , 2020, 11 , 679.		36
107	The Controversy Concerning Plasma Homocysteine in Parkinson Disease Patients Treated with Levodopa Alone or with Entacapone. Clinical Neuropharmacology, 2006, 29, 106-111.	0.7	35
108	Caffeine and Progression of Parkinson Disease. Clinical Neuropharmacology, 2008, 31, 189-196.	0.7	35

#	Article	IF	CITATIONS
109	Pharmacokinetics of ADS-5102 (Amantadine) ExtendedÂRelease Capsules Administered Once Daily at Bedtime for the Treatment of Dyskinesia. Clinical Pharmacokinetics, 2019, 58, 77-88.	3.5	35
110	Doubleâ€blind study of pardoprunox, a new partial dopamine agonist, in early Parkinson's disease. Movement Disorders, 2010, 25, 738-746.	3.9	32
111	Adult Chediak-Higashi Parkinsonian syndrome with dystonia. Movement Disorders, 2000, 15, 705-708.	3.9	31
112	Patient Evaluation of a Home Diary to Assess Duration and Severity of Dyskinesia in Parkinson Disease. Clinical Neuropharmacology, 2006, 29, 322-330.	0.7	31
113	The challenge of developing adenosine A2A antagonists for Parkinson disease: Istradefylline, preladenant, and tozadenant. Parkinsonism and Related Disorders, 2020, 80, S54-S63.	2.2	31
114	Efficacy and Safety of Extended-Versus Immediate-Release Pramipexole in Japanese Patients With Advanced and L-dopa–Undertreated Parkinson Disease. Clinical Neuropharmacology, 2012, 35, 174-181.	0.7	30
115	Long-Term Efficacy of Rasagiline in Early Parkinson's Disease. International Journal of Neuroscience, 2010, 120, 404-408.	1.6	29
116	Sertraline-induced exacerbation of Tics in Tourette's syndrome. Movement Disorders, 1995, 10, 682-684.	3.9	28
117	Deep Brain Stimulation of the Internal Segment of the Globus Pallidus in Delayed Runaway Dyskinesia. Archives of Neurology, 2006, 63, 1181.	4.5	28
118	Open-label pilot study of levetiracetam (Keppra) for the treatment of chorea in Huntington's disease. Movement Disorders, 2006, 21, 1998-2001.	3.9	28
119	Advances in the Pharmacologic Management of Early Parkinson Disease. Neurologist, 2007, 13, 126-132.	0.7	27
120	Factors associated with falling in early, treated Parkinson's disease: The NET-PD LS1 cohort. Journal of the Neurological Sciences, 2017, 377, 137-143.	0.6	27
121	A randomized trial of a lowâ€dose Rasagiline and Pramipexole combination (P2B001) in early Parkinson's disease. Movement Disorders, 2017, 32, 783-789.	3.9	27
122	A Clinically Interpretable Computer-Vision Based Method for Quantifying Gait in Parkinson's Disease. Sensors, 2021, 21, 5437.	3.8	26
123	Substantial improvement in a Meige's syndrome patient with levetiracetam treatment. Movement Disorders, 2004, 19, 1518-1521.	3.9	25
124	Long-term safety and efficacy of deutetrabenazine for the treatment of tardive dyskinesia. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, jnnp-2018-319918.	1.9	25
125	Bilateral human fetal striatal transplantation in Huntington's disease. Neurology, 2002, 58, 1704-1704.	1.1	24
126	Fentanyl-Induced Bradykinesia and Rigidity After Deep Brain Stimulation in a Patient With Parkinson Disease. Clinical Neuropharmacology, 2009, 32, 48-50.	0.7	24

#	Article	IF	CITATIONS
127	Translocation breakpoint in two unrelated Tourette syndrome cases, within a region previously linked to the disorder. Human Genetics, 2003, 113, 154-161.	3.8	23
128	Pregabalin (Lyrica) in the treatment of essential tremor. Movement Disorders, 2007, 22, 139-141.	3.9	23
129	Caffeine, creatine, GRIN2A and Parkinson's disease progression. Journal of the Neurological Sciences, 2017, 375, 355-359.	0.6	23
130	Design of a cluster-randomized minority recruitment trial: RECRUIT. Clinical Trials, 2017, 14, 286-298.	1.6	23
131	Differentiating tardive dyskinesia: a video-based review of antipsychotic-induced movement disorders in clinical practice. CNS Spectrums, 2022, 27, 208-217.	1.2	23
132	Clozapine withdrawal symptoms in a Parkinson's disease patient. Movement Disorders, 2002, 17, 1365-1367.	3.9	22
133	New considerations in the medical management of early Parkinson's disease: Impact of recent clinical trials on treatment strategy. Parkinsonism and Related Disorders, 2009, 15, S17-S21.	2.2	22
134	Longer Duration of MAO-B Inhibitor Exposure is Associated with Less Clinical Decline in Parkinson's Disease: AnÂAnalysisÂofÂNET-PD LS1. Journal of Parkinson's Disease, 2017, 7, 117-127.	2.8	22
135	Tardive dyskinesia: Out of the shadows. Journal of the Neurological Sciences, 2018, 389, 1-3.	0.6	22
136	Standing and Supine Blood Pressure Outcomes Associated With Droxidopa and Midodrine in Patients With Neurogenic Orthostatic Hypotension: A Bayesian Meta-analysis and Mixed Treatment Comparison of Randomized Trials. Annals of Pharmacotherapy, 2018, 52, 1182-1194.	1.9	22
137	Cyclosporine-A increases locomotor activity in rats with 6-hydroxydopamine-induced hemiparkinsonism: Relevance to neural transplantation. World Neurosurgery, 1996, 46, 384-388.	1.3	21
138	Use of nutritional supplements in Parkinson's disease patients. Movement Disorders, 2006, 21, 1098-1101.	3.9	21
139	Prevalence and treatment of non-motor symptoms in Parkinson's disease. Parkinsonism and Related Disorders, 2007, 13, 545.	2.2	21
140	Practical Evaluation and Management of Insomnia in Parkinson's Disease: A Review. Movement Disorders Clinical Practice, 2020, 7, 250-266.	1.5	21
141	Levetiracetam for the treatment of generalized dystonia. Parkinsonism and Related Disorders, 2005, 11, 469-471.	2.2	20
142	Transplantation of Human Fetal Striatal Tissue in Huntington's Disease: Rationale for Clinical Studies. Novartis Foundation Symposium, 2008, 231, 129-144.	1.1	20
143	An Update on Parkinson's Disease: Improving Patient Outcomes. American Journal of Medicine, 2014, 127, S3.	1.5	20
144	EASE LID 2: A 2-Year Open-Label Trial of Gocovri (Amantadine) Extended Release for Dyskinesia in Parkinson's Disease. Journal of Parkinson's Disease, 2020, 10, 543-558.	2.8	20

#	Article	IF	Citations
145	IPX066: a novel carbidopa–levodopa extended-release formulation. Expert Review of Neurotherapeutics, 2012, 12, 133-140.	2.8	19
146	Levetiracetam-Induced Parkinsonism in a Huntington Disease Patient. Clinical Neuropharmacology, 2005, 28, 188-190.	0.7	18
147	Topiramate-induced Psychosis in Patients with Essential Tremor. Clinical Neuropharmacology, 2006, 29, 168-169.	0.7	18
148	Optimizing bioavailability in the treatment of Parkinson's disease. Neuropharmacology, 2007, 53, 791-800.	4.1	18
149	Targeting neurons in the gastrointestinal tract to treat Parkinson's disease. Clinical Parkinsonism & Related Disorders, 2019, 1, 2-7.	0.9	18
150	Efficacy of Istradefylline, an Adenosine A2A Receptor Antagonist, as Adjunctive Therapy to Levodopa in Parkinson's Disease: A Pooled Analysis of 8 Phase 2b/3 Trials. Journal of Parkinson's Disease, 2021, 11, 1663-1675.	2.8	18
151	Chorea in a patient with cerebral palsy: Treatment with levetiracetam. Movement Disorders, 2005, 20, 762-764.	3.9	17
152	Amantadine ER (Gocovri®) Significantly Increases ON Time Without Any Dyskinesia: Pooled Analyses From Pivotal Trials in Parkinson's Disease. Frontiers in Neurology, 2021, 12, 645706.	2.4	17
153	Expediting telehealth use in clinical research studies: recommendations for overcoming barriers in North America. Npj Parkinson's Disease, 2021, 7, 34.	5.3	17
154	Magnetic Resonance Imaging of Neurodegenerative Diseases. Journal of Neuroimaging, 1994, 4, 146-158.	2.0	16
155	Chorea as a side effect of gabapentin (Neurontin \hat{A}^{\odot}) in a patient with complex regional pain syndrome Type 1. Clinical Rheumatology, 2008, 27, 389-390.	2.2	16
156	Higher neuron densities in the cerebral cortex and larger cerebellums may limit dive times of delphinids compared to deep-diving toothed whales. PLoS ONE, 2019, 14, e0226206.	2.5	16
157	Long-term, Open-label Study of Once-daily Ropinirole Prolonged Release in Early Parkinson's Disease. International Journal of Neuroscience, 2011, 121, 246-253.	1.6	15
158	Feasibility and safety of lumbar puncture in the Parkinson's disease research participants: Parkinson's Progression Marker Initiative (PPMI). Parkinsonism and Related Disorders, 2019, 62, 201-209.	2.2	15
159	Clinical trials aimed at detecting neuroprotection in Parkinson's disease. Neurology, 2006, 66, S58-68.	1.1	15
160	Sleep Attacks and Dopamine Agonists for Parkinson???s Disease. CNS Drugs, 2003, 17, 593-600.	5.9	14
161	Carbidopa levodopa enteral suspension. Expert Opinion on Pharmacotherapy, 2015, 16, 2807-2817.	1.8	14
162	Cardiovascular Safety of Droxidopa in Patients With Symptomatic Neurogenic Orthostatic Hypotension. American Journal of Cardiology, 2017, 119, 1111-1115.	1.6	14

#	Article	IF	Citations
163	Onset and duration of effect of extended-release carbidopa-levodopa in advanced Parkinson's disease. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 839-845.	2.2	14
164	A 12-month, dose-level blinded safety and efficacy study of levodopa inhalation powder (CVT-301,) Tj ETQq0 (0 o rgBT /Ov	erlock 10 Tf 5
165	On demand therapy for Parkinson's disease patients: Opportunities and choices. Postgraduate Medicine, 2021, 133, 721-727.	2.0	14
166	Tiagabine and exacerbation of essential tremor. Movement Disorders, 2007, 22, 2132-2133.	3.9	13
167	Integrated Analysis of Droxidopa for the Treatment of Neurogenic Orthostatic Hypotension in Patients with Parkinson Disease. Movement Disorders Clinical Practice, 2018, 5, 627-634.	1.5	13
168	Prevalence of Dyskinesia and OFF by 30-Minute Intervals Through the Day and Assessment of Daily Episodes of Dyskinesia and OFF: Novel Analyses of Diary Data from Gocovri Pivotal Trials. Journal of Parkinson's Disease, 2019, 9, 591-600.	2.8	13
169	Duration of Symptom Relief Between Injections for AbobotulinumtoxinA (Dysport®) in Spastic Paresis and Cervical Dystonia: Comparison of Evidence From Clinical Studies. Frontiers in Neurology, 2020, 11, 576117.	2.4	13
170	Neurosurgery for Parkinson's Disease. Seminars in Neurology, 2001, 21, 091-102.	1.4	12
171	Role of the Pharmacist in the Effective Management of Wearing-Off in Parkinson's Disease. Annals of Pharmacotherapy, 2007, 41, 1842-1849.	1.9	12
172	Treatment of Early Parkinson's Disease. European Neurology, 2009, 61, 206-215.	1.4	12
173	Early treatment benefits of ropinirole prolonged release in Parkinson's disease patients with motor fluctuations. Movement Disorders, 2010, 25, 927-931.	3.9	12
174	ADS-5102 (Amantadine) Extended Release for Levodopa-Induced Dyskinesia. JAMA Neurology, 2017, 74, 1507.	9.0	12
175	Topiramate as an adjunct to amantadine in the treatment of dyskinesia in parkinson's disease: A randomized, doubleâ€blind, placeboâ€controlled multicenter study. Movement Disorders, 2017, 32, 1335-1336.	3.9	12
176	A 500ÂU/2ÂmL dilution of abobotulinumtoxinA vs. placebo: randomized study in cervical dystonia. International Journal of Neuroscience, 2018, 128, 619-626.	1.6	12
177	The Narrowing Path for Nilotinib and Other Potential Disease-Modifying Therapies for Parkinson Disease. JAMA Neurology, 2020, 77, 295.	9.0	12
178	Article Commentary: Infectious Issues in Human Fetal Neural Transplantation. Cell Transplantation, 1997, 6, 553-556.	2.5	11
179	Treatment of Early Parkinson's Disease. European Neurology, 2009, 61, 193-205.	1.4	11
180	The UPDRS-8: A Brief Clinical Assessment Scale for Parkinson's Disease. International Journal of Neuroscience, 2012, 122, 333-337.	1.6	11

#	Article	IF	CITATIONS
181	α-Synuclein in Parkinson's disease: getting to the core of the matter. Lancet Neurology, The, 2015, 14, 785-786.	10.2	11
182	Botulinum toxin A for the treatment of cervical dystonia. Expert Opinion on Pharmacotherapy, 2004, 5, 2017-2024.	1.8	10
183	Delayed Thalamic Intracranial Hemorrhage in an Essential Tremor Patient following Deep Brain Stimulation. European Neurology, 2008, 59, 187-189.	1.4	10
184	Cognitive impairment in Parkinson's disease: Associations between subjective and objective cognitive decline in a large longitudinal study. Parkinsonism and Related Disorders, 2020, 80, 127-132.	2.2	10
185	Patterns and predictors of referrals to allied health services for individuals with Parkinson's disease: A Parkinson's foundation (PF) QII study. Parkinsonism and Related Disorders, 2021, 83, 115-122.	2.2	10
186	Amantadine delayed release/extended release capsules significantly reduce OFF time in Parkinson's disease. Npj Parkinson's Disease, 2022, 8, 29.	5.3	10
187	MANAGEMENT OF EARLY PARKINSON'S DISEASE. Medical Clinics of North America, 1999, 83, 393-414.	2.5	9
188	Levetiracetam for the treatment of essential tremor. Movement Disorders, 2005, 20, 640-640.	3.9	9
189	Effects of Gocovri (Amantadine) Extended Release Capsules on Non-Motor Symptoms in Patients with Parkinson's Disease and Dyskinesia. Neurology and Therapy, 2021, 10, 307-320.	3.2	9
190	Solriamfetol for Excessive Daytime Sleepiness in Parkinson's Disease: Phase 2 Proofâ€ofâ€Concept Trial. Movement Disorders, 2021, 36, 2408-2412.	3.9	9
191	Letter to the editor. Movement Disorders, 1996, 11, 589-589.	3.9	8
192	Treatment of chorea with levetiracetam. European Journal of Clinical Pharmacology, 2006, 62, 87-87.	1.9	8
193	Use, maintenance and dose effects of cognitive speed of processing training in Parkinson's disease. International Journal of Neuroscience, 2017, 127, 841-848.	1.6	8
194	Communicating with participants during the conduct of multi-center clinical trials. Clinical Trials, 2016, 13, 592-596.	1.6	7
195	Effects of Gocovri (Amantadine) Extended-Release Capsules on Motor Aspects of Experiences of Daily Living in People with Parkinson's Disease and Dyskinesia. Neurology and Therapy, 2021, 10, 739-751.	3.2	7
196	Cognitive function in 1736 participants in NINDS Exploratory Trials in PD Long-term Study-1. Parkinsonism and Related Disorders, 2016, 33, 127-133.	2.2	6
197	Conversion to carbidopa and levodopa extended-release (IPX066) followed by its extended use in patients previously taking controlled-release carbidopa-levodopa for advanced Parkinson's disease. Journal of the Neurological Sciences, 2017, 373, 116-123.	0.6	6
198	Valbenazine for the treatment of tardive dyskinesia. Expert Opinion on Pharmacotherapy, 2017, 18, 1279-1287.	1.8	6

#	Article	IF	CITATIONS
199	Sustained functional benefits after a single set of injections with abobotulinumtoxinA using a 2-mL injection volume in adults with cervical dystonia: 12-week results from a randomized, double-blind, placebo-controlled phase 3b study. PLoS ONE, 2021, 16, e0245827.	2.5	6
200	Pimavanserin Treatment for Parkinson's Disease Psychosis in Clinical Practice. Parkinson's Disease, 2021, 2021, 1-10.	1.1	6
201	Depression in Patients with Parkinson??s Disease. CNS Drugs, 2000, 13, 253-264.	5.9	5
202	P2B001 (Extended Release Pramipexole and Rasagiline): A New Treatment Option in Development for Parkinson's Disease. Advances in Therapy, 2022, 39, 1881-1894.	2.9	5
203	Help cure Parkinson's disease: please don't waste the Golden Year. Npj Parkinson's Disease, 2018, 4, 29.	5.3	4
204	Expanding phenomenologic heterogeneity of tardive syndromes: Time for an updated assessment tool. Parkinsonism and Related Disorders, 2020, 77, 141-145.	2.2	4
205	Duration of benefit per Dose: Carbidopa-Levodopa immediate release vs. extended release capsules (Rytary \hat{A}^{0}). Parkinsonism and Related Disorders, 2021, 82, 133-137.	2.2	4
206	Durability of the Clinical Benefit of Droxidopa for Neurogenic Orthostatic Hypotension During 12 Weeks of Open-Label Treatment. Neurology and Therapy, 2022, 11, 459-469.	3.2	4
207	Abbreviated MDS-UPDRS for Remote Monitoring in PD Identified Using Exhaustive Computational Search. Parkinson's Disease, 2022, 2022, 1-7.	1.1	4
208	Future therapies for Parkinson's disease. Neurologic Clinics, 2004, 22, S149-S166.	1.8	3
209	Vascular hemichorea/hemiballismus and topiramate. Movement Disorders, 2006, 21, 581-581.	3.9	3
210	Levetiracetam for Stiff-Person Syndrome. Clinical Neuropharmacology, 2008, 31, 301-302.	0.7	3
211	Initial choice of medication has little effect on short-term or long-term outcome for most patients with Parkinson's disease. Evidence-Based Medicine, 2015, 20, 17-17.	0.6	3
212	Minimal clinically important change in Abnormal Involuntary Movement Scale score in tardive dyskinesia as assessed in pivotal trials of deutetrabenazine. Parkinsonism and Related Disorders, 2022, 97, 47-51.	2.2	3
213	Demonstration of a sensory trick in a case of writer's cramp. Movement Disorders, 2002, 17, 427-427.	3.9	2
214	45 Long-term Treatment with Deutetrabenazine Is Associated with Continued Improvement in Tardive Dyskinesia: Results from an Open-label Extension Study. CNS Spectrums, 2019, 24, 200-201.	1.2	2
215	Real-World Experience with Carbidopa-Levodopa Extended-Release Capsules (Rytary®): Results of a Nationwide Dose Conversion Survey. Parkinson's Disease, 2021, 2021, 1-9.	1.1	2
216	Potential utility of amantadine DR/ER in persons with Parkinson's disease meeting 5-2-1 criteria for device aided therapy. Clinical Parkinsonism & Related Disorders, 2022, 6, 100123.	0.9	2

#	Article	IF	CITATIONS
217	Current treatment challenges and emerging therapies in Parkinson's disease. Neurologic Clinics, 2004, 22, ix-xi.	1.8	1
218	46 Confirmed Safety of Deutetrabenazine for Tardive Dyskinesia in a 2-Year Open-label Extension Study. CNS Spectrums, 2019, 24, 201-201.	1.2	1
219	134 Long-Term Deutetrabenazine Treatment Is Associated with Sustained Treatment Response in Tardive Dyskinesia: Results from an Open-Label Extension Study. CNS Spectrums, 2020, 25, 284-285.	1.2	1
220	Carbidopa and Levodopa Extended Release Capsules (Rytary \hat{A}^{o}) in Patients with and without Troublesome and Non-Troublesome Dyskinesia. Journal of Parkinson's Disease, 2020, 10, 1-11.	2.8	1
221	Reply: Intravenous glutathione in Parkinson's disease. Movement Disorders, 2010, 25, 962-963.	3.9	0
222	149 Deutetrabenazine for the Treatment of Tardive Dyskinesia: Results From an Open-Label, Long-Term Study. CNS Spectrums, 2018, 23, 92-93.	1.2	0
223	134 Improvements in Clinical Global Impression of Change With Deutetrabenazine Treatment in Tardive Dyskinesia From the ARM-TD and AIM-TD Studies. CNS Spectrums, 2018, 23, 84-84.	1.2	0
224	158 Long-Term Safety of Deutetrabenazine for the Treatment of Tardive Dyskinesia: Results From an Open-Label, Long-Term Study. CNS Spectrums, 2018, 23, 97-97.	1.2	O
225	0617 Solriamfetol Treatment of Excessive Daytime Sleepiness in Parkinson's Disease: Results from a Phase 2 Proof-of-Concept Trial. Sleep, 2019, 42, A245-A246.	1.1	0
226	34 Long-Term Deutetrabenazine Treatment Response in Tardive Dyskinesia by Concomitant Dopamine-Receptor Antagonists and Baseline Comorbidities. CNS Spectrums, 2019, 24, 193-193.	1.2	0
227	35 Long-term Improvements in Site-Rated Outcomes with Deutetrabenazine Treatment in Patients with Tardive Dyskinesia. CNS Spectrums, 2019, 24, 193-194.	1.2	0
228	Reply to: Letter to Editor by Chaudhuri, Jenner, Antonini. Movement Disorders, 2020, 35, 901-901.	3.9	0
229	AbobotulinumtoxinA: Evidence for long duration of response from 5 patient populations. Toxicon, 2021, 190, S21-S22.	1.6	0
230	IPX203 versus immediate release carbidopa-levodopa. , 0, , .		0