

# Valery L Feigin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5445236/publications.pdf>

Version: 2024-02-01

326  
papers

145,541  
citations

2215

99  
h-index

214

310  
g-index

332  
all docs

332  
docs citations

332  
times ranked

161935  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | 2022 World Hypertension League, Resolve To Save Lives and International Society of Hypertension dietary sodium (salt) global call to action. <i>Journal of Human Hypertension</i> , 2023, 37, 428-437.                        | 2.2  | 22        |
| 2  | Personalized knowledge to reduce the risk of stroke (PERKS-International): Protocol for a randomized controlled trial. <i>International Journal of Stroke</i> , 2023, 18, 477-483.  | 5.9  | 0         |
| 3  | Can we stop the stroke tsunami? Mitigating the barriers, amplifying the facilitators. <i>Journal of the Royal Society of New Zealand</i> , 2022, 52, 109-128.   | 1.9  | 2         |
| 4  | Incidence, prevalence and disability associated with neurological disorders in Italy between 1990 and 2019: an analysis based on the Global Burden of Disease Study 2019. <i>Journal of Neurology</i> , 2022, 269, 2080-2098. | 3.6  | 21        |
| 5  | Brain health: Key to health, productivity, and well-being. <i>Alzheimer's and Dementia</i> , 2022, 18, 1396-1407.   | 0.8  | 27        |
| 6  | Global Burden of Stroke. , 2022, , 163-178.e2.  |      | 3         |
| 7  | Primary stroke prevention worldwide: translating evidence into action. <i>Lancet Public Health</i> , The, 2022, 7, e74-e85.   | 10.0 | 156       |
| 8  | Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in International STROKE Outcome Study (INSTRUCT). <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106201.                          | 1.6  | 8         |
| 9  | Impact and predictors of quality of life in adults diagnosed with a genetic muscle disorder: a nationwide population-based study. <i>Quality of Life Research</i> , 2022, 31, 1657-1666.                                      | 3.1  | 2         |
| 10 | World Stroke Organization (WSO): Global Stroke Fact Sheet 2022. <i>International Journal of Stroke</i> , 2022, 17, 18-29.   | 5.9  | 649       |
| 11 | The impact of ethnicity on stroke care access and patient outcomes: a New Zealand nationwide observational study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 20, 100358.                                     | 2.9  | 17        |
| 12 | Neurocognitive correlates of probable posttraumatic stress disorder following traumatic brain injury. <i>Brain and Spine</i> , 2022, 2, 100854.   | 0.1  | 5         |
| 13 | Burden of Traumatic Brain Injuries in Children and Adolescents in Europe: Hospital Discharges, Deaths and Years of Life Lost. <i>Children</i> , 2022, 9, 105.   | 1.5  | 7         |
| 14 | Primary stroke prevention: useful thresholds?. <i>Lancet Neurology</i> , The, 2022, 21, 116.  | 10.2 | 5         |
| 15 | Digital Health in Primordial and Primary Stroke Prevention: A Systematic Review. <i>Stroke</i> , 2022, 53, 1008-1019.   | 2.0  | 18        |
| 16 | Vibrational Spectroscopy for the Triage of Traumatic Brain Injury Computed Tomography Priority and Hospital Admissions. <i>Journal of Neurotrauma</i> , 2022, 39, 773-783.  | 3.4  | 3         |
| 17 | Extended Coagulation Profiling in Isolated Traumatic Brain Injury: A CENTER-TBI Analysis. <i>Neurocritical Care</i> , 2022, 36, 927-941.  | 2.4  | 4         |
| 18 | Randomised, double-blind, placebo-controlled study investigating Safety and efficacy of MLC901 in post-traumatic brain injury: the SAMURAI study protocol. <i>BMJ Open</i> , 2022, 12, e059167.                               | 1.9  | 0         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Surgery versus conservative treatment for traumatic acute subdural haematoma: a prospective, multicentre, observational, comparative effectiveness study. <i>Lancet Neurology</i> , The, 2022, 21, 620-631.  | 10.2 | 26        |
| 20 | Serum metabolome associated with severity of acute traumatic brain injury. <i>Nature Communications</i> , 2022, 13, 2545.  | 12.8 | 29        |
| 21 | Tailoring Multi-Dimensional Outcomes to Level of Functional Recovery after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2022, 39, 1363-1381.  | 3.4  | 6         |
| 22 | Geographic Disparities in Stroke Outcomes and Service Access. <i>Neurology</i> , 2022, 99, .   | 1.1  | 11        |
| 23 | Sex differences in outcomes from mild traumatic brain injury eight years post-injury. <i>PLoS ONE</i> , 2022, 17, e0269101.  | 2.5  | 11        |
| 24 | Health care utilization and outcomes in older adults after Traumatic Brain Injury: A CENTER-TBI study. <i>Injury</i> , 2022, 53, 2774-2782.  | 1.7  | 11        |
| 25 | Digital solutions for primary stroke and cardiovascular disease prevention: A mass individual and public health approach. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 29, 100511.  | 2.9  | 5         |
| 26 | Time to revise primary prevention guidelines for stroke and cardiovascular disease. <i>Lancet Neurology</i> , The, 2022, 21, 686-687.  | 10.2 | 3         |
| 27 | Prediction of Global Functional Outcome and Post-Concussive Symptoms after Mild Traumatic Brain Injury: External Validation of Prognostic Models in the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Study. <i>Journal of Neurotrauma</i> , 2021, 38, 196-209. | 3.4  | 20        |
| 28 | Differences between Men and Women in Treatment and Outcome after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 235-251.  | 3.4  | 39        |
| 29 | Biomarkers for Traumatic Brain Injury: Data Standards and Statistical Considerations. <i>Journal of Neurotrauma</i> , 2021, 38, 2514-2529.   | 3.4  | 23        |
| 30 | Three methods for examining trajectories in neuropsychological performance across the first 4 years after mild Traumatic Brain Injury. <i>Brain Impairment</i> , 2021, 22, 20-33.  | 0.7  | 0         |
| 31 | Burden of Neurological Disorders Across the US From 1990-2017. <i>JAMA Neurology</i> , 2021, 78, 165.  | 9.0  | 262       |
| 32 | Frequency of fatigue and its changes in the first 6 months after traumatic brain injury: results from the CENTER-TBI study. <i>Journal of Neurology</i> , 2021, 268, 61-73.  | 3.6  | 12        |
| 33 | Outcome Prediction after Moderate and Severe Traumatic Brain Injury: External Validation of Two Established Prognostic Models in 1742 European Patients. <i>Journal of Neurotrauma</i> , 2021, 38, 1377-1388.  | 3.4  | 23        |
| 34 | Telerehabilitation After Stroke Using Readily Available Technology: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 88-97.   | 2.9  | 16        |
| 35 | Epidemiology of Traumatic Brain Injury in Europe: A Living Systematic Review. <i>Journal of Neurotrauma</i> , 2021, 38, 1411-1440.   | 3.4  | 276       |
| 36 | 7th International Conference on Neurology and Epidemiology. <i>Neuroepidemiology</i> , 2021, 55, III-III.  | 2.3  | 0         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Reducing Ethnic and Geographic Inequities to Optimise New Zealand Stroke Care (REGIONS Care): Protocol for a Nationwide Observational Study. <i>JMIR Research Protocols</i> , 2021, 10, e25374.   | 1.0  | 7         |
| 38 | Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12200.                           | 3.7  | 53        |
| 39 | Psychosocial functioning at 4-years after pediatric mild traumatic brain injury. <i>Brain Injury</i> , 2021, 35, 416-425.   | 1.2  | 6         |
| 40 | Methodology of the fatigue after stroke educational recovery group randomized controlled trial. <i>International Journal of Stroke</i> , 2021, , 174749302110062.   | 5.9  | 1         |
| 41 | The Incidence of Stroke in Indigenous Populations of Countries With a Very High Human Development Index: A Systematic Review Protocol. <i>Frontiers in Neurology</i> , 2021, 12, 661570.  | 2.4  | 4         |
| 42 | National Estimates of Subarachnoid Hemorrhage Burden Need to Account for Within-Country Variations. <i>Neurology</i> , 2021, 97, 14-15.   | 1.1  | 0         |
| 43 | Persistent postconcussive symptoms in children and adolescents with mild traumatic brain injury receiving initial head computed tomography. <i>Journal of Neurosurgery: Pediatrics</i> , 2021, 27, 538-547.   | 1.3  | 4         |
| 44 | The state of stroke services across the globe: Report of World Stroke Organization's World Health Organization surveys. <i>International Journal of Stroke</i> , 2021, 16, 889-901.   | 5.9  | 68        |
| 45 | Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008824.  | 3.0  | 10        |
| 46 | Fluid balance and outcome in critically ill patients with traumatic brain injury (CENTER-TBI and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38? 20, 627-638.   | 10.2 | 40        |
| 47 | The burden of neurological disorders across the states of India: the Global Burden of Disease Study 1990-2019. <i>The Lancet Global Health</i> , 2021, 9, e1129-e1144.  | 6.3  | 54        |
| 48 | Primary versus early secondary referral to a specialized neurotrauma center in patients with moderate/severe traumatic brain injury: a CENTER TBI study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 113. | 2.6  | 8         |
| 49 | Cross-cultural validation of the stroke riskometer using generalizability theory. <i>Scientific Reports</i> , 2021, 11, 19064.  | 3.3  | 11        |
| 50 | Personalised predictive modelling with brain-inspired spiking neural networks of longitudinal MRI neuroimaging data and the case study of dementia. <i>Neural Networks</i> , 2021, 144, 522-539.  | 5.9  | 13        |
| 51 | Quality of stroke guidelines in low- and middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , 2021, 99, 640-652E.   | 3.3  | 16        |
| 52 | The Effectiveness of Stroke Riskometer, in Improving Stroke Risk Awareness in Malaysia: A Study Protocol of a Cluster-Randomized Controlled Trial. <i>Neuroepidemiology</i> , 2021, 55, 436-446.  | 2.3  | 4         |
| 53 | Global, regional, and national burden of stroke and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , The, 2021, 20, 795-820.   | 10.2 | 2,308     |
| 54 | Fighting Against Stroke in Latin America: A Joint Effort of Medical Professional Societies and Governments. <i>Frontiers in Neurology</i> , 2021, 12, 743732.   | 2.4  | 21        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Brain Health, One Health, and COVID-19. <i>Neuroepidemiology</i> , 2021, 55, 425-426.  | 2.3  | 5         |
| 56 | One-Year Risk of Stroke After Transient Ischemic Attack or Minor Stroke in Hunter New England, Australia (INSIST Study). <i>Frontiers in Neurology</i> , 2021, 12, 791193.   | 2.4  | 3         |
| 57 | Can We Cluster ICU Treatment Strategies for Traumatic Brain Injury by Hospital Treatment Preferences?. <i>Neurocritical Care</i> , 2021, , 1.  | 2.4  | 3         |
| 58 | Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). <i>International Journal of Stroke</i> , 2020, 15, 573-583.   | 5.9  | 0         |
| 59 | Toward a New Multi-Dimensional Classification of Traumatic Brain Injury: A Collaborative European NeuroTrauma Effectiveness Research for Traumatic Brain Injury Study. <i>Journal of Neurotrauma</i> , 2020, 37, 1002-1010.  | 3.4  | 20        |
| 60 | Community Knowledge and Awareness of Stroke in New Zealand. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104589.  | 1.6  | 27        |
| 61 | Changes over time in family members of adults with mild traumatic brain injury. <i>Brain Impairment</i> , 2020, 21, 154-172.   | 0.7  | 4         |
| 62 | The global burden of neurological disorders: translating evidence into policy. <i>Lancet Neurology</i> , The, 2020, 19, 255-265.   | 10.2 | 377       |
| 63 | Slowed Information Processing Speed at Four Years Poststroke: Evidence and Predictors from a Population-Based Follow-up Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104513.   | 1.6  | 8         |
| 64 | The burden of neurological diseases in Europe: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Public Health</i> , The, 2020, 5, e551-e567.   | 10.0 | 290       |
| 65 | Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2020, 396, 1160-1203. | 13.7 | 890       |
| 66 | Five insights from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2020, 396, 1135-1159.   | 13.7 | 335       |
| 67 | Tracheal intubation in traumatic brain injury: a multicentre prospective observational study. <i>British Journal of Anaesthesia</i> , 2020, 125, 505-517.  | 3.4  | 19        |
| 68 | Health-related quality of life after traumatic brain injury: deriving value sets for the QOLIBRI-OS for Italy, The Netherlands and The United Kingdom. <i>Quality of Life Research</i> , 2020, 29, 3095-3107.  | 3.1  | 4         |
| 69 | Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. <i>Women S Health Reports</i> , 2020, 1, 190-202.   | 0.8  | 5         |
| 70 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.  | 2.8  | 4,468     |
| 71 | Global prevention of stroke and dementia: the WSO Declaration. <i>Lancet Neurology</i> , The, 2020, 19, 487-488.   | 10.2 | 61        |
| 72 | What the COVID-19 Crisis Is Telling Humanity. <i>Neuroepidemiology</i> , 2020, 54, 283-286.  | 2.3  | 32        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | The Characteristics of Patients With Possible Transient Ischemic Attack and Minor Stroke in the Hunter and Manning Valley Regions, Australia (the INSIST Study). <i>Frontiers in Neurology</i> , 2020, 11, 383.                           | 2.4  | 6         |
| 74 | Comparison of Care System and Treatment Approaches for Patients with Traumatic Brain Injury in China versus Europe: A CENTER-TBI Survey Study. <i>Journal of Neurotrauma</i> , 2020, 37, 1806-1817.                                       | 3.4  | 12        |
| 75 | Global Stroke Statistics 2019. <i>International Journal of Stroke</i> , 2020, 15, 819-838.  | 5.9  | 226       |
| 76 | Global, Regional and Country-Specific Burden of Ischaemic Stroke, Intracerebral Haemorrhage and Subarachnoid Haemorrhage: A Systematic Analysis of the Global Burden of Disease Study 2017. <i>Neuroepidemiology</i> , 2020, 54, 171-179. | 2.3  | 406       |
| 77 | Incidence of Sports-Related Traumatic Brain Injury of All Severities: A Systematic Review. <i>Neuroepidemiology</i> , 2020, 54, 192-199.  | 2.3  | 50        |
| 78 | What Is the Best Mix of Population-Wide and High-Risk Targeted Strategies of Primary Stroke and Cardiovascular Disease Prevention?. <i>Journal of the American Heart Association</i> , 2020, 9, e014494.                                  | 3.7  | 31        |
| 79 | New Zealand hospital stroke service provision. <i>New Zealand Medical Journal</i> , 2020, 133, 18-30.   | 0.5  | 4         |
| 80 | Access to and delivery of acute ischaemic stroke treatments: A survey of national scientific societies and stroke experts in 44 European countries. <i>European Stroke Journal</i> , 2019, 4, 13-28.                                      | 5.5  | 213       |
| 81 | Sex Differences in Long-Term Quality of Life Among Survivors After Stroke in the INSTRUCT. <i>Stroke</i> , 2019, 50, 2299-2306.   | 2.0  | 54        |
| 82 | Status epilepticus in Auckland, New Zealand: Incidence, etiology, and outcomes. <i>Epilepsia</i> , 2019, 60, 1552-1564.   | 5.1  | 23        |
| 83 | World Stroke Organization (WSO): Global Stroke Fact Sheet 2019. <i>International Journal of Stroke</i> , 2019, 14, 806-817.   | 5.9  | 249       |
| 84 | Reducing the burden of stroke: Opportunities and mechanisms. <i>International Journal of Stroke</i> , 2019, 14, 761-762.  | 5.9  | 9         |
| 85 | Multi-level community interventions for primary stroke prevention: A conceptual approach by the World Stroke Organization. <i>International Journal of Stroke</i> , 2019, 14, 818-825.  | 5.9  | 14        |
| 86 | Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. <i>Lancet Neurology</i> , The, 2019, 18, 923-934.                           | 10.2 | 304       |
| 87 | Global, regional, and national burden of multiple sclerosis 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 269-285.   | 10.2 | 716       |
| 88 | A Nationwide, Population-Based Prevalence Study of Genetic Muscle Disorders. <i>Neuroepidemiology</i> , 2019, 52, 128-135.  | 2.3  | 27        |
| 89 | Long-term factor structure of the Rivermead Post-Concussion Symptom Questionnaire in mild traumatic brain injury and normative sample. <i>Brain Injury</i> , 2019, 33, 618-622.   | 1.2  | 10        |
| 90 | Priorities to reduce the burden of stroke in Latin American countries. <i>Lancet Neurology</i> , The, 2019, 18, 674-683.  | 10.2 | 102       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Longitudinal patterns of behavior, cognition, and quality of life after mild traumatic brain injury in children: BIONIC study findings. <i>Brain Injury</i> , 2019, 33, 884-893.                                   | 1.2  | 15        |
| 92  | The burden of headache disorders in the Eastern Mediterranean Region, 1990-2016: findings from the Global Burden of Disease study 2016. <i>Journal of Headache and Pain</i> , 2019, 20, 40.                        | 6.0  | 22        |
| 93  | Planning of stroke care and urgent prehospital care across Europe: Results of the ESO/ESMINT/EAN/SAFE Survey. <i>European Stroke Journal</i> , 2019, 4, 329-336.   | 5.5  | 5         |
| 94  | Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 459-480.                 | 10.2 | 2,625     |
| 95  | Health effects of dietary risks in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2019, 393, 1958-1972.                                       | 13.7 | 3,062     |
| 96  | Anthology of stroke epidemiology in the 20th and 21st centuries: Assessing the past, the present, and envisioning the future. <i>International Journal of Stroke</i> , 2019, 14, 223-237.                          | 5.9  | 56        |
| 97  | Global, regional, and national burden of brain and other CNS cancer, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 376-393.             | 10.2 | 359       |
| 98  | Global, regional, and national burden of epilepsy, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 357-375.                               | 10.2 | 526       |
| 99  | Global Burden of Neurological Disorders: From Global Burden of Disease Estimates to Actions. <i>Neuroepidemiology</i> , 2019, 52, 1-2.   | 2.3  | 73        |
| 100 | Mobile Technology for Primary Stroke Prevention. <i>Stroke</i> , 2019, 50, 196-198.  | 2.0  | 45        |
| 101 | Global, regional, and national burden of Alzheimer's disease and other dementias, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 88-106. | 10.2 | 1,512     |
| 102 | The International comparison of Systems of care and patient outcomes In minor Stroke and Tia (InSIST) study: A community-based cohort study. <i>International Journal of Stroke</i> , 2019, 14, 186-190.           | 5.9  | 9         |
| 103 | Associations between brain drawings following mild traumatic brain injury and negative illness perceptions and post-concussion symptoms at 4â€“6 years. <i>Journal of Health Psychology</i> , 2019, 24, 1448-1458. | 2.3  | 1         |
| 104 | Social cognition four years after mild-TBI: An age-matched prospective longitudinal cohort study.. <i>Neuropsychology</i> , 2019, 33, 560-567.   | 1.3  | 20        |
| 105 | Cut stroke in half: Polypill for primary prevention in stroke. <i>International Journal of Stroke</i> , 2018, 13, 633-647.   | 5.9  | 29        |
| 106 | MLC 901 (NeuroAiD II â„„) for cognition after traumatic brain injury: a pilot randomized clinical trial. <i>European Journal of Neurology</i> , 2018, 25, 1055.  | 3.3  | 25        |
| 107 | The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , 2018, 3, 375.   | 6.1  | 271       |
| 108 | Post-concussive symptoms after a mild traumatic brain injury during childhood and adolescence. <i>Brain Injury</i> , 2018, 32, 617-626.  | 1.2  | 49        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Do Mild Traumatic Brain Injury Severity Sub-classification Systems Help to Identify People Who Go on to Experience Long-Term Symptoms?. <i>Brain Impairment</i> , 2018, 19, 119-132.   | 0.7  | 5         |
| 110 | Factor structure of the Rivermead Post-Concussion Symptoms Questionnaire over the first year following mild traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 453-458.   | 1.2  | 34        |
| 111 | Brief telephone interventions for problem gambling: a randomized controlled trial. <i>Addiction</i> , 2018, 113, 883-895.  | 3.3  | 22        |
| 112 | Factors contributing to sex differences in functional outcomes and participation after stroke. <i>Neurology</i> , 2018, 90, e1945-e1953.   | 1.1  | 47        |
| 113 | A review of epidemiological research on stroke and dementia and exposure to air pollution. <i>International Journal of Stroke</i> , 2018, 13, 687-695.   | 5.9  | 48        |
| 114 | Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018, 391, 1224-1236.  | 13.7 | 101       |
| 115 | A pilot randomized controlled trial of on-line interventions to improve sleep quality in adults after mild or moderate traumatic brain injury. <i>Clinical Rehabilitation</i> , 2018, 32, 619-629.   | 2.2  | 34        |
| 116 | Primary prevention of stroke and cardiovascular disease in the community (PREVENTS): Methodology of a health wellness coaching intervention to reduce stroke and cardiovascular disease risk, a randomized clinical trial. <i>International Journal of Stroke</i> , 2018, 13, 223-232. | 5.9  | 9         |
| 117 | Stroke Incidence by Major Pathological Type and Ischemic Subtypes in the Auckland Regional Community Stroke Studies. <i>Stroke</i> , 2018, 49, 3-10.   | 2.0  | 76        |
| 118 | Global, regional, and national burden of meningitis, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018, 17, 1061-1082.   | 10.2 | 221       |
| 119 | Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018, 379, 2429-2437.   | 27.0 | 959       |
| 120 | The burden of stroke in China: Results from a nationwide population-based epidemiological survey. <i>PLoS ONE</i> , 2018, 13, e0208398.  | 2.5  | 33        |
| 121 | Global, regional, and national burden of Parkinson's disease, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018, 17, 939-953.  | 10.2 | 1,573     |
| 122 | Global, regional, and national burden of motor neuron diseases 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018, 17, 1083-1097.   | 10.2 | 163       |
| 123 | Global, regional, and national burden of migraine and tension-type headache, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018, 17, 954-976.   | 10.2 | 1,101     |
| 124 | Depression and anxiety across the first 4 years after mild traumatic brain injury: findings from a community-based study. <i>Brain Injury</i> , 2018, 32, 1651-1658.   | 1.2  | 31        |
| 125 | Updated Criteria for Population-Based Stroke and Transient Ischemic Attack Incidence Studies for the 21st Century. <i>Stroke</i> , 2018, 49, 2248-2255.  | 2.0  | 66        |
| 126 | EpiNet study of incidence of status epilepticus in Auckland, New Zealand: Methods and preliminary results. <i>Epilepsia</i> , 2018, 59, 144-149.   | 5.1  | 1         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.    | 13.7 | 638       |
| 128 | Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. <i>Clinical Rehabilitation</i> , 2018, 32, 1086-1097.                                | 2.2  | 4         |
| 129 | Return to Pre-Injury Work Following Mild Traumatic Brain Injury. <i>Brain Impairment</i> , 2018, 19, 153-165.  | 0.7  | 5         |
| 130 | Parent and child ratings of child behaviour following mild traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 1397-1404.  | 1.2  | 5         |
| 131 | The Contribution of Vascular Risk Factors in Prevalence of Fatigue Four Years Following Stroke: Results from a Population-Based Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 2192-2199.                                      | 1.6  | 8         |
| 132 | Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.   | 13.7 | 2,005     |
| 133 | Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 792.   | 7.4  | 189       |
| 134 | Trajectories in health recovery in the 12 months following a mild traumatic brain injury in children: findings from the BIONIC Study. <i>Journal of Primary Health Care</i> , 2018, 10, 81.  | 0.6  | 14        |
| 135 | Driving Your Recovery Post Stroke. <i>Neuroepidemiology</i> , 2018, 51, 113-114.   | 2.3  | 0         |
| 136 | Population-based cohort study of the impacts of mild traumatic brain injury in adults four years post-injury. <i>PLoS ONE</i> , 2018, 13, e0191655.  | 2.5  | 92        |
| 137 | Distinguishing between enduring and dynamic concussion symptoms: applying Generalisability Theory to the Rivermead Post Concussion Symptoms Questionnaire (RPQ). <i>PeerJ</i> , 2018, 6, e5676.  | 2.0  | 18        |
| 138 | Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 165.   | 7.4  | 1,492     |
| 139 | Sex Differences in Long-Term Mortality After Stroke in the INSTRUCT (INternational STROKE oUtcomes) Tj ETQq1 1,0,784314 rgBT / O 110   | 2.2  | 110       |
| 140 | Global Burden of Stroke. <i>Circulation Research</i> , 2017, 120, 439-448.   | 4.5  | 1,446     |
| 141 | Work Limitations 4 Years After Mild Traumatic Brain Injury: A Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1560-1566.   | 0.9  | 74        |
| 142 | Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015. <i>Lancet, The</i> , 2017, 389, 1907-1918.  | 13.7 | 4,187     |
| 143 | Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1-25.   | 2.8  | 2,705     |
| 144 | Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266. | 13.7 | 480       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Primary prevention of cardiovascular disease through population-wide motivational strategies: insights from using smartphones in stroke prevention. <i>BMJ Global Health</i> , 2017, 2, e000306.   | 4.7  | 49        |
| 146 | Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017, 377, 13-27.  | 27.0 | 5,014     |
| 147 | Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 389, 1885-1906.   | 13.7 | 1,281     |
| 148 | Prevalence, Incidence, and Mortality of Stroke in China. <i>Circulation</i> , 2017, 135, 759-771.  | 1.6  | 1,450     |
| 149 | Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. <i>Neuroepidemiology</i> , 2017, 49, 45-61.   | 2.3  | 81        |
| 150 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.   | 13.7 | 573       |
| 151 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344. | 13.7 | 1,589     |
| 152 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.  | 13.7 | 3,565     |
| 153 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.                                    | 13.7 | 5,578     |
| 154 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.                   | 13.7 | 1,879     |
| 155 | Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017, 16, 877-897.   | 10.2 | 1,521     |
| 156 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459.  | 13.7 | 284       |
| 157 | Global stroke statistics: An update of mortality data from countries using a broad code of ‘‘cerebrovascular diseases’’. <i>International Journal of Stroke</i> , 2017, 12, 796-801.   | 5.9  | 42        |
| 158 | Depression and Anxiety Across the First Year After Ischemic Stroke: Findings from a Population-Based New Zealand ARCOS-IV Study. <i>Brain Impairment</i> , 2017, 18, 265-276.  | 0.7  | 4         |
| 159 | A systematic review of the worldwide prevalence of survivors of poliomyelitis reported in 31 studies. <i>BMJ Open</i> , 2017, 7, e015470.  | 1.9  | 12        |
| 160 | Determinants, Prevalence, and Trajectory of Long-Term Post-Stroke Cognitive Impairment: Results from a 4-Year Follow-Up of the ARCOS-IV Study. <i>Neuroepidemiology</i> , 2017, 49, 129-134.   | 2.3  | 38        |
| 161 | Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. <i>Lancet Neurology, The</i> , 2017, 16, 987-1048.   | 10.2 | 1,571     |
| 162 | New Zealand Teachers’™ Understanding of Childhood Mild Traumatic Brain Injury: Investigating and Enhancing Teacher Knowledge and Practice. <i>New Zealand Journal of Educational Studies</i> , 2017, 52, 159-176.  | 1.1  | 7         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Global stroke statistics. <i>International Journal of Stroke</i> , 2017, 12, 13-32.  | 5.9  | 351       |
| 164 | Primary stroke prevention needs overhaul. <i>International Journal of Stroke</i> , 2017, 12, 5-6.  | 5.9  | 13        |
| 165 | Years of life lost due to traumatic brain injury in Europe: A cross-sectional analysis of 16 countries. <i>PLoS Medicine</i> , 2017, 14, e1002331.   | 8.4  | 93        |
| 166 | Epidemiology of traumatic brain injuries in Europe: a cross-sectional analysis. <i>Lancet Public Health</i> , The, 2016, 1, e76-e83.   | 10.0 | 312       |
| 167 | Neuropsychological Outcome and its Predictors Across the First Year after Ischaemic Stroke. <i>Brain Impairment</i> , 2016, 17, 111-122.   | 0.7  | 6         |
| 168 | Prevention, management, and rehabilitation of stroke in low- and middle-income countries. <i>ENeurologicalSci</i> , 2016, 2, 21-30.  | 1.3  | 71        |
| 169 | First-Ever Stroke and Transient Ischemic Attack Incidence and 30-Day Case-Fatality Rates in a Population-Based Study in Argentina. <i>Stroke</i> , 2016, 47, 1640-1642.  | 2.0  | 42        |
| 170 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1603-1658.                 | 13.7 | 1,612     |
| 171 | Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1545-1602.                                    | 13.7 | 5,298     |
| 172 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1659-1724. | 13.7 | 4,203     |
| 173 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1813-1850.  | 13.7 | 413       |
| 174 | Incidence of Transient Ischemic Attack in Auckland, New Zealand, in 2011 to 2012. <i>Stroke</i> , 2016, 47, 2183-2188.   | 2.0  | 17        |
| 175 | Stroke is largely preventable across the globe: where to next?. <i>Lancet</i> , The, 2016, 388, 733-734.   | 13.7 | 19        |
| 176 | Prevention of stroke: a strategic global imperative. <i>Nature Reviews Neurology</i> , 2016, 12, 501-512.  | 10.1 | 162       |
| 177 | Sleep difficulties and their impact on recovery following mild traumatic brain injury in children. <i>Brain Injury</i> , 2016, 30, 1243-1248.  | 1.2  | 38        |
| 178 | Accuracy of an International Classification of Diseases Code Surveillance System in the Identification of Traumatic Brain Injury. <i>Neuroepidemiology</i> , 2016, 47, 46-52.  | 2.3  | 27        |
| 179 | Revising the ICD: stroke is a brain disease. <i>Lancet</i> , The, 2016, 388, 2475-2476.  | 13.7 | 16        |
| 180 | Global burden of stroke and risk factors in 188 countries, during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet Neurology</i> , The, 2016, 15, 913-924.  | 10.2 | 1,107     |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Brain drawings following traumatic brain injury (TBI) and links to illness perceptions and health outcomes – Findings from a population-based study. <i>Psychology and Health</i> , 2016, 31, 1182-1202.                             | 2.2  | 6         |
| 182 | Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.   | 6.2  | 479       |
| 183 | Global Burden of Stroke. , 2016, , 165-206.  |      | 9         |
| 184 | The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. <i>Injury Prevention</i> , 2016, 22, 3-18.   | 2.4  | 898       |
| 185 | Persistent problems 1 year after mild traumatic brain injury: a longitudinal population study in New Zealand. <i>British Journal of General Practice</i> , 2016, 66, e16-e23.  | 1.4  | 167       |
| 186 | Evolving spatio-temporal data machines based on the NeuCube neuromorphic framework: Design methodology and selected applications. <i>Neural Networks</i> , 2016, 78, 1-14.   | 5.9  | 123       |
| 187 | Ambient Air Pollution Exposure Estimation for the Global Burden of Disease 2013. <i>Environmental Science &amp; Technology</i> , 2016, 50, 79-88.  | 10.0 | 886       |
| 188 | Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. , 2016, , 29-40.   |      | 16        |
| 189 | Response to Letter Regarding Article, “New Strategy to Reduce the Global Burden of Stroke”. <i>Stroke</i> , 2015, 46, e195.  | 2.0  | 4         |
| 190 | Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Children and Youth Aged 0-19 Years: Data from the Global and Regional Burden of Stroke 2013. <i>Neuroepidemiology</i> , 2015, 45, 177-189.                        | 2.3  | 84        |
| 191 | Causes of Death Data in the Global Burden of Disease Estimates for Ischemic and Hemorrhagic Stroke. <i>Neuroepidemiology</i> , 2015, 45, 152-160.  | 2.3  | 32        |
| 192 | Review and prioritization of stroke research recommendations to address the mission of the World Stroke Organization: a call to action from the WSO Research Committee. <i>International Journal of Stroke</i> , 2015, 10, 4-9.      | 5.9  | 14        |
| 193 | Final Response to Hippisley-Cox et al.. <i>International Journal of Stroke</i> , 2015, 10, E82-E85.  | 5.9  | 0         |
| 194 | The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2015, 10, e0116820.   | 2.5  | 908       |
| 195 | Explanation and Elaboration of the Standards of Reporting of Neurological Disorders Checklist: A Guideline for the Reporting of Incidence and Prevalence Studies in Neuroepidemiology. <i>Neuroepidemiology</i> , 2015, 45, 113-137. | 2.3  | 15        |
| 196 | Stroke Prevention Worldwide - What Could Make It Work. <i>Neuroepidemiology</i> , 2015, 45, 215-220.   | 2.3  | 43        |
| 197 | From Data to Action: Neuroepidemiology Informs Implementation Research for Global Stroke Prevention and Treatment. <i>Neuroepidemiology</i> , 2015, 45, 221-229.   | 2.3  | 7         |
| 198 | Potential Gains and Costs from Increasing Access to Thrombolysis for Acute Ischemic Stroke Patients in New Zealand Hospitals. <i>International Journal of Stroke</i> , 2015, 10, 903-910.  | 5.9  | 4         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 199 | Mortality from cardiovascular diseases in sub-Saharan Africa, 1990–2013: a systematic analysis of data from the Global Burden of Disease Study 2013: cardiovascular topic. <i>Cardiovascular Journal of Africa</i> , 2015, 26, S6-S10.   | 0.4  | 239       |
| 200 | 30-Year Trends in Stroke Rates and Outcome in Auckland, New Zealand (1981-2012): A Multi-Ethnic Population-Based Series of Studies. <i>PLoS ONE</i> , 2015, 10, e0134609.  | 2.5  | 70        |
| 201 | Demographic and Epidemiologic Drivers of Global Cardiovascular Mortality. <i>New England Journal of Medicine</i> , 2015, 372, 1333-1341.   | 27.0 | 881       |
| 202 | New Strategy to Reduce the Global Burden of Stroke. <i>Stroke</i> , 2015, 46, 1740-1747.   | 2.0  | 71        |
| 203 | Sleep difficulties one year following mild traumatic brain injury in a population-based study. <i>Sleep Medicine</i> , 2015, 16, 926-932.  | 1.6  | 90        |
| 204 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800. | 13.7 | 4,951     |
| 205 | Approaches to Prevention of Cardiovascular Disease. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2306.   | 7.4  | 0         |
| 206 | Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Adults Aged 20-64 Years in 1990-2013: Data from the Global Burden of Disease 2013 Study. <i>Neuroepidemiology</i> , 2015, 45, 190-202.  | 2.3  | 255       |
| 207 | Methods for Estimating the Global Burden of Cerebrovascular Diseases. <i>Neuroepidemiology</i> , 2015, 45, 146-151.  | 2.3  | 41        |
| 208 | The Global Burden of Stroke. <i>Neuroepidemiology</i> , 2015, 45, 143-145.   | 2.3  | 54        |
| 209 | Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. <i>Neuroepidemiology</i> , 2015, 45, 161-176.   | 2.3  | 1,002     |
| 210 | Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. <i>Neuroepidemiology</i> , 2015, 45, 230-236.  | 2.3  | 186       |
| 211 | Primary stroke prevention in China – a new approach. <i>Neurological Research</i> , 2015, 37, 378-380.   | 1.3  | 15        |
| 212 | Use of the EpiNet database for observational study of status epilepticus in Auckland, New Zealand. <i>Epilepsy and Behavior</i> , 2015, 49, 164-169.   | 1.7  | 3         |
| 213 | Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. <i>Neuroepidemiology</i> , 2015, 45, 203-214.   | 2.3  | 159       |
| 214 | Burden of Traumatic Brain Injury in New Zealand: Incidence, Prevalence and Disability-Adjusted Life Years. <i>Neuroepidemiology</i> , 2015, 44, 255-261.   | 2.3  | 22        |
| 215 | A Commentary on the Standards of Reporting of Neurological Disorders Checklist: A Guideline for the Reporting of Descriptive Studies in Neuroepidemiology. <i>Neuroepidemiology</i> , 2015, 45, 71-72.   | 2.3  | 1         |
| 216 | The Stroke Riskometer™ App: Validation of a Data Collection Tool and Stroke Risk Predictor. <i>International Journal of Stroke</i> , 2015, 10, 231-244.  | 5.9  | 103       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Mind and body therapy for fibromyalgia. The Cochrane Library, 2015, 2015, CD001980.   | 2.8  | 59        |
| 218 | Development of the standards of reporting of neurological disorders (STROND) checklist: a guideline for the reporting of incidence and prevalence studies in neuroepidemiology. European Journal of Epidemiology, 2015, 30, 569-576.  | 5.7  | 35        |
| 219 | Global and Regional Patterns in Cardiovascular Mortality From 1990 to 2013. Circulation, 2015, 132, 1667-1678.  | 1.6  | 717       |
| 220 | Improving Adherence to Secondary Stroke Prevention Strategies Through Motivational Interviewing. Stroke, 2015, 46, 3451-3458.   | 2.0  | 46        |
| 221 | Neuropsychological outcome and its correlates in the first year after adult mild traumatic brain injury: A population-based New Zealand study. Brain Injury, 2015, 29, 1604-1616.   | 1.2  | 60        |
| 222 | Development of the Standards of Reporting of Neurological Disorders (STROND) checklist. Neurology, 2015, 85, 821-828.   | 1.1  | 57        |
| 223 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.                                       | 13.7 | 1,544     |
| 224 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323. | 13.7 | 2,184     |
| 225 | Methodology of the Stroke Self-Management Rehabilitation Trial: An International, Multisite Pilot Trial. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 297-303.   | 1.6  | 15        |
| 226 | Frequency and Impact of Recurrent Traumatic Brain Injury in a Population-Based Sample. Journal of Neurotrauma, 2015, 32, 674-681.   | 3.4  | 37        |
| 227 | Cost of traumatic brain injury in New Zealand. Neurology, 2014, 83, 1645-1652.  | 1.1  | 83        |
| 228 | Reducing Recurrent Stroke: Methodology of the Motivational Interviewing in Stroke (MIST) Randomized Clinical Trial. International Journal of Stroke, 2014, 9, 133-139.  | 5.9  | 23        |
| 229 | Methodology of a Population-Based Stroke and TIA Incidence and Outcomes Study: The Auckland Regional Community Stroke Study (ARCOS IV) 2011â€“2012. International Journal of Stroke, 2014, 9, 140-147.  | 5.9  | 16        |
| 230 | Capturing the Stories behind the Numbers: The Auckland Regional Community Stroke Study (ARCOS IV), a Qualitative Study. International Journal of Stroke, 2014, 9, 64-70.  | 5.9  | 2         |
| 231 | A New Paradigm for Primary Prevention Strategy in People with Elevated Risk of Stroke. International Journal of Stroke, 2014, 9, 624-626.   | 5.9  | 39        |
| 232 | Stroke Prevention in New Zealand: Can We Do Better?. International Journal of Stroke, 2014, 9, 61-63.   | 5.9  | 3         |
| 233 | Measuring and Reducing the Stroke Burden in New Zealand. International Journal of Stroke, 2014, 9, 5-5.   | 5.9  | 0         |
| 234 | Prevalence of Muscular Dystrophies: A Systematic Literature Review. Neuroepidemiology, 2014, 43, 259-268.   | 2.3  | 1,374     |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 235 | Evolving spiking neural networks for personalised modelling, classification and prediction of spatio-temporal patterns with a case study on stroke. <i>Neurocomputing</i> , 2014, 134, 269-279.                            | 5.9  | 117       |
| 236 | Global and regional burden of stroke during 1990â€“2010: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2014, 383, 245-255.   | 13.7 | 3,007     |
| 237 | Improved predictive personalized modelling with the use of Spiking Neural Network system and a case study on stroke occurrences data. , 2014, , .  |      | 7         |
| 238 | Geomagnetic Storms Can Trigger Stroke. <i>Stroke</i> , 2014, 45, 1639-1645.  | 2.0  | 31        |
| 239 | Sports-related brain injury in the general population: An epidemiological study. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 591-596.  | 1.3  | 59        |
| 240 | Global burden of stroke: an underestimate â€“ Authors' reply. <i>Lancet, The</i> , 2014, 383, 1205-1206.   | 13.7 | 18        |
| 241 | Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 766-781. | 13.7 | 9,122     |
| 242 | The Global Burden of Ischemic Stroke: Findings of the GBD 2010 Study. <i>Global Heart</i> , 2014, 9, 107.  | 2.3  | 129       |
| 243 | The Global Burden of Hemorrhagic Stroke: A Summary of Findings From the GBD 2010 Study. <i>Global Heart</i> , 2014, 9, 101.  | 2.3  | 163       |
| 244 | Information Methods for Predicting Risk and Outcome of Stroke. , 2014, , 993-1001.   |      | 0         |
| 245 | The Epidemiology of Cardiovascular Diseases in Sub-Saharan Africa: The Global Burden of Diseases, Injuries and Risk Factors 2010 Study. <i>Progress in Cardiovascular Diseases</i> , 2013, 56, 234-239.                    | 3.1  | 176       |
| 246 | Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990â€“2010: findings from the Global Burden of Disease Study 2010. <i>The Lancet Global Health</i> , 2013, 1, e259-e281.                | 6.3  | 1,051     |
| 247 | Incidence of traumatic brain injury in New Zealand: a population-based study. <i>Lancet Neurology, The</i> , 2013, 12, 53-64.  | 10.2 | 549       |
| 248 | Prevalence and Predictors of Post-traumatic Stress Disorder in Adults One Year Following Traumatic Brain Injury: A Population-based Study. <i>Brain Impairment</i> , 2013, 14, 425-435.                                    | 0.7  | 10        |
| 249 | Enzogenol for cognitive functioning in traumatic brain injury: a pilot placeboâ€“controlled <sc>RCT</sc>. <i>European Journal of Neurology</i> , 2013, 20, 1135-1144.  | 3.3  | 48        |
| 250 | Program for the Epidemiological Evaluation of Stroke in Tandil, Argentina (PREVISTA) Study: Rationale and Design. <i>International Journal of Stroke</i> , 2013, 8, 591-597.   | 5.9  | 8         |
| 251 | Differences in Neuropsychological Profiles of Long-Term Intracerebral Hemorrhage and Subarachnoid Hemorrhage Survivors. <i>International Journal of Stroke</i> , 2013, 8, E14-E14.   | 5.9  | 2         |
| 252 | Neuroepidemiology: A Brighter Look for the Future. <i>Neuroepidemiology</i> , 2013, 41, 1-1.   | 2.3  | 2         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 253 | Poststroke Fatigue: Does Group Education Make a Difference? A Randomized Pilot Trial. Topics in Stroke Rehabilitation, 2012, 19, 32-39.   | 1.9  | 34        |
| 254 | Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143.                                    | 13.7 | 1,013     |
| 255 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.                      | 13.7 | 7,061     |
| 256 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2095-2128.                            | 13.7 | 11,038    |
| 257 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.                        | 13.7 | 6,376     |
| 258 | Telerehabilitation to improve outcomes for people with stroke: study protocol for a randomised controlled trial. Trials, 2012, 13, 233.   | 1.6  | 26        |
| 259 | Neuropsychological Profiles of 5-Year Ischemic Stroke Survivors by Oxfordshire Stroke Classification and Hemisphere of Lesion. Stroke, 2012, 43, 50-55.   | 2.0  | 48        |
| 260 | Prevalence and Predictors of 6-Month Fatigue in Patients With Ischemic Stroke. Stroke, 2012, 43, 2604-2609.   | 2.0  | 35        |
| 261 | Are Stroke Units Cost Effective? Evidence from a New Zealand Stroke Incidence and Population-Based Study. International Journal of Stroke, 2012, 7, 623-630.  | 5.9  | 19        |
| 262 | Stroke Prevention in the Developing World. Stroke, 2011, 42, 3655-3658.   | 2.0  | 37        |
| 263 | Cognitive and Functional Outcomes of 5-Year Subarachnoid Haemorrhage Survivors: Comparison to Matched Healthy Controls. Neuroepidemiology, 2011, 37, 31-38.   | 2.3  | 46        |
| 264 | Ethnicity and Functional Outcome After Stroke. Stroke, 2011, 42, 960-964.   | 2.0  | 30        |
| 265 | Exploring Associations between Changes in Ambient Temperature and Stroke Occurrence: Comparative Analysis Using Global and Personalised Modelling Approaches. Lecture Notes in Computer Science, 2011, , 129-137.           | 1.3  | 3         |
| 266 | Epidemiology of ischaemic stroke and traumatic brain injury. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2010, 24, 485-494.   | 4.0  | 87        |
| 267 | Auckland Stroke Outcomes Study. Neurology, 2010, 75, 1597-1607.   | 1.1  | 137       |
| 268 | Natural History of Attention Deficits and Their Influence on Functional Recovery from Acute Stages to 6 Months after Stroke. Neuroepidemiology, 2010, 35, 255-262.  | 2.3  | 31        |
| 269 | Attention Deficits After Incident Stroke in the Acute Period: Frequency Across Types of Attention and Relationships to Patient Characteristics and Functional Outcomes. Topics in Stroke Rehabilitation, 2010, 17, 463-476. | 1.9  | 45        |
| 270 | Public health strategies could reduce the global stroke epidemic. Lancet Neurology, The, 2010, 9, 847-848.  | 10.2 | 12        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 271 | Trends in Head Injury Incidence in New Zealand: A Hospital-Based Study from 1997/1998 to 2003/2004. <i>Neuroepidemiology</i> , 2009, 32, 32-39.   | 2.3  | 32        |
| 272 | Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review. <i>Lancet Neurology</i> , The, 2009, 8, 355-369.                         | 10.2 | 2,255     |
| 273 | Capturing the Spectrum: Suggested Standards for Conducting Population-Based Traumatic Brain Injury Incidence Studies. <i>Neuroepidemiology</i> , 2009, 32, 1-3.                           | 2.3  | 32        |
| 274 | Reducing Attention Deficits After Stroke Using Attention Process Training. <i>Stroke</i> , 2009, 40, 3293-3298.   | 2.0  | 130       |
| 275 | Long-Term Neuropsychological and Functional Outcomes in Stroke Survivors: Current Evidence and Perspectives for New Research. <i>International Journal of Stroke</i> , 2008, 3, 33-40.    | 5.9  | 66        |
| 276 | The Impact of Stroke on Unpaid Caregivers: Results from the Auckland Regional Community Stroke Study, 2002-2003. <i>Cerebrovascular Diseases</i> , 2008, 25, 548-554.                     | 1.7  | 41        |
| 277 | The Importance of Epidemiological Studies Should Not Be Downplayed. <i>Stroke</i> , 2008, 39, 1-2.  | 2.0  | 35        |
| 278 | Advances in Population Studies 2007. <i>Stroke</i> , 2008, 39, 283-285.   | 2.0  | 6         |
| 279 | Cigarette Smoking, Systolic Blood Pressure, and Cardiovascular Diseases in the Asia-Pacific Region. <i>Stroke</i> , 2008, 39, 1694-1702.  | 2.0  | 88        |
| 280 | Falls After Stroke. <i>Stroke</i> , 2008, 39, 1890-1893.  | 2.0  | 100       |
| 281 | Calcium Antagonists for Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2008, 39, 514-515.  | 2.0  | 49        |
| 282 | <i>Neuroepidemiology</i> from 1982 to 2007 and Beyond. <i>Neuroepidemiology</i> , 2008, 30, 1-2.  | 2.3  | 0         |
| 283 | Associations between high-density lipoprotein cholesterol and both stroke and coronary heart disease in the Asia Pacific region. <i>European Heart Journal</i> , 2007, 28, 2653-2660.     | 2.2  | 53        |
| 284 | Hypertension: its prevalence and population-attributable fraction for mortality from cardiovascular disease in the Asia-Pacific region. <i>Journal of Hypertension</i> , 2007, 25, 73-79. | 0.5  | 173       |
| 285 | Herbal Medicine in Stroke. <i>Stroke</i> , 2007, 38, 1734-1736.   | 2.0  | 56        |
| 286 | Calcium antagonists for aneurysmal subarachnoid haemorrhage. <i>The Cochrane Library</i> , 2007, , CD000277.  | 2.8  | 344       |
| 287 | Stroke surveillance: population-based estimates and projections for New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 520-525.                          | 1.8  | 24        |
| 288 | Burden of Stroke in Maori and Pacific Peoples of New Zealand. <i>International Journal of Stroke</i> , 2007, 2, 208-210.  | 5.9  | 16        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 289 | Stroke in developing countries: can the epidemic be stopped and outcomes improved?. <i>Lancet Neurology, The</i> , 2007, 6, 94-97.  | 10.2 | 155       |
| 290 | Pragmatism and perfection in the prevention of cardiovascular disease. <i>Lancet Neurology, The</i> , 2007, 6, 944-945.   | 10.2 | 1         |
| 291 | Post stroke fatigue—where is the evidence to guide practice?. <i>New Zealand Medical Journal</i> , 2007, 120, U2780.  | 0.5  | 20        |
| 292 | Poststroke dementia: prevalence, incidence and risk factors. <i>Aging Health</i> , 2006, 2, 799-807.  | 0.3  | 0         |
| 293 | Advances in Subarachnoid Hemorrhage. <i>Stroke</i> , 2006, 37, 305-308.   | 2.0  | 39        |
| 294 | The Impact of Neuropsychological Deficits on Functional Stroke Outcomes. <i>Neuropsychology Review</i> , 2006, 16, 53-64.   | 4.9  | 114       |
| 295 | Ethnic disparities in incidence of stroke subtypes: Auckland Regional Community Stroke Study, 2002–2003. <i>Lancet Neurology, The</i> , 2006, 5, 130-139.   | 10.2 | 130       |
| 296 | Corticosteroids in Patients With Hemorrhagic Stroke. <i>Stroke</i> , 2006, 37, 1344-1345.   | 2.0  | 6         |
| 297 | Trends in Ethnic Disparities in Stroke Incidence in Auckland, New Zealand, During 1981 to 2003. <i>Stroke</i> , 2006, 37, 56-62.  | 2.0  | 48        |
| 298 | Incidence of stroke in women in Auckland, New Zealand. Ethnic trends over two decades: 1981-2003. <i>New Zealand Medical Journal</i> , 2006, 119, U2309.  | 0.5  | 5         |
| 299 | Corticosteroids for aneurysmal subarachnoid haemorrhage and primary intracerebral haemorrhage. <i>The Cochrane Library</i> , 2005, , CD004583.  | 2.8  | 88        |
| 300 | Smoking and Elevated Blood Pressure Are the Most Important Risk Factors for Subarachnoid Hemorrhage in the Asia-Pacific Region. <i>Stroke</i> , 2005, 36, 1360-1365.  | 2.0  | 124       |
| 301 | Trends in Stroke Incidence in Auckland, New Zealand, During 1981 to 2003. <i>Stroke</i> , 2005, 36, 2087-2093.  | 2.0  | 120       |
| 302 | Stroke epidemiology in the developing world. <i>Lancet, The</i> , 2005, 365, 2160-2161.   | 13.7 | 330       |
| 303 | Risk Factors for Subarachnoid Hemorrhage. <i>Stroke</i> , 2005, 36, 2773-2780.  | 2.0  | 644       |
| 304 | Does blood pressure lowering treatment prevents dementia or cognitive decline in patients with cardiovascular and cerebrovascular disease?. <i>Journal of the Neurological Sciences</i> , 2005, 229-230, 151-155. | 0.6  | 79        |
| 305 | Editorial Comment—Stroke Incidence Studies One Step Closer to the Elusive Gold Standard?. <i>Stroke</i> , 2004, 35, 2045-2047.  | 2.0  | 52        |
| 306 | Active and Passive Smoking and the Risk of Subarachnoid Hemorrhage. <i>Stroke</i> , 2004, 35, 633-637.  | 2.0  | 96        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 307 | Ethnic Disparities in Risk Factors for Stroke. <i>Stroke</i> , 2004, 35, 1568-1569.   | 2.0  | 18        |
| 308 | Blood Pressure and Stroke. <i>Stroke</i> , 2004, 35, 1024-1033.   | 2.0  | 238       |
| 309 | Blood Pressure and Stroke. <i>Stroke</i> , 2004, 35, 776-785.   | 2.0  | 535       |
| 310 | How to study stroke incidence. <i>Lancet, The</i> , 2004, 363, 1920-1921.   | 13.7 | 90        |
| 311 | Stroke epidemiology: a review of population-based studies of incidence, prevalence, and case-fatality in the late 20th century. <i>Lancet Neurology, The</i> , 2003, 2, 43-53.              | 10.2 | 1,612     |
| 312 | The emerging role of therapeutic hypothermia in acute stroke. <i>Lancet Neurology, The</i> , 2003, 2, 529.  | 10.2 | 31        |
| 313 | New developments in dementia. <i>Acta Neurologica Scandinavica</i> , 2003, 107, 237-238.  | 2.1  | 1         |
| 314 | Systemic Inflammation, Endothelial Dysfunction, Dietary Fatty Acids and Micronutrients as Risk Factors for Stroke: A Selective Review. <i>Cerebrovascular Diseases</i> , 2002, 13, 219-224. | 1.7  | 18        |
| 315 | The emerging role of induced hypothermia in the management of acute stroke. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 502-507.   | 1.5  | 37        |
| 316 | How should stroke services be organised?. <i>Lancet Neurology, The</i> , 2002, 1, 62-68.  | 10.2 | 22        |
| 317 | Irampanel Boehringer Ingelheim. <i>Current Opinion in Investigational Drugs</i> , 2002, 3, 908-10.  | 2.3  | 6         |
| 318 | Determinants of major non-communicable diseases in the elderly: the pilot Freemasons health study. <i>New Zealand Medical Journal</i> , 2002, 115, U179.                                    | 0.5  | 1         |
| 319 | Is There a Temporal Pattern in the Occurrence of Subarachnoid Hemorrhage in the Southern Hemisphere?. <i>Stroke</i> , 2001, 32, 613-619.  | 2.0  | 45        |
| 320 | A Population-Based Study of Transient Ischemic Attack Incidence in Novosibirsk, Russia, 1987-1988 and 1996-1997. <i>Stroke</i> , 2000, 31, 9-13.  | 2.0  | 31        |
| 321 | Risk Factors for Ischemic Stroke in a Russian Community. <i>Stroke</i> , 1998, 29, 34-39.   | 2.0  | 43        |
| 322 | Environmental factors and stroke: A selective review. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1997, 6, 108-113.   | 1.6  | 11        |
| 323 | Stroke Epidemiology in Novosibirsk, Russia: A Population-Based Study. <i>Mayo Clinic Proceedings</i> , 1995, 70, 847-852.   | 3.0  | 55        |
| 324 | Stroke Epidemiology in Novosibirsk, Russia: A Population-Based Study. <i>Mayo Clinic Proceedings</i> , 1995, 70, 847-852.   | 3.0  | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Stroke Incidence and 30-Day Case-Fatality Rates in Novosibirsk, Russia, 1982 Through 1992. <i>Stroke</i> , 1995, 26, 924-929. | 2.0 | 40        |
| 326 | Update on stroke risk factors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1994, 4, 207-215.                      | 1.6 | 1         |