

# Morten Hylander MÃ¸ller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5448470/publications.pdf>

Version: 2024-02-01

224  
papers

16,588  
citations

53789

45  
h-index

17588

121  
g-index

227  
all docs

227  
docs citations

227  
times ranked

17942  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1330.	7.4	1,855
2	Hydroxyethyl Starch 130/0.42 versus Ringer's Acetate in Severe Sepsis. New England Journal of Medicine, 2012, 367, 124-134.	27.0	1,594
3	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). Intensive Care Medicine, 2020, 46, 854-887.	8.2	1,536
4	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247.	8.2	1,503
5	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, e1063-e1143.	0.9	927
6	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). Critical Care Medicine, 2020, 48, e440-e469.	0.9	816
7	Lower versus Higher Hemoglobin Threshold for Transfusion in Septic Shock. New England Journal of Medicine, 2014, 371, 1381-1391.	27.0	717
8	Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. Pediatric Critical Care Medicine, 2020, 21, e52-e106.	0.5	567
9	Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. Intensive Care Medicine, 2020, 46, 10-67.	8.2	331
10	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. Critical Care Medicine, 2021, 49, e219-e234.	0.9	289
11	Managing ICU surge during the COVID-19 crisis: rapid guidelines. Intensive Care Medicine, 2020, 46, 1303-1325.	8.2	281
12	Perforated peptic ulcer. Lancet, The, 2015, 386, 1288-1298.	13.7	240
13	Pantoprazole in Patients at Risk for Gastrointestinal Bleeding in the ICU. New England Journal of Medicine, 2018, 379, 2199-2208.	27.0	232
14	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, 1974-1982.	0.9	209
15	Prevalence and outcome of gastrointestinal bleeding and use of acid suppressants in acutely ill adult intensive care patients. Intensive Care Medicine, 2015, 41, 833-845.	8.2	208
16	Early goal-directed nutrition versus standard of care in adult intensive care patients: the single-centre, randomised, outcome assessor-blinded EAT-ICU trial. Intensive Care Medicine, 2017, 43, 1637-1647.	8.2	204
17	Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. New England Journal of Medicine, 2021, 384, 1301-1311.	27.0	190
18	Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia. JAMA - Journal of the American Medical Association, 2021, 326, 1807.	7.4	174

#	ARTICLE	IF	CITATIONS
19	Use of the GRADE approach in systematic reviews and guidelines. <i>British Journal of Anaesthesia</i> , 2019, 123, 554-559.	3.4	156
20	Restriction of Intravenous Fluid in ICU Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2022, 386, 2459-2470.	27.0	154
21	Surgical delay is a critical determinant of survival in perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013, 100, 1045-1049.	0.3	148
22	Mortality and postoperative care pathways after emergency gastrointestinal surgery in 2904 patients: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2014, 112, 860-870.	3.4	142
23	Low-dose corticosteroids for adult patients with septic shock: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2018, 44, 1003-1016.	8.2	141
24	Multicentre trial of a perioperative protocol to reduce mortality in patients with peptic ulcer perforation. <i>British Journal of Surgery</i> , 2011, 98, 802-810.	0.3	138
25	Stress ulcer prophylaxis versus placebo or no prophylaxis in critically ill patients. <i>Intensive Care Medicine</i> , 2014, 40, 11-22.	8.2	138
26	Efficacy and safety of stress ulcer prophylaxis in critically ill patients: a network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2018, 44, 1-11.	8.2	120
27	Relationship between timing of endoscopy and mortality in patients with peptic ulcer bleeding: a nationwide cohort study. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 936-944.e3.	1.0	107
28	Association between biomarkers of endothelial injury and hypocoagulability in patients with severe sepsis: a prospective study. <i>Critical Care</i> , 2015, 19, 191.	5.8	106
29	Preoperative prognostic factors for mortality in peptic ulcer perforation: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 785-805.	1.5	87
30	The peptic ulcer perforation (PULP) score: a predictor of mortality following peptic ulcer perforation. A cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2012, 56, 655-662.	1.6	85
31	Stress ulcer prophylaxis in the intensive care unit: an international survey of 97 units in 11 countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 576-585.	1.6	80
32	Improving Quality of Care in Peptic Ulcer Bleeding: Nationwide Cohort Study of 13,498 Consecutive Patients in the Danish Clinical Register of Emergency Surgery. <i>American Journal of Gastroenterology</i> , 2013, 108, 1449-1457.	0.4	78
33	Neuromuscular blockade in patients with ARDS: a rapid practice guideline. <i>Intensive Care Medicine</i> , 2020, 46, 1977-1986.	8.2	78
34	Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 362, k3284.	2.3	76
35	Perforated peptic ulcer: How to improve outcome?. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 15-22.	1.5	74
36	Thromboelastography in patients with severe sepsis: a prospective cohort study. <i>Intensive Care Medicine</i> , 2015, 41, 77-85.	8.2	74

#	ARTICLE	IF	CITATIONS
37	Lower vs Higher Fluid Volumes During Initial Management of Sepsis. <i>Chest</i> , 2020, 157, 1478-1496.	0.8	73
38	Executive summary: surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. <i>Intensive Care Medicine</i> , 2020, 46, 1-9.	8.2	70
39	Dexamethasone 12 mg versus 6 mg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , 2022, 48, 45-55.	8.2	70
40	New-onset atrial fibrillation in adult critically ill patients: a scoping review. <i>Intensive Care Medicine</i> , 2019, 45, 928-938.	8.2	65
41	Effect of Awake Prone Positioning on Endotracheal Intubation in Patients With COVID-19 and Acute Respiratory Failure. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 2104.	7.4	63
42	Are systematic reviews and meta-analyses still useful research? We are not sure. <i>Intensive Care Medicine</i> , 2018, 44, 518-520.	8.2	62
43	Predictors of gastrointestinal bleeding in adult ICU patients: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2019, 45, 1347-1359.	8.2	49
44	Dexmedetomidine vs other sedatives in critically ill mechanically ventilated adults: a systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2022, 48, 811-840.	8.2	49
45	Post-operative urinary retention in a general surgical population. <i>European Journal of Anaesthesiology</i> , 2011, 28, 190-194.	1.7	48
46	Stress ulcer prophylaxis in the intensive care unit: is it indicated? A topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2013, 57, 835-847.	1.6	48
47	Executive Summary: Surviving Sepsis Campaign International Guidelines for the Management of Septic Shock and Sepsis-Associated Organ Dysfunction in Children. <i>Pediatric Critical Care Medicine</i> , 2020, 21, 186-195.	0.5	48
48	Surgical complications after open and laparoscopic surgery for perforated peptic ulcer in a nationwide cohort. <i>British Journal of Surgery</i> , 2015, 102, 382-387.	0.3	47
49	Scandinavian clinical practice guideline on fluid and drug therapy in adults with acute respiratory distress syndrome. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 697-709.	1.6	47
50	Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2019, 45, 143-158.	8.2	47
51	Randomised clinical trials in critical care: past, present and future. <i>Intensive Care Medicine</i> , 2022, 48, 164-178.	8.2	46
52	Scandinavian clinical practice guideline on choice of first-line vasopressor for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 1347-1366.	1.6	45
53	Epidural analgesia in patients with traumatic rib fractures: a systematic review of randomised controlled trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 698-709.	1.6	43
54	Prevention of rhabdomyolysis-induced acute kidney injury – A DASAIM/DSIT clinical practice guideline. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 576-586.	1.6	43

#	ARTICLE	IF	CITATIONS
55	The Danish Intensive Care Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 525-530.	3.0	42
56	Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: systematic review and network meta-analysis. <i>BMJ</i> , The, 2020, 368, l6744.	6.0	42
57	Predictive Performance of the Simplified Acute Physiology Score (SAPS) II and the Initial Sequential Organ Failure Assessment (SOFA) Score in Acutely Ill Intensive Care Patients: Post-Hoc Analyses of the SUP-ICU Inception Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0168948.	2.5	41
58	Risk factors in patients surgically treated for peptic ulcer perforation. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 145-152.	1.5	39
59	Quality-of-care initiative in patients treated surgically for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2013, 100, 543-552.	0.3	39
60	Stress ulcer prophylaxis with a proton pump inhibitor versus placebo in critically ill patients (SUP-ICU) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	38
61	Mortality prediction models in the adult critically ill: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 424-442.	1.6	38
62	Predictive value of <sc>NGAL</sc> for use of renal replacement therapy in patients with severe sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 25-34.	1.6	37
63	Empirical mono- versus combination antibiotic therapy in adult intensive care patients with severe sepsis â€” A systematic review with meta-analysis and trial sequential analysis. <i>Journal of Infection</i> , 2017, 74, 331-344.	3.3	37
64	Conservative vs liberal fluid therapy in septic shock (CLASSIC) trialâ€™ Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1262-1271.	1.6	37
65	Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (<sc>SMS</sc>â€™<sc>ICU</sc>). <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 336-346.	1.6	36
66	New-onset atrial fibrillation and associated outcomes and resource use among critically ill adultsâ€™a multicenter retrospective cohort study. <i>Critical Care</i> , 2020, 24, 15.	5.8	36
67	Guideline for stress ulcer prophylaxis in the intensive care unit. <i>Danish Medical Journal</i> , 2014, 61, C4811.	0.5	35
68	Early vasopressor use following traumatic injury: a systematic review. <i>BMJ Open</i> , 2017, 7, e017559.	1.9	33
69	Efficacy and safety of gastrointestinal bleeding prophylaxis in critically ill patients: an updated systematic review and network meta-analysis of randomized trials. <i>Intensive Care Medicine</i> , 2020, 46, 1987-2000.	8.2	33
70	Influence of body mass index on mortality after surgery for perforated peptic ulcer. <i>British Journal of Surgery</i> , 2014, 101, 993-999.	0.3	32
71	Lowâ€™dose hydrocortisone in patients with COVIDâ€™19 and severe hypoxia: The COVID STEROID randomised, placeboâ€™controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1421-1430.	1.6	31
72	Association between surgical delay and survival in high-risk emergency abdominal surgery. A population-based Danish cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 121-128.	1.5	29

#	ARTICLE	IF	CITATIONS
73	No firm evidence that lack of blinding affects estimates of mortality in randomized clinical trials of intensive care interventions: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 71-81.	5.0	29
74	Scandinavian SSAI clinical practice guideline on choice of inotropic agent for patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 420-450.	1.6	28
75	Pantoprazole prophylaxis in ICU patients with high severity of disease: a post hoc analysis of the placebo-controlled SUP-ICU trial. <i>Intensive Care Medicine</i> , 2019, 45, 609-618.	8.2	28
76	Scandinavian clinical practice guideline on choice of fluid in resuscitation of critically ill patients with acute circulatory failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 274-285.	1.6	27
77	VTE Prophylaxis in Critically Ill Adults. <i>Chest</i> , 2022, 161, 418-428.	0.8	27
78	Accuracy of clinical prediction rules in peptic ulcer perforation: an observational study. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 28-35.	1.5	26
79	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial—Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1365-1375.	1.6	26
80	Thrombocytopenia in intensive care unit patients: A scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 2-14.	1.6	26
81	Neuromuscular blocking agents in acute respiratory distress syndrome: updated systematic review and meta-analysis of randomized trials. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 61.	1.9	26
82	Stress ulcer prophylaxis in the intensive care unit. <i>Current Opinion in Critical Care</i> , 2016, 22, 1.	3.2	25
83	Randomized multicentre feasibility trial of intermediate care <i>versus</i> standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> , 2015, 102, 619-629.	0.3	24
84	A new tool to assess Clinical Diversity In Meta-analyses (CDIM) of interventions. <i>Journal of Clinical Epidemiology</i> , 2021, 135, 29-41.	5.0	24
85	Stress ulcer prophylaxis in the intensive care unit trial: detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 859-868.	1.6	23
86	Conflicts of interest disclosure forms and management in critical care clinical practice guidelines. <i>Intensive Care Medicine</i> , 2018, 44, 1691-1698.	8.2	23
87	Long-term mortality following peptic ulcer perforation in the PULP trial. A nationwide follow-up study. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 168-175.	1.5	22
88	Atraumatic (pencil-point) versus conventional needles for lumbar puncture: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 361, k1920.	2.3	21
89	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID) Tj ETQq1 1 0.784314 rgB	1.6	21
90	Use of dexmedetomidine for sedation in mechanically ventilated adult ICU patients: a rapid practice guideline. <i>Intensive Care Medicine</i> , 2022, 48, 801-810.	8.2	21

#	ARTICLE	IF	CITATIONS
91	Heterogeneity of treatment effect of prophylactic pantoprazole in adult ICU patients: a post hoc analysis of the SUP-ICU trial. <i>Intensive Care Medicine</i> , 2020, 46, 717-726.	8.2	20
92	Sucralfate versus histamine 2 receptor antagonists for stress ulcer prophylaxis in adult critically ill patients: A meta-analysis and trial sequential analysis of randomized trials. <i>Journal of Critical Care</i> , 2017, 40, 21-30.	2.2	18
93	The SSAI fully supports the suspension of hydroxyethylstarch solutions commissioned by the European Medicines Agency. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 874-875.	1.6	18
94	Long-term outcomes of dexamethasone 12Âmg versus 6Âmg in patients with COVID-19 and severe hypoxaemia. <i>Intensive Care Medicine</i> , 2022, 48, 580-589.	8.2	17
95	What's new with stress ulcer prophylaxis in the ICU?. <i>Intensive Care Medicine</i> , 2017, 43, 1132-1134.	8.2	16
96	The effect of systemic corticosteroids on the incidence of gastrointestinal bleeding in critically ill adults: a systematic review with meta-analysis. <i>Intensive Care Medicine</i> , 2019, 45, 1540-1549.	8.2	16
97	Intensive care medicine rapid practice guidelines (ICM-RPG): paving the road of the future. <i>Intensive Care Medicine</i> , 2019, 45, 1639-1641.	8.2	16
98	Lower versus higher oxygenation targets in critically ill patients with severe hypoxaemia: secondary Bayesian analysis to explore heterogeneous treatment effects in the Handling Oxygenation Targets in the Intensive Care Unit (HOT-ICU) trial. <i>British Journal of Anaesthesia</i> , 2022, 128, 55-64.	3.4	16
99	Canadian Critical Care Society clinical practice guideline: The use of vasopressin and vasopressin analogues in critically ill adults with distributive shock. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 369-376.	1.6	14
100	Simplified Mortality Score for the Intensive Care Unit (SMS-ICU): protocol for the development and validation of a bedside clinical prediction rule. <i>BMJ Open</i> , 2017, 7, e015339.	1.9	13
101	Patient-important outcomes and core outcome sets: increased attention needed!. <i>British Journal of Anaesthesia</i> , 2019, 122, 408-410.	3.4	13
102	Endorsement of clinical practice guidelines by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 161-163.	1.6	13
103	APACHE II score validation in emergency abdominal surgery. A post hoc analysis of the InCare trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 180-187.	1.6	13
104	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID) Tj ETQq0 0 0 rgBT /Overlo 702-710.	1.6	13
105	Nebulised dornase alfa versus placebo or hypertonic saline in adult critically ill patients: a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015, 4, 153.	5.3	12
106	Association between ulcer site and outcome in complicated peptic ulcer disease: a Danish nationwide cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1165-1171.	1.5	12
107	Stress ulcer prophylaxis versus placebo or no prophylaxis in adult hospitalised acutely ill patients's protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2017, 6, 118.	5.3	12
108	Lactate versus acetate buffered intravenous crystalloid solutions: a scoping review. <i>British Journal of Anaesthesia</i> , 2020, 125, 693-703.	3.4	12

#	ARTICLE	IF	CITATIONS
109	Anaesthesia care with and without tracheal intubation during emergency endoscopy for peptic ulcer bleeding: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2015, 114, 901-908.	3.4	11
110	The association between epidural analgesia and mortality in emergency abdominal surgery: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 104-111.	1.6	11
111	Surviving sepsis campaign: International guidelines for management of sepsis and septic shock in adults 2021 – endorsement by the Scandinavian society of anaesthesiology and intensive care medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 634-635.	1.6	11
112	Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013, 14, 37.	1.6	10
113	Pantoprazole in ICU patients at risk for gastrointestinal bleeding – 1-year mortality in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1184-1190.	1.6	10
114	Focus on sepsis. <i>Intensive Care Medicine</i> , 2019, 45, 1459-1461.	8.2	10
115	External validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1216-1224.	1.6	10
116	Overall bias and sample sizes were unchanged in ICU trials over time: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019, 113, 189-199.	5.0	9
117	Prophylactic use of acid suppressants in adult acutely ill hospitalised patients: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 714-728.	1.6	9
118	Management of acute atrial fibrillation in the intensive care unit: An international survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 375-385.	1.6	9
119	Risk factors for reintervention after surgery for perforated gastroduodenal ulcer. <i>British Journal of Surgery</i> , 2016, 103, 1676-1682.	0.3	8
120	CCCS-SSAI WikiRecs clinical practice guideline: vasopressor blood pressure targets in critically ill adults with hypotension and vasopressor use in early traumatic shock. <i>Intensive Care Medicine</i> , 2017, 43, 1062-1064.	8.2	8
121	Broken science and the failure of academics – resignation or reaction?. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1038-1040.	1.6	8
122	Association of mortality with out-of-hours admission in patients with perforated peptic ulcer. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 248-254.	1.6	7
123	Is research from databases reliable? No. <i>Intensive Care Medicine</i> , 2019, 45, 115-117.	8.2	7
124	Bleeding and thrombosis in intensive care patients with thrombocytopenia – Protocol for a topical systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 270-273.	1.6	7
125	Bayesian and heterogeneity of treatment effect analyses of the HOT-ICU trial – A secondary analysis protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1376-1381.	1.6	7
126	Patient-important outcomes other than mortality in recent ICU trials: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1002-1007.	1.6	7



#	ARTICLE	IF	CITATIONS
127	Lower vs. higher fluid volumes in sepsis protocol for a systematic review with meta-analysis. Acta Anaesthesiologica Scandinavica, 2017, 61, 942-951.	1.6	6
128	Understanding conflicts of interest. Intensive Care Medicine, 2018, 44, 1738-1740.	8.2	6
129	Heterogeneity of treatment effect of stress ulcer prophylaxis in ICU patients: A secondary analysis protocol. Acta Anaesthesiologica Scandinavica, 2019, 63, 1251-1256.	1.6	6
130	Performance of SAPS II according to ICU length of stay: A Danish nationwide cohort study. Acta Anaesthesiologica Scandinavica, 2019, 63, 1200-1209.	1.6	6
131	Effects of postoperative furosemide in adult surgical patients: A systematic review and meta-analysis of randomised clinical trials. Acta Anaesthesiologica Scandinavica, 2020, 64, 282-291.	1.6	6
132	The effect of blinding on estimates of mortality in randomised clinical trials of intensive care interventions: protocol for a systematic review and meta-analysis. BMJ Open, 2017, 7, e016187.	1.9	5
133	Stress ulcer prophylaxis in adult intensive care unit patients – a protocol for a systematic review. Acta Anaesthesiologica Scandinavica, 2018, 62, 744-755.	1.6	5
134	Out-of-hours intensive care unit admission and 90-day mortality: a Danish nationwide cohort study. Acta Anaesthesiologica Scandinavica, 2018, 62, 974-982.	1.6	5
135	Corticosteroids and risk of gastrointestinal bleeding in critically ill adults: Protocol for a systematic review. Acta Anaesthesiologica Scandinavica, 2018, 62, 1321-1326.	1.6	5
136	Long-term patient-important outcomes after septic shock: A protocol for 1-year follow-up of the CLASSIC trial. Acta Anaesthesiologica Scandinavica, 2020, 64, 410-416.	1.6	5
137	A policy for diversity, equity, inclusion and anti-racism in the Scandinavian Society of Anaesthesiology and Intensive Care Medicine (SSAI). Acta Anaesthesiologica Scandinavica, 2022, 66, 141-144.	1.6	5
138	Development of a core outcome set for general intensive care unit patients – A protocol. Acta Anaesthesiologica Scandinavica, 2022, 66, 415-424.	1.6	5
139	Stress ulcer prophylaxis in adult neurocritical care patients – no firm evidence for benefit or harm. Critical Care, 2015, 20, 22.	5.8	4
140	Trials on stress ulcer prophylaxis: finding the balance between benefit and harm. Intensive Care Medicine, 2015, 41, 1367-1368.	8.2	4
141	Timing of onset of gastrointestinal bleeding in the ICU: Protocol for a preplanned observational study. Acta Anaesthesiologica Scandinavica, 2018, 62, 1165-1170.	1.6	4
142	Effects of stress ulcer prophylaxis in adult ICU patients receiving renal replacement therapy (Sup-icu) Tj ETQq0 0 0 ggBT /Overlock 10 Tf	1.6	4
143	Outcomes of Prophylactic Pantoprazole in Adult Intensive Care Unit Patients Receiving Dialysis: Results of a Randomized Trial. American Journal of Nephrology, 2019, 50, 312-319.	3.1	4
144	Transparent and systematic reporting of meta-epidemiological studies. Journal of Clinical Epidemiology, 2019, 112, 93-95.	5.0	4

#	ARTICLE	IF	CITATIONS
145	Stress ulcer prophylaxis in critically ill children: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 966-972.	1.6	4
146	Important methodological flaws in the recently published clinical prediction model the REMEMBER score. <i>Critical Care</i> , 2019, 23, 71.	5.8	4
147	Lactate versus acetate buffered crystalloid solutions: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 537-539.	1.6	4
148	Coffee consumption and work satisfaction among Scandinavian anaesthesiologists: A survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 414-417.	1.6	4
149	Prophylactic acid suppressants in children in the intensive care unit: a systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 292-301.	1.6	4
150	Predictors of gastrointestinal bleeding in adult ICU patients in the SUP-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 792-800.	1.6	4
151	New-onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIB-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 846-851.	1.6	4
152	Use of hydroxyethyl starch in sepsis research: A systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1355-1364.	1.6	4
153	Treatments of new-onset atrial fibrillation in critically ill patients: a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 432-446.	1.6	4
154	Regional anaesthesia in patients on antithrombotic drugs – a joint <sc>ESAIC</sc>/<sc>ESRA</sc> guideline: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 887-889.	1.6	4
155	Therapeutic bronchoscopy vs. standard of care in acute respiratory failure: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 1240-1252.	1.6	3
156	ICM focus on thrombosis and bleeding. <i>Intensive Care Medicine</i> , 2017, 43, 1910-1911.	8.2	3
157	The Magic Bullet in Sepsis or the Inflation of Chance Findings?. <i>Chest</i> , 2017, 152, 222-223.	0.8	3
158	Empirical metronidazole for patients with severe bacterial infection: protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 724-730.	1.6	3
159	Common Sense Approach to Managing Sepsis. <i>Critical Care Clinics</i> , 2018, 34, 127-138.	2.6	3
160	Focus on extracorporeal life support. <i>Intensive Care Medicine</i> , 2018, 44, 2251-2253.	8.2	3
161	Piperacillin/tazobactam vs carbapenems for patients with bacterial infection: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 973-978.	1.6	3
162	Clinical practice guideline on atraumatic (pencil-point) vs conventional needles for lumbar puncture: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 438-439.	1.6	3

#	ARTICLE	IF	CITATIONS
163	Foresight over hindsight: Mandatory publication of clinical research protocols prior to conduct. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 267-269.	1.6	3
164	Effects of magnesium, phosphate and zinc supplementation in ICU patientsâ€™ Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 131-136.	1.6	3
165	Treatment strategies for newâ€™onset atrial fibrillation in critically ill patients: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1343-1349.	1.6	3
166	Customization and external validation of the Simplified Mortality Score for the Intensive Care Unit (SMS-ICU) in Brazilian critically ill patients. <i>Journal of Critical Care</i> , 2020, 59, 94-100.	2.2	3
167	Spontaneous versus controlled mechanical ventilation in patients with acute respiratory distress syndrome â€™ Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 857-860.	1.6	3
168	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1087-1094.	1.6	3
169	The longâ€™term effects of lower versus higher oxygenation levels in adult ICU patients â€™ protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 145-151.	1.6	3
170	Healthâ€™related quality of life and days alive without life support or out of hospital: Protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, , .	1.6	3
171	Therapeutics and COVIDâ€™19â€™ A living WHO guideline: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, , .	1.6	3
172	Conservative vs. liberal fluid therapy in septic shock â€™ Protocol for secondary Bayesian analyses of the CLASSIC trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 767-771.	1.6	3
173	Patients' experiences of postoperative intermediate care and standard surgical ward care after emergency abdominal surgery: a qualitative subâ€™study of the Incare trial. <i>Journal of Clinical Nursing</i> , 2015, 24, 1280-1288.	3.0	2
174	Early goal-directed therapy: from discovery through enthusiasm to equipoise?. <i>Intensive Care Medicine</i> , 2015, 41, 1676-1678.	8.2	2
175	Anaesthesia care for emergency endoscopy for peptic ulcer bleeding. A nationwide population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1000-1006.	1.5	2
176	Venous-to-arterial carbon dioxide difference: an experimental model or a bedside clinical tool?. <i>Intensive Care Medicine</i> , 2016, 42, 287-289.	8.2	2
177	Statistical process control in healthcare improvement â€™ new kid on the block?. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 736-738.	1.6	2
178	Reply to the letter regarding our manuscript â€™Development and internal validation of the Simplified Mortality Score for the Intensive Care Unit (<sc>SMS</sc>â€™<sc>ICU</sc>â€™. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 409-410.	1.6	2
179	Performance of <sc>SAPS II</sc> according to <sc>ICU</sc> length of stay: Protocol for an observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 122-127.	1.6	2
180	Lower vs higher transfusion threshold in septic shock patients of different ages: A study protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1247-1250.	1.6	2

#	ARTICLE	IF	CITATIONS
181	Time to onset of gastrointestinal bleeding in the SUP-ICU trial: A pre-planned substudy. Acta Anaesthesiologica Scandinavica, 2019, 63, 1346-1356.	1.6	2
182	Reporting and interpreting missing health-related quality of life data in intensive care trials: Protocol for a systematic review. Acta Anaesthesiologica Scandinavica, 2019, 63, 796-801.	1.6	2
183	Bias and sample size in intensive care unit trials: Protocol for a meta-epidemiological study. Acta Anaesthesiologica Scandinavica, 2019, 63, 117-121.	1.6	2
184	Long-term mortality in the Intermediate care after emergency abdominal surgery (InCare) trial: A post-hoc follow-up study. Acta Anaesthesiologica Scandinavica, 2020, 64, 1100-1105.	1.6	2
185	Focus on clinical trial interpretation. Intensive Care Medicine, 2020, 46, 790-792.	8.2	2
186	The wicked path of causal inference in observational studies. Intensive Care Medicine, 2020, 46, 799-801.	8.2	2
187	Acetate vs lactate buffered crystalloid solutions: Protocol for a systematic review with meta-analysis and trial sequential analysis. Acta Anaesthesiologica Scandinavica, 2021, 65, 123-127.	1.6	2
188	Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. Acta Anaesthesiologica Scandinavica, 2021, 65, 1351-1354.	1.6	2
189	The effects of pantoprazole vs. placebo on 1-year outcomes, resource use and employment status in ICU patients at risk for gastrointestinal bleeding: a secondary analysis of the SUP-ICU trial. Intensive Care Medicine, 2022, 48, 426.	8.2	2
190	Patient characteristics, management and outcomes in a Nordic subset of the "Large observational study to understand the global impact of severe acute respiratory failure" ( LUNG SAFE ) study. Acta Anaesthesiologica Scandinavica, 2022, , .	1.6	2
191	Acetate versus lactate buffered crystalloid solutions: A systematic review with meta-analysis and trial sequential analysis. Acta Anaesthesiologica Scandinavica, 2022, 66, 782-794.	1.6	2
192	Use of prokinetic agents in hospitalised adult patients: Protocol for a scoping review. Acta Anaesthesiologica Scandinavica, 2022, 66, 1024-1026.	1.6	2
193	Stress Ulcer Prophylaxis "Friend or Foe"? Critical Care Medicine, 2017, 45, 1241-1242.	0.9	1
194	Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: protocol for a systematic review with meta-analysis. BMJ Open, 2017, 7, e015900.	1.9	1
195	Use of life support in acutely admitted ICU patients. An international cohort study. Acta Anaesthesiologica Scandinavica, 2017, 61, 513-522.	1.6	1
196	Clinical practice guideline on prevention of rhabdomyolysis induced acute kidney injury: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. Acta Anaesthesiologica Scandinavica, 2019, 63, 1280-1281.	1.6	1
197	Routine vs on-demand blood sampling in critically ill patients "Protocol for a scoping review. Acta Anaesthesiologica Scandinavica, 2019, 63, 1109-1112.	1.6	1
198	Effects of simulated sample sizes on mortality estimates "Protocol for a study in 3 randomised ICU trials. Acta Anaesthesiologica Scandinavica, 2019, 63, 1098-1101.	1.6	1

#	ARTICLE	IF	CITATIONS
199	Use of hydroxyethyl starch in sepsis research: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 814-818.	1.6	1
200	Empirical metronidazole for patients with severe bacterial infection: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 802-813.	1.6	1
201	Ten things ICU specialists need to know about direct oral anticoagulants (DOACs). <i>Intensive Care Medicine</i> , 2019, 45, 89-92.	8.2	1
202	Use of Hydrocortisone Based on Plasma Biomarkers in Patients with Septic Shock: Another One Bites the Dust?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 644-646.	5.6	1
203	Clinical practice guideline on gastrointestinal bleeding prophylaxis for critically ill patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 549-550.	1.6	1
204	Prophylactic platelet transfusions in hospitalised patients with thrombocytopenia Protocol for a systematic review with meta-analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 988-994.	1.6	1
205	Clinical practice guideline on spinal stabilisation of adult trauma patients: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 986-987.	1.6	1
206	Use of crystalloids and colloids in Europe per year from 2010 to 2019: Protocol for an international descriptive study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1514-1517.	1.6	1
207	Clinical practice guideline on the management of septic shock and sepsis-associated organ dysfunction in children: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1365-1366.	1.6	1
208	Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 66, 156.	1.6	1
209	Choice of priors: how much scepticism is appropriate?. <i>Intensive Care Medicine</i> , 2022, 48, 372.	8.2	1
210	Transfusion strategies in bleeding critically ill adults: A clinical practice guideline from the European Society of Intensive Care Medicine: Endorsement by the Scandinavian Society of Anaesthesiology and Intensive Care Medicine. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, , .	1.6	1
211	Author's reply: Surgical delay is a critical determinant of survival in perforated peptic ulcer ( <i>J Tj ETQq1 1 0.784314 rgBT<sub>0</sub>/Overlo</i>	0.3	0
212	Reply to the letter "A brief comment about predictive models for mortality in intensive care units". <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 405-406.	1.6	0
213	Trustworthy or flawed clinical prediction rule?. <i>Critical Care</i> , 2018, 22, 31.	5.8	0
214	Untargeted antifungal therapy in adult patients with complicated intra-abdominal infection: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 6-18.	1.6	0
215	Use of red blood cells in Danish intensive care units: A population-based register study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1357-1365.	1.6	0
216	Is prophylaxis worse than treatment in the ICU?. <i>Intensive Care Medicine</i> , 2019, 45, 1279-1282.	8.2	0

#	ARTICLE	IF	CITATIONS
217	Continued licensing of hydroxyethyl starch despite high-quality data documenting harm in vulnerable patient populations: A sad day for patient safety. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 131-132.	1.6	0
218	Heterogenous treatment effects of transfusion thresholds by patient age: Post-hoc analysis of the TRISS trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 641-647.	1.6	0
219	Response. <i>Chest</i> , 2020, 158, 428.	0.8	0
220	Effects of simulated sample sizes on the mortality effect estimates in three randomized intensive care unit trials. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 976-981.	1.6	0
221	Pre-procedural platelet transfusion thresholds in hospitalised children – Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 558-561.	1.6	0
222	Ischaemic vascular disease and long-term mortality in emergency abdominal surgical patients: A population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1213-1220.	1.6	0
223	Fluid Management. , 2020, , 75-85.		0
224	Early postoperative complications were common in non-ambulant paediatric patients with neuromuscular scoliosis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	1.5	0