

Colin Green

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/545623/publications.pdf>

Version: 2024-02-01

56
papers

1,908
citations

201674

27
h-index

265206

42
g-index

57
all docs

57
docs citations

57
times ranked

3542
citing authors

#	ARTICLE	IF	CITATIONS
1	Waste the waist: a pilot randomised controlled trial of a primary care based intervention to support lifestyle change in people with high cardiovascular risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 1.	4.6	307
2	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq0 0 0 rgBT /Overlock 10 T 1859-1868.	13.7	156
3	A pragmatic parallel arm multi-centre randomised controlled trial to assess the effectiveness and cost-effectiveness of a group-based fatigue management programme (FACETS) for people with multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 1092-1099.	1.9	102
4	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 262-272.	1.8	96
5	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. <i>BMJ Open</i> , 2018, 8, e019649.	1.9	66
6	Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 35-45.	5.6	64
7	Model-Based Economic Evaluation in Alzheimer's Disease: A Review of the Methods Available to Model Alzheimer's Disease Progression. <i>Value in Health</i> , 2011, 14, 621-630.	0.3	56
8	A Systematic Review of Generic Multidimensional Patient-Reported Outcome Measures for Children, Part I: Descriptive Characteristics. <i>Value in Health</i> , 2015, 18, 315-333.	0.3	56
9	Meaningful health outcomes for paediatric neurodisability: Stakeholder prioritisation and appropriateness of patient reported outcome measures. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 87.	2.4	53
10	The Cannabinoid Use in Progressive Inflammatory brain Disease (CUPID) trial: a randomised double-blind placebo-controlled parallel-group multicentre trial and economic evaluation of cannabinoids to slow progression in multiple sclerosis. <i>Health Technology Assessment</i> , 2015, 19, 1-188.	2.8	53
11	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). <i>Health Technology Assessment</i> , 2015, 19, 1-212.	2.8	50
12	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-192.	2.8	41
13	Informing the NHS Outcomes Framework: evaluating meaningful health outcomes for children with neurodisability using multiple methods including systematic review, qualitative research, Delphi survey and consensus meeting. <i>Health Services and Delivery Research</i> , 2014, 2, 1-224.	1.4	40
14	Modelling Disease Progression in Alzheimer's Disease. <i>Pharmacoeconomics</i> , 2007, 25, 735-750.	3.3	39
15	Assessing cost-effectiveness of early intervention in Alzheimer's disease: An open-source modeling framework. <i>Alzheimer's and Dementia</i> , 2019, 15, 1309-1321.	0.8	38
16	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). <i>PLoS ONE</i> , 2014, 9, e104225.	2.5	38
17	A Systematic Review of Generic Multidimensional Patient-Reported Outcome Measures for Children, Part II: Evaluation of Psychometric Performance of English-Language Versions in a General Population. <i>Value in Health</i> , 2015, 18, 334-345.	0.3	37
18	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016, 66, e214-e218.	1.4	36

#	ARTICLE	IF	CITATIONS
19	A Systematic Review of the Literature on the Development of Condition-Specific Preference-Based Measures of Health. <i>Applied Health Economics and Health Policy</i> , 2016, 14, 161-183.	2.1	36
20	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , 2014, 18, 1-324.	2.8	36
21	Predicting the progression of Alzheimer's disease dementia: A multidomain health policy model. <i>Alzheimer's and Dementia</i> , 2016, 12, 776-785.	0.8	35
22	Current issues and future research priorities for health economic modelling across the full continuum of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2017, 13, 312-321.	0.8	34
23	Investigating public preferences on "severity of health" as a relevant condition for setting healthcare priorities. <i>Social Science and Medicine</i> , 2009, 68, 2247-2255.	3.8	33
24	A Randomized Controlled Trial of Subcutaneous Nerve Stimulation for Back Pain Due to Failed Back Surgery Syndrome: The SubQStim Study. <i>Neuromodulation</i> , 2019, 22, 519-528.	0.8	31
25	Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomised controlled trial (BACPAc). <i>Trials</i> , 2015, 16, 367.	1.6	30
26	Health Utilities for Multiple Sclerosis. <i>Value in Health</i> , 2016, 19, 460-468.	0.3	30
27	Estimating a Preference-Based Index for an Eight-Dimensional Health State Classification System for Multiple Sclerosis. <i>Value in Health</i> , 2015, 18, 1025-1036.	0.3	29
28	Using the Multiple Sclerosis Impact Scale to Estimate Health State Utility Values: Mapping from the MSIS-29, Version 2, to the EQ-5D and the SF-6D. <i>Value in Health</i> , 2012, 15, 1084-1091.	0.3	26
29	A community-based physical activity intervention to prevent mobility-related disability for retired older people (REtirement in ACTION (REACT)): study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 228.	1.6	26
30	Effect of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: the REACT (Retirement in Action) randomised controlled trial. <i>Lancet Public Health</i> , The, 2022, 7, e316-e326.	10.0	26
31	The experiences of hospital staff who provide care for people living with dementia: A systematic review and synthesis of qualitative studies. <i>International Journal of Older People Nursing</i> , 2020, 15, e12325.	1.3	25
32	A Quality-Adjusted Life-Year Measure for Multiple Sclerosis: Developing a Patient-Reported Health State Classification System for a Multiple Sclerosis-Specific Preference-Based Measure. <i>Value in Health</i> , 2015, 18, 1016-1024.	0.3	23
33	Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2015, 16, 47.	2.9	20
34	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016, 18, 289-297.	2.6	20
35	Where are we at with model-based economic evaluations of interventions for dementia? a systematic review and quality assessment. <i>International Psychogeriatrics</i> , 2018, 30, 1593-1605.	1.0	17
36	A self-management programme to reduce falls and improve safe mobility in people with secondary progressive MS: the BRIMS feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-166.	2.8	13

#	ARTICLE	IF	CITATIONS
37	Health state utility values (QALY weights) for Huntingtonâ€™s disease: an analysis of data from the European Huntingtonâ€™s Disease Network (EHDN). <i>European Journal of Health Economics</i> , 2019, 20, 1335-1347.	2.8	10
38	Cost-effectiveness of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: an economic evaluation of the REACT (Retirement in Action) trial. <i>Lancet Public Health</i> , The, 2022, 7, e327-e334.	10.0	10
39	What Difference Does It Make? A Comparison of Health State Preferences Elicited From the General Population and From People With Multiple Sclerosis. <i>Value in Health</i> , 2020, 23, 242-250.	0.3	9
40	Health State Values Derived from People with Multiple Sclerosis for a Condition-Specific Preference-Based Measure: Multiple Sclerosis Impact Scaleâ€™Eight Dimensionsâ€™Patient Version (MSIS-8D-P). <i>Value in Health</i> , 2018, 21, 1338-1345.	0.3	7
41	Activity interventions to improve the experience of care in hospital for people living with dementia: a systematic review. <i>BMC Geriatrics</i> , 2020, 20, 131.	2.7	7
42	Randomised controlled trial of tailored support to increase physical activity and reduce smoking in smokers not immediately ready to quit: protocol for the Trial of physical Activity-assisted Reduction of Smoking (TARS) Study. <i>BMJ Open</i> , 2020, 10, e043331.	1.9	6
43	Individual health trainers to support health and well-being for people under community supervision in the criminal justice system: the STRENGTHEN pilot RCT. <i>Public Health Research</i> , 2019, 7, 1-136.	1.3	6
44	Patient perspectives on telephone triage in general practice â€™ Authors' reply. <i>Lancet</i> , The, 2015, 385, 688.	13.7	5
45	â€™Naming and Framingâ€™: The Impact of Labeling on Health State Values for Multiple Sclerosis. <i>Medical Decision Making</i> , 2017, 37, 703-714.	2.4	5
46	Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. <i>BMC Public Health</i> , 2017, 17, 291.	2.9	5
47	Health trainer-led motivational intervention plus usual care for people under community supervision compared with usual care alone: a study protocol for a parallel-group pilot randomised controlled trial (STRENGTHEN). <i>BMJ Open</i> , 2018, 8, e023123.	1.9	5
48	Measuring the cost-effectiveness of treatments for people with multiple sclerosis: Beyond quality-adjusted life-years. <i>Multiple Sclerosis Journal</i> , 2022, 28, 346-351.	3.0	5
49	What drives differences in preferences for health states between patients and the public? A qualitative investigation of respondentsâ€™ thought processes. <i>Social Science and Medicine</i> , 2021, 282, 114150.	3.8	5
50	Exploring the Factors that Influence Workforce Participation for People with Multiple Sclerosis: A Discrete Choice Experiment. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 613-626.	2.2	4
51	Understanding and improving experiences of care in hospital for people living with dementia, their carers and staff: three systematic reviews. <i>Health Services and Delivery Research</i> , 2020, 8, 1-248.	1.4	1
52	UK PATIENT PREFERENCE FOR CHARACTERISTICS OF DMTS IN MS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, e1.23-e1.	1.9	0
53	Understanding and improving the experience of care for people with dementia in hospital: Developing the dementia care pointers for service change. <i>Alzheimer's and Dementia</i> , 2020, 16, e037772.	0.8	0
54	Informal care time in dementia by cognitive, functional and behavioral disease severity from eight longitudinal cohorts across multiple countries. <i>Alzheimer's and Dementia</i> , 2020, 16, e040594.	0.8	0

#	ARTICLE	IF	CITATIONS
55	Resource Use and Cost of Subcutaneous Nerve Stimulation Versus Optimized Medical Management in Patients With Failed Back Surgery Syndrome: An Analysis of the SubQStim Study. <i>Neuromodulation</i> , 2021, 24, 1033-1041.	0.8	0
56	F26â€¦Quality-adjusted life-years (QALYS) and huntingtonâ€™s disease. , 2018, , .		0