
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5458885/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Loneliness, worries, anxiety, and precautionary behaviours in response to the COVID-19 pandemic: A longitudinal analysis of 200,000 Western and Northern Europeans. Lancet Regional Health - Europe, The, 2021, 2, 100020.	5.6	180
2	Perceived stress as a risk factor for changes in health behaviour and cardiac risk profile: a longitudinal study. Journal of Internal Medicine, 2009, 266, 467-475.	6.0	170
3	Sleep Disturbances and Cause-Specific Mortality: Results From the GAZEL Cohort Study. American Journal of Epidemiology, 2011, 173, 300-309.	3.4	145
4	Perceived Stress and Cause-specific Mortality among Men and Women: Results from a Prospective Cohort Study. American Journal of Epidemiology, 2008, 168, 481-491.	3.4	135
5	Risk of depressive disorder following disasters and military deployment: systematic review with meta-analysis. British Journal of Psychiatry, 2016, 208, 330-336.	2.8	113
6	Trajectories of childhood adversity and mortality in early adulthood: a population-based cohort study. Lancet, The, 2020, 396, 489-497.	13.7	105
7	Occurrence of delayed-onset post-traumatic stress disorder: a systematic review and meta-analysis of prospective studies. Scandinavian Journal of Work, Environment and Health, 2014, 40, 215-229.	3.4	103
8	Self-Reported Stress and Risk of Stroke. Stroke, 2003, 34, 856-862.	2.0	92
9	The Effect of Sleep Disordered Breathing on the Outcome of Stroke and Transient Ischemic Attack: A Systematic Review. Journal of Clinical Sleep Medicine, 2014, 10, 103-108.	2.6	87
10	The Joint Effect of Sleep Duration and Disturbed Sleep on Cause-Specific Mortality: Results from the Whitehall II Cohort Study. PLoS ONE, 2014, 9, e91965.	2.5	85
11	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. European Heart Journal, 2019, 40, 1124-1134.	2.2	82
12	Self reported stress and risk of breast cancer: prospective cohort study. BMJ: British Medical Journal, 2005, 331, 548.	2.3	80
13	Association of Sleep Disturbances With Reduced Semen Quality: A Cross-sectional Study Among 953 Healthy Young Danish Men. American Journal of Epidemiology, 2013, 177, 1027-1037.	3.4	80
14	Additive Interaction in Survival Analysis. Epidemiology, 2012, 23, 733-737.	2.7	76
15	What characterizes persons with high levels of perceived stress in Denmark? A national representative study. Scandinavian Journal of Public Health, 2008, 36, 369-379.	2.3	75
16	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. Diabetologia, 2018, 61, 75-83.	6.3	74
17	Perceived stress and risk of adultâ€onset asthma and other atopic disorders: a longitudinal cohort study. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 1408-1414.	5.7	73
18	Symptoms of Sleep Disordered Breathing and Risk of Cancer: A Prospective Cohort Study. Sleep, 2013, 36, 1429-1435.	1.1	73

#	Article	IF	CITATIONS
19	Characteristics of women who binge drink before and after they become aware of their pregnancy. European Journal of Epidemiology, 2008, 23, 565-572.	5.7	70
20	Binge Drinking in Pregnancy and Risk of Fetal Death. Obstetrics and Gynecology, 2008, 111, 602-609.	2.4	70
21	Education and Cause-specific Mortality. Epidemiology, 2014, 25, 389-396.	2.7	69
22	Stress and breast cancer: a systematic update on the current knowledge. Nature Clinical Practice Oncology, 2006, 3, 612-620.	4.3	68
23	Onset of Impaired Sleep and Cardiovascular Disease Risk Factors: A Longitudinal Study. Sleep, 2016, 39, 1709-1718.	1.1	68
24	Stressful life events and leucocyte telomere length: Do lifestyle factors, somatic and mental health, or low grade inflammation mediate this relationship? Results from a cohort of Danish men born in 1953. Brain, Behavior, and Immunity, 2016, 58, 248-253.	4.1	67
25	Metabolically Healthy Obesity and Ischemic Heart Disease: A 10-Year Follow-Up of the Inter99 Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1934-1942.	3.6	56
26	Quantifying Mediating Effects of Endogenous Estrogen and Insulin in the Relation between Obesity, Alcohol Consumption, and Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1203-1212.	2.5	55
27	Overnight smartphone use: A new public health challenge? A novel study design based on high-resolution smartphone data. PLoS ONE, 2018, 13, e0204811.	2.5	52
28	Work-related exposure to violence or threats and risk of mental disorders and symptoms: a systematic review and meta-analysis. Scandinavian Journal of Work, Environment and Health, 2020, 46, 339-349.	3.4	52
29	Distance from residence to power line and risk of childhood leukemia: a population-based case–control study in Denmark. Cancer Causes and Control, 2014, 25, 171-177.	1.8	49
30	Early life adversity potentiates the effects of later life stress on cumulative physiological dysregulation. Anxiety, Stress and Coping, 2015, 28, 372-390.	2.9	48
31	Work Time Control and Sleep Disturbances: Prospective Cohort Study of Finnish Public Sector Employees. Sleep, 2014, 37, 1217-1225.	1.1	47
32	Combined Effects of Socioeconomic Position, Smoking, and Hypertension on Risk of Ischemic and Hemorrhagic Stroke. Stroke, 2014, 45, 2582-2587.	2.0	47
33	Sleep Impairment and Prognosis of Acute Myocardial Infarction: A Prospective Cohort Study. Sleep, 2014, 37, 851-858.	1.1	47
34	Work Stress, Caregiving, and Allostatic Load. Psychosomatic Medicine, 2015, 77, 539-547.	2.0	44
35	â€ ⁻ Standing together – at a distance': Documenting changes in mental-health indicators in Denmark during the COVID-19 pandemic. Scandinavian Journal of Public Health, 2021, 49, 79-87.	2.3	44
36	Exploring Droughts and Floods and Their Association with Cholera Outbreaks in Sub-Saharan Africa: A Register-Based Ecological Study from 1990 to 2010. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1269-1274.	1.4	42

#	Article	IF	CITATIONS
37	Perceived Stress and Risk of Ischemic Heart Disease. Epidemiology, 2006, 17, 391-397.	2.7	41
38	ls the relationship between type of alcohol and mortality influenced by socio-economic status?. Journal of Internal Medicine, 2004, 255, 280-288.	6.0	38
39	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. Scientific Reports, 2017, 7, 9282.	3.3	38
40	Joint Effect of Alcohol Consumption and Educational Level on Alcohol-related Medical Events. Epidemiology, 2017, 28, 872-879.	2.7	37
41	Education and risk of coronary heart disease: assessment of mediation by behavioral risk factors using the additive hazards model. European Journal of Epidemiology, 2013, 28, 149-157.	5.7	35
42	Stressful social relations and mortality: a prospective cohort study. Journal of Epidemiology and Community Health, 2014, 68, 720-727.	3.7	34
43	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. Scandinavian Journal of Work, Environment and Health, 2017, 43, 5-14.	3.4	34
44	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease–Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 204-210.	3.6	32
45	Trajectories of family poverty and children's mental health: Results from the Danish National Birth Cohort. Social Science and Medicine, 2019, 220, 371-378.	3.8	31
46	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. Sleep, 2017, 40, .	1.1	30
47	Psychosocial risk factors, weight changes and risk of obesity: the Copenhagen City Heart Study. European Journal of Epidemiology, 2012, 27, 119-130.	5.7	29
48	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. International Journal of Epidemiology, 2015, 44, 1027-1037.	1.9	29
49	Does retirement reduce the risk of mental disorders? A national registry-linkage study of treatment for mental disorders before and after retirement of 245â€082 Danish residents. Occupational and Environmental Medicine, 2015, 72, 366-372.	2.8	29
50	Impaired sleep and allostatic load: cross-sectional results from the Danish Copenhagen Aging and Midlife Biobank. Sleep Medicine, 2014, 15, 1571-1578.	1.6	28
51	Psychosocial Risk Factors and Heart Failure Hospitalization: A Prospective Cohort Study. American Journal of Epidemiology, 2011, 174, 672-680.	3.4	27
52	Major life events and development of major depression in <scp>P</scp> arkinson's disease patients. European Journal of Neurology, 2013, 20, 663-670.	3.3	27
53	Psychosocial risk factors, preâ€motor symptoms and firstâ€time hospitalization with <scp>P</scp> arkinson's disease: a prospective cohort study. European Journal of Neurology, 2013, 20, 1113-1120.	3.3	27
54	Neighborhood perceptions and allostatic load: Evidence from Denmark. Health and Place, 2016, 40, 1-8.	3.3	27

#	Article	IF	CITATIONS
55	Hospitalisation patterns among children exposed to childhood adversity: a population-based cohort study of half a million children. Lancet Public Health, The, 2021, 6, e826-e835.	10.0	27
56	Hepatoblastoma in the Nordic countries. International Journal of Cancer, 2012, 131, E555-61.	5.1	26
57	Lifestyle, Family History, and Risk of Idiopathic Parkinson Disease: A Large Danish Case-Control Study. American Journal of Epidemiology, 2015, 181, 808-816.	3.4	26
58	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. Occupational and Environmental Medicine, 2018, 75, 486-493.	2.8	26
59	Sociodemographic Status, Stress, and Risk of Prostate Cancer. AÂProspective Cohort Study. Annals of Epidemiology, 2007, 17, 498-502.	1.9	25
60	Interactions between intakes of alcohol and postmenopausal hormones on risk of breast cancer. International Journal of Cancer, 2008, 122, 1109-1113.	5.1	25
61	Psychosocial risk factors for the metabolic syndrome: A prospective cohort study. International Journal of Cardiology, 2016, 215, 41-46.	1.7	25
62	Occupational exposure to extremely low-frequency magnetic fields and risk for central nervous system disease: an update of a Danish cohort study among utility workers. International Archives of Occupational and Environmental Health, 2017, 90, 619-628.	2.3	25
63	Cohort profile: the DANish LIFE course (DANLIFE) cohort, a prospective register-based cohort of all children born in Denmark since 1980. BMJ Open, 2019, 9, e027217.	1.9	25
64	Work-unit social capital and long-term sickness absence: a prospective cohort study of 32 053 hospital employees. Occupational and Environmental Medicine, 2018, 75, 623-629.	2.8	24
65	Weekly hours of informal caregiving and paid work, and the risk of cardiovascular disease. European Journal of Public Health, 2018, 28, 743-747.	0.3	23
66	Measuring social integration and tie strength with smartphone and survey data. PLoS ONE, 2018, 13, e0200678.	2.5	23
67	Time trends in mental health indicators during the initial 16 months of the COVID-19 pandemic in Denmark. BMC Psychiatry, 2022, 22, 25.	2.6	23
68	Major life events and the risk of ischaemic heart disease: does accumulation increase the risk?. International Journal of Epidemiology, 2011, 40, 904-913.	1.9	22
69	Risk of Breast Cancer in Relation to Combined Effects of Hormone Therapy, Body Mass Index, and Alcohol Use, by Hormone-receptor Status. Epidemiology, 2015, 26, 353-361.	2.7	22
70	Do women give the same information on binge drinking during pregnancy when asked repeatedly?. European Journal of Clinical Nutrition, 2006, 60, 1294-1298.	2.9	21
71	Are work-related stressors associated with diagnosis of more advanced stages of incident breast cancers?. Cancer Causes and Control, 2008, 19, 297-303.	1.8	20
72	Using Repeated Measures of Sleep Disturbances to Predict Future Diagnosis-Specific Work Disability: A Cohort Study. Sleep, 2012, 35, 559-69.	1.1	20

#	Article	IF	CITATIONS
73	High perceived stress and social interaction behaviour among young adults. A study based on objective measures of face-to-face and smartphone interactions. PLoS ONE, 2019, 14, e0218429.	2.5	20
74	Perceived stress and dementia: Results from the Copenhagen city heart study. Aging and Mental Health, 2020, 24, 1828-1836.	2.8	20
75	Cause-Specific Mortality Among Spouses of Parkinson Disease Patients. Epidemiology, 2014, 25, 225-232.	2.7	19
76	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. American Journal of Epidemiology, 2017, 186, 709-718.	3.4	19
77	Self-Reported Stress and Risk of Endometrial Cancer: A Prospective Cohort Study. Psychosomatic Medicine, 2007, 69, 383-389.	2.0	18
78	Perceived stress and risk of colorectal cancer in men and women: a prospective cohort study. Journal of Internal Medicine, 2007, 263, 070626144011007-???.	6.0	18
79	Social Gradient in Allostatic Load Among Danish Men and Women in Late Midlife. Journal of Aging and Health, 2014, 26, 72-87.	1.7	18
80	Distance to High-Voltage Power Lines and Risk of Childhood Leukemia – an Analysis of Confounding by and Interaction with Other Potential Risk Factors. PLoS ONE, 2014, 9, e107096.	2.5	17
81	Does retirement reduce the risk of myocardial infarction? A prospective registry linkage study of 617 511 Danish workers. International Journal of Epidemiology, 2014, 43, 160-167.	1.9	17
82	Effort-reward imbalance at work and risk of type 2 diabetes in a national sample of 50,552 workers in Denmark: A prospective study linking survey and register data. Journal of Psychosomatic Research, 2020, 128, 109867.	2.6	17
83	Psychosocial health in people with diabetes during the first three months of the COVID-19 pandemic in Denmark. Journal of Diabetes and Its Complications, 2021, 35, 107858.	2.3	17
84	Towards a syndemic public health response to COVID-19. Scandinavian Journal of Public Health, 2021, 49, 14-16.	2.3	17
85	Longitudinal associations between organizational change, work-unit social capital, and employee exit from the work unit among public healthcare workers: a mediation analysis. Scandinavian Journal of Work, Environment and Health, 2019, 45, 53-62.	3.4	17
86	Housing environment and mental health of Europeans during the COVID-19 pandemic: a cross-country comparison. Scientific Reports, 2022, 12, 5612.	3.3	17
87	Lowâ€risk factor profile, estrogen levels, and breast cancer risk among postmenopausal women. International Journal of Cancer, 2009, 124, 1935-1940.	5.1	16
88	Parental break-ups and stress: roles of age & family structure in 44 509 pre-adolescent children. European Journal of Public Health, 2017, 27, 829-834.	0.3	16
89	Study protocol of the Healthy High School study: a school-based intervention to improve well-being among high school students in Denmark. BMC Public Health, 2020, 20, 95.	2.9	16
90	Cohort Profile: The Well-being in HospitAL Employees (WHALE) study. International Journal of Epidemiology, 2017, 46, 1758-1759h.	1.9	15

#	Article	IF	CITATIONS
91	Night shift work, long working hours and dementia: a longitudinal study of the Danish Work Environment Cohort Study. BMJ Open, 2019, 9, e027027.	1.9	15
92	Does inflammation provide a link between psychosocial work characteristics and diabetes? Analysis of the role of interleukin-6 and C-reactive protein in the Whitehall II cohort study. Brain, Behavior, and Immunity, 2019, 78, 153-160.	4.1	15
93	Psychosocial working conditions and depressive disorder: disentangling effects of job control from socioeconomic status using a life-course approach. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 217-228.	3.1	15
94	Major life events and risk of Parkinson's disease. Movement Disorders, 2010, 25, 1639-1645.	3.9	14
95	Dual impact of organisational change on subsequent exit from work unit and sickness absence: a longitudinal study among public healthcare employees. Occupational and Environmental Medicine, 2018, 75, 479-485.	2.8	14
96	Education and incident type 2 diabetes: quantifying the impact of differential exposure and susceptibility to being overweight or obese. Diabetologia, 2020, 63, 1764-1774.	6.3	14
97	Daytime and nighttime smartphone use: A study of associations between multidimensional smartphone behaviours and sleep among 24,856 Danish adults. Journal of Sleep Research, 2021, 30, e13356.	3.2	14
98	Shift work, long working hours, and later risk of dementia: A long-term follow-up of the Copenhagen Male Study. Scandinavian Journal of Work, Environment and Health, 2017, 43, 569-577.	3.4	14
99	Are negative aspects of social relations predictive of angina pectoris? A 6-year follow-up study of middle-aged Danish women and men. Journal of Epidemiology and Community Health, 2012, 66, 359-365.	3.7	13
100	Cohort Profile: The Social Inequality in Cancer (SIC) cohort study. International Journal of Epidemiology, 2014, 43, 1750-1758.	1.9	13
101	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. Occupational and Environmental Medicine, 2019, 76, 785-792.	2.8	13
102	Work-related violence and depressive disorder among 955,573 employees followed for 6.99 million person-years. The Danish Work Life Course Cohort study. Journal of Affective Disorders, 2021, 288, 136-144.	4.1	13
103	A non-linear association between self-reported negative emotional response to stress and subsequent allostatic load: Prospective results from the Whitehall II cohort study. Psychoneuroendocrinology, 2014, 49, 54-61.	2.7	12
104	Economic hardship over twenty-two consecutive years of adult life and markers of early ageing: physical capability, cognitive function and inflammation. European Journal of Ageing, 2020, 17, 55-67.	2.8	12
105	Accumulation of Major Life Events in Childhood and Adult Life and Risk of Type 2 Diabetes Mellitus. PLoS ONE, 2015, 10, e0138654.	2.5	11
106	Mental and physical health effects of meaningful work and rewarding family responsibilities. PLoS ONE, 2019, 14, e0214916.	2.5	11
107	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. Psychoneuroendocrinology, 2020, 118, 104706.	2.7	11
108	The influence of duration of follow-up on the association between alcohol and cause-specific mortality in a prospective cohort study. Annals of Epidemiology, 2005, 15, 44-55.	1.9	10

#	Article	IF	CITATIONS
109	Cortisol, estrogens and risk of ischaemic heart disease, cancer and all-cause mortality in postmenopausal women: a prospective cohort study. International Journal of Epidemiology, 2010, 39, 530-538.	1.9	10
110	Negative aspects of close social relations and 10-year incident ischaemic heart disease hospitalization among middle-aged Danes. European Journal of Preventive Cardiology, 2014, 21, 1249-1256.	1.8	10
111	Can work-unit social capital buffer the association between workplace violence and long-term sickness absence? A prospective cohort study of healthcare employees. International Archives of Occupational and Environmental Health, 2020, 93, 355-364.	2.3	10
112	Is the Effect of Alcohol on Risk of Stroke Confined to Highly Stressed Persons?. Neuroepidemiology, 2005, 25, 105-113.	2.3	9
113	Psychosocial Risk Factors for Hospitalisation and Death from Chronic Obstructive Pulmonary Disease: A Prospective Cohort Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2015, 12, 190-198.	1.6	9
114	Associations between onset of effort-reward imbalance at work and onset of musculoskeletal pain: analyzing observational longitudinal data as pseudo-trials. Pain, 2018, 159, 1477-1483.	4.2	9
115	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. Diabetes and Metabolism, 2018, 44, 38-44.	2.9	9
116	Work-unit organisational changes and subsequent prescriptions for psychotropic medication: a longitudinal study among public healthcare employees. Occupational and Environmental Medicine, 2019, 76, 143-150.	2.8	9
117	Informal caregiving and diurnal patterns of salivary cortisol: Results from the Whitehall II cohort study. Psychoneuroendocrinology, 2019, 100, 41-47.	2.7	9
118	Accumulation of childhood adversities and type 1 diabetes risk: a register-based cohort study of all children born in Denmark between 1980 and 2015. International Journal of Epidemiology, 2020, 49, 1604-1613.	1.9	9
119	Childhood adversity trajectories and PTSD in young adulthood: A nationwide Danish register-based cohort study of more than one million individuals. Journal of Psychiatric Research, 2021, 136, 274-280.	3.1	9
120	Mental health indicators in pregnant women compared with women in the general population during the coronavirus disease 2019 pandemic in Denmark. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2009-2018.	2.8	9
121	Smartphone interactions and mental well-being in young adults: A longitudinal study based on objective high-resolution smartphone data. Scandinavian Journal of Public Health, 2021, 49, 325-332.	2.3	8
122	Both High and Low Levels of Negative Emotions Are Associated with Higher Blood Pressure: Evidence from Whitehall II Cohort Study. International Journal of Behavioral Medicine, 2020, 27, 170-178.	1.7	8
123	Nighttime smartphone use and changes in mental health and wellbeing among young adults: a longitudinal study based on high-resolution tracking data. Scientific Reports, 2022, 12, 8013.	3.3	8
124	Late midlife Câ€reactive protein and interleukinâ€6 in middle aged danish men in relation to body size history within and across generations. Obesity, 2016, 24, 461-468.	3.0	7
125	Work-unit social capital and incident purchase of psychotropic medications: A longitudinal cohort-study of healthcare workers. Journal of Affective Disorders, 2020, 276, 53-61.	4.1	7
126	Reducing employee turnover in hospitals: estimating the effects of hypothetical improvements in the psychosocial work environment. Scandinavian Journal of Work, Environment and Health, 2021, 47, 456-465.	3.4	7

#	Article	IF	CITATIONS
127	Loss of partner and breast cancer prognosis — a population-based study, Denmark, 1994–2010. British Journal of Cancer, 2012, 106, 1560-1563.	6.4	6
128	Educational Differences in Postmenopausal Breast Cancer – Quantifying Indirect Effects through Health Behaviors, Body Mass Index and Reproductive Patterns. PLoS ONE, 2013, 8, e78690.	2.5	6
129	Role of psychosocial work factors in the relation between becoming a caregiver and changes in health behaviour: results from the Whitehall II cohort study. Journal of Epidemiology and Community Health, 2016, 70, 1200-1206.	3.7	6
130	Understanding the relation between socioeconomic position and inflammation in post-menopausal women: education, income and occupational prestige. European Journal of Public Health, 2017, 27, 1074-1079.	0.3	6
131	Loneliness and objectively measured physical capability in middle-aged adults. European Journal of Public Health, 2018, 28, 16-23.	0.3	6
132	Smallpox and BCG vaccination in childhood and cutaneous malignant melanoma in Danish adults followed from 18 to 49 years. Vaccine, 2019, 37, 6730-6736.	3.8	6
133	Workplace Violence and Long-term Sickness Absence. Journal of Occupational and Environmental Medicine, 2020, 62, 830-838.	1.7	6
134	Estimates of mortality attributable to COVID-19: a statistical model for monitoring COVID-19 and seasonal influenza, Denmark, spring 2020. Eurosurveillance, 2021, 26, .	7.0	6
135	Workplace discrimination as risk factor for long-term sickness absence: Longitudinal analyses of onset and changes in workplace adversity. PLoS ONE, 2021, 16, e0255697.	2.5	6
136	Bi-directional relation between effort‒reward imbalance and risk of neck-shoulder pain: assessment of mediation through depressive symptoms using occupational longitudinal data. Scandinavian Journal of Work, Environment and Health, 2019, 45, 126-133.	3.4	6
137	Do sibling comparisons answer the causal question? In response to â€~No causal associations between childhood family income and subsequent psychiatric disorders, substance misuse and violent crime arrests'. International Journal of Epidemiology, 2022, 51, 2025-2026.	1.9	6
138	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. Diabetes Care, 2022, 45, 59-66.	8.6	6
139	Mediation of the parental education gradient in early adult mortality by childhood adversity: a population-based cohort study of more than 1 million children. Lancet Public Health, The, 2022, 7, e146-e155.	10.0	6
140	Proposing network analysis for early life adversity: An application on life event data. Social Science and Medicine, 2022, 296, 114784.	3.8	6
141	Social Relations at Work and Incident Dementia. Journal of Occupational and Environmental Medicine, 2018, 60, 12-18.	1.7	5
142	Is dog ownership associated with mortality? A nationwide registry study. European Journal of Public Health, 2018, 28, 1169-1171.	0.3	5
143	The SmartSleep Experiment: Evaluation of changes in night-time smartphone behavior following a mass media citizen science campaign. PLoS ONE, 2021, 16, e0253783.	2.5	5
144	Organizational Justice and Long-term Metabolic Trajectories: A 25-Year Follow-up of the Whitehall II Cohort. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 398-409.	3.6	5

#	Article	IF	CITATIONS
145	Trajectories of Childhood Adversity and Type 1 Diabetes: A Nationwide Study of One Million Children. Diabetes Care, 2021, 44, 740-747.	8.6	5
146	Childhood socioeconomic position and physical capability in late-middle age in two birth cohorts from the Copenhagen aging and midlife biobank. PLoS ONE, 2018, 13, e0205019.	2.5	4
147	Commentary: Causal models adjusting for time-varying confounding— please send more data. International Journal of Epidemiology, 2019, 48, 254-267.	1.9	4
148	Work-unit organizational changes and risk of cardiovascular disease: a prospective study of public healthcare employees in Denmark. International Archives of Occupational and Environmental Health, 2020, 93, 409-419.	2.3	4
149	Physical activity and serious adverse events in patients with atrial fibrillation and/or atrial flutter treated with catheter ablation. Heart and Lung: Journal of Acute and Critical Care, 2021, 50, 146-152.	1.6	4
150	Predicting stress and depressive symptoms using high-resolution smartphone data and sleep behavior in Danish adults. Sleep, 2022, 45, .	1.1	4
151	Re. Epidemiology, 2017, 28, e60-e61.	2.7	3
152	Occupational Social Class and Personality Traits in Relation to Leisure-Time Physical Activity Level: Cross-Sectional Results From the Copenhagen Aging and Midlife Biobank. Journal of Aging and Health, 2018, 30, 1263-1283.	1.7	3
153	The joint effect of unemployment and cynical hostility on all-cause mortality: results from a prospective cohort study. BMC Public Health, 2019, 19, 293.	2.9	3
154	Prolonged or serious conflicts at work and incident dementia: a 23-year follow-up of the Copenhagen City Heart Study. International Archives of Occupational and Environmental Health, 2019, 92, 165-173.	2.3	3
155	Changes in effort-reward imbalance at work and risk of onset of sleep disturbances in a population-based cohort of workers in Denmark. Sleep Medicine: X, 2020, 2, 100021.	1.5	3
156	Effortâ€reward imbalance at work and weight changes in a nationwide cohort of workers in Denmark. American Journal of Industrial Medicine, 2020, 63, 634-643.	2.1	3
157	Physical workload, long-term sickness absence, and the role of social capital. Multi-level analysis of a large occupation cohort. Scandinavian Journal of Work, Environment and Health, 2020, 46, 373-381.	3.4	3
158	The impact of work-place social capital in hospitals on patient-reported quality of care: a cohort study of 5205 employees and 23,872 patients in Denmark. BMC Health Services Research, 2021, 21, 534.	2.2	2
159	Causes of Outcome Learning: a causal inference-inspired machine learning approach to disentangling common combinations of potential causes of a health outcome. International Journal of Epidemiology, 2022, 51, 1622-1636.	1.9	2
160	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. Obesity, 2020, 28, 2216-2223.	3.0	1
161	PS30â€The Joint Effect of Unemployment and Cynical Hostility on All Cause Mortality. Journal of Epidemiology and Community Health, 2012, 66, A50.1-A50.	3.7	0
162	OP59â€Do Demands and Worries from Close Social Relations Increase the Risk of Subsequent Incident IHD Hospitalization? A 7 Year Longitudinal Study of Middle-Aged Danish Men and Women. Journal of Epidemiology and Community Health, 2012, 66, A23.1-A23.	3.7	0

#	Article	IF	CITATIONS
163	O34-3â€How does transition from work-participation to non-disability high-age retirement affect health? a follow-up study of a national cohort. , 2016, , .		0
164	0332â€The impact of organisational change on sickness absence: how much of the effects are mediated by workplace social capital?. , 2017, , .		0
165	1370Introducing network analysis to measure early life adversity. International Journal of Epidemiology, 2021, 50, .	1.9	0