

# Jian Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5459267/publications.pdf>

Version: 2024-02-01

259  
papers

24,543  
citations

10070

75  
h-index

9118

149  
g-index

272  
all docs

272  
docs citations

272  
times ranked

32285  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent Advances in Ultrathin Two-Dimensional Nanomaterials. <i>Chemical Reviews</i> , 2017, 117, 6225-6331.	23.0	3,940
2	Ionic Exchange of Metal-Organic Frameworks to Access Single Nickel Sites for Efficient Electroreduction of CO <sub>2</sub> . <i>Journal of the American Chemical Society</i> , 2017, 139, 8078-8081.	6.6	1,115
3	Phosphorus-Doped Graphite Layers with High Electrocatalytic Activity for the O <sub>2</sub> Reduction in an Alkaline Medium. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3257-3261.	7.2	647
4	Synthesis of Two-Dimensional CoS <sub>1.097</sub> /Nitrogen-Doped Carbon Nanocomposites Using Metal-Organic Framework Nanosheets as Precursors for Supercapacitor Application. <i>Journal of the American Chemical Society</i> , 2016, 138, 6924-6927.	6.6	591
5	Uncoordinated Amine Groups of Metal-Organic Frameworks to Anchor Single Ru Sites as Chemoselective Catalysts toward the Hydrogenation of Quinoline. <i>Journal of the American Chemical Society</i> , 2017, 139, 9419-9422.	6.6	558
6	MoSe <sub>2</sub> -Covered N,P-Doped Carbon Nanosheets as a Long-Life and High-Rate Anode Material for Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2017, 27, 1700522.	7.8	454
7	Double-Walled Sb@TiO <sub>2-x</sub> Nanotubes as a Superior High-Rate and Ultralong-Life Anode Material for Na-Ion and Li-Ion Batteries. <i>Advanced Materials</i> , 2016, 28, 4126-4133.	11.1	412
8	Reduced Graphene Oxide-Wrapped MoO <sub>3</sub> Composites Prepared by Using Metal-Organic Frameworks as Precursor for All-Solid-State Flexible Supercapacitors. <i>Advanced Materials</i> , 2015, 27, 4695-4701.	11.1	388
9	Growth of Au Nanoparticles on 2D Metalloporphyrinic Metal-Organic Framework Nanosheets Used as Biomimetic Catalysts for Cascade Reactions. <i>Advanced Materials</i> , 2017, 29, 1700102.	11.1	384
10	Formation Process of CdS Nanorods via Solvothermal Route. <i>Chemistry of Materials</i> , 2000, 12, 3259-3263.	3.2	374
11	Self-Assembly of Single-Layer CoAl-Layered Double Hydroxide Nanosheets on 3D Graphene Network Used as Highly Efficient Electrocatalyst for Oxygen Evolution Reaction. <i>Advanced Materials</i> , 2016, 28, 7640-7645.	11.1	355
12	Mechanism study on adsorption of acidified multiwalled carbon nanotubes to Pb(II). <i>Journal of Colloid and Interface Science</i> , 2007, 316, 277-283.	5.0	346
13	In-Situ Thermal Atomization To Convert Supported Nickel Nanoparticles into Surface-Bound Nickel Single-Atom Catalysts. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 14095-14100.	7.2	310
14	Hollow nanospheres of mesoporous Co <sub>9</sub> S <sub>8</sub> as a high-capacity and long-life anode for advanced lithium ion batteries. <i>Nano Energy</i> , 2015, 12, 528-537.	8.2	303
15	Synthesis and characterization of substitutional and interstitial nitrogen-doped titanium dioxides with visible light photocatalytic activity. <i>Journal of Solid State Chemistry</i> , 2008, 181, 130-136.	1.4	282
16	Enhanced Lithium Storage Performances of Hierarchical Hollow MoS <sub>2</sub> Nanoparticles Assembled from Nanosheets. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1003-1008.	4.0	277
17	Lithiation-induced amorphization of Pd <sub>3</sub> P <sub>2</sub> S <sub>8</sub> for highly efficient hydrogen evolution. <i>Nature Catalysis</i> , 2018, 1, 460-468.	16.1	247
18	One-step hydrothermal synthesis of ZnFe <sub>2</sub> O <sub>4</sub> nano-octahedrons as a high capacity anode material for Li-ion batteries. <i>Nano Research</i> , 2012, 5, 477-485.	5.8	241

#	ARTICLE	IF	CITATIONS
19	Rational Synthesis, Self-Assembly, and Optical Properties of PbS@Au Heterogeneous Nanostructures via Preferential Deposition. <i>Journal of the American Chemical Society</i> , 2006, 128, 11921-11926.	6.6	240
20	Observation of saturable and reverse-saturable absorption at longitudinal surface plasmon resonance in gold nanorods. <i>Applied Physics Letters</i> , 2006, 88, 083107.	1.5	235
21	Selective Catalysis of the Aerobic Oxidation of Cyclohexane in the Liquid Phase by Carbon Nanotubes. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3978-3982.	7.2	234
22	General synthesis of hollow MnO <sub>2</sub> , Mn <sub>3</sub> O <sub>4</sub> and MnO nanospheres as superior anode materials for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17421-17426.	5.2	213
23	Efficient and Robust Hydrogen Evolution: Phosphorus Nitride Imide Nanotubes as Supports for Anchoring Single Ruthenium Sites. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9495-9500.	7.2	205
24	A Novel Solventothermal Synthetic Route to Nanocrystalline CdE (E = S, Se, Te) and Morphological Control. <i>Chemistry of Materials</i> , 1998, 10, 2309-2312.	3.2	198
25	Coaxial MnO/N-doped carbon nanorods for advanced lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 1037-1041.	5.2	192
26	Controlled Growth of Porous Fe <sub>2</sub> O <sub>3</sub> Branches on MnO <sub>2</sub> Nanorods for Excellent Performance in Lithium-ion Batteries. <i>Advanced Functional Materials</i> , 2013, 23, 4049-4056.	7.8	181
27	Facile synthesis of loaf-like ZnMn <sub>2</sub> O <sub>4</sub> nanorods and their excellent performance in Li-ion batteries. <i>Nanoscale</i> , 2013, 5, 2442.	2.8	176
28	Preparation and characterization of Cu <sub>2</sub> O/TiO <sub>2</sub> nano heterostructure photocatalysts. <i>Catalysis Communications</i> , 2009, 10, 1839-1843.	1.6	170
29	MnO <sub>2</sub> /CNT Supported Pt and PtRu Nanocatalysts for Direct Methanol Fuel Cells. <i>Langmuir</i> , 2009, 25, 7711-7717.	1.6	169
30	Mesoporous Amorphous Silicon: A Simple Synthesis of a High Rate and Long Life Anode Material for Lithium-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14063-14066.	7.2	164
31	Preparation of nitrogen-doped titanium dioxide with visible-light photocatalytic activity using a facile hydrothermal method. <i>Journal of Physics and Chemistry of Solids</i> , 2008, 69, 1657-1664.	1.9	163
32	Shape Control and Characterization of Transition Metal Diselenides MSe <sub>2</sub> (M = Ni, Co, Fe) Prepared by a Solvothermal-Reduction Process. <i>Chemistry of Materials</i> , 2001, 13, 848-853.	3.2	159
33	A general approach for MFe <sub>2</sub> O <sub>4</sub> (M = Zn, Co, Ni) nanorods and their high performance as anode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2014, 247, 163-169.	4.0	158
34	Porous ZnMn <sub>2</sub> O <sub>4</sub> microspheres as a promising anode material for advanced lithium-ion batteries. <i>Nano Energy</i> , 2014, 6, 193-199.	8.2	154
35	General Synthesis of MnOx (MnO <sub>2</sub> , Mn <sub>2</sub> O <sub>3</sub> , Mn <sub>3</sub> O <sub>4</sub> , MnO) Hierarchical Microspheres as Lithium-ion Battery Anodes. <i>Electrochimica Acta</i> , 2015, 184, 250-256.	2.6	152
36	General Synthesis of Semiconductor Chalcogenide Nanorods by Using the Monodentate Ligand n-Butylamine as a Shape Controller. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4697-4700.	7.2	150

#	ARTICLE	IF	CITATIONS
37	Controllable synthesis of nanocrystalline CdS with different morphologies and particle sizes by a novel solvothermal process. <i>Journal of Materials Chemistry</i> , 1999, 9, 1283-1287.	6.7	144
38	Comprehensive New Insights and Perspectives into Ti-Based Anodes for Next-Generation Alkaline Metal (Na <sup>+</sup> , K <sup>+</sup> ) Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1801888.	10.2	142
39	Electrodeposition preparation of Ag loaded N-doped TiO <sub>2</sub> nanotube arrays with enhanced visible light photocatalytic performance. <i>Catalysis Communications</i> , 2011, 12, 689-693.	1.6	138
40	Synthesis and Characterization of Core-Shell GaP@GaN and GaN@GaP Nanowires. <i>Nano Letters</i> , 2003, 3, 537-541.	4.5	136
41	Conductive Polymer-Coated VS <sub>4</sub> Submicrospheres As Advanced Electrode Materials in Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 18797-18805.	4.0	134
42	High-Performance All-Inorganic Solid-State Sodium-Sulfur Battery. <i>ACS Nano</i> , 2017, 11, 4885-4891.	7.3	133
43	Lateral Etching of Core-Shell Au@Metal Nanorods to Metal-Tipped Au Nanorods with Improved Catalytic Activity. <i>ACS Nano</i> , 2012, 6, 1165-1175.	7.3	129
44	Kinetically Controlled Side-Wall Functionalization of Carbon Nanotubes by Nitric Acid Oxidation. <i>Journal of Physical Chemistry C</i> , 2008, 112, 6758-6763.	1.5	128
45	Preparation of Single-Layer MoS <sub>2</sub> and MoS <sub>2</sub> /WSe <sub>2</sub> Nanosheets with High-Concentration Metallic 1T Phase. <i>Small</i> , 2016, 12, 1866-1874.	5.2	126
46	VS <sub>4</sub> nanoparticles rooted by a-C coated MWCNTs as an advanced anode material in lithium ion batteries. <i>Energy Storage Materials</i> , 2017, 6, 149-156.	9.5	126
47	One-step solid state reaction to selectively fabricate cubic and tetragonal CuFe <sub>2</sub> O <sub>4</sub> anode material for high power lithium ion batteries. <i>Electrochimica Acta</i> , 2013, 102, 51-57.	2.6	124
48	Quantum Dot Nanobarcodes: Epitaxial Assembly of Nanoparticle-Polymer Complexes in Homogeneous Solution. <i>Journal of the American Chemical Society</i> , 2008, 130, 5286-5292.	6.6	112
49	Multiwalled carbon nanotube@a-C@Co <sub>9</sub> S <sub>8</sub> nanocomposites: a high-capacity and long-life anode material for advanced lithium ion batteries. <i>Nanoscale</i> , 2015, 7, 3520-3525.	2.8	112
50	Metal-organic framework-derived Co <sub>0.85</sub> Se nanoparticles in N-doped carbon as a high-rate and long-lifespan anode material for potassium ion batteries. <i>Materials Today Energy</i> , 2018, 10, 241-248.	2.5	107
51	Facile synthesis of MnO <sub>2</sub> /CNT nanocomposite and its electrochemical performance for supercapacitors. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2011, 176, 1073-1078.	1.7	105
52	Intercalation of organics into layered structures enables superior interface compatibility and fast charge diffusion for dendrite-free Zn anodes. <i>Energy and Environmental Science</i> , 2022, 15, 1682-1693.	15.6	105
53	A new low temperature one-step route to metal chalcogenide semiconductors: PbE, Bi <sub>2</sub> E <sub>3</sub> (E=S, Se, Te). <i>Journal of Materials Chemistry</i> , 1998, 8, 1949-1951.	6.7	103
54	Pressure-Controlled Fabrication of Stibnite Nanorods by the Solvothermal Decomposition of a Simple Single-Source Precursor. <i>Chemistry of Materials</i> , 2000, 12, 2924-2929.	3.2	103

#	ARTICLE	IF	CITATIONS
55	In Situ Synthesis of Metal Sulfide Nanoparticles Based on 2D Metal-Organic Framework Nanosheets. <i>Small</i> , 2016, 12, 4669-4674.	5.2	101
56	A solvothermal decomposition process for fabrication and particle sizes control of Bi <sub>2</sub> S <sub>3</sub> nanowires. <i>Journal of Materials Research</i> , 1999, 14, 4157-4162.	1.2	100
57	Selective etching of gold nanorods by ferric chloride at room temperature. <i>CrystEngComm</i> , 2009, 11, 2797.	1.3	100
58	Porous Molybdenum Phosphide Nano-Octahedrons Derived from Confined Phosphorization in UIO-66 for Efficient Hydrogen Evolution. <i>Angewandte Chemie</i> , 2016, 128, 13046-13050.	1.6	100
59	Few-atomic-layered hollow nanospheres constructed from alternate intercalation of carbon and MoS <sub>2</sub> monolayers for sodium and lithium storage. <i>Nano Energy</i> , 2018, 51, 546-555.	8.2	98
60	Direct Structure-Performance Comparison of All-Carbon Potassium and Sodium Ion Capacitors. <i>Advanced Science</i> , 2019, 6, 1802272.	5.6	98
61	Pt <sub>4</sub> PdCu <sub>0.4</sub> alloy nanoframes as highly efficient and robust bifunctional electrocatalysts for oxygen reduction reaction and formic acid oxidation. <i>Nano Energy</i> , 2017, 39, 532-538.	8.2	97
62	Novel mesoporous silicon nanorod as an anode material for lithium ion batteries. <i>Electrochimica Acta</i> , 2014, 127, 252-258.	2.6	95
63	Site-Selective Adsorption on ZnF <sub>2</sub> /Ag Coated Zn for Advanced Aqueous Zinc-Metal Batteries at Low Temperature. <i>Nano Letters</i> , 2022, 22, 1750-1758.	4.5	95
64	Pseudocapacitance boosted N-doped carbon coated Fe <sub>7</sub> S <sub>8</sub> nanoaggregates as promising anode materials for lithium and sodium storage. <i>Nano Research</i> , 2020, 13, 691-700.	5.8	93
65	Solid-Solution Anion-Enhanced Electrochemical Performances of Metal Sulfides/Selenides for Sodium-Ion Capacitors: The Case of FeS <sub>2</sub> Se. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 10945-10954.	4.0	91
66	Surface-Amorphous and Oxygen-Deficient Li <sub>3</sub> VO <sub>4</sub> as a Promising Anode Material for Lithium-Ion Batteries. <i>Advanced Science</i> , 2015, 2, 1500090.	5.6	90
67	Lithium phosphide/lithium chloride coating on lithium for advanced lithium metal anode. <i>Journal of Materials Chemistry A</i> , 2018, 6, 15859-15867.	5.2	90
68	Autothermal reforming of ethanol for hydrogen production over perovskite LaNiO <sub>3</sub> . <i>Chemical Engineering Journal</i> , 2010, 160, 333-339.	6.6	89
69	Mesoporous Cu <sub>2-x</sub> Se nanocrystals as an ultrahigh-rate and long-lifespan anode material for sodium-ion batteries. <i>Energy Storage Materials</i> , 2019, 22, 275-283.	9.5	88
70	Layered-Structure SbPO <sub>4</sub> /Reduced Graphene Oxide: An Advanced Anode Material for Sodium Ion Batteries. <i>ACS Nano</i> , 2018, 12, 12869-12878.	7.3	87
71	Optical properties of ZnS nanosheets, ZnO dendrites, and their lamellar precursor ZnS·(NH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ) <sub>0.5</sub> . <i>Chemical Physics Letters</i> , 2002, 361, 362-366.	1.2	85
72	SnP <sub>2</sub> O <sub>7</sub> Covered Carbon Nanosheets as a Long-Life and High-Rate Anode Material for Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1804672.	7.8	84

#	ARTICLE	IF	CITATIONS
73	Hydrogenated TiO <sub>2</sub> Branches Coated Mn <sub>3</sub> O <sub>4</sub> Nanorods as an Advanced Anode Material for Lithium Ion Batteries. ACS Applied Materials & Interfaces, 2015, 7, 10348-10355.	4.0	81
74	One-Dimensional Yolk-Shell Sb@TiO <sub>2</sub> Nanostructures as a High-Capacity and High-Rate Anode Material for Sodium Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 447-454.	4.0	79
75	Controllable morphologies and electrochemical performances of self-assembled nano-honeycomb WS <sub>2</sub> anodes modified by graphene doping for lithium and sodium ion batteries. Carbon, 2019, 142, 697-706.	5.4	76
76	A Chain-Structure Nanotube: Growth and Characterization of Single-Crystal Sb <sub>2</sub> S <sub>3</sub> Nanotubes via a Chemical Vapor Transport Reaction. Advanced Materials, 2004, 16, 713-716.	11.1	74
77	Facile synthesis of hierarchically porous NiO micro-tubes as advanced anode materials for lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 16847-16850.	5.2	73
78	Uniform nucleation of sodium in 3D carbon nanotube framework via oxygen doping for long-life and efficient Na metal anodes. Energy Storage Materials, 2019, 23, 137-143.	9.5	72
79	Efficient and stable oxidative steam reforming of ethanol for hydrogen production: Effect of in situ dispersion of Ir over Ir/La <sub>2</sub> O <sub>3</sub> . Journal of Catalysis, 2010, 269, 281-290.	3.1	70
80	Hydrothermal Preparation and Characterization of Nanocrystalline Powder of <sup>125</sup> Indium Sulfide. Materials Research Bulletin, 1998, 33, 717-721.	2.7	69
81	Recent advanced skeletons in sodium metal anodes. Energy and Environmental Science, 0, , .	15.6	69
82	Triple-walled SnO <sub>2</sub> @N-doped carbon@SnO <sub>2</sub> nanotubes as an advanced anode material for lithium and sodium storage. Journal of Materials Chemistry A, 2015, 3, 23194-23200.	5.2	68
83	Simple synthesis of a porous Sb/Sb <sub>2</sub> O <sub>3</sub> nanocomposite for a high-capacity anode material in Na-ion batteries. Nano Research, 2017, 10, 1794-1803.	5.8	67
84	High efficient conversion of cellulose to polyols with Ru/CNTs as catalyst. Renewable Energy, 2012, 37, 192-196.	4.3	64
85	Biphase-Interface Enhanced Sodium Storage and Accelerated Charge Transfer: Flower-Like Anatase/Bronze TiO <sub>2</sub> /C as an Advanced Anode Material for Na-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 43648-43656.	4.0	63
86	Tailored N-doped porous carbon nanocomposites through MOF self-assembling for Li/Na ion batteries. Journal of Colloid and Interface Science, 2019, 538, 267-276.	5.0	63
87	Synthesis and Formation Mechanism of La <sub>2</sub> O <sub>2</sub> S via a Novel Solvothermal Pressure-Relief Process. Chemistry of Materials, 1999, 11, 192-194.	3.2	62
88	A comparative study of lithium-storage performances of hematite: Nanotubes vs. nanorods. Journal of Power Sources, 2014, 245, 429-435.	4.0	62
89	Carbon-coated mesoporous Co <sub>9</sub> S <sub>8</sub> nanoparticles on reduced graphene oxide as a long-life and high-rate anode material for potassium-ion batteries. Nano Research, 2020, 13, 802-809.	5.8	61
90	Thermal stability of gold nanorods in an aqueous solution. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 372, 177-181.	2.3	59

#	ARTICLE	IF	CITATIONS
91	Crystal engineering and SERS properties of Ag@Fe <sub>3</sub> O <sub>4</sub> nanohybrids: from heterodimer to core-shell nanostructures. <i>Journal of Materials Chemistry</i> , 2011, 21, 17930.	6.7	59
92	The role of RuO <sub>2</sub> in the electrocatalytic oxidation of methanol for direct methanol fuel cell. <i>Catalysis Communications</i> , 2009, 10, 533-537.	1.6	57
93	Enhanced electrochemical properties of nano-Li <sub>3</sub> PO <sub>4</sub> coated on the LiMn <sub>2</sub> O <sub>4</sub> cathode material for lithium ion battery at 55°C. <i>Materials Letters</i> , 2012, 66, 168-171.	1.3	57
94	Organic solvent dependence of plasma resonance of gold nanorods: A simple relationship. <i>Chemical Physics Letters</i> , 2005, 416, 215-219.	1.2	55
95	Hierarchical core-shell Fe <sub>2</sub> O <sub>3</sub> @C nanotubes as a high-rate and long-life anode for advanced lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3439-3444.	5.2	55
96	Anchoring and space-confinement effects to form ultrafine Ru nanoclusters for efficient hydrogen generation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13859-13866.	5.2	55
97	Hydrothermal preparation and characterization of rod-like ultrafine powders of bismuth sulfide. <i>Materials Research Bulletin</i> , 1998, 33, 1661-1666.	2.7	54
98	Electrodeposition preparation of octahedral-Cu <sub>2</sub> O-loaded TiO <sub>2</sub> nanotube arrays for visible light-driven photocatalysis. <i>Scripta Materialia</i> , 2010, 63, 159-161.	2.6	54
99	Ether-based nonflammable electrolyte for room temperature sodium battery. <i>Journal of Power Sources</i> , 2015, 284, 222-226.	4.0	54
100	Controlled synthesis of bimetallic Pd-Rh nanoframes and nanoboxes with high catalytic performances. <i>Nanoscale</i> , 2015, 7, 9558-9562.	2.8	54
101	Li <sub>3</sub> VO <sub>4</sub> nanoparticles in N-doped carbon with porous structure as an advanced anode material for lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2019, 370, 606-613.	6.6	54
102	Hierarchically Porous CuCo <sub>2</sub> O <sub>4</sub> Microflowers: a Superior Anode Material for Li-ion Batteries and a Stable Cathode Electrocatalyst for Li-O <sub>2</sub> Batteries. <i>Electrochimica Acta</i> , 2016, 208, 148-155.	2.6	53
103	Preparation of nitrogen doped TiO <sub>2</sub> photocatalyst by oxidation of titanium nitride with H <sub>2</sub> O <sub>2</sub> . <i>Materials Research Bulletin</i> , 2011, 46, 840-844.	2.7	50
104	Effect of nitrogen-doping temperature on the structure and photocatalytic activity of the B,N-doped TiO <sub>2</sub> . <i>Journal of Solid State Chemistry</i> , 2011, 184, 134-140.	1.4	50
105	A dealloying process of core-shell Au@AuAg nanorods for porous nanorods with enhanced catalytic activity. <i>Nanoscale</i> , 2013, 5, 12582.	2.8	50
106	Development of stable PtRu catalyst coated with manganese dioxide for electrocatalytic oxidation of methanol. <i>Electrochemistry Communications</i> , 2010, 12, 1210-1213.	2.3	49
107	Steam Reforming of Oxygenate Fuels for Hydrogen Production: A Thermodynamic Study. <i>Energy &amp; Fuels</i> , 2011, 25, 2643-2650.	2.5	49
108	Porous MnFe <sub>2</sub> O <sub>4</sub> microrods as advanced anodes for Li-ion batteries with long cycle lifespan. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9550-9555.	5.2	49

#	ARTICLE	IF	CITATIONS
109	Preparation of B, N-codoped nanotube arrays and their enhanced visible light photoelectrochemical performances. <i>Electrochemistry Communications</i> , 2011, 13, 121-124.	2.3	48
110	Organothermal Synthesis and Characterization of Nanocrystalline Indium Sulfide. <i>Journal of the American Ceramic Society</i> , 1999, 82, 457-460.	1.9	47
111	Hierarchical vanadium pentoxide microflowers with excellent long-term cyclability at high rates for lithium ion batteries. <i>Journal of Power Sources</i> , 2014, 272, 991-996.	4.0	46
112	One-pot solvothermal synthesis of graphene wrapped rice-like ferrous carbonate nanoparticles as anode materials for high energy lithium-ion batteries. <i>Nanoscale</i> , 2015, 7, 232-239.	2.8	46
113	Novel highly efficient alumina-supported cobalt nitride catalyst for preferential CO oxidation at high temperatures. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 1955-1959.	3.8	45
114	Synthesis of 4H/fcc-Au@Metal Sulfide Core-Shell Nanoribbons. <i>Journal of the American Chemical Society</i> , 2015, 137, 10910-10913.	6.6	44
115	Plasmon-enhanced electrocatalytic hydrogen/oxygen evolution by Pt/Fe-Au nanorods. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7364-7369.	5.2	44
116	Long Cycle Life All-Solid-State Sodium Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 39645-39650.	4.0	44
117	Phase-Separation-Induced Porous Lithiophilic Polymer Coating for High-Efficiency Lithium Metal Batteries. <i>Nano Letters</i> , 2021, 21, 4757-4764.	4.5	44
118	Suppressed Dissolution and Enhanced Desolvation in Core-Shell MoO <sub>3</sub> @TiO <sub>2</sub> Nanorods as a High-Rate and Long-Life Anode Material for Proton Batteries. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	44
119	Ultrasensitive detection and molecular imaging with magnetic nanoparticles. <i>Analyst, The</i> , 2008, 133, 154-160.	1.7	43
120	ZIF-Derived Cobalt-Containing N-Doped Carbon-Coated SiO <sub>2</sub> Nanoparticles for Superior Lithium Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 7206-7211.	4.0	43
121	Mesoporous zinc-blende ZnS nanoparticles: synthesis, characterization and superior photocatalytic properties. <i>Nanotechnology</i> , 2008, 19, 255603.	1.3	42
122	Thermodynamic analysis of hydrogen generation via oxidative steam reforming of glycerol. <i>Renewable Energy</i> , 2011, 36, 2120-2127.	4.3	41
123	In-Situ Thermal Atomization To Convert Supported Nickel Nanoparticles into Surface-Bound Nickel Single-Atom Catalysts. <i>Angewandte Chemie</i> , 2018, 130, 14291-14296.	1.6	41
124	N, P-codoped graphene supported few-layered MoS <sub>2</sub> as a long-life and high-rate anode materials for potassium-ion storage. <i>Nano Research</i> , 2021, 14, 3523-3530.	5.8	41
125	Chemical Synthesis, Structural Characterization, Optical Properties, and Photocatalytic Activity of Ultrathin ZnSe Nanorods. <i>Chemistry - A European Journal</i> , 2011, 17, 8663-8670.	1.7	40
126	Catalytic Conversion of N-Heteroaromatics to Functionalized Arylamines by Merging Hydrogen Transfer and Selective Coupling. <i>ACS Catalysis</i> , 2020, 10, 5243-5249.	5.5	40



#	ARTICLE	IF	CITATIONS
127	Chlorine-doped SnO <sub>2</sub> hydrophobic surfaces for large grain perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11638-11646.	2.7	40
128	Polypyrrole-controlled plating/stripping for advanced zinc metal anodes. <i>Materials Today Energy</i> , 2020, 17, 100443.	2.5	40
129	Voltage-Modulated Structure Stress for Enhanced Electrochemical Performances: The Case of 1/4-Sn in Sodium-Ion Batteries. <i>Nano Letters</i> , 2021, 21, 3588-3595.	4.5	38
130	Boosting Fast and Stable Alkali Metal Ion Storage by Synergistic Engineering of Oxygen Vacancy and Amorphous Structure. <i>Advanced Functional Materials</i> , 2022, 32, 2106751.	7.8	38
131	Nitrogen and fluorine co-doped TiO <sub>2</sub> /carbon microspheres for advanced anodes in sodium-ion batteries: High volumetric capacity, superior power density and large areal capacity. <i>Journal of Energy Chemistry</i> , 2022, 68, 104-112.	7.1	38
132	RuO <sub>2</sub> ·xH <sub>2</sub> O Supported on Carbon Nanotubes as a Highly Active Catalyst for Methanol Oxidation. <i>Journal of Physical Chemistry C</i> , 2008, 112, 11875-11880.	1.5	37
133	Hybrid PdAg alloy-Au nanorods: Controlled growth, optical properties and electrochemical catalysis. <i>Nano Research</i> , 2013, 6, 571-580.	5.8	37
134	Effect of different carbon sources on the electrochemical properties of rod-like LiMnPO <sub>4</sub> @C nanocomposites. <i>RSC Advances</i> , 2013, 3, 6847.	1.7	37
135	Coaxial Manganese Dioxide@N-doped Carbon Nanotubes as Superior Anodes for Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2015, 182, 676-681.	2.6	37
136	Mesoporous Amorphous Silicon: A Simple Synthesis of a High-Rate and Long-Life Anode Material for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2016, 128, 14269-14272.	1.6	37
137	Hierarchically porous Li <sub>3</sub> VO <sub>4</sub> /C nanocomposite as an advanced anode material for high-performance lithium-ion capacitors. <i>Journal of Power Sources</i> , 2018, 384, 240-248.	4.0	37
138	A novel morphology controllable preparation method to HgS. <i>Materials Research Bulletin</i> , 2001, 36, 343-348.	2.7	36
139	One-Step Synthesis and Characterization of Gold-Hollow PbS Hybrid Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3991-3995.	7.2	36
140	Facile solid-state synthesis of Li <sub>2</sub> MnSiO <sub>4</sub> /C nanocomposite as a superior cathode with a long cycle life. <i>Journal of Power Sources</i> , 2013, 231, 39-43.	4.0	36
141	Vanadium sulfide sub-microspheres: A new near-infrared-driven photocatalyst. <i>Journal of Colloid and Interface Science</i> , 2017, 498, 442-448.	5.0	35
142	Truncated cobalt hexacyanoferrate nanocubes threaded by carbon nanotubes as a high-capacity and high-rate cathode material for dual-ion rechargeable aqueous batteries. <i>Journal of Power Sources</i> , 2018, 399, 1-7.	4.0	35
143	Solid-state batteries designed with high ion conductive composite polymer electrolyte and silicon anode. <i>Energy Storage Materials</i> , 2021, 43, 165-171.	9.5	35
144	In situ growth, structure characterization, and enhanced photocatalysis of high-quality, single-crystalline ZnTe/ZnO branched nanoheterostructures. <i>Nanoscale</i> , 2011, 3, 4418.	2.8	34

#	ARTICLE	IF	CITATIONS
145	2D MOF induced accessible and exclusive Co single sites for an efficient <i>O</i> -silylation of alcohols with silanes. <i>Chemical Communications</i> , 2019, 55, 6563-6566.	2.2	34
146	Hydrogen production via autothermal reforming of ethanol over noble metal catalysts supported on oxides. <i>Journal of Natural Gas Chemistry</i> , 2009, 18, 191-198.	1.8	33
147	Capacitance dependent catalytic activity of RuO <sub>2</sub> ·xH <sub>2</sub> O/CNT nanocatalysts for aerobic oxidation of benzyl alcohol. <i>Chemical Communications</i> , 2009, , 2408.	2.2	33
148	SiO <sub>x</sub> embedded in N-doped carbon nanoslices: A scalable synthesis of high-performance anode material for lithium-ion batteries. <i>Carbon</i> , 2021, 178, 202-210.	5.4	33
149	Revisit sodium-storage mechanism of metal selenides in ether-based electrolytes: Electrochemically-driven Cu permeation to the formation of Cu <sub>2</sub> ·xSe. <i>Energy Storage Materials</i> , 2021, 40, 189-196.	9.5	33
150	Tunnel-structured Na <sub>0.54</sub> Mn <sub>0.50</sub> Ti <sub>0.51</sub> O <sub>2</sub> and Na <sub>0.54</sub> Mn <sub>0.50</sub> Ti <sub>0.51</sub> O <sub>2</sub> /C nanorods as advanced cathode materials for sodium-ion batteries. <i>Chemical Communications</i> , 2015, 51, 8480-8483.	2.2	32
151	Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> with a hydroxyl-rich surface for metal sulfides as high performance electrode materials for sodium/lithium storage. <i>Journal of Materials Chemistry A</i> , 2021, 9, 14013-14024.	5.2	32
152	<i>syn</i> -Selective Construction of Fused Heterocycles by Catalytic Reductive Tandem Functionalization of N-Heteroarenes. <i>ACS Catalysis</i> , 2021, 11, 9271-9278.	5.5	32
153	Assessment and optimization of the mass-transfer limitation in a metal foam methanol microreformer. <i>Applied Catalysis A: General</i> , 2008, 337, 155-162.	2.2	31
154	Efficient and Robust Hydrogen Evolution: Phosphorus Nitride Imide Nanotubes as Supports for Anchoring Single Ruthenium Sites. <i>Angewandte Chemie</i> , 2018, 130, 9639-9644.	1.6	31
155	Polyanions Enhance Conversion Reactions for Lithium/Sodium Batteries: The Case of SbVO <sub>4</sub> Nanoparticles on Reduced Graphene Oxide. <i>Small Methods</i> , 2019, 3, 1900231.	4.6	31
156	Cellulose-Hydrogel-Derived Self-Activated Carbon/SnO <sub>2</sub> Nanocomposites for High-Performance Lithium Storage. <i>ACS Applied Energy Materials</i> , 2019, 2, 5171-5182.	2.5	29
157	MOF-derived manganese monoxide nanosheet-assembled microflowers for enhanced lithium-ion storage. <i>Nanoscale</i> , 2019, 11, 10763-10773.	2.8	29
158	Controlled growth of aluminium nitride nanorod arrays via chemical vapour deposition. <i>Nanotechnology</i> , 2006, 17, S321-S326.	1.3	28
159	Facile Preparation of an Excellent Pt/RuO <sub>2</sub> ·MnO <sub>2</sub> /CNTs Nanocatalyst for Anodes of Direct Methanol Fuel Cells. <i>Fuel Cells</i> , 2011, 11, 301-308.	1.5	28
160	Hierarchical mesoporous Li <sub>2</sub> Mn <sub>0.5</sub> Fe <sub>0.5</sub> SiO <sub>4</sub> and Li <sub>2</sub> Mn <sub>0.5</sub> Fe <sub>0.5</sub> SiO <sub>4</sub> /C assembled by nanoparticles or nanoplates as a cathode material for lithium-ion batteries. <i>Nano Energy</i> , 2014, 7, 1-9.	8.2	28
161	Excellent microwave absorption of lead halide perovskites with high stability. <i>Journal of Materials Chemistry C</i> , 2018, 6, 4201-4207.	2.7	28
162	Revisit Electrolyte Chemistry of Hard Carbon in Ether for Na Storage. <i>Jacs Au</i> , 2021, 1, 1208-1216.	3.6	28

#	ARTICLE	IF	CITATIONS
163	Benzene-thermal synthesis and characterization of ultrafine powders of antimony sulfide. <i>Materials Research Bulletin</i> , 1998, 33, 1207-1211.	2.7	27
164	Nickel hexacyanoferrate/carbon composite as a high-rate and long-life cathode material for aqueous hybrid energy storage. <i>Chemical Communications</i> , 2017, 53, 10556-10559.	2.2	27
165	Electronic structure modulation of bifunctional oxygen catalysts for rechargeable Zn-air batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1229-1237.	5.2	26
166	Sandwich-structured dual carbon modified bismuth nanosphere composites as long-cycle and high-rate anode materials for sodium-ion batteries. <i>Electrochimica Acta</i> , 2021, 365, 137379.	2.6	26
167	Spatial separation of lithiophilic surface and superior conductivity for advanced Li metal anode: the case of acetylene black and N-doped carbon spheres. <i>Journal of Materials Chemistry A</i> , 2019, 7, 8765-8770.	5.2	25
168	Synergistic effect of interface layer and mechanical pressure for advanced Li metal anodes. <i>Energy Storage Materials</i> , 2020, 26, 112-118.	9.5	25
169	Unravelling binder chemistry in sodium/potassium ion batteries for superior electrochemical performances. <i>Journal of Materials Chemistry A</i> , 2022, 10, 4060-4067.	5.2	25
170	Boron and nitrogen-codoped TiO <sub>2</sub> nanorods: Synthesis, characterization, and photoelectrochemical properties. <i>Journal of Solid State Chemistry</i> , 2011, 184, 3002-3007.	1.4	24
171	Additive-assisted synthesis of boride, carbide, and nitride micro/nanocrystals. <i>Journal of Solid State Chemistry</i> , 2012, 194, 219-224.	1.4	24
172	FeFe(CN) <sub>6</sub> Nanocubes as a Bipolar Electrode Material in Aqueous Symmetric Sodium-ion Batteries. <i>ChemPlusChem</i> , 2017, 82, 1170-1173.	1.3	24
173	Stable Lithium Deposition Enabled by an Acid-Treated g-C <sub>3</sub> N <sub>4</sub> Interface Layer for a Lithium Metal Anode. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 11265-11272.	4.0	24
174	TiO <sub>2</sub> on MoSe <sub>2</sub> nanosheets as an advanced photocatalyst for hydrogen evolution in visible light. <i>Catalysis Communications</i> , 2018, 106, 60-63.	1.6	23
175	A single palladium site catalyst as a bridge for converting homogeneous to heterogeneous in dimerization of terminal aryl acetylenes. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1317-1322.	3.2	23
176	Intensity-dependent enhancement of saturable absorption in PbS-Au <sub>4</sub> nanohybrid composites: Evidence for resonant energy transfer by Auger recombination. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	22
177	Site-Specific Oxidative C-H Chalcogenation of (Hetero)Aryl-Fused Cyclic Amines Enabled by Nanocobalt Oxides. <i>Organic Letters</i> , 2018, 20, 6554-6558.	2.4	22
178	Crystalline Sb or Bi in amorphous Ti-based oxides as anode materials for sodium storage. <i>Chemical Engineering Journal</i> , 2020, 380, 122624.	6.6	22
179	Simplified Synthesis of Biomass-Derived Si/C Composites as Stable Anode Materials for Lithium-ion Batteries. <i>Chemistry - A European Journal</i> , 2020, 26, 10544-10549.	1.7	22
180	Nanocomposite of CdS particles in polymer rods fabricated by a novel hydrothermal polymerization and simultaneous sulfidation technique. <i>Chemical Communications</i> , 2001, , 1332-1333.	2.2	21

#	ARTICLE	IF	CITATIONS
181	Soft solution processing of cerium hydroxysulfate powders with different morphologies. Journal of Materials Chemistry, 2003, 13, 150-153.	6.7	21
182	Carbonates (bicarbonates)/reduced graphene oxide as anode materials for sodium-ion batteries. Journal of Materials Chemistry A, 2017, 5, 24645-24650.	5.2	21
183	Chemical Synthesis, Structure Characterization, and Optical Properties of Hollow PbS <sub>x</sub> “Solid Au Heterodimer Nanostructures. Chemistry - A European Journal, 2010, 16, 5920-5926.	1.7	20
184	Controlled synthesis of octahedral Cu <sub>2</sub> O on TiO <sub>2</sub> nanotube arrays by electrochemical deposition. Materials Chemistry and Physics, 2011, 130, 316-322.	2.0	20
185	Charge transfer accelerates galvanic replacement for PtAgAu nanotubes with enhanced catalytic activity. Nano Research, 2016, 9, 1173-1181.	5.8	20
186	Novel Solvothermal Fabrication of CdS <sub>x</sub> Se <sub>1-x</sub> Nanowires. Journal of Solid State Chemistry, 1999, 147, 637-640.	1.4	19
187	Gold nanorod-templated synthesis of polymetallic hollow nanostructures with enhanced electrocatalytic performance. Nanoscale, 2014, 6, 11732-11737.	2.8	19
188	Variation of carbon coatings on the electrochemical performance of LiFePO <sub>4</sub> cathodes for lithium ionic batteries. RSC Advances, 2017, 7, 44296-44302.	1.7	19
189	Forming Solid-Electrolyte Interphases with Rich Grain Boundaries on 3D Lithiophilic Skeleton for Low-Temperature Lithium Metal Batteries. Energy Storage Materials, 2022, 49, 454-462.	9.5	19
190	The influence of ultrasound on the formation of TiO <sub>2</sub> nanotube arrays. Materials Research Bulletin, 2010, 45, 200-204.	2.7	18
191	Porous ZnFe <sub>2</sub> O <sub>4</sub> Nanospheres Grown on Graphene Nanosheets as a Superior Anode Material for Lithium Ion Batteries. Chemistry Letters, 2012, 41, 639-641.	0.7	18
192	Evaluation of operational flexibility for power system with energy storage. , 2016, , .		18
193	Gold nanorods coated by oxygen-deficient TiO <sub>2</sub> as an advanced photocatalyst for hydrogen evolution. RSC Advances, 2016, 6, 39144-39149.	1.7	18
194	Graphene coated Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> micro-pencils for enhanced-performance in lithium ion batteries. New Journal of Chemistry, 2017, 41, 10634-10639.	1.4	18
195	Improved Na storage and Coulombic efficiency in TiP <sub>2</sub> O <sub>7</sub> @C microflowers for sodium ion batteries. Nano Research, 2021, 14, 139-147.	5.8	18
196	Preparation of Na <sub>x</sub> BayBIO <sub>3</sub> ·nH <sub>2</sub> O and their photooxidation characteristic under visible-light irradiation. Materials Chemistry and Physics, 2009, 116, 294-299.	2.0	17
197	A novel carbothermal reduction nitridation route to MoN nanoparticles on CNTs support. Journal of Materials Chemistry, 2011, 21, 6898.	6.7	17
198	Hydrogen Transfer-Mediated Multicomponent Reaction for Direct Synthesis of Quinazolines by a Naphthyridine-Based Iridium Catalyst. IScience, 2020, 23, 101003.	1.9	17

#	ARTICLE	IF	CITATIONS
199	Plasma-Assisted Synthesis of Defect-Rich O and N Codoped Carbon Nanofibers Loaded with Manganese Oxides as an Efficient Oxygen Reduction Electrocatalyst for Aluminum-Air Batteries. ACS Applied Materials & Interfaces, 2021, 13, 37123-37132.	4.0	17
200	Intermolecular diastereoselective annulation of azaarenes into fused N-heterocycles by Ru(II) reductive catalysis. Nature Communications, 2022, 13, 2393.	5.8	17
201	CdTe nanocrystallites with different morphologies and phases by solvothermal process. Materials Research Bulletin, 2000, 35, 1509-1515.	2.7	16
202	Facile and controllable synthesis of solid $\text{Co}_3\text{V}_2\text{O}_8$ micro-pencils as a highly efficient anode for Li-ion batteries. RSC Advances, 2017, 7, 24418-24424.	1.7	16
203	Investigation of ordered mesoporous carbon@MnO core-shell nanospheres as anode material for lithium-ion batteries. Journal of Materials Science, 2019, 54, 6461-6470.	1.7	16
204	Auto-thermal ethanol micro-reformer with a structural Ir/La <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> catalyst for hydrogen production. Chemical Engineering Journal, 2011, 167, 322-327.	6.6	15
205	Bimetallic composite induced ultra-stable solid electrolyte interphase for dendrite-free lithium metal anode. Journal of Colloid and Interface Science, 2021, 599, 819-827.	5.0	15
206	Bimetallic Bi-Sn microspheres as high initial coulombic efficiency and long lifespan anodes for sodium-ion batteries. Chemical Communications, 2022, 58, 5140-5143.	2.2	15
207	Benzene-thermal synthesis and optical properties of CdS nanocrystalline. Scripta Materialia, 1998, 10, 1307-1316.	0.5	14
208	Kinetics-controlled growth of bimetallic RhAg on Au nanorods and their catalytic properties. Nanoscale, 2014, 6, 4258.	2.8	14
209	$\text{Mn}_3\text{O}_4\text{@C}$ core-shell composites as an improved anode for advanced lithium ion batteries. RSC Advances, 2015, 5, 46829-46833.	1.7	14
210	Microemulsion synthesis of ZnMn <sub>2</sub> O <sub>4</sub> /Mn <sub>3</sub> O <sub>4</sub> sub-microrods for Li-ion batteries and their conversion reaction mechanism. Transactions of Nonferrous Metals Society of China, 2021, 31, 265-276.	1.7	14
211	Simultaneously in-situ fabrication of lithium fluoride and sulfide enriched artificial solid electrolyte interface facilitates high stable lithium metal anode. Chemical Engineering Journal, 2022, 433, 133193.	6.6	14
212	Effects of RuO <sub>2</sub> Content in Pt/RuO <sub>2</sub> /CNTs Nanocatalyst on the Electrocatalytic Oxidation Performance of Methanol. Chinese Journal of Catalysis, 2008, 29, 1093-1098.	6.9	13
213	Deactivation and regeneration of RuO <sub>2</sub> ·xH <sub>2</sub> O/CNT catalyst for aerobic oxidation of benzyl alcohol. Catalysis Communications, 2009, 10, 1752-1756.	1.6	13
214	Preparation of polypyrrole-coated CuFe <sub>2</sub> O <sub>4</sub> and their improved electrochemical performance as lithium-ion anodes. Journal of Energy Chemistry, 2014, 23, 354-357.	7.1	13
215	Pressure-tuned and surface-oxidized copper foams for dendrite-free Li metal anodes. Materials Today Energy, 2020, 15, 100367.	2.5	13
216	Graphene Oxide Scroll Meshes Prepared by Molecular Combing for Transparent and Flexible Electrodes. Advanced Materials Technologies, 2017, 2, 1600231.	3.0	12

#	ARTICLE	IF	CITATIONS
217	An in situ iodine-doped graphene/silicon composite paper as a highly conductive and self-supporting electrode for lithium-ion batteries. RSC Advances, 2017, 7, 38639-38646.	1.7	12
218	A New Solvothermal-Reduction Pathway to Nanocrystalline MTe (M = Zn, Pb). Chemistry Letters, 1999, 28, 839-840.	0.7	11
219	Fabrication of mesoporous CdS nanorods by chemical etching. Journal of Materials Research, 2003, 18, 396-401.	1.2	11
220	Lanthanum-Doped Strontium Stannate for Efficient Electron-Transport Layers in Planar Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 6889-6896.	2.5	11
221	Promises and Challenges of $\text{Sn}$ -Based Anodes for $\text{Na}$ -Ion Batteries. Chinese Journal of Chemistry, 2021, 39, 2931-2942.	2.6	11
222	Facile synthesis and optical properties of ultrathin Cu-doped ZnSe nanorods. CrystEngComm, 2013, 15, 10495.	1.3	10
223	Understanding electrolyte salt chemistry for advanced potassium storage performances of transition-metal sulfides. , 2022, 4, 332-345.		10
224	Synthesis and Characterization of Novel N-doped $\text{TiO}_2$ Photocatalyst with Visible Light Active. Chinese Journal of Chemical Physics, 2010, 23, 437-441.	0.6	9
225	Facile synthesis, optical properties and growth mechanism of elongated Mn-doped $\text{ZnSe}_{1-x}\text{S}_x$ nanocrystals. CrystEngComm, 2012, 14, 8440.	1.3	9
226	Synthesis of novel morphologies of $\text{Li}_2\text{FeSiO}_4/\text{C}$ micro/nano composites by a facile hydrothermal method. RSC Advances, 2014, 4, 39889-39893.	1.7	9
227	Uniform $\text{Co}_3\text{V}_2\text{O}_8$ microspheres <i>via</i> controllable assembly for high-performance lithium-ion battery anodes. New Journal of Chemistry, 2018, 42, 4881-4886.	1.4	9
228	Preparation of Porous $\text{TiO}_2$ from an Iso-Polyoxotitanate Cluster for Rechargeable Sodium-Ion Batteries with High Performance. Journal of Physical Chemistry C, 2019, 123, 7025-7032.	1.5	9
229	Tin nanoparticle in-situ decorated on nitrogen-deficient carbon nitride with excellent sodium storage performance. Journal of Colloid and Interface Science, 2022, 624, 40-50.	5.0	9
230	Synthesis and Phase Transformation of IB-VIA Nonstoichiometric Nanocrystalline Tellurides by a Hydrothermal-Reduction Process. Journal of Solid State Chemistry, 1999, 146, 387-389.	1.4	8
231	Determination of Chlorine Dioxide Using Capillary On-Line Concentration Coupled with Flow Injection Analysis. Mikrochimica Acta, 2004, 148, 171-175.	2.5	8
232	Removing $\text{Pb}^{2+}$ with a pectin-rich fiber from sisal waste. Food and Function, 2021, 12, 2418-2427.	2.1	7
233	Layered Structure $\text{Na}_2\text{Ti}_3\text{O}_7$ as a Promising Anode Material for Sodium-Ion Batteries. Advanced Energy and Sustainability Research, 2021, 2, 2000095.	2.8	7
234	Mesocarbon Microbeads Boost the Electrochemical Performances of $\text{LiFePO}_4$   $\text{Li}_4\text{Ti}_5\text{O}_{12}$ through Anion Intercalation. ChemSusChem, 2022, 15, .	3.6	7

#	ARTICLE	IF	CITATIONS
235	Zn-doping Effects of Na-rich $\text{Na}_{3+x}\text{V}_2-x\text{Zn}_x(\text{PO}_4)_3/\text{C}$ cathodes for Na-Ion Batteries: Lattice distortion induced by doping site and enhanced electrochemical performance. <i>Journal of Colloid and Interface Science</i> , 2022, 616, 246-252.	5.0	7
236	Morphologically and chemically regulated 3D carbon for Dendrite-free lithium metal anodes by a plasma processing. <i>Journal of Colloid and Interface Science</i> , 2022, 619, 198-206.	5.0	7
237	Morphology development of CdS/PVAc composite from spheres to rods. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2002, 94, 131-135.	1.7	6
238	Surface-disordered and oxygen-deficient $\text{LiTi}_2\text{-Mn}(\text{PO}_4)_3$ nanoparticles for enhanced lithium-ion storage. <i>Journal of Power Sources</i> , 2016, 320, 94-103.	4.0	6
239	Design and synthesis of a stable-performance P2-type layered cathode material for sodium ion batteries. <i>RSC Advances</i> , 2016, 6, 55327-55330.	1.7	6
240	Multi-dimensional hybrid flexible films promote uniform lithium deposition and mitigate volume change as lithium metal anodes. <i>Journal of Energy Chemistry</i> , 2022, 65, 583-591.	7.1	6
241	Construction of Fluorinated Amino Acid Derivatives via Cobalt-Catalyzed Oxidative Difunctionalization of Cyclic Ethers. <i>Organic Letters</i> , 2022, 24, 608-612.	2.4	6
242	A novel organothermal reduction process for producing nanocrystalline Ni <sub>2</sub> P with a circular-shaped flake morphology. <i>Journal of Materials Research</i> , 1998, 13, 3365-3367.	1.2	5
243	Solvothermal Preparation of Silver Chalcogenides Ag <sub>2</sub> E (E = S, Se, Te). <i>Chemistry Letters</i> , 1998, 27, 1111-1112.	0.7	5
244	Few-layer WSe <sub>2</sub> lateral homo- and hetero-junctions with superior optoelectronic performance by laser manufacturing. <i>Science China Technological Sciences</i> , 2020, 63, 1531-1537.	2.0	5
245	Quantum Dot-Encoded Beads for Ultrasensitive Detection. <i>Recent Patents on Nanotechnology</i> , 2009, 3, 192-202.	0.7	4
246	High loading of NiFe active sites on a melamine formaldehyde carbon-based aerogel towards efficient bi-functional electrocatalysis for water splitting. <i>Sustainable Energy and Fuels</i> , 2021, 5, 4973-4980.	2.5	4
247	Quantum Dot-Encoded Fluorescent Beads for Biodetection and Imaging. <i>Reviews in Fluorescence</i> , 2009, , 139-156.	0.5	4
248	One-Dimensional PbS/Polymer Nanocomposite of Core/Sheath Structure Fabricated by Hydrothermal Polymerization and Simultaneous Sulfidation. <i>Chemistry Letters</i> , 2001, 30, 1000-1001.	0.7	3
249	High Oxygen-Reduction-Activity and Methanol-Tolerance Cathode Catalyst Cu/PtFe/CNTs for Direct Methanol Fuel Cells. <i>Fuel Cells</i> , 2010, 10, 99-105.	1.5	3
250	Synthesis and Catalytic Properties of Carbon-Nanotube-Supported RuO <sub>2</sub> Catalyst Encapsulated in Silica Coating. <i>Catalysis Letters</i> , 2012, 142, 100-107.	1.4	3
251	Potassium Ion Storage: Direct Structure-Performance Comparison of All-Carbon Potassium and Sodium Ion Capacitors (Adv. Sci. 12/2019). <i>Advanced Science</i> , 2019, 6, 1970075.	5.6	3
252	Pomegranate-Structured ZnMn <sub>2</sub> O <sub>4</sub> Microspheres for Long Cycle Life Lithium Ion Anode and Elucidation of Its Conversion Mechanism. <i>Journal of the Electrochemical Society</i> , 2020, 167, 060507.	1.3	3

#	ARTICLE	IF	CITATIONS
253	Rational design and controllable synthesis of polymer aerogel-based single-atom catalysts with high loading. <i>Materials Advances</i> , 2021, 2, 6885-6900.	2.6	3
254	Sensors: DNA-Templated Silver Nanoclusters for Multiplexed Fluorescent DNA Detection (Small) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	5.2	1
255	Analysis on operational flexibility and generation reliability in generation schedule. , 2016, , .		1
256	Pt/Co@Au Dumbbell-Like Nanorods for Enhanced Electrocatalytic Performance of Formic Acid Electrooxidation. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1700379.	1.2	1
257	Influence of PEG Stoichiometry on Structure-Tuned Formation of Self-Assembled Submicron Nickel Particles. <i>Materials</i> , 2018, 11, 222.	1.3	1
258	Growth and Optical Properties of GaP, GaP@GaN and GaN@GaP Core-shell Nanowires. <i>Materials Research Society Symposia Proceedings</i> , 2003, 776, 261.	0.1	0
259	Titelbild: Porous Molybdenum Phosphide Nano-Octahedrons Derived from Confined Phosphorization in UIO-66 for Efficient Hydrogen Evolution ( <i>Angew. Chem.</i> 41/2016). <i>Angewandte Chemie</i> , 2016, 128, 12733-12733.	1.6	0