

Liang Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/546019/publications.pdf>

Version: 2024-02-01

212
papers

3,442
citations

186265

28
h-index

243625

44
g-index

219
all docs

219
docs citations

219
times ranked

4920
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in Lifestyle Factors After Endoscopic Screening: A Prospective Study in the United States. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e1240-e1249.	4.4	8
2	Common Postzygotic Mutational Signatures in Healthy Adult Tissues Related to Embryonic Hypoxia. <i>Genomics, Proteomics and Bioinformatics</i> , 2022, 20, 177-191.	6.9	1
3	Biomarkers for predicting the efficacy of immune checkpoint inhibitors. <i>Journal of Cancer</i> , 2022, 13, 481-495.	2.5	12
4	Advances in Multi-Omics Study of Prognostic Biomarkers of Diffuse Large B-Cell Lymphoma. <i>International Journal of Biological Sciences</i> , 2022, 18, 1313-1327.	6.4	4
5	Dietary fat and fatty acids in relation to risk of colorectal cancer. <i>European Journal of Nutrition</i> , 2022, 61, 1863-1873.	3.9	13
6	Non-invasive preoperative imaging differential diagnosis of pineal region tumor: A novel developed and validated multiparametric MRI-based clinicoradiomic model. <i>Radiotherapy and Oncology</i> , 2022, 167, 277-284.	0.6	6
7	A deep learning radiomics analysis for identifying sinus invasion in patients with meningioma before operation using tumor and peritumoral regions. <i>European Journal of Radiology</i> , 2022, 149, 110187.	2.6	7
8	CD56-Negative Extranodal Natural Killer/T-Cell Lymphoma: A Retrospective Study in 443 Patients Treated by Chemotherapy With or Without Asparaginase. <i>Frontiers in Immunology</i> , 2022, 13, 829366.	4.8	1
9	Five-year symptomatic hemorrhage risk of untreated brainstem cavernous malformations in a prospective cohort. <i>Neurosurgical Review</i> , 2022, 45, 2961-2973.	2.4	3
10	Investigation of epidemiological characteristics and development of a nomogram to predict survival in primary ocular adnexal lymphoma. <i>Clinical and Experimental Ophthalmology</i> , 2022, 50, 615-631.	2.6	2
11	The clinical, radiological, and immunohistochemical characteristics and outcomes of primary intracranial gliosarcoma: a retrospective single-centre study. <i>Neurosurgical Review</i> , 2021, 44, 1003-1015.	2.4	7
12	Natural history of incidentally diagnosed brainstem cavernous malformations in a prospective observational cohort. <i>Neurosurgical Review</i> , 2021, 44, 1151-1164.	2.4	7
13	A prospective study of erythrocyte polyunsaturated fatty acids and risk of colorectal serrated polyps and conventional adenomas. <i>International Journal of Cancer</i> , 2021, 148, 57-66.	5.1	4
14	The clinicoradiological features and surgical outcomes of primary intracranial fibrosarcoma: a single-institute experience with a systematic review. <i>Neurosurgical Review</i> , 2021, 44, 543-553.	2.4	3
15	Risk Factors and Incidence of Colorectal Cancer According to Major Molecular Subtypes. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkaa089.	2.9	11
16	LncRNA BCYRN1-induced autophagy enhances asparaginase resistance in extranodal NK/T-cell lymphoma. <i>Theranostics</i> , 2021, 11, 925-940.	10.0	16
17	Case Report: an Unusual Complex Internal Hernia After Roux-en-Y Gastric Bypass. <i>Obesity Surgery</i> , 2021, 31, 1833-1835.	2.1	1
18	CCR2 improves homing and engraftment of adipose-derived stem cells in dystrophic mice. <i>Stem Cell Research and Therapy</i> , 2021, 12, 12.	5.5	7

#	ARTICLE	IF	CITATIONS
19	Melatonin Promotes Heterotopic Ossification Through Regulation of Endothelial-Mesenchymal Transition in Injured Achilles Tendons in Rats. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 629274.	3.7	2
20	A rare case of monozygotic triplets with Duchenne Muscular Dystrophy. <i>Neuromuscular Disorders</i> , 2021, 31, 456-461.	0.6	0
21	Establishment of an induced pluripotent stem cell line (SAHGMLi001-A) from a patient with Netherton syndrome carrying SPINK5 mutation. <i>Stem Cell Research</i> , 2021, 51, 102213.	0.7	0
22	Neurological outcomes of untreated brainstem cavernous malformations in a prospective observational cohort and literature review. <i>Stroke and Vascular Neurology</i> , 2021, 6, 501-510.	3.3	5
23	T Cell Epitope Screening of Epstein-Barr Virus Fusion Protein gB. <i>Journal of Virology</i> , 2021, 95, .	3.4	5
24	Natural history of brainstem cavernous malformations: prospective hemorrhage rate and adverse factors in a consecutive prospective cohort. <i>Journal of Neurosurgery</i> , 2021, 134, 917-928.	1.6	19
25	In vivo genome editing in mouse restores dystrophin expression in Duchenne muscular dystrophy patient muscle fibers. <i>Genome Medicine</i> , 2021, 13, 57.	8.2	11
26	<i>TGFβ3</i> downregulation causing chordomagenesis and its tumor suppression role maintained by Smad7. <i>Carcinogenesis</i> , 2021, 42, 913-923.	2.8	4
27	Targeting Bruton Tyrosine Kinase With Zanubrutinib for Treatment of Vitreoretinal Lymphoma: Report of 3 Cases. <i>Frontiers in Oncology</i> , 2021, 11, 676792.	2.8	6
28	miR-10396b-3p inhibits mechanical stress-induced ligamentum flavum hypertrophy by targeting IL-1. <i>FASEB Journal</i> , 2021, 35, e21676.	0.5	6
29	A nomogram prognostic index for risk-stratification in diffuse large B-cell lymphoma in the rituximab era: a multi-institutional cohort study. <i>British Journal of Cancer</i> , 2021, 125, 402-412.	6.4	7
30	Efficacy of lenalidomide for relapsed or refractory T lymphoblastic lymphoma/leukemia after allogeneic hematopoietic stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2021, 62, 2521-2525.	1.3	4
31	An Immune-Related Prognostic Classifier Is Associated with Diffuse Large B Cell Lymphoma Microenvironment. <i>Journal of Immunology Research</i> , 2021, 2021, 1-26.	2.2	9
32	DEPDC1B regulates the progression of human chordoma through UBE2T-mediated ubiquitination of BIRC5. <i>Cell Death and Disease</i> , 2021, 12, 753.	6.3	10
33	Comparison of Carrier and de novo Pathogenic Variants in a Chinese DMD/BMD Cohort. <i>Frontiers in Neurology</i> , 2021, 12, 714677.	2.4	4
34	The Neuroprotective Role of Neuroserpin in Ischemic and Hemorrhagic Stroke. <i>Current Neuropharmacology</i> , 2021, 19, 1367-1378.	2.9	6
35	A Novel Prognostic Marker for Primary CNS Lymphoma: Lactate Dehydrogenase-to-Lymphocyte Ratio Improves Stratification of Patients Within the Low and Intermediate MSKCC Risk Groups. <i>Frontiers in Oncology</i> , 2021, 11, 696147.	2.8	10
36	Generation and characterization of an induced pluripotent stem cell line (ZSYDNI001-A) from a patient with Duchenne muscular dystrophy carrying exon 51 deletion in the DMD gene. <i>Stem Cell Research</i> , 2021, 56, 102553.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Serum creatinine as a biomarker for dystrophinopathy: a cross-sectional and longitudinal study. <i>BMC Neurology</i> , 2021, 21, 372.	1.8	4
38	Characterization of a Novel Model of Lumbar Ligamentum Flavum Hypertrophy in Bipedal Standing Mice. <i>Orthopaedic Surgery</i> , 2021, 13, 2457-2467.	1.8	7
39	R-CHOP resistance in diffuse large B-cell lymphoma: biological and molecular mechanisms. <i>Chinese Medical Journal</i> , 2021, 134, 253-260.	2.3	25
40	Pan-cancer analysis reveals the roles of XPO1 in predicting prognosis and tumorigenesis. <i>Translational Cancer Research</i> , 2021, 10, 4664-4679.	1.0	5
41	Targeting Bruton Tyrosine Kinase for the Treatment of Vitreoretinal Lymphoma: Report of 11 Consecutive Patients. <i>Blood</i> , 2021, 138, 1421-1421.	1.4	3
42	Non-Invasive Preoperative Imaging Differential Diagnosis of Intracranial Hemangiopericytoma and Angiomatous Meningioma: A Novel Developed and Validated Multiparametric MRI-Based Clinico-Radiomic Model. <i>Frontiers in Oncology</i> , 2021, 11, 792521.	2.8	7
43	Landscape of the oncogenic role of fatty acid synthase in human tumors. <i>Aging</i> , 2021, 13, 25106-25137.	3.1	2
44	Single-cell RNA sequencing infers the role of malignant cells in drug-resistant multiple myeloma. <i>Clinical and Translational Medicine</i> , 2021, 11, e653.	4.0	4
45	Bilateral and Optimistic Warning Paradigms Improve the Predictive Power of Intraoperative Facial Motor Evoked Potentials during Vestibular Schwannoma Surgery. <i>Cancers</i> , 2021, 13, 6196.	3.7	1
46	Mechanical Stress-Induced IGF-1 Facilitates col-I and col-III Synthesis via the IGF-1R/AKT/mTORC1 Signaling Pathway. <i>Stem Cells International</i> , 2021, 2021, 1-11.	2.5	6
47	Overall Survival of Primary Intracranial Atypical Teratoid Rhabdoid Tumor Following Multimodal Treatment: A Pooled Analysis of Individual Patient Data. <i>Neurosurgical Review</i> , 2020, 43, 281-292.	2.4	10
48	Natural Growth Dynamics of Untreated Skull Base Chordomas In Vivo. <i>World Neurosurgery</i> , 2020, 136, e310-e321.	1.3	3
49	Low Expression of Phosphatase and Tensin Homolog and High Expression of Ki-67 as Risk Factors of Prognosis in Cranial Meningiomas. <i>World Neurosurgery</i> , 2020, 136, e196-e203.	1.3	4
50	Identification and validation of a 21-mRNA prognostic signature in diffuse lower-grade gliomas. <i>Journal of Neuro-Oncology</i> , 2020, 146, 207-217.	2.9	5
51	Macrophage-derived neurotrophin-3 promotes heterotopic ossification in rats. <i>Laboratory Investigation</i> , 2020, 100, 762-776.	3.7	16
52	Prognostic value of a bilateral motor threshold criterion for facial corticobulbar MEP monitoring during cerebellopontine angle tumor resection. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 1331-1341.	1.6	7
53	PD-1 blockade in extranodal NK/T-cell lymphoma: who is in charge?. <i>Leukemia</i> , 2020, 34, 3432-3433.	7.2	3
54	Serum interleukin-10 as a valuable biomarker for early diagnosis and therapeutic monitoring in intravascular large B-cell lymphoma. <i>Clinical and Translational Medicine</i> , 2020, 10, e131.	4.0	0

#	ARTICLE	IF	CITATIONS
55	Extranodal natural-killer T-cell lymphoma: experience from China. <i>Lancet Haematology</i> , 2020, 7, e441.	4.6	8
56	SVILE regimen, a combination of dexamethasone, vindesine, ifosfamide, pegaspargase, and etoposide, for treating relapsed/refractory extranodal natural killer/T-cell lymphoma, nasal type. <i>Leukemia Research</i> , 2020, 96, 106422.	0.8	1
57	Genetic Modifiers of Duchenne Muscular Dystrophy in Chinese Patients. <i>Frontiers in Neurology</i> , 2020, 11, 721.	2.4	10
58	Cladribine with Granulocyte Colony-Stimulating Factor, Cytarabine, and Aclarubicin Regimen in Refractory/Relapsed Acute Myeloid Leukemia: A Phase II Multicenter Study. <i>Oncologist</i> , 2020, 25, e1663-e1670.	3.7	3
59	CRLF1 Is a Key Regulator in the Ligamentum Flavum Hypertrophy. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 858.	3.7	23
60	MicroRNA-221/222 Inhibits the Radiation-Induced Invasiveness and Promotes the Radiosensitivity of Malignant Meningioma Cells. <i>Frontiers in Oncology</i> , 2020, 10, 1441.	2.8	6
61	<p>Adverse Factors of Treatment Response and Overall Survival in Pediatric and Adult Patients with Pineoblastoma</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 7343-7351.	1.9	8
62	New agents and regimens for diffuse large B cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2020, 13, 175.	17.0	79
63	Surgical management and long-term outcomes of primary intracranial leiomyosarcoma: a case series and review of literature. <i>Neurosurgical Review</i> , 2020, 44, 2319-2328.	2.4	3
64	Engraftment of human induced pluripotent stem cell-derived myogenic progenitors restores dystrophin in mice with duchenne muscular dystrophy. <i>Biological Research</i> , 2020, 53, 22.	3.4	13
65	New tricks for old drugs: combination of rituximab and two nanoparticle-delivered chemotherapy drugs, albumin-bound paclitaxel and pegylated liposomal doxorubicin, in the treatment of relapsed/refractory diffuse large B cell lymphoma. <i>Leukemia and Lymphoma</i> , 2020, 61, 2502-2506.	1.3	3
66	Homozygous NOTCH3 p.R587C mutation in Chinese patients with CADASIL: a case report. <i>BMC Neurology</i> , 2020, 20, 72.	1.8	4
67	High Copy-Number Variation Burdens in Cranial Meningiomas From Patients With Diverse Clinical Phenotypes Characterized by Hot Genomic Structure Changes. <i>Frontiers in Oncology</i> , 2020, 10, 1382.	2.8	7
68	The landscape of new drugs in extranodal NK/T-cell lymphoma. <i>Cancer Treatment Reviews</i> , 2020, 89, 102065.	7.7	20
69	Pegaspargase Combined with Concurrent Radiotherapy for Early-Stage Extranodal Natural Killer/T-Cell Lymphoma, Nasal Type: A Two-Center Phase II Study. <i>Oncologist</i> , 2020, 25, e1725-e1731.	3.7	10
70	A clinical study of ocular motor nerve functions after petroclival meningioma resection. <i>Acta Neurochirurgica</i> , 2020, 162, 1249-1257.	1.7	5
71	MicroRNA-195 Functions as a Tumor Suppressor by Directly Targeting Fatty Acid Synthase in Malignant Meningioma. <i>World Neurosurgery</i> , 2020, 136, e355-e364.	1.3	23
72	Risk Factor Profiles Differ for Cancers of Different Regions of the Colorectum. <i>Gastroenterology</i> , 2020, 159, 241-256.e13.	1.3	64

#	ARTICLE	IF	CITATIONS
73	Heterogenetic parabiosis between healthy and dystrophic mice improve the histopathology in muscular dystrophy. <i>Scientific Reports</i> , 2020, 10, 7075.	3.3	5
74	A CpG Methylation Classifier to Predict Relapse in Adults with T-Cell Lymphoblastic Lymphoma. <i>Clinical Cancer Research</i> , 2020, 26, 3760-3770.	7.0	11
75	Malignant Progression Contributes to the Failure of Combination Therapy for Atypical Meningiomas. <i>Frontiers in Oncology</i> , 2020, 10, 608175.	2.8	1
76	Prognostic and predictive value of an immune infiltration signature in diffuse lower-grade gliomas. <i>JCI Insight</i> , 2020, 5, .	5.0	22
77	Single-cell RNA-seq reveals the immune escape and drug resistance mechanisms of mantle cell lymphoma. <i>Cancer Biology and Medicine</i> , 2020, 17, 726-739.	3.0	25
78	High expression of survivin independently correlates with tumor progression and mortality in patients with skull base chordomas. <i>Journal of Neurosurgery</i> , 2020, 132, 140-149.	1.6	5
79	MicroRNA-188-5p targeting Forkhead Box L1 promotes colorectal cancer progression via activating Wnt/ β -catenin signaling. <i>Oncology Research</i> , 2020, , .	1.5	5
80	Treatment strategy and long-term outcomes of primary intracranial rhabdomyosarcoma: a single-institution experience and systematic review. <i>Journal of Neurosurgery</i> , 2020, 133, 1302-1312.	1.6	4
81	Stemness Signature Defined By Logistic Regression Machine Learning and Artificial Intelligence Predicts Outcomes in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2020, 136, 19-20.	1.4	0
82	Clinicoradiological features and surgical outcomes of primary intracranial medulloepitheliomas: a single-center experience and pooled analysis of individual patient data. <i>Journal of Neurosurgery</i> , 2019, 130, 1553-1567.	1.6	1
83	<p>Long noncoding RNA LINC00511 promotes cell growth and invasion in triple-negative breast cancer by interacting with Snail</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 5691-5699.	1.9	10
84	Radiomic signature: A novel magnetic resonance imaging-based prognostic biomarker in patients with skull base chordoma. <i>Radiotherapy and Oncology</i> , 2019, 141, 239-246.	0.6	21
85	High Expression of TGF- β 1 Predicting Tumor Progression in Skull Base Chordomas. <i>World Neurosurgery</i> , 2019, 131, e265-e270.	1.3	7
86	Neurotrophin-3 acts on the endothelial-mesenchymal transition of heterotopic ossification in rats. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2595-2609.	3.6	32
87	Non-NF2 mutations have a key effect on inhibitory immune checkpoints and tumor pathogenesis in skull base meningiomas. <i>Journal of Neuro-Oncology</i> , 2019, 144, 11-20.	2.9	18
88	KLF7 promotes polyamine biosynthesis and glioma development through transcriptionally activating ASL. <i>Biochemical and Biophysical Research Communications</i> , 2019, 514, 51-57.	2.1	32
89	Low Transforming Growth Factor- β 3 Expression Predicts Tumor Malignancy in Meningiomas. <i>World Neurosurgery</i> , 2019, 125, e353-e360.	1.3	3
90	Genotypes and Phenotypes of DMD Small Mutations in Chinese Patients With Dystrophinopathies. <i>Frontiers in Genetics</i> , 2019, 10, 114.	2.3	20

#	ARTICLE	IF	CITATIONS
91	A Logistic Regression Model for Detecting the Presence of Malignant Progression in Atypical Meningiomas. <i>World Neurosurgery</i> , 2019, 126, e392-e401.	1.3	9
92	Prognostic and predictive value of a microRNA signature in adults with T-cell lymphoblastic lymphoma. <i>Leukemia</i> , 2019, 33, 2454-2465.	7.2	38
93	Surgical management and prognostic factors for primary intracranial myxoma: a single-institute experience with a systematic review. <i>Journal of Neurosurgery</i> , 2019, 131, 1115-1125.	1.6	4
94	Development and Characterization of a Novel Bipedal Standing Mouse Model of Intervertebral Disc and Facet Joint Degeneration. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1492-1504.	1.5	34
95	Retinol dehydrogenase 10 promotes metastasis of glioma cells via the transforming growth factor- β /SMAD signaling pathway. <i>Chinese Medical Journal</i> , 2019, 132, 2430-2437.	2.3	5
96	Three Cd(II) coordination polymers induce gastric cancer cell apoptosis by promoting intracellular ROS accumulation and apoptotic genes expression. <i>Journal of Coordination Chemistry</i> , 2019, 72, 3057-3070.	2.2	4
97	Clinical features, radiological profiles, and surgical outcomes of primary intracranial solitary plasmacytomas: a report of 17 cases and a pooled analysis of individual patient data. <i>Journal of Neuro-Oncology</i> , 2019, 142, 263-272.	2.9	7
98	<p>Identification of the Different Roles and Potential Mechanisms of T Isoforms in the Tumor Recurrence and Cell Cycle of Chordomas<p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 11777-11791.	2.0	8
99	Surgical management and long-term outcomes of intracranial giant cell tumors: a single-institution experience with a systematic review. <i>Journal of Neurosurgery</i> , 2019, 131, 695-705.	1.6	6
100	Frontal Sinus Osteoma Accompanied by Intracranial Mucocele and Local Hyperostosis Frontalis Interna. <i>World Neurosurgery</i> , 2018, 113, 94-95.	1.3	3
101	Intratumoral Hemorrhage as an Unusual Manifestation of Intracranial Subependymoma. <i>World Neurosurgery</i> , 2018, 114, e647-e653.	1.3	6
102	CASP8, XRCC1, WRN, NF2, and BRIP1 Polymorphisms Analysis Shows Their Genetic Susceptibility for Meningioma Risk and the Association with Tumor-Related Phenotype in a Chinese Population. <i>World Neurosurgery</i> , 2018, 114, e883-e891.	1.3	5
103	Surgical outcome of motor deficits and neurological status in brainstem cavernous malformations based on preoperative diffusion tensor imaging: a prospective randomized clinical trial. <i>Journal of Neurosurgery</i> , 2018, 130, 286-301.	1.6	29
104	Primary Intracranial Angioleiomyomas as Rare, Nonmalignant, and Distinct Neoplastic Entities: A Series of 8 Cases and a Literature Review. <i>World Neurosurgery</i> , 2018, 113, 1-13.	1.3	10
105	Leptin accelerates the pathogenesis of heterotopic ossification in rat tendon tissues via mTORC1 signaling. <i>Journal of Cellular Physiology</i> , 2018, 233, 1017-1028.	4.1	37
106	Proposed Treatment Paradigm for Intracranial Chondrosarcomas Based on Multidisciplinary Coordination. <i>World Neurosurgery</i> , 2018, 109, e517-e530.	1.3	22
107	A Novel MRI-Based Radiomics Model for Predicting Recurrence in Chordoma. , 2018, 2018, 139-142.		2
108	HLA Polymorphism Affects Risk of de novo Mutation of dystrophin Gene and Clinical Severity of Duchenne Muscular Dystrophy in a Southern Chinese Population. <i>Frontiers in Neurology</i> , 2018, 9, 970.	2.4	4

#	ARTICLE	IF	CITATIONS
109	Long noncoding RNA FAL1 promotes proliferation and inhibits apoptosis of human colon cancer cells. <i>IUBMB Life</i> , 2018, 70, 1093-1100.	3.4	19
110	IL-2R β up-regulation is mediated by latent membrane protein 1 and promotes lymphomagenesis and chemotherapy resistance in natural killer/T-cell lymphoma. <i>Cancer Communications</i> , 2018, 38, 1-10.	9.2	18
111	Intracranial Mesenchymal Chondrosarcoma: Report of 16 Cases. <i>World Neurosurgery</i> , 2018, 116, e691-e698.	1.3	6
112	Ratio of Creatine Kinase to Alanine Aminotransferase as a Biomarker of Acute Liver Injury in Dystrophinopathy. <i>Disease Markers</i> , 2018, 2018, 1-11.	1.3	13
113	Locally Produced IGF-1 Promotes Hypertrophy of the Ligamentum Flavum via the mTORC1 Signaling Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 293-303.	1.6	10
114	Characterization of a Novel Calcific Achilles Tendinopathy Model in Mice: Contralateral Tendinopathy Induced by Unilateral Tenotomy. <i>Calcified Tissue International</i> , 2018, 103, 698-707.	3.1	10
115	Analysis of variants at LGALS3 single nucleotide polymorphism loci in skull base chordoma. <i>Oncology Letters</i> , 2018, 16, 1312-1320.	1.8	1
116	The clinical spectrum and genetic variability of limb-girdle muscular dystrophy in a cohort of Chinese patients. <i>Orphanet Journal of Rare Diseases</i> , 2018, 13, 133.	2.7	13
117	Intradural Extramedullary Bronchogenic Cyst: Clinical and Radiologic Characteristics, Surgical Outcomes, and Literature Review. <i>World Neurosurgery</i> , 2018, 109, e571-e580.	1.3	12
118	Long noncoding RNA B3GALT5-AS1 suppresses colon cancer liver metastasis via repressing microRNA-203. <i>Aging</i> , 2018, 10, 3662-3682.	3.1	65
119	Mucinous gastric carcinoma: an update of clinicopathologic features and prognostic value from a retrospective study of clinical series. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 813-821.	0.5	3
120	Foramen magnum meningiomas: surgical results and risks predicting poor outcomes based on a modified classification. <i>Journal of Neurosurgery</i> , 2017, 126, 661-676.	1.6	19
121	Application of noninvasive brain stimulation for post-stroke dysphagia rehabilitation. <i>Kaohsiung Journal of Medical Sciences</i> , 2017, 33, 55-61.	1.9	18
122	Clinical features and surgical outcomes of patients with skull base chordoma: a retrospective analysis of 238 patients. <i>Journal of Neurosurgery</i> , 2017, 127, 1257-1267.	1.6	58
123	Expression of Cathepsin K in Skull Base Chordoma. <i>World Neurosurgery</i> , 2017, 101, 396-404.	1.3	10
124	Comparison of Two Three-Dimensional Printed Models of Complex Intracranial Aneurysms for Surgical Simulation. <i>World Neurosurgery</i> , 2017, 103, 671-679.	1.3	29
125	Long noncoding RNA Inc-sox5 modulates CRC tumorigenesis by unbalancing tumor microenvironment. <i>Cell Cycle</i> , 2017, 16, 1295-1301.	2.6	51
126	Abnormal Neural Progenitor Cells Differentiated from Induced Pluripotent Stem Cells Partially Mimicked Development of TSC2 Neurological Abnormalities. <i>Stem Cell Reports</i> , 2017, 8, 883-893.	4.8	50

#	ARTICLE	IF	CITATIONS
127	Effect comparisons among treatment measures on progression-free survival in patients with skull base chordomas: a retrospective study of 234 post-surgical cases. <i>Acta Neurochirurgica</i> , 2017, 159, 1803-1813.	1.7	4
128	Surgical Management and Outcomes of Intracranial Chondromas: a Single-Center Case Series of 66 Patients. <i>World Neurosurgery</i> , 2017, 108, 264-277.	1.3	14
129	Identification of the Facial Nerve in Relation to Vestibular Schwannoma Using Preoperative Diffusion Tensor Tractography and Intraoperative Tractography-Integrated Neuronavigation System. <i>World Neurosurgery</i> , 2017, 107, 669-677.	1.3	19
130	In Reply to the Letter to the Editor Regarding "Expression of Cathepsin K in Skull Base Chordoma". <i>World Neurosurgery</i> , 2017, 103, 931.	1.3	0
131	Clinical course of untreated thalamic cavernous malformations: hemorrhage risk and neurological outcomes. <i>Journal of Neurosurgery</i> , 2017, 127, 480-491.	1.6	23
132	Factors for Overall Survival in Patients with Skull Base Chordoma: A Retrospective Analysis of 225 Patients. <i>World Neurosurgery</i> , 2017, 97, 39-48.	1.3	17
133	Tenuigenin promotes the osteogenic differentiation of bone mesenchymal stem cells in vitro and in vivo. <i>Cell and Tissue Research</i> , 2017, 367, 257-267.	2.9	8
134	Overexpression of MYC and BCL2 Predicts Poor Prognosis in Patients with Extranodal NK/T-cell Lymphoma, Nasal Type. <i>Journal of Cancer</i> , 2017, 8, 793-800.	2.5	16
135	Peripheral blood lymphocyte-to-monocyte ratio as a prognostic factor in advanced epithelial ovarian cancer: a multicenter retrospective study. <i>Journal of Cancer</i> , 2017, 8, 737-743.	2.5	33
136	Serum Creatinine Distinguishes Duchenne Muscular Dystrophy from Becker Muscular Dystrophy in Patients Aged ≥ 3 Years: A Retrospective Study. <i>Frontiers in Neurology</i> , 2017, 8, 196.	2.4	20
137	Retinol dehydrogenase-10 promotes development and progression of human glioma via the TWEAK-NF- κ B axis. <i>Oncotarget</i> , 2017, 8, 105262-105275.	1.8	6
138	Interim PET-CT may predict PFS and OS in T-ALL/LBL adult patients. <i>Oncotarget</i> , 2017, 8, 99104-99111.	1.8	5
139	Metastatic tumor of male genital system from gastric cancer: a case report and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 8592-8598.	0.5	3
140	Long non-coding RNA TUG1 promotes colorectal cancer metastasis via EMT pathway. <i>Oncotarget</i> , 2016, 7, 51713-51719.	1.8	101
141	A childhood chemotherapy protocol improves overall survival among adults with T-lymphoblastic lymphoma. <i>Oncotarget</i> , 2016, 7, 38884-38891.	1.8	8
142	High post-treatment serum levels of soluble programmed cell death ligand 1 predict early relapse and poor prognosis in extranodal NK/T cell lymphoma patients. <i>Oncotarget</i> , 2016, 7, 33035-33045.	1.8	46
143	Efficacy of combined gemcitabine, oxaliplatin and pegaspargase (P-gemox regimen) in patients with newly diagnosed advanced-stage or relapsed/refractory extranodal NK/T-cell lymphoma. <i>Oncotarget</i> , 2016, 7, 29092-29101.	1.8	51
144	Long-term outcomes of different bortezomib-based regimens in Chinese myeloma patients. <i>OncoTargets and Therapy</i> , 2016, 9, 587.	2.0	6

#	ARTICLE	IF	CITATIONS
145	Vessel Sampling and Blood Flow Velocity Distribution With Vessel Diameter for Characterizing the Human Bulbar Conjunctival Microvasculature. <i>Eye and Contact Lens</i> , 2016, 42, 135-140.	1.6	32
146	One-Stage Resection of a Giant Petrous Bone Osteoma Associated with a Contiguous Meningioma Via a Modified Anterior Transpetrous Approach. <i>World Neurosurgery</i> , 2016, 93, 487.e5-487.e9.	1.3	0
147	PD-L1 is upregulated by EBV-driven LMP1 through NF- κ B pathway and correlates with poor prognosis in natural killer/T-cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2016, 9, 109.	17.0	217
148	Osteoblasts secrete Cxcl9 to regulate angiogenesis in bone. <i>Nature Communications</i> , 2016, 7, 13885.	12.8	103
149	Recurrent intracranial neurenteric cyst with malignant transformation: A case report and literature review. <i>Oncology Letters</i> , 2016, 11, 3395-3402.	1.8	12
150	Clinical Features, Treatment, and Prognostic Factors of Chordoid Meningioma: Radiological and Pathological Features in 60 Cases of Chordoid Meningioma. <i>World Neurosurgery</i> , 2016, 93, 198-207.	1.3	17
151	Bone invasiveness is associated with prognosis in clivus chordomas. <i>Journal of Clinical Neuroscience</i> , 2016, 27, 147-152.	1.5	14
152	Factors for tumor progression in patients with skull base chordoma. <i>Cancer Medicine</i> , 2016, 5, 2368-2377.	2.8	25
153	Analysis of Clinical Features and Outcomes of Skull Base Chordoma in Different Age-Groups. <i>World Neurosurgery</i> , 2016, 92, 407-417.	1.3	23
154	Cerebellar liponeurocytoma: A case report and review of the literature. <i>Oncology Letters</i> , 2016, 11, 1061-1064.	1.8	12
155	Proposal and Validation of a Basic Progression Scoring System for Patients with Skull Base Chordoma. <i>World Neurosurgery</i> , 2016, 91, 409-418.	1.3	11
156	Primary site and regional lymph node involvement are independent prognostic factors for early-stage extranodal nasal-type natural killer/T cell lymphoma. <i>Chinese Journal of Cancer</i> , 2016, 35, 34.	4.9	14
157	Long-Term Functional and Recurrence Outcomes of Surgically Treated Jugular Foramen Schwannomas: A 20-Year Experience. <i>World Neurosurgery</i> , 2016, 86, 134-146.	1.3	15
158	Less-aggressive surgical management and long-term outcomes of jugular foramen paragangliomas: a neurosurgical perspective. <i>Journal of Neurosurgery</i> , 2016, 125, 1143-1154.	1.6	15
159	PD-L1 Is up-Regulated By EBV-Driven LMP1 through NF- κ b Pathway and Correlates with Poor Prognosis in Natural Killer/T-Cell Lymphoma. <i>Blood</i> , 2016, 128, 4134-4134.	1.4	6
160	High Pretreatment D-Dimer Levels Correlate with Adverse Clinical Features and Predict Poor Survival in Patients with Natural Killer/T-Cell Lymphoma. <i>PLoS ONE</i> , 2016, 11, e0152842.	2.5	11
161	Serum neuron-specific enolase levels are upregulated in patients with acute lymphoblastic leukemia and are predictive of prognosis. <i>Oncotarget</i> , 2016, 7, 55181-55190.	1.8	6
162	Frontolateral Approach Applied to Sellar Region Lesions. <i>Chinese Medical Journal</i> , 2016, 129, 1558-1564.	2.3	5

#	ARTICLE	IF	CITATIONS
163	The pretreatment albumin to globulin ratio predicts survival in patients with natural killer/T-cell lymphoma. <i>PeerJ</i> , 2016, 4, e1742.	2.0	25
164	First-line combination of GELOX followed by radiation therapy for patients with stage IE/IIe ENKTL: An updated analysis with long-term follow-up. <i>Oncology Letters</i> , 2015, 10, 1036-1040.	1.8	57
165	Brachyury: A sensitive marker, but not a prognostic factor, for skull base chordomas. <i>Molecular Medicine Reports</i> , 2015, 12, 4298-4304.	2.4	17
166	Positive expression of programmed death ligand-1 correlates with superior outcomes and might be a therapeutic target in primary pulmonary lymphoepithelioma-like carcinoma. <i>OncoTargets and Therapy</i> , 2015, 8, 1451.	2.0	37
167	An Elevated Peripheral Blood Monocyte-to-Lymphocyte Ratio Predicts Poor Prognosis in Patients with Primary Pulmonary Lymphoepithelioma-Like Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0126269.	2.5	25
168	Consolidation Radiotherapy in Stage IE- IIE, Non-Bulky Primary Gastric Diffuse Large B-Cell Lymphoma with Post-Chemotherapy Complete Remission. <i>PLoS ONE</i> , 2015, 10, e0133469.	2.5	8
169	Regulation of bone formation by baicalein via the mTORC1 pathway. <i>Drug Design, Development and Therapy</i> , 2015, 9, 5169.	4.3	25
170	Increased serum levels of interleukin-10 predict poor prognosis in extranodal natural killer/T-cell lymphoma patients receiving asparaginase-based chemotherapy. <i>OncoTargets and Therapy</i> , 2015, 8, 2589.	2.0	15
171	Familial chordoma: A case report and review of the literature. <i>Oncology Letters</i> , 2015, 10, 2937-2940.	1.8	8
172	Clinical characteristics and prognosis factors analysis for post-operative ptosis of sphenocavernous meningiomas: A single institution study. <i>Clinical Neurology and Neurosurgery</i> , 2015, 131, 35-41.	1.4	6
173	Surgical resection of upper-middle clivus chordomas via a modified anterior transpetrous approach. <i>Clinical Neurology and Neurosurgery</i> , 2015, 130, 20-25.	1.4	9
174	Treatment Response and Prognosis After Recurrence of Atypical Meningiomas. <i>World Neurosurgery</i> , 2015, 84, 1014-1019.	1.3	38
175	Survival rates, prognostic factors and treatment of anaplastic meningiomas. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 828-833.	1.5	20
176	Hepatitis B virus infection correlates with poor prognosis of extranodal natural killer/T cell lymphoma. <i>Leukemia and Lymphoma</i> , 2015, 56, 936-941.	1.3	8
177	CD38 expression predicts poor prognosis and might be a potential therapy target in extranodal NK/T cell lymphoma, nasal type. <i>Annals of Hematology</i> , 2015, 94, 1381-1388.	1.8	75
178	The role of diffusion tensor tractography in the surgical treatment of pediatric optic chiasmatic gliomas. <i>Journal of Neuro-Oncology</i> , 2015, 122, 357-366.	2.9	14
179	Radical surgery may be not an optimal treatment approach for pulmonary MALT lymphoma. <i>Tumor Biology</i> , 2015, 36, 6409-6416.	1.8	15
180	T gene isoform expression pattern is significantly different between chordomas and notochords. <i>Biochemical and Biophysical Research Communications</i> , 2015, 467, 261-267.	2.1	5

#	ARTICLE	IF	CITATIONS
181	Factors influencing the growth rate of vestibular schwannoma in patients with neurofibromatosis type 2. <i>Acta Neurochirurgica</i> , 2015, 157, 1983-1990.	1.7	8
182	Lymphopenia during routine follow-up may predict relapse in patients with extranodal NK/T cell lymphoma. <i>Tumor Biology</i> , 2015, 36, 1747-1753.	1.8	5
183	Experimental Study on Differences in Clivus Chordoma Bone Invasion: An iTRAQ-Based Quantitative Proteomic Analysis. <i>PLoS ONE</i> , 2015, 10, e0119523.	2.5	17
184	Post-treatment plasma EBV-DNA positivity predicts early relapse and poor prognosis for patients with extranodal NK/T cell lymphoma in the era of asparaginase. <i>Oncotarget</i> , 2015, 6, 30317-30326.	1.8	53
185	Detection of rearrangement of anaplastic lymphoma kinase (ALK) and mutation of epidermal growth factor receptor (EGFR) in primary pulmonary lymphoepithelioma-like carcinoma. <i>Journal of Thoracic Disease</i> , 2015, 7, 1556-62.	1.4	27
186	Once-weekly Subcutaneous Administration of Bortezomib in Patients with Multiple Myeloma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 2093-2098.	1.2	14
187	Phase 2 Trial of Concurrent Monosialotetrahexosylganglioside in the Prophylactic Treatment of Bortezomib-Induced Peripheral Neuropathy in Patients of Multiple Myeloma. <i>Blood</i> , 2015, 126, 5399-5399.	1.4	0
188	The Role of Interim F-18 FDG PET/CT in Patients of T Lymphoblastic Leukemia/Lymphoma Treated with ALL-Type Regimens. <i>Blood</i> , 2015, 126, 5015-5015.	1.4	0
189	High Level of Soluble Interleukin-2 Receptor in Serum Predicts Treatment Resistance and Poor Progression Free Survival in Multiple Myeloma. <i>Blood</i> , 2015, 126, 5332-5332.	1.4	0
190	Reconstruction of abdominal wall defects using small intestinal submucosa coated with gelatin hydrogel incorporating basic fibroblast growth factor. <i>Acta Cirurgica Brasileira</i> , 2014, 29, 252-260.	0.7	10
191	The Prognostic Value of Lymph Nodes Dissection Number on Survival of Patients with Lymph Node-Negative Gastric Cancer. <i>Gastroenterology Research and Practice</i> , 2014, 2014, 1-6.	1.5	27
192	Adenovirus-mediated delivery of the human IFN- β gene potentiates the cytotoxicity of daunorubicin against leukemic cells through downregulation of the α 4 β 1 integrin/ILK/apoptosis pathway. <i>Oncology Letters</i> , 2014, 7, 361-368.	1.8	3
193	Combination of gemcitabine, l-asparaginase, and oxaliplatin (GELOX) is superior to EPOCH or CHOP in the treatment of patients with stage IE/IIIE extranodal natural killer/T cell lymphoma: a retrospective study in a cohort of 227 patients with long-term follow-up. <i>Medical Oncology</i> , 2014, 31, 860.	2.5	45
194	Clinical and Pathological Features of Intradural Retroclival Chordoma. <i>World Neurosurgery</i> , 2014, 82, 791-798.	1.3	28
195	Primary Adult Infradiaphragmatic Craniopharyngiomas: Clinical Features, Management, and Outcomes in One Chinese Institution. <i>World Neurosurgery</i> , 2014, 81, 773-782.	1.3	9
196	Targeted inhibition of mTORC2 prevents osteosarcoma cell migration and promotes apoptosis. <i>Oncology Reports</i> , 2014, 32, 382-388.	2.6	26
197	Serum Levels of Interleukin-9 Correlate with Negative Prognostic Factors in Extranodal NK/T-Cell Lymphoma. <i>PLoS ONE</i> , 2014, 9, e94637.	2.5	22
198	Evaluation of para-aortic nodal dissection for locoregionally advanced gastric cancer with 1-3 involved para-aortic nodes. <i>Chinese Medical Journal</i> , 2014, 127, 435-41.	2.3	6

#	ARTICLE	IF	CITATIONS
199	Primary non-Hodgkin's lymphoma of the skull base: A case report and literature review. <i>Clinical Neurology and Neurosurgery</i> , 2013, 115, 237-240.	1.4	12
200	Clinical significance of serum soluble interleukin-2 receptor- β in extranodal natural killer/T-cell lymphoma (ENKTL): a predictive biomarker for treatment efficacy and valuable prognostic factor. <i>Medical Oncology</i> , 2013, 30, 723.	2.5	18
201	Combination of albumin-bound paclitaxel and pegylated liposomal doxorubicin is effective in treatment of heavily treated relapsed/refractory diffuse large B-cell lymphoma: a case report. <i>Leukemia and Lymphoma</i> , 2013, 54, 2553-2555.	1.3	3
202	Esophageal Carcinosarcoma: A Unique Entity with Better Prognosis. <i>Annals of Surgical Oncology</i> , 2013, 20, 997-1004.	1.5	34
203	The Brachyury Gly177Asp SNP Is not Associated with a Risk of Skull Base Chordoma in the Chinese Population. <i>International Journal of Molecular Sciences</i> , 2013, 14, 21258-21265.	4.1	13
204	Extracts from rabbit skin inflamed by the vaccinia virus attenuate bupivacaine-induced spinal neurotoxicity in pregnant rats. <i>Neural Regeneration Research</i> , 2013, 8, 983-90.	3.0	0
205	Serum neuron-specific enolase is correlated with clinical outcome of patients with non-germinal center B cell-like subtype of diffuse large B-cell lymphoma treated with rituximab-based immunochemotherapy. <i>Medical Oncology</i> , 2012, 29, 2153-2158.	2.5	14
206	Cyclophosphamide, doxorubicin, vincristine, and prednisone (CHOP) in the treatment of stage IE/IIIE extranodal natural killer/T cell lymphoma, nasal type: 13-year follow-up in 135 patients. <i>International Journal of Hematology</i> , 2012, 96, 617-623.	1.6	43
207	Diagnosis and Management of Adult Intracranial Neurenteric Cysts. <i>Neurosurgery</i> , 2011, 68, 44-52.	1.1	66
208	Expression of ezrin correlates with poor prognosis of nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2011, 32, 707-712.	1.8	13
209	Prognostic significance of neuron-specific enolase in patients with diffuse large B-cell lymphoma treated with rituximab-based immunochemotherapy. <i>Leukemia and Lymphoma</i> , 2011, 52, 1697-1703.	1.3	5
210	Prognostic factors for long-term outcome of patients with surgical resection of skull base chordomas—106 cases review in one institution. <i>Neurosurgical Review</i> , 2010, 33, 451-456.	2.4	87
211	Effects of angiotensin-converting enzyme inhibitors and angiotensin II type 1 receptor blockers on lymphangiogenesis of gastric cancer in a nude mouse model. <i>Chinese Medical Journal</i> , 2008, 121, 2167-71.	2.3	15
212	Perfusion MR imaging and proton MR spectroscopy in a case of dysembryoplastic neuroepithelial tumor. <i>Chinese Medical Journal</i> , 2005, 118, 1134-6.	2.3	3