
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5470581/publications.pdf Version: 2024-02-01



YONG-DING BAO

#	Article	IF	CITATIONS
1	Selenium in Human Health and Disease. Antioxidants and Redox Signaling, 2011, 14, 1337-1383.	5.4	1,003
2	Biological effects of a nano red elemental selenium. BioFactors, 2001, 15, 27-38.	5.4	436
3	Conjugation position of quercetin glucuronides and effect on biological activity. Free Radical Biology and Medicine, 2000, 29, 1234-1243.	2.9	317
4	Paradoxical Roles of Antioxidant Enzymes: Basic Mechanisms and Health Implications. Physiological Reviews, 2016, 96, 307-364.	28.8	283
5	Effect of flavonoids and Vitamin E on cyclooxygenase-2 (COX-2) transcription. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2004, 551, 245-254.	1.0	264
6	ABSORPTION/METABOLISM OF SULFORAPHANE AND QUERCETIN, AND REGULATION OF PHASE II ENZYMES, IN HUMAN JEJUNUM IN VIVO. Drug Metabolism and Disposition, 2003, 31, 805-813.	3.3	199
7	Role of PI3K/Akt and MEK/ERK signaling pathways in sulforaphane- and erucin-induced phase II enzymes and MRP2 transcription, G2/M arrest and cell death in Caco-2 cells. Biochemical Pharmacology, 2005, 69, 1543-1552.	4.4	172
8	Isolation, identification and stability of acylated derivatives of apigenin 7-O-glucoside from chamomile (Chamomilla recutita [L.] Rauschert). Phytochemistry, 2004, 65, 2323-2332.	2.9	164
9	Phospholipid hydroperoxide glutathione peroxidase activity of human glutathione transferases. Biochemical Journal, 1998, 332, 97-100.	3.7	145
10	Sulforaphane and its glutathione conjugate but not sulforaphane nitrile induce UDP-glucuronosyl transferase (UGT1A1) and glutathione transferase (GSTA1) in cultured cells. Carcinogenesis, 2002, 23, 1399-1404.	2.8	135
11	Nano red elemental selenium has no size effect in the induction of seleno-enzymes in both cultured cells and mice. Life Sciences, 2004, 75, 237-244.	4.3	133
12	Transcriptome Analysis of Human Colon Caco-2 Cells Exposed to Sulforaphane. Journal of Nutrition, 2005, 135, 1865-1872.	2.9	116
13	Epithelial-mesenchymal transition, a novel target of sulforaphane via COX-2/MMP2, 9/Snail, ZEB1 and miR-200c/ZEB1 pathways in human bladder cancer cells. Journal of Nutritional Biochemistry, 2013, 24, 1062-1069.	4.2	110
14	Sulforaphane Mediates Glutathione Depletion via Polymeric Nanoparticles to Restore Cisplatin Chemosensitivity. ACS Nano, 2019, 13, 13445-13455.	14.6	106
15	Sulforaphane and quercetin modulate PhIP-DNA adduct formation in human HepG2 cells and hepatocytes. Carcinogenesis, 2003, 24, 1903-1911.	2.8	101
16	Synergy between sulforaphane and selenium in the induction of thioredoxin reductase 1 requires both transcriptional and translational modulation. Carcinogenesis, 2003, 24, 497-503.	2.8	88
17	Quercetin Metabolites Downregulate Cyclooxygenase-2 Transcription in Human Lymphocytes Ex Vivo but Not In Vivo. Journal of Nutrition, 2004, 134, 552-557.	2.9	84
18	Sulforaphane exerts anti-angiogenesis effects against hepatocellular carcinoma through inhibition of STAT3/HIF-11±/VEGF signalling. Scientific Reports, 2017, 7, 12651.	3.3	81

#	Article	IF	CITATIONS
19	Isothiocyanates induce cell cycle arrest, apoptosis and mitochondrial potential depolarization in HL-60 and multidrug-resistant cell lines. Anticancer Research, 2005, 25, 3375-86.	1.1	80
20	Sulforaphane, Erucin, and Iberin Up-Regulate Thioredoxin Reductase 1 Expression in Human MCF-7 Cells. Journal of Agricultural and Food Chemistry, 2005, 53, 1417-1421.	5.2	79
21	Interactions between sulforaphane and apigenin in the induction of UGT1A1 and GSTA1 in CaCo-2 cells. Carcinogenesis, 2004, 25, 1629-1637.	2.8	76
22	Coâ€encapsulation of Biodegradable Nanoparticles with Silicon Quantum Dots and Quercetin for Monitored Delivery. Advanced Healthcare Materials, 2013, 2, 459-466.	7.6	74
23	Sulforaphane Represses Matrixâ€Degrading Proteases and Protects Cartilage From Destruction In Vitro and In Vivo. Arthritis and Rheumatism, 2013, 65, 3130-3140.	6.7	71
24	Synthesis of <scp>d</scp> -Mannose Capped Silicon Nanoparticles and Their Interactions with MCF-7 Human Breast Cancerous Cells. ACS Applied Materials & Interfaces, 2013, 5, 7384-7391.	8.0	67
25	Uptake and Toxicity Studies of Polyâ€Acrylic Acid Functionalized Silicon Nanoparticles in Cultured Mammalian Cells. Advanced Healthcare Materials, 2012, 1, 189-198.	7.6	65
26	Synthesis of water-dispersible photoluminescent silicon nanoparticles and their use in biological fluorescent imaging. Journal of Nanoparticle Research, 2011, 13, 405-413.	1.9	55
27	Antioxidant activities of extracts from five anti-viral medicinal plants. Journal of Ethnopharmacology, 2005, 96, 201-205.	4.1	54
28	Benefits and Risks of the Hormetic Effects of Dietary Isothiocyanates on Cancer Prevention. PLoS ONE, 2014, 9, e114764.	2.5	53
29	Reduction of thymine hydroperoxide by phospholipid hydroperoxide glutathione peroxidase and glutathione transferases. FEBS Letters, 1997, 410, 210-212.	2.8	52
30	Effect of Isothiocyanates on Nuclear Accumulation of NF-κB, Nrf2, and Thioredoxin in Caco-2 Cells. Journal of Agricultural and Food Chemistry, 2006, 54, 1656-1662.	5.2	51
31	Anti-cancer activities of allyl isothiocyanate and its conjugated silicon quantum dots. Scientific Reports, 2018, 8, 1084.	3.3	49
32	Sulforaphane induces adipocyte browning and promotes glucose and lipid utilization. Molecular Nutrition and Food Research, 2016, 60, 2185-2197.	3.3	48
33	Baicalin administration attenuates hyperglycemia-induced malformation of cardiovascular system. Cell Death and Disease, 2018, 9, 234.	6.3	47
34	Sulforaphane Can Protect Lens Cells Against Oxidative Stress: Implications for Cataract Prevention. , 2013, 54, 5236.		46
35	Phospholipid hydroperoxide cysteine peroxidase activity of human serum albumin. Biochemical Journal, 1999, 338, 723-728.	3.7	39
36	Effects of Selenium Supplementation on Selenoprotein Gene Expression and Response to Influenza Vaccine Challenge: A Randomised Controlled Trial. PLoS ONE, 2011, 6, e14771.	2.5	37

#	Article	IF	CITATIONS
37	Non anonical autophagy functions of ATG16L1 in epithelial cells limit lethal infection by influenza A virus. EMBO Journal, 2021, 40, e105543.	7.8	36
38	Antioxidant effects of propofol in human hepatic microsomes: concentration effects and clinical relevance. British Journal of Anaesthesia, 1998, 81, 584-589.	3.4	35
39	Dual Action of Sulforaphane in the Regulation of Thioredoxin Reductase and Thioredoxin in Human HepG2 and Caco-2 Cells. Journal of Agricultural and Food Chemistry, 2007, 55, 1170-1176.	5.2	34
40	Direct Separation of Hydroperoxy- and Hydroxy-Phosphatidylcholine Derivatives: Application to the Assay of Phospholipid Hydroperoxide Glutathione Peroxidase. Analytical Biochemistry, 1995, 224, 395-399.	2.4	33
41	Epigenetic and antioxidant effects of dietary isothiocyanates and selenium: potential implications for cancer chemoprevention. Proceedings of the Nutrition Society, 2012, 71, 237-245.	1.0	33
42	Serotonin Receptors, Novel Targets of Sulforaphane Identified by Proteomic Analysis in Caco-2 Cells. Cancer Research, 2008, 68, 5487-5491.	0.9	32
43	p38 MAPK plays a distinct role in sulforaphane-induced up-regulation of ARE-dependent enzymes and down-regulation of COX-2 in human bladder cancer cells. Oncology Reports, 2010, 23, 1133-8.	2.6	31
44	Sulforaphane Improves Abnormal Lipid Metabolism via Both ERSâ€Dependent XBP1/ACC &SCD1 and ERSâ€Independent SREBP/FAS Pathways. Molecular Nutrition and Food Research, 2018, 62, e1700737.	3.3	29
45	The potential for dietary factors to prevent or treat osteoarthritis. Proceedings of the Nutrition Society, 2014, 73, 278-288.	1.0	28
46	Sulforaphane promotes ER stress, autophagy, and cell death: implications for cataract surgery. Journal of Molecular Medicine, 2017, 95, 553-564.	3.9	27
47	Isothiocyanates are detected in human synovial fluid following broccoli consumption and can affect the tissues of the knee joint. Scientific Reports, 2017, 7, 3398.	3.3	24
48	Colorectal cancer cells Caco-2 and HCT116 resist epigenetic effects of isothiocyanates and selenium in vitro. European Journal of Nutrition, 2013, 52, 1327-1341.	3.9	23
49	Oxidative stress and NF-κB signaling are involved in LPS induced pulmonary dysplasia in chick embryos. Cell Cycle, 2018, 17, 1757-1771.	2.6	23
50	Sulforaphane Rescues Ethanol-Suppressed Angiogenesis through Oxidative and Endoplasmic Reticulum Stress in Chick Embryos. Journal of Agricultural and Food Chemistry, 2018, 66, 9522-9533.	5.2	23
51	Synergy between sulforaphane and selenium in the up-regulation of thioredoxin reductase and protection against hydrogen peroxide-induced cell death in human hepatocytes. Food Chemistry, 2012, 133, 300-307.	8.2	22
52	Sulforaphane Protects the Liver against CdSe Quantum Dot-Induced Cytotoxicity. PLoS ONE, 2015, 10, e0138771.	2.5	22
53	Synergy between sulforaphane and selenium in protection against oxidative damage in colonic CCD841 cells. Nutrition Research, 2015, 35, 610-617.	2.9	22
54	Sulforaphane down-regulates COX-2 expression by activating p38 and inhibiting NF-κB-DNA-binding activity in human bladder T24 cells. International Journal of Oncology, 2009, 34, 1129-34.	3.3	21

#	Article	IF	CITATIONS
55	High Performance Liquid Chromatographic Separation of Hydroperoxy-Phospholipids and Their Corresponding Hydroxy-Phospholipid Derivatives. Journal of Liquid Chromatography and Related Technologies, 1998, 21, 2061-2068.	1.0	20
56	TrxR1 and GPx2 are potently induced by isothiocyanates and selenium, and mutually cooperate to protect Caco-2 cells against free radical-mediated cell death. Biochimica Et Biophysica Acta - Molecular Cell Research, 2012, 1823, 1914-1924.	4.1	20
57	The Role of MicroRNAs in the Chemopreventive Activity of Sulforaphane from Cruciferous Vegetables. Nutrients, 2017, 9, 902.	4.1	20
58	Antioxidant effects of sulforaphane in human HepG2 cells and immortalised hepatocytes. Food and Chemical Toxicology, 2019, 128, 129-136.	3.6	19
59	Nanodelivery of natural isothiocyanates as a cancer therapeutic. Free Radical Biology and Medicine, 2021, 167, 125-140.	2.9	19
60	Anti-rheumatic effect of quercetin and recent developments in nano formulation. RSC Advances, 2021, 11, 7280-7293.	3.6	18
61	Phospholipid hydroperoxide cysteine peroxidase activity of human serum albumin. Biochemical Journal, 1999, 338, 723.	3.7	17
62	Effect of sulforaphane on cell growth, G0/G1 phase cell progression and apoptosis in human bladder cancer T24 cells. International Journal of Oncology, 2006, 29, 883.	3.3	16
63	Flavonoid intake and the risk of age-related cataract in China's Heilongjiang Province. Food and Nutrition Research, 2015, 59, 29564.	2.6	15
64	Excess Imidacloprid Exposure Causes the Heart Tube Malformation of Chick Embryos. Journal of Agricultural and Food Chemistry, 2016, 64, 9078-9088.	5.2	15
65	Identifying chondroprotective diet-derived bioactives and investigating their synergism. Scientific Reports, 2018, 8, 17173.	3.3	14
66	Chemopreventive Activities of Sulforaphane and Its Metabolites in Human Hepatoma HepG2 Cells. Nutrients, 2018, 10, 585.	4.1	14
67	Synergy between broccoli sprout extract and selenium in the upregulation of thioredoxin reductase in human hepatocytes. Food Chemistry, 2008, 110, 193-198.	8.2	13
68	Selenium Biomarkers in Prostate Cancer Cell Lines and Influence of Selenium on Invasive Potential of PC3 Cells. Frontiers in Oncology, 2013, 3, 239.	2.8	13
69	Effect of phytochemicals on phase II enzyme expression in infant human primary skin fibroblast cells. British Journal of Nutrition, 2012, 108, 2158-2165.	2.3	12
70	Gut microbial composition changes in bladder cancer patients: A case-control study in Harbin, China. Asia Pacific Journal of Clinical Nutrition, 2020, 29, 395-403.	0.4	12
71	N-Acetylcysteine Suppresses LPS-Induced Pathological Angiogenesis. Cellular Physiology and Biochemistry, 2018, 49, 2483-2495.	1.6	11
72	3 Phospholipid hydroperoxide glutathione peroxidase activity of rat class Theta glutathione transferase T2-2. Biochemical Society Transactions, 1997, 25, S559-S559.	3.4	10

#	Article	IF	CITATIONS
73	Atg7-Mediated Autophagy Is Involved in the Neural Crest Cell Generation in Chick Embryo. Molecular Neurobiology, 2018, 55, 3523-3536.	4.0	10
74	Gut microbiotaâ€derived endotoxin enhanced the incidence of cardia bifida during cardiogenesis. Journal of Cellular Physiology, 2018, 233, 9271-9283.	4.1	10
75	Role of nuclear factor‵̂B pathway in the transition of mouse secondary follicles to antral follicles. Journal of Cellular Physiology, 2019, 234, 22565-22580.	4.1	10
76	Differential effects of sulforaphane in regulation of angiogenesis in a co-culture model of endothelial cells and pericytes. Oncology Reports, 2017, 37, 2905-2912.	2.6	8
77	The Inhibitory Effect of Sulforaphane on Bladder Cancer Cell Depends on GSH Depletion-Induced by Nrf2 Translocation. Molecules, 2021, 26, 4919.	3.8	8
78	1 Phospholipid Hydroperoxide Peroxidase Activities in Erythrocytes. Biochemical Society Transactions, 1997, 25, S557-S557.	3.4	7
79	α-Tocopherol enhances the peroxidase activity of hemoglobin on phospholipid hydroperoxide. Redox Report, 1997, 3, 325-330.	4.5	7
80	Effects of MEK1 and PI3K inhibitors on allyl-, benzyl- and phenylethyl-isothiocyanate-induced G2/M arrest and cell death in Caco-2 cells. International Journal of Oncology, 2005, 27, 1449.	3.3	7
81	Can sulforaphane prevent the onset or slow the progression of osteoarthritis?. Nutrition Bulletin, 2016, 41, 175-179.	1.8	7
82	High saltâ€induced excess reactive oxygen species production resulted in heart tube malformation during gastrulation. Journal of Cellular Physiology, 2018, 233, 7120-7133.	4.1	7
83	Nano-sulforaphane attenuates PhIP-induced early abnormal embryonic neuro-development. Annals of Anatomy, 2021, 233, 151617.	1.9	6
84	Effects of MEK1 and PI3K inhibitors on allyl-, benzyl- and phenylethyl-isothiocyanate-induced G2/M arrest and cell death in Caco-2 cells. International Journal of Oncology, 2005, 27, 1449-58.	3.3	6
85	Biphasic effect of sulforaphane on angiogenesis in hypoxia <i>via</i> modulation of both Nrf2 and mitochondrial dynamics. Food and Function, 2022, 13, 2884-2898.	4.6	5
86	Ethanol exposure leads to disorder of blood island formation in early chick embryo. Reproductive Toxicology, 2017, 73, 96-104.	2.9	4
87	The α1â€adrenergic receptor is involved in hepcidin upregulation induced by adrenaline and norepinephrine via the STAT3 pathway. Journal of Cellular Biochemistry, 2018, 119, 5517-5527.	2.6	4
88	Benzyl Isothiocyanate Induces Apoptosis and Inhibits Tumor Growth in Canine Mammary Carcinoma via Downregulation of the Cyclin B1/Cdk1 Pathway. Frontiers in Veterinary Science, 2020, 7, 580530.	2.2	4
89	Synthesis and characterisation of isothiocyanate functionalised silicon nanoparticles and their uptake in cultured colonic cells. Faraday Discussions, 2020, 222, 332-349.	3.2	4
90	The peroxidase activity of glutathione S-transferase A1-1 on hydroperoxy-phospholipids. Biochemical Society Transactions, 1996, 24, 462S-462S.	3.4	2

#	Article	IF	CITATIONS
91	Nutritional Genomics. Oxidative Stress and Disease, 2004, , 1-23.	0.3	1
92	2 Regulation of phospholipase A2 gene expression by tumour necrosis factor α in human HepG2 cells. Biochemical Society Transactions, 1997, 25, S558-S558.	3.4	0
93	Selenium-dependent Phospholipid Hydroperoxide Glutathione Peroxidase Protects Against Lipid, Protein and DNA Damage. , 2000, , 245-248.		О
94	Isothiocyanates from the habitual diet are potential chondroprotective agents. Osteoarthritis and Cartilage, 2012, 20, S141-S142.	1.3	0
95	Revealing histological and morphological features of female reproductive system in tree shrew (Tupaia belangeri). Zoomorphology, 2018, 137, 191-199.	0.8	Ο
96	Phytochemlcals Protect Against Heterocyclic Amine-Induced DNA Adduct Formation. Oxidative Stress and Disease, 2004, , 143-162.	0.3	0