

Roger Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5471682/publications.pdf>

Version: 2024-02-01

749
papers

33,790
citations

5248

83
h-index

11030

137
g-index

779
all docs

779
docs citations

779
times ranked

10850
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
2	Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547.	1.4	592
3	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
4	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	1.4	453
5	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
6	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
7	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581.	1.4	298
8	Branching ratios and spectral functions of $\tilde{\chi}_0^0$ decays: Final ALEPH measurements and physics implications. Physics Reports, 2005, 421, 191-284.	10.3	288
9	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
11	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
12	The detector simulation program for the OPAL experiment at LEP. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1992, 317, 47-74.	0.7	259
13	A measurement of the inclusive $b \rightarrow s \gamma$ branching ratio. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 429, 169-187.	1.5	259
14	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
15	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
16	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
17			

#	ARTICLE	IF	CITATIONS
19	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
20	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
21	Measurement of the Z0 mass and width with the opal detector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1989, 231, 530-538.	1.5	211
22	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7$ TeV recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
23	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
24	GridPP: development of the UK computing Grid for particle physics. Journal of Physics G: Nuclear and Particle Physics, 2006, 32, N1-N20.	1.4	200
25	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s}=8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
26	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
27	Luminosity determination in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	179
28	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	175
29	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
30	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
31	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
32	Measurement of the transverse momentum and ϕ_{η} distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
33	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	146
34	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
35	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
36	Precision measurement and interpretation of inclusive W^+W^- , W^+W^- . European Physical Journal C, 2017, 77, 367.	1.4	145

#	ARTICLE	IF	CITATIONS
37	Measurement of the $\sigma(\overline{t}t\hat{A}^-)$ production cross-section using $\sqrt{s} = 7$ TeV events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
38	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
39	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
40	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
41	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
42	Measurement of the Z/\hat{A}^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
43	ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
44	Observation of an excess in the search for the Standard Model Higgs boson at ALEPH. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 495, 1-17.	1.5	129
45	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
46	A study of coherence of soft gluons in hadron jets. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 247, 617-628.	1.5	126
47	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $\overline{t}t$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
48	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
49	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
50	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
51	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	1.4	121
52			

#	ARTICLE	IF	CITATIONS
55	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
56	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
57	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8, \sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
58	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	114

59

#	ARTICLE	IF	CITATIONS
73	A study of jet production rates and a test of QCD on the Z0 resonance. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 235, 389-398.	1.5	92
74	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
75	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
76	Search for the $b\bar{b}\gamma$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
77	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
78	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
79	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
80	Measurement of multi-particle azimuthal correlations in pp, $p\bar{p}$ and low-multiplicity Pb-Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
81	A Roadmap for HEP Software and Computing R&D for the 2020s. Computing and Software for Big Science, 2019, 3, 1.	1.3	85
82	Search for charginos nearly mass degenerate with the lightest neutralino in e^+e^- collisions at centre-of-mass energies up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 533, 223-236.	1.5	84
83	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
84	Ganga: A tool for computational-task management and easy access to Grid resources. Computer Physics Communications, 2009, 180, 2303-2316.	3.0	83
85	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
86	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
87	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	81
88	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
89	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
90	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79

#	ARTICLE	IF	CITATIONS
91	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
92	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
93	A search for acoplanar pairs of leptons or jets in ZO decays. Mass limits on supersymmetric particles. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 240, 261-270.	1.5	78
94	QCD studies with e^+e^- annihilation data at 130 and 136 GeV. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 191-206.	1.5	78
95	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
96	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
97	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
98	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
99	Angular analysis of $B_0 \rightarrow \mu^+\mu^-K_S^0$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
100	Final results of the searches for neutral Higgs bosons in e^+e^- collisions at \sqrt{s} up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 191-205.	1.5	75
101	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
102	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
103	A study of differences between quark and gluon jets using vertex tagging of quark jets. Zeitschrift für Physik C-Particles and Fields, 1993, 58, 387-403.	1.5	74
104	Search for resonant diboson production in the pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
105	Mass limits for a standard model Higgs Boson in e^+e^- collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 236, 224-232.	1.5	73
106	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
107	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
108	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73

#	ARTICLE	IF	CITATIONS
109	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
110	Measurement of branching ratios and \tilde{I}_L polarization from $\tilde{I}_L \rightarrow e\tilde{\nu}_L, \tilde{I}_L \rightarrow \tau\tilde{\nu}_L$ and $\tilde{I}_L \rightarrow \tau(K)\tilde{\nu}_L$ decays at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 266, 201-217.	1.5	72
111	A search for lepton flavour violating Z0 decays. Zeitschrift für Physik C-Particles and Fields, 1995, 67, 555-563.	1.5	72
112	Search for scalar leptons in e^+e^- collisions at centre-of-mass energies up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 206-220.	1.5	72
113	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
114	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
115	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
116	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
117	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
118	A combined analysis of the hadronic and leptonic decays of the Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 240, 497-512.	1.5	70
119	QCD studies using a cone-based jet finding algorithm for e^+e^- collisions at LEP. Zeitschrift für Physik C-Particles and Fields, 1994, 63, 197-211.	1.5	70
120	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
121	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
122	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tilde{I}_L, \tilde{I}_L \rightarrow \tau\tilde{\nu}_L$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
123	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
124	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
125	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
126	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67

#	ARTICLE	IF	CITATIONS
127	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
128	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
129	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
130	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
131	The ATLAS semiconductor tracker end-cap module. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 575, 353-389.	0.7	65
132	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
133	Measurement of the $W\hat{t}$, $W\hat{b}$ and $Z\hat{t}$ production cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
134	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
135	Observation and measurements of the production of prompt and non-prompt Υ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
136	Evidence for the $H\hat{t}\hat{t}^*$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
137	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
138	The silicon microstrip sensors of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 578, 98-118.	0.7	63
139	Measurement of the differential cross-sections of prompt and non-prompt production of Υ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
140	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
141	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
142	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	1.4	61
143	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and $ZZ\hat{t}$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
144	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	61

#	ARTICLE	IF	CITATIONS
145	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
146	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
147	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
148	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
149	Search for charged Higgs bosons in e^+e^- collisions at energies up to $\sqrt{s} = 10$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 1-13.	1.5	60
150	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
151	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
152	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
153	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
154	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
155	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
156	A study of Bose-Einstein correlations in e^+e^- annihilations at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 267, 143-153.	1.5	59
157	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
158	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
159	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
160	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
161	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0 TeV. European Physical Journal C, 2018, 78, 142.	1.4	59
162	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$, in the τ^+, jets and τ^+, lepton final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59

#	ARTICLE	IF	CITATIONS
163	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
164	Measurements of $B^0 - \bar{B}^0$ mixing, $\frac{\Gamma(Z^0 \rightarrow b\bar{b})}{\Gamma(Z^0 \rightarrow \text{hadrons})}$ and semileptonic branching ratios for b -flavoured hadrons in hadronic Z^0 decays. Zeitschrift für Physik C-Particles and Fields, 1993, 60, 199-216.	1.5	57
165	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
166	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
167	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
168	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
169	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
170	Search for scalar quarks in e^+e^- collisions at up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 5-20.	1.5	55
171	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
172	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
173	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
174	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
175	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
176	Measurements of fiducial cross-sections for $t\bar{t}\hat{A}^-$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
177	A search for technipions and charged Higgs bosons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 242, 299-308.	1.5	53
178	Measurement of the time dependence of mixing using a jet charge technique. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 327, 411-424.	1.5	53
179	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s}=7$ TeV proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
180	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53

#	ARTICLE	IF	CITATIONS
181	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow W^+W^-$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 49, 305-316.	1.4	53
182	Search for Higgs boson pair production in e^+e^- collisions at $\sqrt{s} = 209$ GeV and constraints on physics beyond the standard model. European Physical Journal C, 2007, 49, 411-437.	1.5	52
183	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.4	52
184	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
185	Search for lepton-flavour-violating $H \rightarrow \tau\mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
186	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
187	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
188	A search for the top and b quarks in hadronic Z^0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 236, 364-374.	1.5	51
189	Search for supersymmetric particles in e^+e^- collisions at up to 202 GeV and mass limit for the lightest neutralino. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 499, 67-84.	1.5	51
190	Measurement of the triple gauge-boson couplings $\Gamma_{WW\gamma}$ and Γ_{WWZ} in $e^+e^- \rightarrow e^+e^- \gamma \gamma$ collisions. European Physical Journal C, 2012, 72, 2046.	1.5	51
191	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	1.4	51
192	Measurement of the top quark mass with the template method in the $t \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
193	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z' boson in the $\text{lepton} \mu \nu$, final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
194	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
195	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
196	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
197	GridPP: the UK grid for particle physics. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2009, 367, 2447-2457.	1.6	50
198			

#	ARTICLE	IF	CITATIONS
199	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
200	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
201	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
202	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
203	Test of CP-invariance in $e^+e^- \rightarrow \tau^+ \tau^- Z \rightarrow \tau^+ \tau^- \tau^+ \tau^-$ and a limit on the weak dipole moment of the τ lepton. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 281, 405-415.	1.5	49
204	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
205	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
206	Absolute mass lower limit for the lightest neutralino of the MSSM from e^+e^- data at \sqrt{s} up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 247-263.	1.5	48
207	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
208	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
209	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
210	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
211	A measurement of strange baryon production in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 291, 503-518.	1.5	47
212	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
213	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
214	Measurement of the top quark mass in the $t \rightarrow t \tau^+ \tau^-$. European Physical Journal C, 2019, 79, 1.	1.4	47
215	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
216	Study of the rare decays of $B^0 \rightarrow B^0 s$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46

#	ARTICLE	IF	CITATIONS
217	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
218	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
219	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
220	Measurement of the W boson mass and width in e^+e^- collisions at LEP. European Physical Journal C, 2006, 47, 309-335.	1.4	45
221	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, \text{TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
222	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	45
223	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
224	Measurement of the t production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
225	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
226	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
227	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
228	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
229	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
230	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
231	Evidence for b-flavoured baryon production in Z0 decays at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 281, 394-404.	1.5	43
232	Study of the CP asymmetry of $B \rightarrow K^* \ell \bar{\ell}$ decays in ALEPH. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 492, 259-274.	1.5	43
233	Search for neutral Higgs bosons decaying into four taus at LEP2. Journal of High Energy Physics, 2010, 2010, 1.	1.6	43
234	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $\sqrt{s} = 7, \text{TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43

#	ARTICLE	IF	CITATIONS
235	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
236	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
237	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
238	Evidence for final state photons in multihadronic decays of the Z^0 . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 246, 285-296.	1.5	42
239	Evidence for chain-like production of strange baryon pairs in jets. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 305, 415-427.	1.5	42
240	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
241	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
242	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
243	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
244	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
245	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
246	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
247	Measurement of the $t \bar{t} Z$ and $t \bar{t} W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
248	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
249	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
250	Evidence for the existence of the strange b-flavoured meson B_s^0 in Z^0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 295, 357-370.	1.5	40
251	Search for single top production in e^+e^- collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 173-182.	1.5	40
252	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40

#	ARTICLE	IF	CITATIONS
253	A search for \overline{t} resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
254	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
255	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
256	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
257	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{a}^+ J/\psi D_s^+ \hat{a}^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{a}^+ J/\psi D_s^+ \hat{a}^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
258	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
259	Measurements of b-jet tagging efficiency with the ATLAS detector using \overline{t} events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
260	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- Z Z$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
261	A measurement of energy correlations and a determination of $\Gamma_{\pm}(M_{Z^0})$ e+e- annihilations at $\sqrt{s}=91$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 252, 159-169.	1.5	39
262	Measurements of the decay of the Z^0 into lepton pairs. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 235, 379-388.	1.5	39
263	Resonant structure and flavour tagging in the B_c^\pm system using fully reconstructed B decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 425, 215-226.	1.5	39
264	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
265	Search for flavour-changing neutral current top-quark decays to $q Z$ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
266	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
267	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
268	The OPAL vertex drift chamber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1990, 286, 99-106.	0.7	38
269	A study of b quark fragmentation into B^0 and B^+ mesons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 364, 93-106.	1.5	38
270	A study of charm hadron production in $Z^0 \rightarrow c \bar{c}$ and $Z^0 \rightarrow c \bar{b}$ decays at LEP decays at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 1-16.	1.5	38

#	ARTICLE	IF	CITATIONS
271	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
272	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
273	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
274	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
275	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
276	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
277	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
278	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
279	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
280	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
281	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb ⁻¹ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
282	Measurement of the mass of the W boson in e^+e^- collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 389, 416-428.	1.5	36
283	Production of fermion-pair events in e^+e^- collisions at 161 GeV centre-of-mass energy. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 391, 221-234.	1.5	36
284	Single- and multi-photon production in e^+e^- collisions at a centre-of-mass energy of 183 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 429, 201-214.	1.5	36
285	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	36
286	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
287	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
288	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36

#	ARTICLE	IF	CITATIONS
289	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
290	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
291	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
292	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
293	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
294	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
295	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
296	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
297	Search for $W' \rightarrow tb \rightarrow qqbb$ $W \rightarrow t\bar{t}$ $q\bar{q}$ $b\bar{b}$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
298	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
299	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
300	Search for the glueball candidates $f_0(1500)$ and $f_1(1710)$ in $\Upsilon(3S)$ collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 472, 189-199.	1.5	34
301	Search for $\Upsilon(3S) \rightarrow \Upsilon b$ in e^+e^- collisions at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 530, 56-66.	1.5	34
302	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
303	Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
304	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}+jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
305	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
306	Search for chargino and neutralino production using the OPAL detector at GeV at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 181-194.	1.5	33

#	ARTICLE	IF	CITATIONS
307	Test of QCD analytic predictions for the multiplicity ratio between gluon and quark jets. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 388, 659-672.	1.5	33
308	Absolute lower limits on the masses of selectrons and sneutrinos in the MSSM. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 73-88.	1.5	33
309	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
310	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	1.4	33
311	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
312	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
313	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
314	Measurements of $\tilde{\chi}(2S)$ and $\chi(3872) \rightarrow J/\psi \tilde{\chi} + \tilde{\chi} \tilde{\chi}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
315	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
316	A direct search for new charged heavy leptons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 240, 250-260.	1.5	32
317	Search for anomalous production of high mass photon pairs in e^+e^- collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 311, 391-407.	1.5	32
318	Measurement of the longitudinal, transverse and asymmetry fragmentation functions at LEP. Zeitschrift für Physik C-Particles and Fields, 1995, 68, 203-213.	1.5	32
319	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
320	Measurement of $\tilde{t} c_1$ and $\tilde{t} c_2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
321	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
322	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
323	Multiplicity and transverse momentum correlations in multihadronic final states in e^+e^- interactions at $\sqrt{s} = 91.2$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 320, 417-430.	1.5	31
324	Topological search for the production of neutralinos and scalar particles. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 273-288.	1.5	31

#	ARTICLE	IF	CITATIONS
325	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
326	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
327	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
328	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
329	A search for prompt lepton-jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
330	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
331	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
332	Search for W/WZ resonance production in $\ell\ell$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
333	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
334	Measurement of triple gauge-boson couplings at 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 422, 369-383.	1.5	30
335	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
336	Measurement of the $t\bar{t} \rightarrow t\bar{t} + n$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
337	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
338	Charged-particle distributions in pp interactions at $\sqrt{s}=8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
339	Searches for the $Z\gamma\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
340	Study of $WW\gamma$ and WWZ production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 646.	1.4	30
341	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
342	Searches for third-generation scalar leptoquarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30

#	ARTICLE	IF	CITATIONS
343	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
344	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
345	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
346	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
347	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
348	Searches for heavy ZZ and ZW resonances in the $\gamma\gamma$, $\gamma q\bar{q}$ and $\gamma\gamma$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
349	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
350	An improved measurement of $\Gamma_{\pm S}$ (MZ0) using energy correlations with the OPAL detector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 276, 547-564.	1.5	28
351	Measurement of the hadronic photon structure function at LEP 1 for Q^2 values between 9.9 and 284 GeV ² . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 458, 152-166.	1.5	28
352	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
353	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
354	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
355	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
356	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
357	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
358	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
359	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
360	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28

#	ARTICLE	IF	CITATIONS
361	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
362	A measurement of charged particle multiplicity in $Z \rightarrow c\bar{c}$, and $Z \rightarrow b\bar{b}$, events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 352, 176-186.	1.5	27
363	Measurement of the multiplicity of charm quark pairs from gluons in hadronic Z0 Decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 353, 595-605.	1.5	27
364	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
365	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
366	Measurements of top-quark pair differential cross-sections in the $e^+e^- \rightarrow t\bar{t}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
367	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
368	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
369	Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
370	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a τ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
371	Search for sleptons in $e^+e^- \rightarrow \tau^+\tau^-$ collisions at centre-of-mass energies up to 184 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 433, 176-194.	1.5	26
372	Measurement of the $e^+e^- \rightarrow \tau^+\tau^- ZZ$ production cross section at centre-of-mass energies of 183 and 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 469, 287-302.	1.5	26
373	Bose-Einstein correlations in W -pair decays with an event-mixing technique. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 606, 265-275.	1.5	26
374	Measurements of electroweak WW_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
375	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b}H$ and $e^+e^- \rightarrow W^+W^-H$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
376	Search for excited leptons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 244, 135-142.	1.5	25
377	A measurement of $(892)^{\pm}$ production in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 305, 407-414.	1.5	25
378	Search for the minimal standard model Higgs boson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 327, 397-410.	1.5	25

#	ARTICLE	IF	CITATIONS
379	Measurement of cross-sections and asymmetries in e^+e^- collisions at $\sqrt{s} = 130\text{--}140$ GeV centre-of-mass energy. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996, 376, 232-244.	1.5	25
380	A first measurement of the \bar{b} and b spin compositions in hadronic Z^0 decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996, 384, 377-387.	1.5	25
381	QCD corrections to the forward-backward asymmetries of c and b quarks at the Z pole. <i>European Physical Journal C</i> , 1998, 4, 185-191.	1.4	25
382	A search for χ_{c0} resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 2083.	1.4	25
383	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b -jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	25
384	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	25
385	Determination of the top-quark pole mass using $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	25
386	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	25
387	Search for triboson $W^+W^-W^0$ production in pp collisions at $\sqrt{s} = 8\text{--}13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	1.4	25
388	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	1.4	25
389	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	25
390	Measurement of total cross sections for neutrino and antineutrino charged-current interactions in hydrogen and neon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1986, 173, 211-216.	1.5	24
391	Measurement of the B^0 and B^+ lifetimes. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993, 307, 247-261.	1.5	24
392	A measurement of the $\bar{b}b^0$ lifetime. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995, 353, 402-412.	1.5	24
393	The production of neutral kaons in Z^0 decays and their Bose-Einstein correlations. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995, 67, 389-401.	1.5	24
394	Multiplicity dependence of Bose-Einstein correlations in hadronic Z^0 decays. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996, 72, 389-398.	1.5	24
395	Search for the Higgs boson produced in association with a W boson and decaying to four b -quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	1.4	24
396	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	1.4	24

#	ARTICLE	IF	CITATIONS
397	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
398	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
399	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
400	Scalar quark searches in e^+e^- collisions at $s=181\text{--}184\text{ GeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 434, 189-199.	1.5	23
401	Searches for sleptons and squarks in e^+e^- collisions at 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 469, 303-314.	1.5	23
402	A study of the decay width difference in the $B^0\text{s}$ system using $\tilde{\Gamma}^{\text{tag}}$ correlations. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 486, 286-299.	1.5	23
403	Search for $\tilde{\chi}^0_3$ decays of a Higgs boson in e^+e^- collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 16-24.	1.5	23
404	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. European Physical Journal C, 2010, 70, 875-916.	1.4	23
405	A measurement of the ratio of the production cross sections for W^+W^- and ZZ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
406	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
407	A search for high-mass resonances decaying to $\tilde{l}, +\tilde{l}, \tilde{\nu}$ in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
408	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
409	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
410	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
411	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
412	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
413	A measurement of photon radiation in lepton pair events from Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 273, 338-354.	1.5	22
414	A measurement of the forward-backward charge asymmetry in hadronic decays of the Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 294, 436-450.	1.5	22

#	ARTICLE	IF	CITATIONS
415	A search for doubly charged Higgs production in Z^0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 295, 347-356.	1.5	22
416	Measurement of $B^0 \rightarrow \pi^0$ mixing in hadronic Z^0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 276, 379-392.	1.5	22
417	A measurement of $ V_{cb} $ using decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 395, 128-140.	1.5	22
418	A measurement of the gluon splitting rate into pairs in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 434, 437-450.	1.5	22
419	Search for charged Higgs bosons in e^+e^- collisions at energies up to $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 253-263.	1.5	22
420	Searches for neutral Higgs bosons in e^+e^- collisions at centre-of-mass energies from 192 to 202 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 499, 53-66.	1.5	22
421	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	22
422	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
423	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
424	Measurement of the $t\bar{t} \rightarrow W^+W^-$ and $t\bar{t} \rightarrow Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
425	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W^+W^-$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
426	Search for pair production of heavy vector-like quarks decaying into high- p_T W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
427	Measurements of top-quark pair spin correlations in the $t\bar{t} \rightarrow \mu^+\mu^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
428	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
429	Measurement of the tau lepton lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 273, 355-366.	1.5	21
430	A study of two-particle momentum correlations in hadronic Z^0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 287, 401-412.	1.5	21
431	Measurement of \tilde{A} , polarization in $W^+\tilde{A} \rightarrow \tau^+\tau^-$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2062.	1.4	21
432	Measurement of the production cross-section of $\tilde{t}(2S) \rightarrow J/\psi(\tilde{t} \rightarrow \tau^+\tau^- + \tau^+\tau^-) + \tilde{t} \rightarrow \tau^+\tau^-$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21

#	ARTICLE	IF	CITATIONS
433	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu \nu e \mu \nu$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
434	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
435	Search for the Standard Model Higgs boson decaying into $b \bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
436	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
437	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
438	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
439	$\Sigma^+ \rightarrow \Sigma^0 \pi^+$, $\Sigma^0 \rightarrow \Sigma^- \pi^+$ and $\Sigma^+ \rightarrow \Sigma^- \pi^+$ hyperon production in hadronic Z^0 decays. Zeitschrift für Physik C-Particles and Fields, 1997, 73, 587-599.	1.5	20
440	Updated measurement of the τ lepton lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 414, 362-372.	1.5	20
441	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
442	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
443	Measurements of top quark spin observables in $t \bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
444	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
445	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
446	An improved measurement of the B_{S0} lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 350, 273-282.	1.5	19
447	A measurement of the B_d^0 oscillation frequency using leptons and $D^{*\pm}$ mesons. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 377-388.	1.5	19
448	Search for chargino and neutralino production in e^+e^- collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 389, 616-630.	1.5	19
449	Searches for scalar top and scalar bottom quarks at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 413, 431-446.	1.5	19
450	Bose-Einstein correlations in W-pair decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 478, 50-64.	1.5	19

#	ARTICLE	IF	CITATIONS
451	Leptonic decays of the Ds meson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 1-18.	1.5	19
452	Search for charged Higgs bosons through the violation of lepton universality in $t \rightarrow b \tau \nu$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
453	Measurement of k_T splitting scales in $W \rightarrow \tau \nu$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
454	Search for flavour-changing neutral current top quark decays $t \rightarrow b \nu$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
455	Addendum to "Measurement of the $t \rightarrow b \tau \nu$ production cross-section using $t \rightarrow b \tau \nu$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
456	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
457	Probing lepton flavour violation via neutrinoless $\mu \rightarrow e \gamma$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
458	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
459	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
460	Search for top-quark decays $t \rightarrow b \nu$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
461	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
462	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
463	A study of KOSKOS Bose-Einstein correlations in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 298, 456-468.	1.5	18
464	Measurement of the time dependence of mixing using leptons and D^{\pm} mesons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 336, 585-598.	1.5	18
465	Measurement of the triple gauge boson coupling $\hat{\Gamma}_{\pm W \gamma}$ from $W+W \gamma$ production in e^+e^- collisions at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 397, 147-157.	1.5	18
466	Search for supersymmetry in the photon(s) plus missing energy channels at GeV and 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 420, 127-139.	1.5	18
467	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
468	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18

#	ARTICLE	IF	CITATIONS
469	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tau^+\tau^-$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	18
470	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
471	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	18
472	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
473	A study of the reaction $e^+e^- \rightarrow \tau^+\tau^-$ at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1990, 241, 133-140.	1.5	17
474	Measurement of the B^0 lifetime. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993, 312, 501-510.	1.5	17
475	The data acquisition system of the OPAL detector at LEP. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1993, 325, 271-293.	0.7	17
476	A measurement of the forward-backward asymmetry of $e^+e^- \rightarrow c\bar{c}$ and $e^+e^- \rightarrow b\bar{b}$ at centre of mass energies on and near the Z 0 peak using $D^{*\pm}$ mesons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993, 60, 601-612.	1.5	17
477	Neutral strange particle production in neutrino and antineutrino charged current interactions on protons. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1993, 57, 197-209.	1.5	17
478	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	17
479	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	17
480	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	17
481	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	17
482	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158.	1.4	17
483	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	17
484	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
485	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
486	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
487	Direct top-quark decay width measurement in the $\mathbf{\vec{t}} t \hat{A}^-$ lepton+jets channel at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
488	Search for flavour-changing neutral current top-quark decays $t \hat{A}^+ qZ$ in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
489	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
490	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
491	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
492	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
493	Search for the $HH \hat{A}^+ \text{ b b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
494	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
495	Updated measurement of the τ lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 338, 497-506.	1.5	16
496	Search for charged Higgs bosons using the OPAL detector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 370, 174-184.	1.5	16
497	Measurement of W-pair production in e^+e^- collisions at 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 484, 205-217.	1.5	16
498	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
499	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
500	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
501	Top-quark mass measurement in the all-hadronic $t \hat{A}^+ \text{ t t}$ decay channel at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
502	Measurement of colour flow using jet-pull observables in $t \hat{A}^+ t \hat{A}^-$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	1.4	16
503	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
504	Measurement of differential cross sections and W^+/W^{\pm} cross-section ratios for W boson production in association with jets at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16

#	ARTICLE	IF	CITATIONS
505	Experimental test of the PCAC-hypothesis in charged current neutrino and antineutrino interactions on protons. Zeitschrift für Physik C-Particles and Fields, 1987, 37, 25-38.	1.5	15
506	Coherent production of $\tilde{D}^{\{+\}}$ and $\tilde{D}^{\{-}}$ mesons by charged-current interactions of neutrinos and antineutrinos on neon nuclei at the Fermilab Tevatron. Physical Review Letters, 1989, 63, 2349-2352.	2.9	15
507	Inclusive $\tilde{D}(770)$ meson production in νp and $\bar{\nu} p$ charged current interactions. Zeitschrift für Physik C-Particles and Fields, 1991, 51, 11-24.	1.5	15
508	Test of the four-fermion contact interaction in e^+e^- collisions at $\sqrt{s} \approx 140$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 387, 432-442.	1.5	15
509	Measurement of the W mass by direct reconstruction in e^+e^- collisions at 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 422, 384-398.	1.5	15
510	Study of D^0 mixing and D^0 doubly Cabibbo-suppressed decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 436, 211-221.	1.5	15
511	Searches for the neutral Higgs bosons of the MSSM in e^+e^- collisions at centre-of-mass energies of $181 \leq \sqrt{s} \leq 184$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 440, 419-434.	1.5	15
512	Measurement of W -pair production in e^+e^- collisions at 183 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 453, 107-120.	1.5	15
513	A study of single W production in e^+e^- collisions at $\sqrt{s} \approx 183$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 462, 389-400.	1.5	15
514	Fermi-Dirac correlations in $\tilde{\chi}^0$ pairs in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 475, 395-406.	1.5	15
515	Search for a scalar top almost degenerate with the lightest neutralino in e^+e^- collisions at up to 202 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 488, 234-246.	1.5	15
516	Exclusive production of pion and kaon meson pairs in two photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 569, 140-150.	1.5	15
517	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
518	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
519	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
520	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
521	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	1.4	15
522	Search for W production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15

#	ARTICLE	IF	CITATIONS
523	Measurement of event-shape observables in $Z \rightarrow e^+ e^- \gamma \gamma$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
524	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
525	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
526	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
527	Search for scalar resonances decaying into $\mu^+ \mu^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
528	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
529	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
530	A measurement of the average lifetime of b-flavoured baryons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 316, 435-447.	1.5	14
531	Search for a scalar top quark using the OPAL detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 337, 207-218.	1.5	14
532	Measurements with photonic events in $e^+ e^-$ collisions at centre-of-mass energies of 130-140 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 222-234.	1.5	14
533	Production of $D_s^* \rightarrow \mu^+ \mu^-$ mesons in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 34-49.	1.5	14
534	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
535	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
536	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
537	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
538	Studies of $Z \rightarrow \mu^+ \mu^-$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
539	Measurement of $VH, \gamma\gamma$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
540	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14

#	ARTICLE	IF	CITATIONS
541	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
542	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
543	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	14
544	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
545	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
546	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
547	Measurement of the \tilde{I}_n topological branching ratios at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 288, 373-385.	1.5	13
548	A test of the flavour independence of the strong interaction for five flavours. Zeitschrift für Physik C-Particles and Fields, 1993, 60, 397-420.	1.5	13
549	The forward-backward asymmetry of $e^+e^- \rightarrow b\bar{b}$ and $e^+e^- \rightarrow c\bar{c}$ using leptons in hadronic Z ⁰ decays. Zeitschrift für Physik C-Particles and Fields, 1993, 60, 19-35.	1.5	13
550	Search for neutral Higgs bosons in the minimal supersymmetric extension of the standard model. Zeitschrift für Physik C-Particles and Fields, 1994, 64, 1-13.	1.5	13
551	A measurement of the forward-backward asymmetry of $e^+e^- \rightarrow b\bar{b}$ by applying a jet charge algorithm to lifetime tagged events. Zeitschrift für Physik C-Particles and Fields, 1995, 67, 365-378.	1.5	13
552	Observation of $\hat{1}^3$ production in hadronic Z ⁰ decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 370, 185-194.	1.5	13
553	The integration and engineering of the ATLAS Semiconductor Tracker Barrel. Journal of Instrumentation, 2008, 3, P10006-P10006.	0.5	13
554	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
555	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	13
556	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
557	Search for lepton flavour violation in the $e\hat{1}^4$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	1.4	13
558	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13

#	ARTICLE	IF	CITATIONS
559	Measurement of the CP-violating phase $\arg(\Gamma_{cb})$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \mu^+ \mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
560	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
561	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
562	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
563	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.	1.4	13
564	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
565	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
566	A study of charm hadron production in $m_Z \rightarrow c\bar{c}$ and $m_Z \rightarrow b\bar{b}$ decays at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 1-16.	1.5	13
567	QCD corrections to the forward-backward asymmetries of. European Physical Journal C, 1998, 4, 185.	1.4	13
568	Measurement of the neutral to charged current cross section ratios for neutrino and antineutrino interactions on protons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1986, 178, 329-334.	1.5	12
569	Measurement of the average B hadron lifetime in Z^0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 274, 513-525.	1.5	12
570	Determination of the parton distributions and structure functions of the proton from neutrino and antineutrino reactions on hydrogen and deuterium. Zeitschrift für Physik C-Particles and Fields, 1994, 62, 575-600.	1.5	12
571	A flavour-independent Higgs boson search in e^+e^- collisions at s up to 209 GeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 25-34.	1.5	12
572	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
573	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
574	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
575	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
576	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12

#	ARTICLE	IF	CITATIONS
577	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
578	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
579	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
580	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
581	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
582	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
583	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
584	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
585	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
586	A measurement of the proton structure functions from neutrino-hydrogen and antineutrino-hydrogen charged-current interactions. Zeitschrift für Physik C-Particles and Fields, 1989, 44, 379-384.	1.5	11
587	Multiplicity distributions of charged hadrons in vp and charged current interactions. Zeitschrift für Physik C-Particles and Fields, 1992, 54, 45-54.	1.5	11
588	Search for massive, unstable photinos that violate R parity. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 313, 333-340.	1.5	11
589	A study of muon pair production and evidence for tau pair production in photon-photon collisions at LEP. Zeitschrift für Physik C-Particles and Fields, 1993, 60, 593-600.	1.5	11
590	Prompt production in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 343-352.	1.5	11
591	Determination of AFB using jet charge measurements in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 426, 217-230.	1.5	11
592	Measurement of the W mass in e^+e^- collisions at 183 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 453, 121-137.	1.5	11
593	Search for an invisibly decaying Higgs boson in e^+e^- collisions at 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 466, 50-60.	1.5	11
594	Two-particle correlations in pp, $\langle \text{mml:math-altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com." p$	1.5	11

#	ARTICLE	IF	CITATIONS
595	Measurement of $W\hat{1}^3$ and $Z\hat{1}^3$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
596	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
597	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
598	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
599	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
600	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
601	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
602	Search for rare hadronic B decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 337, 393-404.	1.5	10
603	Test of the exponential decay law at short decay times using tau leptons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 368, 244-250.	1.5	10
604	Measurement of the branching ratio. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 369, 163-172.	1.5	10
605	Search for excited leptons in $e+e\hat{1}$ collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 386, 463-474.	1.5	10
606	Search for scalar top and scalar bottom quarks using the OPAL detector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 389, 197-210.	1.5	10
607	Search for the Standard Model Higgs boson in $e+e\hat{1}$ collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 393, 231-244.	1.5	10
608	Inclusive production of the $\hat{1}^0$ and $\hat{1}^{\pm}$ mesons in Z decays, and the muonic branching ratio of the $\hat{1}^0$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 19-33.	1.5	10
609	A measurement of the gluon splitting rate into $c\hat{1}$ pairs in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 213-224.	1.5	10
610	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
611	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
612	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10

#	ARTICLE	IF	CITATIONS
613	Measurement of the $Z\gamma \rightarrow u\bar{u}$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
614	Measurement of the inclusive and fiducial $t\bar{t}\hat{A}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
615	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\hat{A}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
616	Measurement of J/ψ production in association with a $W\hat{A}$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
617	Measurement of the $t\bar{t}\hat{A}\hat{A}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
618	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
619	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10

620

#	ARTICLE	IF	CITATIONS
631	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ using the ZZ $\hat{\sigma}$, $\hat{\sigma}^+$, $\hat{\sigma}^0$, $\hat{\sigma}^+$ and Z Z $\hat{\sigma}$, $\hat{\sigma}^+$, $\hat{\sigma}^0$ + $\hat{\sigma}^+$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
632	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
633	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
634	Measurement of the Z $(\hat{\sigma}^+, \hat{\sigma}^0, \hat{\sigma}^-)$ production cross-section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
635	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
636	A precise measurement of the tau polarization and its forward-backward asymmetry at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 365-375.	1.5	8
637	A measurement of the charm and bottom forward-backward asymmetries using D mesons at LEP. Zeitschrift für Physik C-Particles and Fields, 1997, 73, 379-395.	1.5	8
638	The forward-backward asymmetry for charm quarks at the Z. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 434, 415-425.	1.5	8
639	Measurement of triple gauge $WW\gamma$ couplings at LEP2 using photonic events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 445, 239-248.	1.5	8
640	A direct measurement of $ V_{cs} $ in hadronic W decays using a charm tag. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 465, 349-362.	1.5	8
641	Search for $\tilde{\chi}^0_1 \tilde{\chi}^0_2$ decays of a Higgs boson produced in association with a fermion pair in e^+e^- collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 241-252.	1.5	8
642	Test of colour reconnection models using three-jet events in hadronic Z decays. European Physical Journal C, 2006, 48, 685.	1.4	8
643	Measurement of the relative width difference of the $B^0 \rightarrow B^+ B^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
644	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
645	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
646	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
647	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
648	Measurement of $W^{\pm} \gamma$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8

#	ARTICLE	IF	CITATIONS
649	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
650	Measurements of $W+W^{\pm}+1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	8
651	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	8
652	Reconstruction and identification of boosted $d\bar{t}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
653	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	1.4	8
654	Experimental test of the PCAC hypothesis in the reactions $\nu p \rightarrow p^{\pm} \mu^{\pm} \nu$ and $\bar{\nu} p \rightarrow p^{\pm} \mu^{\pm} \nu$ in the (1232) region. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1989, 43, 527-540.	1.5	7
655	A test of higher order electroweak theory in Z^0 decays to two leptons with an associated pair of charged particles. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1992, 287, 389-400.	1.5	7
656	Determination of the ratio $\nu = d \nu u \nu$ of the valence quark distributions in the proton from neutrino and antineutrino reactions on hydrogen and deuterium. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1994, 62, 601-607.	1.5	7
657	Measurement of the branching fraction of the radiative decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996, 388, 437-449.	1.5	7
658	Measurement of the W -pair cross section in e^+e^- collisions at 172 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997, 415, 435-444.	1.5	7
659	Search for the standard model Higgs boson at the LEP2 collider near. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998, 440, 403-418.	1.5	7
660	Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 181-184$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 450, 467-478.	1.5	7
661	Search for invisible Higgs boson decays in e^+e^- collisions at centre-of-mass energies up to 184 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 450, 301-312.	1.5	7
662	Measurement of the B^{\pm} meson lifetimes. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000, 492, 275-287.	1.5	7
663	Search for single top production in e^+e^- collisions at $\sqrt{s} = 202$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000, 494, 33-45.	1.5	7
664	Measurement of $\sigma_{\text{au}} \sigma_{\text{I}}$, polarisation in $Z/\gamma^* \rightarrow \text{au} \text{au} Z/\gamma^*$. <i>European Physical Journal C</i> , 2018, 78, 163.	1.4	7
665	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	7
666	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7

#	ARTICLE	IF	CITATIONS
667	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
668	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
669	W 2 and Q 2 dependence of charged hadron and pion multiplicities invp and $\sigma_{\text{ar vp}}$ charged current interactions. Zeitschrift für Physik C-Particles and Fields, 1990, 46, 25-34.	1.5	6
670	Observation of exclusive decays of B mesons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 337, 196-206.	1.5	6
671	Determination of event shape distributions and $\hat{\Gamma}_{\pm} s b$ from Z^0 o bar b events at LEP. Zeitschrift für Physik C-Particles and Fields, 1995, 65, 31-45.	1.5	6
672	A study of four-fermion final states with high multiplicity at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 376, 315-328.	1.5	6
673	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
674	Measurement of ZZ production in the $\hat{a}, \hat{a}, \hat{1}/2 \hat{1}/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
675	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
676	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
677	A study of the electric charge distributions of quark and gluon jets in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 302, 523-532.	1.5	5
678	The pretrigger system of the OPAL experiment at LEP. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1993, 333, 330-341.	0.7	5
679	Measurements of the inclusive branching ratios of \bar{l}, l -leptons to KOS and charged K^{\pm} (892). Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 339, 278-292.	1.5	5
680	Photonic events with large missing energy in $e+e^{\gamma}$ collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 391, 210-220.	1.5	5
681	Determination of the LEP centre-of-mass energy from Z^0 events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 464, 339-349.	1.5	5
682	Final $\hat{\Gamma}_{\pm}$ combinations from the LEP QCD Working Group. Nuclear Physics, Section B, Proceedings Supplements, 2006, 152, 15-22.	0.5	5
683	Search for Higgs bosons decaying to WW in $e+e-$ collisions at LEP. European Physical Journal C, 2007, 49, 439.	1.4	5
684	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5

#	ARTICLE	IF	CITATIONS
685	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
686	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
687	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
688	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
689	Production of charmed hadrons in neutrino proton and antineutrino proton charged current interactions. Zeitschrift für Physik C-Particles and Fields, 1987, 36, 593-601.	1.5	4
690	Inclusive D^* (1270) meson production in $p\bar{p}$ and e^+e^- charged current interactions. Zeitschrift für Physik C-Particles and Fields, 1991, 51, 205-208.	1.5	4
691	Measurement of the average b-baryon lifetime and the product branching ratio $\mathcal{B}(b \rightarrow \Lambda_b) \cdot \text{BR}(\Lambda_b \rightarrow \Lambda e^+ \nu_e)$. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 195-214.	1.5	4
692	Search for a narrow resonance in Z^0 decays into hadrons and isolated photons. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 1-10.	1.5	4
693	Four-jet final state production in e^+e^- collisions at centre-of-mass energies ranging from 130 to 184 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 420, 196-204.	1.5	4
694	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
695	Measurement of jet activity in top quark events using the e^+e^- final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
696	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
697	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
698	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
699	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
700	Measurement of K_S^0 and Λ^0 production in st dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
701	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^+ \rightarrow \mu^+ \nu_\mu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
702	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
703	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
704	Search for free gluons in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 278, 485-494.	1.5	3
705	A comparison of b and uds quark jets to gluon jets. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 543-560.	1.5	3
706	Upper limit on the \tilde{L} , mass from $\tilde{L} \rightarrow 3\tilde{L}$, decays. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 231-238.	1.5	3
707	A combination by the LEP QCD Working Group of $\hat{\alpha}_s$ values derived from event shape variables at LEP. Nuclear Physics, Section B, Proceedings Supplements, 2004, 133, 13-20.	0.5	3
708	Constraints on anomalous QGCs in interactions from 183 to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 602, 31-40.	1.5	3
709	Single top quark production in pp collisions at $\sqrt{s} = 1.96$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 676, 1-10.	1.5	3
710	Measurement of the k_t splitting scales in $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
711	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
712	Measurements of inclusive and differential cross-sections of combined $\overline{t}\gamma$ and tW^3 production in the e^+e^- channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
713	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
714	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
715	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	1.6	3
716	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	1.6	3
717	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	1.6	3
718	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
719	Diffraction production of \tilde{L} -mesons and of $\tilde{L}\tilde{L}$ -systems by neutrinos and antineutrinos on protons. Zeitschrift für Physik C-Particles and Fields, 1993, 58, 375-386.	1.5	2
720	ATLAS B-physics – an overview. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 446, 152-158.	0.7	2

#	ARTICLE	IF	CITATIONS
721	High Precision Measurements of Parameters in Decays. Nuclear Physics, Section B, Proceedings Supplements, 2006, 156, 147-150.	0.5	2
722	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
723	Measurement of the $t\bar{t}$ production cross-section using $(e\mu)$ events with (b) -tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
724	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8-)$ TeV with the ATLAS detector. , 2015, 75, 1.		2
725	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
726	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
727	Colour reconnection and Bose-Einstein studies with WW decays in ALEPH. Nuclear Physics, Section B, Proceedings Supplements, 1999, 74, 57-60.	0.5	1
728	ATLAS computing and the GRID. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 502, 372-375.	0.7	1
729	Evolution of the ATLAS Software Framework towards Concurrency. Journal of Physics: Conference Series, 2015, 608, 012037.	0.3	1
730	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $(\sqrt{s}=13)$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
731	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1
732	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{ TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
733	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{ TeV})$ with the ATLAS detector. , 2018, 78, 1.		1
734	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{ TeV})$. , 2018, 78, 1.		1
735	Provision of an X-environment using the HEPiX-X11 scripts. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 389, 103-105.	0.7	0
736	Analysis of transverse momentum correlations in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 447, 183-198.	1.5	0
737	W mass measurements at LEP and the Tevatron. Journal of Physics G: Nuclear and Particle Physics, 2000, 26, 616-626.	1.4	0
738	An angular analysis of the $B_s \rightarrow \tau^+ \tau^-$ decay with the ATLAS detector. Journal of Physics G: Nuclear and Particle Physics, 2000, 26, 748-753.	1.4	0

#	ARTICLE	IF	CITATIONS
739	Experimental status of $\hat{\Gamma}_{\pm}$ [sub s] measurements at LEP. AIP Conference Proceedings, 2001, , .	0.3	0
740	B-physics in the p-p collisions at the LHC. Nuclear Physics, Section B, Proceedings Supplements, 2004, 133, 137-143.	0.5	0
741	Into the mix. Nature Physics, 2006, 2, 375-376.	6.5	0
742	Title is missing!. Nuclear Physics, Section B, Proceedings Supplements, 2007, 167, v.	0.5	0
743	ATLAS Soft (and some harder) QCD: Selected Results. EPJ Web of Conferences, 2016, 126, 04021.	0.1	0
744	Recent results from ATLAS on B Physics and Quarkonia. EPJ Web of Conferences, 2016, 126, 04022.	0.1	0
745	QCD studies with e^+e^- annihilation data at 130 and 136 GeV. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 191-206.	1.5	0
746	Upper limit on the $\hat{\Gamma}_{\pm}$, mass from $\hat{\Gamma}_{\pm}$, $\hat{\Gamma}_{\pm}$ decays. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 231-238.	1.5	0
747	A precise measurement of the tau polarization and its forward-backward asymmetry at LEP. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 365-375.	1.5	0
748	A measurement of the B d 0 oscillation frequency using leptons and $D^*\hat{\Gamma}_{\pm}$ mesons. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 377-388.	1.5	0
749	Multiplicity dependence of Bose-Einstein correlations in hadronic Z0 decays. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 389-398.	1.5	0