
Kathleen F Kerr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5477185/publications.pdf Version: 2024-02-01



KATHIFEN F KEDD

#	Article	IF	CITATIONS
1	Epigenome-wide analysis of long-term air pollution exposure and DNA methylation in monocytes: results from the Multi-Ethnic Study of Atherosclerosis. Epigenetics, 2022, 17, 1-17.	2.7	11
2	Recalibration Methods for Improved Clinical Utility of Risk Scores. Medical Decision Making, 2022, 42, 500-512.	2.4	3
3	An open science study of ageing in companion dogs. Nature, 2022, 602, 51-57.	27.8	43
4	Histopathological Diagnosis of Cutaneous Melanocytic Lesions: Blinded and <scp>Nonâ€Blinded</scp> Second Opinions Offer Similar Improvement in Diagnostic Accuracy. Clinical and Experimental Dermatology, 2022, , .	1.3	1
5	Age and Physical Activity Levels in Companion Dogs: Results From the Dog Aging Project. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1986-1993.	3.6	10
6	Once-daily feeding is associated with better health in companion dogs: results from the Dog Aging Project. GeroScience, 2022, 44, 1779-1790.	4.6	6
7	Lifetime prevalence of malignant and benign tumours in companion dogs: Crossâ€sectional analysis of Dog Aging Project baseline survey. Veterinary and Comparative Oncology, 2022, 20, 797-804.	1.8	6
8	Histopathologic synoptic reporting of invasive melanoma: How reliable are the data?. Cancer, 2021, 127, 3125-3136.	4.1	5
9	More scanning, but not zooming, is associated with diagnostic accuracy in evaluating digital breast pathology slides. Journal of Vision, 2021, 21, 7.	0.3	7
10	Gastrointestinal Cancer Survival and Radiation Exposure among Atomic Bomb Survivors: The Life Span Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 412-418.	2.5	0
11	BioPETsurv: Methodology and open source software to evaluate biomarkers for prognostic enrichment of time-to-event clinical trials. PLoS ONE, 2020, 15, e0239486.	2.5	4
12	Pathology Trainees' Experience and Attitudes on Use of Digital Whole Slide Images. Academic Pathology, 2020, 7, 2374289520951922.	1.1	8
13	Developing biomarker combinations in multicenter studies via direct maximization and penalization. Statistics in Medicine, 2020, 39, 3412-3426.	1.6	1
14	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. Nature Communications, 2020, 11, 2542.	12.8	59
15	Excess Patient Visits for Cough and Pulmonary Disease at a Large US Health System in the Months Prior to the COVID-19 Pandemic: Time-Series Analysis. Journal of Medical Internet Research, 2020, 22, e21562.	4.3	14
16	Title is missing!. , 2020, 15, e0239486.		0
17	Title is missing!. , 2020, 15, e0239486.		0
18	Title is missing!. , 2020, 15, e0239486.		0

#	Article	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0239486.		Ο
20	Title is missing!. , 2020, 15, e0239486.		0
21	Title is missing!. , 2020, 15, e0239486.		Ο
22	The Importance of Uncertainty and Opt-In v. Opt-Out: Best Practices for Decision Curve Analysis. Medical Decision Making, 2019, 39, 491-492.	2.4	11
23	GWAS of QRS duration identifies new loci specific to Hispanic/Latino populations. PLoS ONE, 2019, 14, e0217796.	2.5	8
24	Assessment of Second-Opinion Strategies for Diagnoses of Cutaneous Melanocytic Lesions. JAMA Network Open, 2019, 2, e1912597.	5.9	26
25	Variants Associated with the Ankle Brachial Index Differ by Hispanic/Latino Ethnic Group: a genome-wide association study in the Hispanic Community Health Study/Study of Latinos. Scientific Reports, 2019, 9, 11410.	3.3	10
26	Developing Biomarker Panels to Predict Progression of Acute Kidney Injury After Cardiac Surgery. Kidney International Reports, 2019, 4, 1677-1688.	0.8	3
27	Assessing the Clinical Impact of Risk Models for Opting Out of Treatment. Medical Decision Making, 2019, 39, 86-90.	2.4	14
28	Models estimating risk of hepatocellular carcinoma in patients with alcohol or NAFLD-related cirrhosis for risk stratification. Journal of Hepatology, 2019, 71, 523-533.	3.7	124
29	Quantifying Donor Effects on Transplant Outcomes Using Kidney Pairs from Deceased Donors. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 1781-1787.	4.5	8
30	Biomarker combinations for diagnosis and prognosis in multicenter studies: Principles and methods. Statistical Methods in Medical Research, 2019, 28, 969-985.	1.5	15
31	Reply. Annals of Thoracic Surgery, 2018, 106, 641.	1.3	3
32	Plasma α-synuclein and cognitive impairment in the Parkinson's Associated Risk Syndrome: A pilot study. Neurobiology of Disease, 2018, 116, 53-59.	4.4	29
33	Genome-wide association study of depressive symptoms in the Hispanic Community Health Study/Study of Latinos. Journal of Psychiatric Research, 2018, 99, 167-176.	3.1	15
34	Genome-wide association study of PR interval in Hispanics/Latinos identifies novel locus at <i>ID2</i> . Heart, 2018, 104, 904-911.	2.9	12
35	Using ordinal outcomes to construct and select biomarker combinations for single-level prediction. Diagnostic and Prognostic Research, 2018, 2, 8.	1.8	4
36	PR interval genome-wide association meta-analysis identifies 50 loci associated with atrial and atrioventricular electrical activity. Nature Communications, 2018, 9, 2904.	12.8	71

#	Article	IF	CITATIONS
37	Development of biomarker combinations for postoperative acute kidney injury via Bayesian model selection in a multicenter cohort study. Biomarker Research, 2018, 6, 3.	6.8	8
38	Development of models estimating the risk of hepatocellular carcinoma after antiviral treatment for hepatitis C. Journal of Hepatology, 2018, 69, 1088-1098.	3.7	119
39	Genomeâ€wide association study of generalized anxiety symptoms in the Hispanic Community Health Study/Study of Latinos. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2017, 174, 132-143.	1.7	37
40	A powerful statistical framework for generalization testing in GWAS, with application to the HCHS/SOL. Genetic Epidemiology, 2017, 41, 251-258.	1.3	41
41	Reply to A.J. Vickers et al. Journal of Clinical Oncology, 2017, 35, 473-475.	1.6	3
42	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. Nature Communications, 2017, 8, 15805.	12.8	95
43	Genome-wide association study of heart rate and its variability in Hispanic/Latino cohorts. Heart Rhythm, 2017, 14, 1675-1684.	0.7	18
44	Association of Triglyceride-Related Genetic Variants With MitralÂAnnularÂCalcification. Journal of the American College of Cardiology, 2017, 69, 2941-2948.	2.8	25
45	Interleukin-8 and Tumor Necrosis Factor Predict Acute Kidney Injury After Pediatric Cardiac Surgery. Annals of Thoracic Surgery, 2017, 104, 2072-2079.	1.3	49
46	Genome-Wide Association Study of Blood Pressure Traits by Hispanic/Latino Background: the Hispanic Community Health Study/Study of Latinos. Scientific Reports, 2017, 7, 10348.	3.3	24
47	Fifteen Genetic Loci Associated With the Electrocardiographic P Wave. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	38
48	First things first: risk model performance metrics should reflect the clinical application. Statistics in Medicine, 2017, 36, 4503-4508.	1.6	10
49	Tuberculosis State Is Associated with Expression of Toll-Like Receptor 2 in Sputum Macrophages. MSphere, 2017, 2, .	2.9	2
50	African Ancestry–Specific Alleles and Kidney Disease Risk in Hispanics/Latinos. Journal of the American Society of Nephrology: JASN, 2017, 28, 915-922.	6.1	57
51	Comparisons of cancer staging systems should be based on overall performance in the population. Clinical Trials, 2017, 14, 659-660.	1.6	0
52	Evaluating biomarkers for prognostic enrichment of clinical trials. Clinical Trials, 2017, 14, 629-638.	1.6	28
53	GWAS of the electrocardiographic QT interval in Hispanics/Latinos generalizes previously identified loci and identifies population-specific signals. Scientific Reports, 2017, 7, 17075.	3.3	23
54	Urinalysis findings and urinary kidney injury biomarker concentrations. BMC Nephrology, 2017, 18, 218.	1.8	17

#	Article	IF	CITATIONS
55	Transient rapamycin treatment can increase lifespan and healthspan in middle-aged mice. ELife, 2016, 5, .	6.0	315
56	CNS tau efflux via exosomes is likely increased in Parkinson's disease but not in Alzheimer's disease. Alzheimer's and Dementia, 2016, 12, 1125-1131.	0.8	154
57	Fine-mapping, novel loci identification, and SNP association transferability in a genome-wide association study of QRS duration in African Americans. Human Molecular Genetics, 2016, 25, 4350-4368.	2.9	37
58	52 Genetic Loci Influencing MyocardialÂMass. Journal of the American College of Cardiology, 2016, 68, 1435-1448.	2.8	113
59	Assessing the Clinical Impact of Risk Prediction Models With Decision Curves: Guidance for Correct Interpretation and Appropriate Use. Journal of Clinical Oncology, 2016, 34, 2534-2540.	1.6	392
60	Genome-wide association study of dental caries in the Hispanic Communities Health Study/Study of Latinos (HCHS/SOL). Human Molecular Genetics, 2016, 25, 807-816.	2.9	29
61	Genome-wide Association Study of Platelet Count Identifies Ancestry-Specific Loci in Hispanic/Latino Americans. American Journal of Human Genetics, 2016, 98, 229-242.	6.2	71
62	Genetic Diversity and Association Studies in US Hispanic/Latino Populations: Applications in the Hispanic Community Health Study/Study of Latinos. American Journal of Human Genetics, 2016, 98, 165-184.	6.2	266
63	Methodological issues in current practice may leadÂto bias in the development of biomarker combinations for predicting acute kidney injury. Kidney International, 2016, 89, 429-438.	5.2	18
64	RiGoR: reporting guidelines to address common sources of bias in risk model development. Biomarker Research, 2015, 3, 2.	6.8	21
65	Net Reclassification Indices for Evaluating Risk Prediction Instruments. Epidemiology, 2014, 25, 114-121.	2.7	304
66	Association of Low-Density Lipoprotein Cholesterol–Related Genetic Variants With Aortic Valve Calcium and Incident Aortic Stenosis. JAMA - Journal of the American Medical Association, 2014, 312, 1764.	7.4	184
67	A Common <i>SCN5A</i> Variant Is Associated with PR Interval and Atrial Fibrillation Among African Americans. Journal of Cardiovascular Electrophysiology, 2014, 25, 1150-1157.	1.7	19
68	Developing Risk Prediction Models for Kidney Injury and Assessing Incremental Value for Novel Biomarkers. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1488-1496.	4.5	28
69	Meta-analysis of loci associated with age at natural menopause in African-American women. Human Molecular Genetics, 2014, 23, 3327-3342.	2.9	54
70	Genetics of coronary artery calcification among African Americans, a meta-analysis. BMC Medical Genetics, 2013, 14, 75.	2.1	73
71	Risk prediction for complex diseases: application to Parkinson disease. Genetics in Medicine, 2013, 15, 361-367.	2.4	14
72	Improving risk classification of critical illness with biomarkers: A simulation study. Journal of Critical Care, 2013, 28, 541-548.	2.2	18

#	Article	IF	CITATIONS
73	Identification of heart rate–associated loci and their effects on cardiac conduction and rhythm disorders. Nature Genetics, 2013, 45, 621-631.	21.4	282
74	Genetic Associations with Valvular Calcification and Aortic Stenosis. New England Journal of Medicine, 2013, 368, 503-512.	27.0	767
75	Genome-wide association study of age at menarche in African-American women. Human Molecular Genetics, 2013, 22, 3329-3346.	2.9	52
76	Admixture Mapping of Coronary Artery Calcified Plaque in African Americans With Type 2 Diabetes Mellitus. Circulation: Cardiovascular Genetics, 2013, 6, 97-105.	5.1	43
77	Testing for improvement in prediction model performance. Statistics in Medicine, 2013, 32, 1467-1482.	1.6	191
78	Population Structure of Hispanics in the United States: The Multi-Ethnic Study of Atherosclerosis. PLoS Genetics, 2012, 8, e1002640.	3.5	79
79	Impact of Ancestry and Common Genetic Variants on QT Interval in African Americans. Circulation: Cardiovascular Genetics, 2012, 5, 647-655.	5.1	38
80	Further Insight Into the Incremental Value of New Markers: The Interpretation of Performance Measures and the Importance of Clinical Context. American Journal of Epidemiology, 2012, 176, 482-487.	3.4	32
81	Novel Loci Associated With PR Interval in a Genome-Wide Association Study of 10 African American Cohorts. Circulation: Cardiovascular Genetics, 2012, 5, 639-646.	5.1	48
82	A Comparison of Two Classes of Methods for Estimating False Discovery Rates in Microarray Studies. Scientifica, 2012, 2012, 1-9.	1.7	2
83	Optimality Criteria for the Design of 2-Color Microarray Studies. Statistical Applications in Genetics and Molecular Biology, 2012, 11, Article 10.	0.6	5
84	Harborview Burns – 1974 to 2009. PLoS ONE, 2012, 7, e40086.	2.5	42
85	Functional Genomics Unique to Week 20 Post Wounding in the Deep Cone/Fat Dome of the Duroc/Yorkshire Porcine Model of Fibroproliferative Scarring. PLoS ONE, 2011, 6, e19024.	2.5	21
86	Joint Modeling, Covariate Adjustment, and Interaction. Epidemiology, 2011, 22, 805-812.	2.7	15
87	Evaluating the Incremental Value of New Biomarkers With Integrated Discrimination Improvement. American Journal of Epidemiology, 2011, 174, 364-374.	3.4	153
88	Large-Scale Candidate Gene Analysis in Whites and African Americans Identifies <i>IL6R</i> Polymorphism in Relation to Atrial Fibrillation. Circulation: Cardiovascular Genetics, 2011, 4, 557-564.	5.1	74
89	Genome-Wide Association Studies of the PR Interval in African Americans. PLoS Genetics, 2011, 7, e1001304.	3.5	88
90	European Ancestry as a Risk Factor for Atrial Fibrillation in African Americans. Circulation, 2010, 122, 2009-2015.	1.6	219

#	Article	IF	CITATIONS
91	Comments on the analysis of unbalanced microarray data. Bioinformatics, 2009, 25, 2035-2041.	4.1	50
92	Comparative transcriptome analysis of <i>Agrobacterium tumefaciens</i> in response to plant signal salicylic acid, indole-3-acetic acid and γ-amino butyric acid reveals signalling cross-talk and <i>Agrobacterium</i> -plant co-evolution. Cellular Microbiology, 2008, 10, 2339-2354.	2.1	102
93	What Is the Best Reference RNA? And Other Questions Regarding the Design and Analysis of Two-color Microarray Experiments. OMICS A Journal of Integrative Biology, 2007, 11, 152-165.	2.0	19
94	Design Principles for Microarray Investigations. , 2007, , 39-49.		0
95	Multicenter Study of Acetaminophen Hepatotoxicity Reveals the Importance of Biological Endpoints in Genomic Analyses. Toxicological Sciences, 2007, 99, 326-337.	3.1	79
96	Extended analysis of benchmark datasets for Agilent two-color microarrays. BMC Bioinformatics, 2007, 8, 371.	2.6	16
97	Sources of Variation in Microarray Experiments. , 2006, , 37-47.		0
98	Efficient 2 ^{<i>k</i>} Factorial Designs for Blocks of Size 2 with Microarray Applications. Journal of Quality Technology, 2006, 38, 309-318.	2.5	26
99	Evaluation of methods for oligonucleotide array data via quantitative real-time PCR. BMC Bioinformatics, 2006, 7, 23.	2.6	89
100	The Arabidopsis thaliana Transcriptome in Response to Agrobacterium tumefaciens. Molecular Plant-Microbe Interactions, 2006, 19, 665-681.	2.6	120
101	Standardizing global gene expression analysis between laboratories and across platforms. Nature Methods, 2005, 2, 351-356.	19.0	416
102	Empirical evaluation of data transformations and ranking statistics for microarray analysis. Nucleic Acids Research, 2004, 32, 5471-5479.	14.5	71
103	Empirical evaluation of data transformations and ranking statistics for microarray analysis. Nucleic Acids Research, 2004, 32, 5972-5972.	14.5	1
104	Stationary Gaussian processes on the vertices of the k-cube. Journal of Statistical Planning and Inference, 2004, 118, 1-8.	0.6	0
105	Design Considerations for Efficient and Effective Microarray Studies. Biometrics, 2003, 59, 822-828.	1.4	172
106	Linear Models for Microarray Data Analysis: Hidden Similarities and Differences. Journal of Computational Biology, 2003, 10, 891-901.	1.6	73
107	Analysis of Variance for Gene Expression Microarray Data. Journal of Computational Biology, 2000, 7, 819-837.	1.6	1,158