

JÃ¼rgen Kriwet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5477617/publications.pdf>

Version: 2024-02-01

150
papers

2,031
citations

304368

22
h-index

377514

34
g-index

156
all docs

156
docs citations

156
times ranked

1609
citing authors

#	ARTICLE	IF	CITATIONS
1	First eurhinodelphinid dolphin from the Paratethys reveals a new family of specialised echolocators. <i>Historical Biology</i> , 2023, 35, 1074-1091.	0.7	4
2	Diversity Patterns of Late Jurassic Chondrichthyans: New Insights from a Historically Collected Hybodontiform Tooth Assemblage from Poland. <i>Diversity</i> , 2022, 14, 85.	0.7	5
3	Neuroanatomy of the nodosaurid <i>Struthiosaurus austriacus</i> (Dinosauria: Thyreophora) supports potential ecological differentiations within Ankylosauria. <i>Scientific Reports</i> , 2022, 12, 144.	1.6	5
4	A new cuspidate ptychodontid shark (Chondrichthyes; Elasmobranchii), from the Upper Cretaceous of Morocco with comments on tooth functionalities and replacement patterns. <i>Journal of African Earth Sciences</i> , 2022, 187, 104440.	0.9	6
5	Early shape divergence of developmental trajectories in the jaw of galeomorph sharks. <i>Frontiers in Zoology</i> , 2022, 19, 7.	0.9	0
6	Heterodonty and ontogenetic shift dynamics in the dentition of the tiger shark <i>Galeocerdo cuvier</i> (Chondrichthyes, Galeoceridae). <i>Journal of Anatomy</i> , 2022, 241, 372-392.	0.9	7
7	The Phylogeny of Rays and Skates (Chondrichthyes: Elasmobranchii) Based on Morphological Characters Revisited. <i>Diversity</i> , 2022, 14, 456.	0.7	10
8	Decoding the dynamics of dental distributions: insights from shark demography and dispersal. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .	1.2	2
9	Solvothermal synthesis and characterization of ytterbium/iron mixed oxide nanoparticles with potential functionalities for applications as multiplatform contrast agent in medical image techniques. <i>Ceramics International</i> , 2022, 48, 31191-31202.	2.3	7
10	Deadly interaction between a swordfish <i>Xiphias gladius</i> and a bigeye thresher shark <i>Alopias superciliosus</i> . <i>Ichthyological Research</i> , 2021, 68, 317-321.	0.5	3
11	Anatomy, taxonomy and phylogeny of the Eocene guitarfishes from the Bolca Lagerstätten, Italy, provide new insights into the relationships of the Rhinopristiformes (Elasmobranchii: Batomorphii). <i>Zoological Journal of the Linnean Society</i> , 2021, 192, 1090-1110.	1.0	1
12	A unique hybodontiform skeleton provides novel insights into Mesozoic chondrichthyan life. <i>Papers in Palaeontology</i> , 2021, 7, 1479-1505.	0.7	13
13	Rise and fall of Pycnodontiformes: Diversity, competition and extinction of a successful fish clade. <i>Ecology and Evolution</i> , 2021, 11, 1769-1796.	0.8	12
14	The skeletal remains of the euryhaline sclerorhynchoid <i>Onchopristis</i> (Elasmobranchii) from the Mid-Cretaceous and their palaeontological implications. <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 746-771.	1.0	7
15	Using historical and citizen science data to improve knowledge about the occurrence of the elusive sandbar shark <i>Carcharhinus plumbeus</i> (Chondrichthyes "Carcharhinidae) in the Adriatic Sea. <i>Mediterranean Marine Science</i> , 2021, 22, 169.	0.6	8
16	Scarce ctenacanthiform sharks from the Mississippian of Austria with an analysis of Carboniferous elasmobranch diversity in response to climatic and environmental changes. <i>Journal of Vertebrate Paleontology</i> , 2021, 41, .	0.4	2
17	Evolution, diversity, and disparity of the tiger shark lineage <i>Galeocerdo</i> in deep time. <i>Paleobiology</i> , 2021, 47, 574-590.	1.3	16
18	<i>Durnonovariaodus maiseyi</i> gen. et sp. nov., a new hybodontiform shark-like chondrichthyan from the Upper Jurassic Kimmeridge Clay Formation of England. <i>PeerJ</i> , 2021, 9, e11362.	0.9	11

#	ARTICLE	IF	CITATIONS
19	Diversity, palaeoecology and palaeoenvironmental significance of the Eocene chondrichthyan assemblages of the Bolca Lagerstätte, Italy. <i>Lethaia</i> , 2021, 54, 736-751.	0.6	5
20	Neogene Bony Fishes from the Bahía Inglesa Formation, Northern Chile. <i>Ameghiniana</i> , 2021, 58, .	0.3	5
21	Skeletal remains of the oldest known pseudocoracid shark <i>Pseudocorax kindlimanni</i> sp. nov. (Chondrichthyes, Lamniformes) from the Late Cretaceous of Lebanon. <i>Cretaceous Research</i> , 2021, 125, 104842.	0.6	4
22	Using Citizen Science to Detect Rare and Endangered Species: New Records of the Great White Shark off the Libyan Coast. <i>Annales Series Historia Naturalis</i> , 2021, 31, 51-57.	0.0	0
23	Comment on "An early Miocene extinction in pelagic sharks". <i>Science</i> , 2021, 374, eabk0632.	6.0	10
24	New chondrichthyans characterised by cladodont-like tooth morphologies from the Early Cretaceous of Austria, with remarks on the microstructural diversity of enameloid. <i>Historical Biology</i> , 2020, 32, 823-836.	0.7	6
25	Evolutionary trajectories of tooth histology patterns in modern sharks (Chondrichthyes.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222</i>	0.9	30
26	Skeletal Anatomy, Phylogenetic Relationships, and Paleoecology of the Eocene Urolophid Stingray <i>Arechia Crassicaudata</i> (Blainville, 1818) from Monte Postale (Bolca Lagerstätte, Italy). <i>Journal of Vertebrate Paleontology</i> , 2020, 40, e1803339.	0.4	2
27	Revision of the Eocene <i>Platyrrhina</i> species from the Bolca Lagerstätte (Italy) reveals the first panray (Batomorphii: Zanobatidae) in the fossil record. <i>Journal of Systematic Palaeontology</i> , 2020, 18, 1519-1542.	0.6	5
28	Comparative morphology of labial cartilages in sharks (Chondrichthyes, Elasmobranchii). , 2020, 87, 741-753.		4
29	Probing the Ecology and Climate of the Eocene Southern Ocean With Sand Tiger Sharks <i>Striatolamia macrota</i> . <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA003997.	1.3	8
30	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding "Fossils from conflict zones and reproducibility of fossil-based scientific data" the importance of private collections. <i>Palaontologische Zeitschrift</i> , 2020, 94, 413-429.	0.8	13
31	<i>Njoerdichthys dyckerhoffi</i> gen. et sp. nov. (Pycnodontiformes, lower Turonian) northward migration caused by the Cretaceous Thermal Maximum. <i>Cretaceous Research</i> , 2020, 116, 104590.	0.6	1
32	Evolutionary trends of the conserved neurocranium shape in angel sharks (Squatinaformes.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222</i>	1.6	4
33	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding "Fossils from conflict zones and reproducibility of fossil-based scientific data" Myanmar amber. <i>Palaontologische Zeitschrift</i> , 2020, 94, 431-437.	0.8	28
34	Fossil microbial shark tooth decay documents in situ metabolism of enameloid proteins as nutrition source in deep water environments. <i>Scientific Reports</i> , 2020, 10, 20979.	1.6	4
35	Sharks, rays and skates (Chondrichthyes, Elasmobranchii) from the Upper Marine Molasse (middle) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 palaeogeographic and ecological patterns. <i>Palaontologische Zeitschrift</i> , 2020, 94, 725-757.	0.8	10
36	Evolutionary relationships among bullhead sharks (Chondrichthyes, Heterodontiformes). <i>Papers in Palaeontology</i> , 2020, 6, 425-437.	0.7	2

#	ARTICLE	IF	CITATIONS
37	A revision of the Upper Cretaceous shark <i>Ptychodus mediterraneus</i> Canavari, 1916 from northeastern Italy, with a reassessment of <i>P. latissimus</i> and <i>P. apolygyrus</i> Agassiz, 1835 (Chondrichthyes); <i>Tj ETQq1 1 0.7843140rgBT /Overlock 10 Tf 50</i>	0.7	10
38	Novel Insights into Tooth Row Development: From Old Ideas to New Concepts. <i>BioEssays</i> , 2020, 42, 2000045.	1.2	0
39	Growth trajectories of prenatal embryos of the deep-sea shark <i>Chlamydoselachus anguineus</i> (Chondrichthyes). <i>Journal of Fish Biology</i> , 2020, 97, 212-224.	0.7	7
40	Articulated remains of the extinct shark <i>Ptychodus</i> (Elasmobranchii, Ptychodontidae) from the Upper Cretaceous of Spain provide insights into gigantism, growth rate and life history of ptychodontid sharks. <i>PLoS ONE</i> , 2020, 15, e0231544.	1.1	10
41	First evidence of a palaeo-nursery area of the great white shark. <i>Scientific Reports</i> , 2020, 10, 8502.	1.6	8
42	The Italian record of the Cretaceous shark, <i>Ptychodus latissimus</i> Agassiz, 1835 (Chondrichthyes); <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.9	8
43	Title is missing!. , 2020, 15, e0231544.		0
44	Title is missing!. , 2020, 15, e0231544.		0
45	Title is missing!. , 2020, 15, e0231544.		0
46	Title is missing!. , 2020, 15, e0231544.		0
47	Early Miocene cartilaginous fishes (Chondrichthyes: Holocephali, Elasmobranchii) from Chile: Diversity and paleobiogeographic implications. <i>Journal of South American Earth Sciences</i> , 2019, 96, 102317.	0.6	8
48	Micro-computed tomography imaging reveals the development of a unique tooth mineralization pattern in mackerel sharks (Chondrichthyes; Lamniformes) in deep time. <i>Scientific Reports</i> , 2019, 9, 9652.	1.6	21
49	First report of Eocene gadiform fishes from the Trans-Urals (Sverdlovsk and Tyumen regions, Russia). <i>Journal of Paleontology</i> , 2019, 93, 1001-1009.	0.5	1
50	A bizarre Eocene dasyatoid batomorph (Elasmobranchii, Myliobatiformes) from the Bolca Lagerstätte (Italy) reveals a new, extinct body plan for stingrays. <i>Scientific Reports</i> , 2019, 9, 14087.	1.6	7
51	A new genus and species of pycnodontid fish <i>Flagellipinna rhomboides</i> , gen. et sp. nov. (Neopterygii, Pycnodontiformes), from the Upper Cretaceous (Cenomanian) of Lebanon, with notes on juvenile form and ecology. <i>Journal of Vertebrate Paleontology</i> , 2019, 39, e1614012.	0.4	6
52	A new Pliensbachian elasmobranch (Vertebrata, Chondrichthyes) assemblage from Europe, and its contribution to the understanding of late Early Jurassic elasmobranch diversity and distributional patterns. <i>Palaontologische Zeitschrift</i> , 2019, 93, 637-658.	0.8	14
53	Mosaic of plesiomorphic and derived characters in an Eocene myliobatiform batomorph (Chondrichthyes, Elasmobranchii) from Italy defines a new, basal body plan in pelagic stingrays. <i>Zoological Letters</i> , 2019, 5, 13.	0.7	11
54	A new genus and species of extinct ground shark, <i>Diprosopovenator hilperti</i> , gen. et sp. nov. (Carcharhiniformes, Pseudoscyliorhinidae, fam. nov.), from the Upper Cretaceous of Germany. <i>Journal of Vertebrate Paleontology</i> , 2019, 39, e1593185.	0.4	2

#	ARTICLE	IF	CITATIONS
55	Eocene isopods on electric rays: tracking ancient biological interactions from a complex fossil record. <i>Palaeontology</i> , 2019, 62, 287-303.	1.0	6
56	An Eocene paraclupeid fish (Teleostei, Ellimmichthyiformes) from Bolca, Italy: the youngest marine record of double-armed herring. <i>Papers in Palaeontology</i> , 2019, 5, 83-98.	0.7	8
57	Reappraisal of the Eocene whiptail stingrays (Myliobatiformes, Dasyatidae) of the Bolca Lagerstätte, Italy. <i>Zoologica Scripta</i> , 2019, 48, 168-184.	0.7	10
58	The Neogene fossil record of <i>Aetomylaeus</i> (Elasmobranchii, Myliobatidae) from the southeastern Pacific. <i>Journal of Vertebrate Paleontology</i> , 2019, 39, e1577251.	0.4	4
59	Large deadfalls of the † shark <i>Cretoxyrhina mantelli</i> (Agassiz, 1835) (Neoselachii, Lamniformes) from the Upper Cretaceous of northeastern Italy. <i>Cretaceous Research</i> , 2019, 98, 250-275.	0.6	12
60	Morphology and evolutionary significance of phosphatic otoliths within the inner ears of cartilaginous fishes (Chondrichthyes). <i>BMC Evolutionary Biology</i> , 2019, 19, 238.	3.2	5
61	Carnivoran hunting style and phylogeny reflected in bony labyrinth morphometry. <i>Scientific Reports</i> , 2019, 9, 70.	1.6	15
62	A new Miocene skate from the Central Paratethys (Upper Austria): the first unambiguous skeletal record for the Rajiformes (Chondrichthyes: Batomorphii). <i>Journal of Systematic Palaeontology</i> , 2019, 17, 937-960.	0.6	9
63	The stem group teleost <i>Pachycormus</i> (Pachycormiformes: Pachycormidae) from the Upper Lias (Lower Cretaceous) of northeastern Italy. <i>Cretaceous Research</i> , 2019, 98, 276-285.	0.8	10
64	First associated tooth set of a high-cusped <i>Ptychodus</i> (Chondrichthyes, Elasmobranchii) from the Upper Cretaceous of northeastern Italy, and resurrection of <i>Ptychodus altior</i> Agassiz, 1835. <i>Cretaceous Research</i> , 2019, 93, 330-345.	0.6	10
65	New pycnodontiform fishes (Actinopterygii, Neopterygii) from the Early Cretaceous of the Argentinian Patagonia. <i>Cretaceous Research</i> , 2019, 94, 45-58.	0.6	5
66	A new species of <i>Platysiagum</i> from the Luoping Biota (Anisian, Middle Triassic, Yunnan, South China) reveals the relationship between Platysiagidae and Neopterygii. <i>Geological Magazine</i> , 2019, 156, 669-682.	0.9	9
67	Skates and rays (Elasmobranchii, Batomorphii) from the Eocene La Meseta and Submeseta formations, Seymour Island, Antarctica. <i>Historical Biology</i> , 2019, 31, 1028-1044.	0.7	6
68	Eocene sand tiger sharks (Lamniformes, Odontaspidae) from the Bolca Konservat-Lagerstätte, Italy: palaeobiology, palaeobiogeography and evolutionary significance. <i>Historical Biology</i> , 2019, 31, 102-116.	0.7	16
69	A synoptic review of the Eocene (Ypresian) cartilaginous fishes (Chondrichthyes: Holocephali) from the Bolca Konservat-Lagerstätte, Italy. <i>Journal of Systematic Palaeontology</i> , 2019, 17, 283-313.	0.8	23
70	Development and evolution of tooth renewal in neoselachian sharks as a model for transformation in chondrichthyan dentitions. <i>Journal of Anatomy</i> , 2018, 232, 891-907.	0.9	17
71	A new pycnodont fish, <i>Scalacurvichthys naishi</i> gen. et sp. nov., from the Late Cretaceous of Israel. <i>Journal of Systematic Palaeontology</i> , 2018, 16, 659-673.	0.6	13
72	Revision of Eocene electric rays (Torpediniformes, Batomorphii) from the Bolca Konservat-Lagerstätte, Italy, reveals the first fossil embryo in situ in marine batoids and provides new insights into the origin of trophic novelties in coral reef fishes. <i>Journal of Systematic Palaeontology</i> , 2018, 16, 1189-1219.	0.6	19

#	ARTICLE	IF	CITATIONS
73	New Early Cretaceous sharks (Chondrichthyes, Elasmobranchii) from deep-water deposits of Austria. <i>Cretaceous Research</i> , 2018, 84, 245-257.	0.6	7
74	Ontogenetic development of the otic region in the new model organism, <i>Leucoraja erinacea</i> (Chondrichthyes; Rajidae). <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2018, 109, 105-114.	0.3	5
75	New observations on the anatomy and paleobiology of the Eocene requiem shark <i>Eogaleus bolcensis</i> (Carcharhiniformes, Carcharhinidae) from Bolca Lagerstätte, Italy. <i>Comptes Rendus - Palevol</i> , 2018, 17, 443-459.	0.1	12
76	On the need of providing tooth morphology in descriptions of extant elasmobranch species. <i>Zootaxa</i> , 2018, 4461, 118.	0.2	23
77	Tooth mineralization and histology patterns in extinct and extant snaggletooth sharks, Hemipristis (Carcharhiniformes, Hemigaleidae) – Evolutionary significance or ecological adaptation?. <i>PLoS ONE</i> , 2018, 13, e0200951.	1.1	31
78	A quantitative approach to determine the taxonomic identity and ontogeny of the pycnodontiform fish <i>Pycnodus</i> (Neopterygii, Actinopterygii) from the Eocene of Bolca Lagerstätte, Italy. <i>PeerJ</i> , 2018, 6, e4809.	0.9	8
79	Before the freeze: otoliths from the Eocene of Seymour Island, Antarctica, reveal dominance of gadiform fishes (Teleostei). <i>Journal of Systematic Palaeontology</i> , 2017, 15, 147-170.	0.6	19
80	Functional morphological adaptations of the bony labyrinth in marsupials (Mammalia, Theria). <i>Journal of Morphology</i> , 2017, 278, 742-749.	0.6	19
81	Revision of Eocene Antarctic carpet sharks (Elasmobranchii, Orectolobiformes) from Seymour Island, Antarctic Peninsula. <i>Journal of Systematic Palaeontology</i> , 2017, 15, 969-990.	0.6	9
82	Early Jurassic diversification of pycnodontiform fishes (Actinopterygii, Neopterygii) after the end-Triassic extinction event: evidence from a new genus and species, <i>Grimmenodon aureum</i> . <i>Journal of Vertebrate Paleontology</i> , 2017, 37, e1344679.	0.4	14
83	Eocene squalomorph sharks (Chondrichthyes, Elasmobranchii) from Antarctica. <i>Journal of South American Earth Sciences</i> , 2017, 78, 175-189.	0.6	6
84	New carcharhiniform sharks (Chondrichthyes, Elasmobranchii) from the early to middle Eocene of Seymour Island, Antarctic Peninsula. <i>Journal of Vertebrate Paleontology</i> , 2017, 37, e1371724.	0.4	8
85	Body length of bony fishes was not a selective factor during the biggest mass extinction of all time. <i>Palaeontology</i> , 2017, 60, 727-741.	1.0	13
86	Palaeobiology of <i>Hyaenodon exiguus</i> (Hyaenodonta, Mammalia) based on morphometric analysis of the bony labyrinth. <i>Journal of Anatomy</i> , 2017, 230, 282-289.	0.9	10
87	A new sawshark, <i>Pristiophorus laevis</i> , from the Eocene of Antarctica with comments on <i>Pristiophorus lanceolatus</i> . <i>Historical Biology</i> , 2017, 29, 841-853.	0.7	14
88	Virtual reconstruction of the skeletal labyrinth of two lamnid sharks (Elasmobranchii). <i>TJ ETQq0 0 0 rgBT, /Overlogk 10 Tf 00</i>	0.7	3
89	First skeletal remains of the giant sawfish <i>Onchosaurus</i> (Neoselachii, Sclerorhynchiformes) from the Upper Cretaceous of northeastern Italy. <i>Cretaceous Research</i> , 2017, 69, 124-135.	0.6	12
90	Principal component and discriminant analyses as powerful tools to support taxonomic identification and their use for functional and phylogenetic signal detection of isolated fossil shark teeth. <i>PLoS ONE</i> , 2017, 12, e0188806.	1.1	42

#	ARTICLE	IF	CITATIONS
91	New information about late cretaceous pycnodont fishes (Actinopterygii, Pycnodontiformes) from the near east. <i>Research & Knowledge</i> , 2017, 3, 47-48.	0.0	0
92	Evolution of the locomotory system in eels (Teleostei: Elopomorpha). <i>BMC Evolutionary Biology</i> , 2016, 16, 159.	3.2	9
93	Ultimate Eocene (Priabonian) chondrichthyans (Holocephali, Elasmobranchii) of Antarctica. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1160911.	0.4	22
94	Tooth development and histology patterns in lamniform sharks (Elasmobranchii, Lamniformes) revisited. <i>Journal of Morphology</i> , 2016, 277, 1584-1598.	0.6	16
95	Permian–Triassic Osteichthyes (bony fishes): diversity dynamics and body size evolution. <i>Biological Reviews</i> , 2016, 91, 106-147.	4.7	88
96	Crassodontidae, a replacement name for Crassonotidae Kriwet and Klug, 2011 (Chondrichthyes). <i>Tj ETQq0 0 0 rgBT /Overlock 10 TF</i>	0.4	2
97	Early development of rostrum saw-teeth in a fossil ray tests classical theories of the evolution of vertebrate dentitions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20151628.	1.2	11
98	Comparative morphology of the juvenile skeleton in freshwater stingrays with special focus on <i>Paratrygon aiereba</i> (Myliobatiformes: Potamotrygonidae). <i>Zoologischer Anzeiger</i> , 2015, 255, 7-24.	0.4	1
99	Body-size variation of pycnodontiform fishes from the Late Jurassic of Lower Saxony (Northern) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.8	1
100	Egg capsule morphology provides new information about the interrelationships of chondrichthyan fishes. <i>Journal of Systematic Palaeontology</i> , 2014, 12, 389-399.	0.6	14
101	An offshore fish assemblage (Elasmobranchii, Actinopterygii) from the Late Jurassic of NE Spain. <i>Palaontologische Zeitschrift</i> , 2013, 87, 235-257.	0.8	10
102	Node age estimations and the origin of angel sharks, Squatiniformes (Neoselachii, Squalomorpii). <i>Journal of Systematic Palaeontology</i> , 2013, 11, 91-110.	0.6	20
103	Contributions to the skeletal anatomy of freshwater stingrays (Chondrichthyes, Myliobatiformes): 1. Morphology of male <i>Potamotrygon motoro</i> from South America. <i>Zoosystematics and Evolution</i> , 2012, 88, 145-158.	0.4	4
104	Presence of the extinct sawfish, <i>Onchosaurus</i> (Neoselachii, Sclerorhynchiformes) in the Late Cretaceous of Peru with a review of the genus. <i>Journal of South American Earth Sciences</i> , 2012, 39, 52-58.	0.6	2
105	A new Jurassic cow shark (Chondrichthyes, Hexanchiformes) with comments on Jurassic hexanchiform systematics. , 2012, , 107-114.		0
106	An embryonic mandibular tooth plate and associated remains of a Late Jurassic chimaeroid (Holocephali, Chimaeriformes) from the Iberian Peninsula. <i>Journal of Vertebrate Paleontology</i> , 2011, 31, 954-961.	0.4	7
107	Cryptic diversity and species assignment of large lantern sharks of the <i>Etmopterus spinax</i> clade from the Southern Hemisphere (Squaliformes, Etmopteridae). <i>Zoologica Scripta</i> , 2011, 40, 61-75.	0.7	28
108	A new Jurassic cow shark (Chondrichthyes, Hexanchiformes) with comments on Jurassic hexanchiform systematics. <i>Swiss Journal of Geosciences</i> , 2011, 104, 107-114.	0.5	13

#	ARTICLE	IF	CITATIONS
109	Two new lamniform sharks (<i>Leptostyrax stychi</i> sp. nov. and <i>Protolamna sarstedtensis</i> sp. nov.) from the Early Cretaceous of NW Germany. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2010, 257, 283-296.	0.2	10
110	A new Late Jurassic species of the rare synechodontiform shark, <i>Welcommia</i> (Chondrichthyes). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70</i>	0.8	4
111	Molecular systematics and global phylogeography of angel sharks (genus <i>Squatina</i>). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 395-404.	1.2	53
112	On the occurrence of the Taiwan angel shark, <i>Squatina formosa</i> Shen & Ting, 1972 (Chondrichthyes, Squatinidae) from Japan. <i>Zoosystematics and Evolution</i> , 2010, 86, 117-124.	0.4	3
113	Molecular phylogeny and node time estimation of bioluminescent Lantern Sharks (Elasmobranchii). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 69</i>	1.2	69
114	Timing of deep-sea adaptation in dogfish sharks: insights from a supertree of extinct and extant taxa. <i>Zoologica Scripta</i> , 2010, 39, 331-342.	0.7	28
115	Neoselachians (Chondrichthyes, Elasmobranchii) from the Lower and lower Upper Cretaceous of north-eastern Spain. <i>Zoological Journal of the Linnean Society</i> , 2009, 155, 316-347.	1.0	34
116	Skeletal anatomy of the extinct shark <i>Paraorthacodus jurensis</i> (Chondrichthyes). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (Palaeontological Journal of the Linnean Society</i> , 2009, 157, 107-134.	1.0	22
117	Diversification trajectories and evolutionary life-history traits in early sharks and batoids. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 945-951.	1.2	69
118	Dental structure of the Giant lantern shark <i>Etmopterus baxteri</i> (Chondrichthyes: Squaliformes) and its taxonomic implications. <i>Environmental Biology of Fishes</i> , 2008, 82, 133-141.	0.4	16
119	A new basal galeomorph shark (Synechodontiformes, Neoselachii) from the Early Jurassic of Europe. <i>Die Naturwissenschaften</i> , 2008, 95, 443-448.	0.6	22
120	A review of early gadiform evolution and diversification: first record of a rattail fish skull (Gadiformes, Macrouridae) from the Eocene of Antarctica, with otoliths preserved in situ. <i>Die Naturwissenschaften</i> , 2008, 95, 899-907.	0.6	26
121	The dentition of the enigmatic pycnodont fish, <i>Athrodon wittei</i> (Fricke, 1876) (Neopterygii). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6</i>	0.4	6
122	A new Early Cretaceous lamniform shark (Chondrichthyes, Neoselachii). <i>Zoological Journal of the Linnean Society</i> , 2008, 154, 278-290.	1.0	31
123	Diversity and biogeography patterns of Late Jurassic neoselachians (Chondrichthyes: Elasmobranchii). <i>Geological Society Special Publication</i> , 2008, 295, 55-70.	0.8	26
124	First direct evidence of a vertebrate three-level trophic chain in the fossil record. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 181-186.	1.2	52
125	Fish tooth $\delta^{18}O$ revising Late Cretaceous meridional upper ocean water temperature gradients. <i>Geology</i> , 2007, 35, 107.	2.0	88
126	NEOSELACHIANS FROM THE UPPER CAMPANIAN AND LOWER MAASTRICHTIAN (UPPER CRETACEOUS) OF THE SOUTHERN PYRENEES, NORTHERN SPAIN. <i>Palaeontology</i> , 2007, 50, 1051-1071.	1.0	28

#	ARTICLE	IF	CITATIONS
127	Biology and dental morphology of <i>Priscurus adruptodontus</i> , gen. et sp. nov. (Chondrichthyes), Tj ETQq1 1 0.784314 rgBT /Overlock 10 26, 538-543.	0.4	9
128	Late Cretaceous Antarctic fish diversity. Geological Society Special Publication, 2006, 258, 83-100.	0.8	28
129	<i>Paraphorosoides</i> , gen. nov., a replacement name for <i>Palaeomicroides</i> Thies and MÄ¼ller, 1993 (Chondrichthyes, Squaliformes), a preoccupied name. Journal of Vertebrate Paleontology, 2006, 26, 487-487.	0.4	3
130	Anatomy and systematics of the Early Jurassic neoselachian shark <i>Synechodus smithwoodwardi</i> (Fraas, 1896) from southern Germany. Neues Jahrbuch FÄ¼r Geologie Und PalÄontologie, 2006, 2006, 193-211.	0.3	6
131	An amioid fish (Neopterygii, Amiiiformes) from the Late Jurassic of the Iberian Peninsula. Geobios, 2005, 38, 99-106.	0.7	5
132	Massive corals in Paleocene siliciclastic sediments of Chubut (Argentina). Facies, 2005, 51, 233-241.	0.7	13
133	Additions to the Eocene selachian fauna of Antarctica with comments on Antarctic selachian diversity. Journal of Vertebrate Paleontology, 2005, 25, 1-7.	0.4	33
134	Late Triassic pycnodont fish remains (Neopterygii, Pycnodontiformes) from the Germanic basin. Eclogae Geologicae Helveticae, 2004, 97, 183-191.	0.6	12
135	A new pycnodont fish genus (Neopterygii: Pycnodontiformes) from the Cenomanian (Upper) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.4	0.4	12
136	Neoselachian (Chondrichthyes, Elasmobranchii) diversity across the Cretaceous-Tertiary boundary. Palaeogeography, Palaeoclimatology, Palaeoecology, 2004, 214, 181-194.	1.0	86
137	Late Jurassic selachians (Chondrichthyes: Hybodontiformes, Neoselachii) from Central Portugal. Neues Jahrbuch FÄ¼r Geologie Und PalÄontologie, 2004, 2004, 233-256.	0.3	13
138	Lancetfish teeth (Neoteleostei, Alepisaurioidei) from the Early Cretaceous of Alcaine, NE Spain. Lethaia, 2003, 36, 323-331.	0.6	15
139	First record of an Early Cretaceous shark (Chondrichthyes, Neoselachii) from Antarctica. Antarctic Science, 2003, 15, 507-511.	0.5	21
140	Selachians and actinopterygians from the Upper Jurassic of Tendaguru, Tanzania. Fossil Record, 2002, 5, 207-230.	0.5	5
141	<i>Anomoeodus pauciseriale</i> n. sp. (Neopterygii, Pycnodontiformes) from the White Chalk Formation (Upper Cretaceous) of Sussex, South England. Palaontologische Zeitschrift, 2002, 76, 117-123.	0.8	13
142	Pycnodont fish remains (Neopterygii: Pycnodontiformes) from the Kimmeridgian (Upper Jurassic) of the Lusitanian Basin (Central Portugal). Neues Jahrbuch FÄ¼r Geologie Und PalÄontologie, 2002, 2002, 577-587.	0.3	2
143	Feeding mechanisms and ecology of pycnodont fishes (Neopterygii, Pycnodontiformes). Fossil Record, 2001, 4, 139-165.	0.5	19
144	Revision of <i>Mesturus cordillera</i> Martill et al., 1998 (Actinopterygii, Pycnodontiformes) from the Oxfordian (Upper Jurassic) of northern Chile. Journal of Vertebrate Paleontology, 2000, 20, 450-455.	0.4	12

#	ARTICLE	IF	CITATIONS
145	Microvertebrate remains (Pisces, Archosauria) from the Middle Jurassic (Bathonian) of southern France. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 1997, 206, 1-28.	0.2	31
146	Palaeoecology and depositional environments of the Tendaguru Beds (Late Jurassic to Early Tertiary). <i>Journal of Paleontology</i> , 1975, 49, 1-25.	0.4	25
147	A partial skeleton of a new mackerel shark (Chondrichthyes, Lamniformes) from the Miocene of Europe. <i>Acta Palaeontologica Polonica</i> , 0, , .	0.4	2
148	Anatomy, relationships and palaeobiogeographic implications of the first Neogene holomorphic stingray (Myliobatiformes: Dasyatidae) from the early Miocene of Sulawesi, Indonesia, SE Asia. <i>Zoological Journal of the Linnean Society</i> , 0, , .	1.0	3
149	Two passeriform birds (Aves: Passeriformes) from the Middle Miocene of Austria. <i>Palaontologische Zeitschrift</i> , 0, , 1.	0.8	0
150	Cranial morphology of the orectolobiform shark, <i>Chiloscyllium punctatum</i> Müller & Henle, 1838. <i>Vertebrate Zoology</i> , 0, 72, 311-370.	2.0	5